
python-cybox Documentation

Release 2.1.0.12.dev1

The MITRE Corporation

July 02, 2015

1	Versions	3
2	Contents	5
2.1	Getting Started with python-cybox	5
2.2	Installation	5
2.3	Overview	7
2.4	Examples	7
2.5	Contributing	15
3	API Reference	17
3.1	API Reference	17
3.2	API Coverage	486
4	Indices and tables	489
	Python Module Index	491

Version: 2.1.0.12.dev1

The python-cybox library provides an API for developing and consuming Cyber Observable eXpression (CybOX) content. Developers can leverage the API to create applications that create, consume, translate, or otherwise work with CybOX content.

Versions

Each version of python-cybox is designed to work with a single version of the CybOX Language. The table below shows the latest version the library for each version of CybOX.

CybOX Version	python-cybox Version
2.1	2.1.0.11 (PyPI) (GitHub)
2.0.1	2.0.1.4 (PyPI) (GitHub)
2.0	2.0.0.1 (PyPI) (GitHub)
1.0	1.0.0b3 (PyPI) (GitHub)

Version: 2.1.0.12.dev1

2.1 Getting Started with python-cybox

Note: The python-cybox library is intended for developers who want to add CybOX support to existing programs or create new programs that handle CybOX content. Experience with Python development is assumed.

Other users should look at existing [tools](#) that support CybOX.

Understanding XML, XML Schema, and the CybOX language is also incredibly helpful when using python-cybox in an application.

First, you should follow the [Installation](#) procedures.

2.1.1 Example Scripts

The python-cybox repository contains several [example scripts](#) that help illustrate the capabilities of the APIs. These scripts are simple command line utilities that can be executed by passing the name of the script to a Python interpreter.

```
$ python simple_email_instance.py
```

2.1.2 Writing Your Own Application

See the [Examples](#) page for more examples of using python-cybox in your own application.

Version: 2.1.0.12.dev1

2.2 Installation

2.2.1 Recommended Installation

Use pip:

```
$ pip install cybox
```

You might also want to consider using a [virtualenv](#).

2.2.2 Dependencies

The python-cybox library is developed on Python 2.7 and tested against both Python 2.6 and 2.7. Besides the Python Standard Library, python-cybox relies on the following Python libraries:

- `lxml` - A Pythonic binding for the C libraries `libxml2` and `libxslt`.
- `python-dateutil` - A library for parsing datetime information.
- `importlib` (Python 2.6) - Convenience wrappers for `__import__()`.

Note: `importlib` is built into Python 2.7, and is available on PyPI for Python 2.6.

Each of these can be installed with `pip` or by manually downloading packages from PyPI. On Windows, you will probably have the most luck using [pre-compiled binaries](#) for `lxml`. On Ubuntu (12.04 or 14.04), you should make sure the following packages are installed before attempting to compile `lxml` from source:

- `libxml2-dev`
- `libxslt1-dev`
- `zlib1g-dev`

2.2.3 Manual Installation

If you are unable to use `pip`, you can also install python-cybox with `setuptools`. If you don't already have `setuptools` installed, please install it before continuing.

1. Download and install the [dependencies](#) above. Although `setuptools` will generally install dependencies automatically, installing the dependencies manually beforehand helps distinguish errors in dependency installation from errors in python-cybox installation. Make sure you check to ensure the versions you install are compatible with the version of python-cybox you plan to install.
2. Download the desired version of python-cybox from [PyPI](#) or the [GitHub releases](#) page. The steps below assume you are using the 2.1.0.12.dev1 release.
3. Extract the downloaded file. This will leave you with a directory named `cybox-2.1.0.12.dev1`.

```
$ tar -zxf cybox-2.1.0.12.dev1.tar.gz
$ ls
cybox-2.1.0.12.dev1  cybox-2.1.0.12.dev1.tar.gz
```

OR

```
$ unzip cybox-2.1.0.12.dev1.zip
$ ls
cybox-2.1.0.12.dev1  cybox-2.1.0.12.dev1.zip
```

4. Run the installation script.

```
$ cd cybox-2.1.0.12.dev1
$ python setup.py install
```

5. Test the installation.

```
$ python
Python 2.7.6 (default, Mar 22 2014, 22:59:56)
[GCC 4.8.2] on linux2
Type "help", "copyright", "credits" or "license" for more information.
>>> import cybox
>>>
```

If you don't see an `ImportError`, the installation was successful.

2.2.4 Further Information

If you're new to installing Python packages, you can learn more at the [Python Packaging User Guide](#), specifically the [Installing Python Packages](#) section.

Version: 2.1.0.12.dev1

2.3 Overview

This page provides a quick overview needed to understand the inner workings of the python-cybox library. If you prefer a more hands-on approach, browse the [Examples](#).

2.3.1 CyBOX Entities

Each type within CyBOX is represented by a class which derives from `cybox.Entity`. In general, there is one Python class per CyBOX type, though in some cases classes which would have identical functionality have been reused rather than writing duplicating classes. One example of this is that many enumerated values are implemented using the `cybox.common.properties.String`, since values aren't checked to make sure they are valid enumeration values.

Note: Not all CyBOX types have yet been implemented.

2.3.2 Controlled Vocabulary Strings

Controlled Vocabulary strings are a concept originally designed for STIX and adapted for use in CyBOX as well. For background, see the [STIX documentation](#). Controlled Vocabulary strings are implemented in the `cybox` Python package very similarly to how they are implemented in the `stix` package, so viewing the [python-stix documentation](#) should help explain how to work with CyBOX Controlled Vocabulary strings as well. CyBOX vocabularies are defined in the `cybox.common.vocabs` module.

Version: 2.1.0.12.dev1

2.4 Examples

This page includes some basic examples of creating and parsing CyBOX content.

There are a couple things we do in these examples for purposes of demonstration that shouldn't be done in production code:

- When calling `to_xml()`, we use `include_namespaces=False`. This is to make the example output easier to read, but means the resulting output cannot be successfully parsed. The XML parser doesn't know what namespaces to use if they aren't included. In production code, you should explicitly set `include_namespaces` to `True` or omit it entirely (`True` is the default).
- We use `set_id_method(IDGenerator.METHOD_INT)` to make IDs for Objects and Observables easier to read and cross-reference within the XML document. In production code, you should omit this statement, which causes random UUIDs to be created instead, or create explicit IDs yourself for objects and observables.

2.4.1 Creating Objects

The easiest way to create an object is to construct one and then set various properties on it.

```
from cybox.objects.file_object import File
f = File()
f.file_name = "malware.exe"
f.file_path = "C:\Windows\Temp\malware.exe"
print(f.to_xml(include_namespaces=False, encoding=None))
```

Which outputs:

```
<FileObj:FileObjectType xsi:type="FileObj:FileObjectType">
  <FileObj:File_Name>malware.exe</FileObj:File_Name>
  <FileObj:File_Path>C:\Windows\Temp\malware.exe</FileObj:File_Path>
</FileObj:FileObjectType>
```

For some objects, such as the AddressObject, you can pass parameters directly into the constructor.

```
from cybox.objects.address_object import Address
a = Address("1.2.3.4", Address.CAT_IPV4)
print(a.to_xml(include_namespaces=False, encoding=None))
```

```
<AddressObj:AddressObjectType xsi:type="AddressObj:AddressObjectType" category="ipv4-addr">
  <AddressObj:Address_Value>1.2.3.4</AddressObj:Address_Value>
</AddressObj:AddressObjectType>
```

2.4.2 Creating Observables

Full CyBOX documents are expected to have Observables as the root element. You can pass any object to the Observables constructor to generate the proper XML.

```
from mixbox.idgen import IDGenerator, set_id_method
from cybox.core import Observables
from cybox.objects.file_object import File
set_id_method(IDGenerator.METHOD_INT)
f = File()
f.file_name = "malware.exe"
f.file_path = "C:\Windows\Temp\malware.exe"
print(Observables(f).to_xml(include_namespaces=False, encoding=None))
```

```
<cybox:Observables cybox_major_version="2" cybox_minor_version="1" cybox_update_version="0">
  <cybox:Observable id="example:Observable-1">
    <cybox:Object id="example:File-2">
      <cybox:Properties xsi:type="FileObj:FileObjectType">
        <FileObj:File_Name>malware.exe</FileObj:File_Name>
        <FileObj:File_Path>C:\Windows\Temp\malware.exe</FileObj:File_Path>
      </cybox:Properties>
    </cybox:Object>
  </cybox:Observable>
</cybox:Observables>
```

To include multiple objects as individual Observables within one document, you can pass them as a list to the Observables constructor.

```
from mixbox.idgen import IDGenerator, set_id_method
from cybox.core import Observables
from cybox.objects.address_object import Address
```

```

from cybox.objects.uri_object import URI
set_id_method(IDGenerator.METHOD_INT)
a = Address("1.2.3.4", Address.CAT_IPV4)
u = URI("http://cybox.mitre.org/")
print(Observables([a, u]).to_xml(include_namespaces=False, encoding=None))

```

```

<cybox:Observables cybox_major_version="2" cybox_minor_version="1" cybox_update_version="0">
  <cybox:Observable id="example:Observable-1">
    <cybox:Object id="example:Address-2">
      <cybox:Properties xsi:type="AddressObj:AddressObjectType" category="ipv4-addr">
        <AddressObj:Address_Value>1.2.3.4</AddressObj:Address_Value>
      </cybox:Properties>
    </cybox:Object>
  </cybox:Observable>
  <cybox:Observable id="example:Observable-3">
    <cybox:Object id="example:URI-4">
      <cybox:Properties xsi:type="URIObj:URIObjectType">
        <URIObj:Value>http://cybox.mitre.org/</URIObj:Value>
      </cybox:Properties>
    </cybox:Object>
  </cybox:Observable>
</cybox:Observables>

```

2.4.3 HTTP Message Body

When outputting XML, by default, reserved XML characters such as < and > are escaped by default.

```

from cybox.objects.http_session_object import HTTPMessage
m = HTTPMessage()
m.message_body = "<html><title>An HTML page</title><body><p>Body text</p></body></html>"
m.length = len(m.message_body.value)
print(m.to_xml(include_namespaces=False, encoding=None))

```

```

<HTTPSessionObj:HTTPMessageType>
  <HTTPSessionObj:Length>69</HTTPSessionObj:Length>
  <HTTPSessionObj:Message_Body>&lt;html&gt;&lt;title&gt;An HTML page&lt;/title&gt;&lt;body&gt;&lt;p&gt;Body text&lt;/p&gt;&lt;/body&gt;&lt;/html&gt;
</HTTPSessionObj:HTTPMessageType>

```

When you parse this content, these characters are converted back.

```

from cybox.bindings.http_session_object import parseString
m2 = HTTPMessage.from_obj(parseString(m.to_xml(encoding=None)))
print(m2.message_body)

```

```

<html><title>An HTML page</title><body><p>Body text</p></body></html>

```

2.4.4 HTTP User Agent

```

from cybox.objects.http_session_object import *
fields = HTTPRequestHeaderFields()
fields.user_agent = 'Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:25.0) Gecko/20100101 Firefox/25.0'

header = HTTPRequestHeader()
header.parsed_header = fields

```

```

request = HTTPClientRequest()
request.http_request_header = header

req_res = HTTPRequestResponse()
req_res.http_client_request = request

session = HTTPSession()
session.http_request_response = [req_res]

print(session.to_xml(include_namespaces=False, encoding=None))

```

```

<HTTPSessionObj:HTTPSessionObjectType xsi:type="HTTPSessionObj:HTTPSessionObjectType">
  <HTTPSessionObj:HTTP_Request_Response>
    <HTTPSessionObj:HTTP_Client_Request>
      <HTTPSessionObj:HTTP_Request_Header>
        <HTTPSessionObj:Parsed_Header>
          <HTTPSessionObj:User_Agent>Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:25.0) Gecko/20100101 Firefox/25.0
        </HTTPSessionObj:Parsed_Header>
      </HTTPSessionObj:HTTP_Request_Header>
    </HTTPSessionObj:HTTP_Client_Request>
  </HTTPSessionObj:HTTP_Request_Response>
</HTTPSessionObj:HTTPSessionObjectType>

```

2.4.5 Objects with DateTime properties

When setting DateTime properties on objects, you can either use a native Python `datetime.datetime` or a string. The `python-dateutil` library is used to parse strings into dates, so a wide variety of formats is supported.

```

import datetime
from cybox.objects.email_message_object import EmailMessage
e = EmailMessage()
e.from_ = "spammer@spam.com"
e.subject = "This is not spam"
e.date = datetime.datetime(2012, 1, 17, 8, 35, 6)
print(e.to_xml(include_namespaces=False, encoding=None))

```

```

<EmailMessageObj:EmailMessageObjectType xsi:type="EmailMessageObj:EmailMessageObjectType">
  <EmailMessageObj:Header>
    <EmailMessageObj:From xsi:type="AddressObj:AddressObjectType" category="e-mail">
      <AddressObj:Address_Value>spammer@spam.com</AddressObj:Address_Value>
    </EmailMessageObj:From>
    <EmailMessageObj:Subject>This is not spam</EmailMessageObj:Subject>
    <EmailMessageObj:Date>2012-01-17T08:35:06</EmailMessageObj:Date>
  </EmailMessageObj:Header>
</EmailMessageObj:EmailMessageObjectType>

```

```

from cybox.objects.email_message_object import EmailMessage
e = EmailMessage()
e.date = "Mon, 14 Oct, 2013 12:32:03 -0500"
print(e.to_xml(include_namespaces=False, encoding=None))

```

```

<EmailMessageObj:EmailMessageObjectType xsi:type="EmailMessageObj:EmailMessageObjectType">
  <EmailMessageObj:Header>
    <EmailMessageObj:Date>2013-10-14T12:32:03-05:00</EmailMessageObj:Date>
  </EmailMessageObj:Header>
</EmailMessageObj:EmailMessageObjectType>

```

2.4.6 Hashes

In many cases you can pass a dictionary or a list to create an instance of a CybOX type.

```
from cybox.common import HashList
h = HashList.from_list([{'type': 'MD5', 'simple_hash_value': 'FFFFFF'},
                       {'type': 'SHA1', 'simple_hash_value': 'FFFFFF'}])
print(h.to_xml(include_namespaces=False, encoding=None))
```

```
<cyboxCommon:HashListType>
  <cyboxCommon:Hash>
    <cyboxCommon:Type>MD5</cyboxCommon:Type>
    <cyboxCommon:Simple_Hash_Value>FFFFFF</cyboxCommon:Simple_Hash_Value>
  </cyboxCommon:Hash>
  <cyboxCommon:Hash>
    <cyboxCommon:Type>SHA1</cyboxCommon:Type>
    <cyboxCommon:Simple_Hash_Value>FFFFFF</cyboxCommon:Simple_Hash_Value>
  </cyboxCommon:Hash>
</cyboxCommon:HashListType>
```

This can easily be incorporated into constructing objects as well.

```
from cybox.objects.win_file_object import WinFile
f = WinFile()
f.file_name = "foo.exe"
f.drive = "C:\\\\"
f.hashes = h
print(f.to_xml(include_namespaces=False, encoding=None))
```

```
<WinFileObj:WindowsFileType xsi:type="WinFileObj:WindowsFileType">
  <FileObj:File_Name>foo.exe</FileObj:File_Name>
  <FileObj:Hashes>
    <cyboxCommon:Hash>
      <cyboxCommon:Type>MD5</cyboxCommon:Type>
      <cyboxCommon:Simple_Hash_Value>FFFFFF</cyboxCommon:Simple_Hash_Value>
    </cyboxCommon:Hash>
    <cyboxCommon:Hash>
      <cyboxCommon:Type>SHA1</cyboxCommon:Type>
      <cyboxCommon:Simple_Hash_Value>FFFFFF</cyboxCommon:Simple_Hash_Value>
    </cyboxCommon:Hash>
  </FileObj:Hashes>
  <WinFileObj:Drive>C:\\</WinFileObj:Drive>
</WinFileObj:WindowsFileType>
```

2.4.7 Object Subclasses

The WindowsFile object is a subclass of the File object. As you can see, the correct namespaces for the various properties are set.

```
from cybox.objects.win_file_object import WinFile
f = WinFile()
f.file_name = "blah.exe"
f.drive = "C:\\\\"
print(f.to_xml(include_namespaces=False, encoding=None))
```

```
<WinFileObj:WindowsFileType xsi:type="WinFileObj:WindowsFileType">
  <FileObj:File_Name>blah.exe</FileObj:File_Name>
```

```
<WinFileObj:Drive>C:\</WinFileObj:Drive>
</WinFileObj:WindowsFileObjectType>
```

As another example, the WinUser object is a refinement of the UserAccount object, which itself is a refinement of the Account object. As with Hashes, these can be constructed from a dictionary representation.

```
from cybox.objects.win_user_object import WinUser
winuser_dict = {
    # Account-specific fields
    'disabled': False,
    'domain': 'ADMIN',
    # UserAccount-specific fields
    'password_required': True,
    'full_name': "Steve Ballmer",
    'home_directory': "C:\\Users\\ballmer\\",
    'last_login': "2011-05-12T07:14:01+07:00",
    'username': "ballmer",
    'user_password_age': "P180D",
    # WinUser-specific fields
    'security_id': "S-1-5-21-3623811015-3361044348-30300820-1013",
    'security_type': "SidTypeUser",
    'xsi:type': 'WindowsUserAccountObjectType',
}
print(WinUser.from_dict(winuser_dict).to_xml(include_namespaces=False, encoding=None))
```

```
<WinUserAccountObj:WindowsUserAccountObjectType xsi:type="WinUserAccountObj:WindowsUserAccountObjectType"
  disabled="false" password_required="true">
  <AccountObj:Domain>ADMIN</AccountObj:Domain>
  <UserAccountObj:Full_Name>Steve Ballmer</UserAccountObj:Full_Name>
  <UserAccountObj:Home_Directory>C:\Users\ballmer\</UserAccountObj:Home_Directory>
  <UserAccountObj:Last_Login>2011-05-12T07:14:01+07:00</UserAccountObj:Last_Login>
  <UserAccountObj:Username>ballmer</UserAccountObj:Username>
  <UserAccountObj:User_Password_Age>P180D</UserAccountObj:User_Password_Age>
  <WinUserAccountObj:Security_ID>S-1-5-21-3623811015-3361044348-30300820-1013</WinUserAccountObj:Security_ID>
  <WinUserAccountObj:Security_Type>SidTypeUser</WinUserAccountObj:Security_Type>
</WinUserAccountObj:WindowsUserAccountObjectType>
```

2.4.8 ObservableCompositions

```
from mixbox.idgen import IDGenerator, set_id_method
from cybox.core import Observable, Observables, ObservableComposition
from cybox.objects.file_object import File
from cybox.objects.process_object import Process
set_id_method(IDGenerator.METHOD_INT)

observables = Observables()

proc = Process.from_dict(
    {"name": "cmd.exe",
     "image_info": {"command_line": "cmd.exe /c blah.bat"}})
proc.name.condition = "Equals"
proc.image_info.command_line.condition = "Contains"
oproc = Observable(proc)
observables.add(oproc)

f = File.from_dict({"file_name": "blah", "file_extension": "bat"})
f.file_name.condition = "Contains"
```

```
f.file_extension.condition = "Equals"
ofile = Observable(f)
observables.add(ofile)

oproc_ref = Observable()
oproc_ref.id_ = None
oproc_ref.idref = oproc.id_

ofile_ref = Observable()
ofile_ref.id_ = None
ofile_ref.idref = ofile.id_

o_comp = ObservableComposition(operator="OR")
o_comp.add(oproc_ref)
o_comp.add(ofile_ref)
observables.add(Observable(o_comp))

print(observables.to_xml(include_namespaces=False, encoding=None))
```

```
<cybox:Observables cybox_major_version="2" cybox_minor_version="1" cybox_update_version="0">
  <cybox:Observable id="example:Observable-1">
    <cybox:Object id="example:Process-2">
      <cybox:Properties xsi:type="ProcessObj:ProcessObjectType">
        <ProcessObj:Name condition="Equals">cmd.exe</ProcessObj:Name>
        <ProcessObj:Image_Info>
          <ProcessObj:Command_Line condition="Contains">cmd.exe /c blah.bat</ProcessObj:Command_Line>
        </ProcessObj:Image_Info>
      </cybox:Properties>
    </cybox:Object>
  </cybox:Observable>
  <cybox:Observable id="example:Observable-3">
    <cybox:Object id="example:File-4">
      <cybox:Properties xsi:type="FileObj:FileObjectType">
        <FileObj:File_Name condition="Contains">blah</FileObj:File_Name>
        <FileObj:File_Extension condition="Equals">bat</FileObj:File_Extension>
      </cybox:Properties>
    </cybox:Object>
  </cybox:Observable>
  <cybox:Observable id="example:Observable-7">
    <cybox:Observable_Composition operator="OR">
      <cybox:Observable idref="example:Observable-1">
      </cybox:Observable>
      <cybox:Observable idref="example:Observable-3">
      </cybox:Observable>
    </cybox:Observable_Composition>
  </cybox:Observable>
</cybox:Observables>
```

2.4.9 Parsing example

Just as you can call `to_xml()` to generate XML, you can call `parseString` to parse an XML string.

```
>>> import cybox.bindings.file_object as file_binding
>>> from cybox.objects.file_object import File
>>> a = ""
... <FileObj:FileObjectType
...     xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```

...     xmlns:FileObj="http://cybox.mitre.org/objects#FileObject-2"
...     xsi:type="FileObj:FileObjectType">
...     <FileObj:File_Name condition="Contains">bad.exe</FileObj:File_Name>
... </FileObj:FileObjectType>
... """
>>> file_obj = file_binding.parseString(a)
>>> type(file_obj)
<class 'cybox.bindings.file_object.FileObjectType'>
>>> f = File.from_obj(file_obj)
>>> f.file_name.value
'bad.exe'
>>> str(f.file_name)
'bad.exe'
>>> f.file_name.condition
'Contains'

```

2.4.10 Comparisons

CyBOX objects can be compared for equality using the standard Python equality operator. By default, every field must be equal between the two objects. However, you can explicitly say that some fields should not be considered.

```

>>> from cybox.objects.file_object import File

>>> file_1 = File.from_dict({'file_name': 'abcd.dll', 'size_in_bytes': '25556'})
>>> file_2 = File.from_dict({'file_name': 'abcd.dll', 'size_in_bytes': '25556'})
>>> file_3 = File.from_dict({'file_name': 'abcd.dll', 'size_in_bytes': '1337'})

# First, disable the use of ``size_in_bytes`` comparisons.
>>> File.size_in_bytes.comparable = False

>>> file_1 == file_2
True
>>> file_1 == file_3
True

# Now, set it back to True (the default).
>>> File.size_in_bytes.comparable = True

>>> file_1 == file_2
True
>>> file_1 == file_3
False

```

2.4.11 Custom Objects

The CyBOX Custom Object is used to specify objects which do not have their own object type in CyBOX. These objects should be used with care, as they can make interoperability more challenging if both producer and consumer do not agree on the fields used in the Custom object.

```

from cybox.common.object_properties import CustomProperties, Property
from cybox.objects.custom_object import Custom

c = Custom()

# This should be a QName with a prefix specific to the application

```

```
# (i.e. not "example"). The prefix should be included in the output
# namespaces.
c.custom_name = "example:OfficePassword"
c.description = "This is a string used as a password to protect an Microsoft Office document."
c.custom_properties = CustomProperties()

p1 = Property()
p1.name = "password"
p1.description = "MS Office encryption password"
p1.value = "SuP3rS3cr3T!"
c.custom_properties.append(p1)

print(c.to_xml(include_namespaces=False, encoding=None))
```

```
<CustomObj:CustomObjectType xsi:type="CustomObj:CustomObjectType" custom_name="example:OfficePassword"
  <cyboxCommon:Custom_Properties>
    <cyboxCommon:Property name="password" description="MS Office encryption password">SuP3rS3cr3T!</cyboxCommon:Property>
  </cyboxCommon:Custom_Properties>
  <CustomObj:Description>This is a string used as a password to protect an Microsoft Office document.</CustomObj:Description>
</CustomObj:CustomObjectType>
```

Version: 2.1.0.12.dev1

2.5 Contributing

If you notice a bug, have a suggestion for a new feature, or find that something just isn't behaving the way you'd expect it to, please submit an issue to our [issue tracker](#).

If you'd like to contribute code to our repository, you can do so by issuing a pull request and we will work with you to try and integrate that code into our repository. Users who want to contribute code to the python-cybox repository should be familiar with [git](#) and the [GitHub pull request process](#).

API Reference

Version: 2.1.0.12.dev1

3.1 API Reference

3.1.1 CybOX Common

Modules located in the base `cybox.common` package

Note: Most objects from the CybOX Common schema can be implemented directly from the `cybox.common` package, rather than needing to remember which submodule they are defined in.

Version: 2.1.0.12.dev1

`cybox.common` package

The `cybox.common` module contains classes needed to implement the types found in the CybOX Common schema (`cybox_common.xsd`). Although the implementation is spread between different modules within the `cybox.common` package, types should be imported directly from this module in case the implementations are reorganized in the future.

In other words, do this:

```
from cybox.common import String
```

rather than:

```
from cybox.common.properties import String
```

Submodules

Version: 2.1.0.12.dev1

`cybox.common.attribute_groups` module **Version:** 2.1.0.12.dev1

cybox.common.byterun module

class cybox.common.byterun.**ByteRun**
Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.cybox_common.ByteRunType

byte_order

Type: *cybox.common.properties.String*

XML Binding class name: Byte_Order

Dictionary key name: byte_order

byte_run_data

XML Binding class name: Byte_Run_Data

Dictionary key name: byte_run_data

file_system_offset

Type: *cybox.common.properties.Integer*

XML Binding class name: File_System_Offset

Dictionary key name: file_system_offset

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

image_offset

Type: *cybox.common.properties.Integer*

XML Binding class name: Image_Offset

Dictionary key name: image_offset

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

offset

Type: *cybox.common.properties.Integer*

XML Binding class name: Offset

Dictionary key name: offset

class cybox.common.byterun.**ByteRuns** (*args)
Bases: mixbox.entities.EntityList

XML binding class: `cybox.bindings.cybox_common.ByteRunsType`

Version: 2.1.0.12.dev1

cybox.common.contributor module

class `cybox.common.contributor.Contributor`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ContributorType`

contribution_location

XML Binding class name: `Contribution_Location`

Dictionary key name: `contribution_location`

date

Type: `cybox.common.daterange.DateRange`

XML Binding class name: `Date`

Dictionary key name: `date`

email

XML Binding class name: `Email`

Dictionary key name: `email`

name

XML Binding class name: `Name`

Dictionary key name: `name`

organization

XML Binding class name: `Organization`

Dictionary key name: `organization`

phone

XML Binding class name: `Phone`

Dictionary key name: `phone`

role

XML Binding class name: `Role`

Dictionary key name: `role`

class `cybox.common.contributor.Personnel` (**args*)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.PersonnelType`

Version: 2.1.0.12.dev1

cybox.common.data_segment module

class `cybox.common.data_segment.DataSegment`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DataSegmentType`

byte_order

Type: `cybox.common.properties.String`

XML Binding class name: `Byte_Order`

Dictionary key name: `byte_order`

data_format

XML Binding class name: `Data_Format`

Dictionary key name: `data_format`

data_segment

Type: `cybox.common.properties.String`

XML Binding class name: `Data_Segment`

Dictionary key name: `data_segment`

data_size

Type: `cybox.common.data_segment.DataSize`

XML Binding class name: `Data_Size`

Dictionary key name: `data_size`

id_

XML Binding class name: `id`

Dictionary key name: `id`

offset

Type: `cybox.common.properties.Integer`

XML Binding class name: `Offset`

Dictionary key name: `offset`

search_distance

Type: `cybox.common.properties.Integer`

XML Binding class name: `Search_Distance`

Dictionary key name: `search_distance`

search_within

Type: `cybox.common.properties.Integer`

XML Binding class name: `Search_Within`

Dictionary key name: `search_within`

class `cybox.common.data_segment.DataSize` (*args, **kwargs)

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.cybox_common.DataSizeType`

static from_dict (*datasize_dict*)

static from_obj (*datasize_obj*)

is_plain ()

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.common.daterange module

class `cybox.common.daterange.DateRange`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DateRangeType`

end_date

Type: `cybox.common.datetimewithprecision.DateWithPrecision`

XML Binding class name: `End_Date`

Dictionary key name: `end_date`

start_date

Type: `cybox.common.datetimewithprecision.DateWithPrecision`

XML Binding class name: `Start_Date`

Dictionary key name: `start_date`

Version: 2.1.0.12.dev1

cybox.common.datetimewithprecision module

class `cybox.common.datetimewithprecision.DateTimeWithPrecision` (*value=None, precision='second'*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DateTimeWithPrecisionType`

classmethod `from_dict` (*dict_*)

classmethod `from_obj` (*obj*)

`to_dict` ()

`to_obj` (*return_obj=None, ns_info=None*)

class `cybox.common.datetimewithprecision.DateWithPrecision` (*value=None, precision='day'*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DateWithPrecisionType`

classmethod `from_dict` (*dict_*)

classmethod `from_obj` (*obj*)

`to_dict` ()

`to_obj` (*return_obj=None, ns_info=None*)

`cybox.common.datetimewithprecision.parse_value` (*value*)

`cybox.common.datetimewithprecision.serialize_value` (*value*)

Version: 2.1.0.12.dev1

cybox.common.digitalsignature module

class `cybox.common.digitalsignature.DigitalSignature`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DigitalSignatureInfoType`

certificate_issuer

Type: `cybox.common.properties.String`

XML Binding class name: `Certificate_Issuer`

Dictionary key name: `certificate_issuer`

certificate_subject

Type: `cybox.common.properties.String`

XML Binding class name: `Certificate_Subject`

Dictionary key name: `certificate_subject`

signature_description

Type: `cybox.common.properties.String`

XML Binding class name: `Signature_Description`

Dictionary key name: `signature_description`

signature_exists

XML Binding class name: signature_exists

Dictionary key name: signature_exists

signature_verified

XML Binding class name: signature_verified

Dictionary key name: signature_verified

class cybox.common.digitalsignature.**DigitalSignatureList** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.cybox_common.DigitalSignaturesType

Version: 2.1.0.12.dev1

cybox.common.environment_variable module

class cybox.common.environment_variable.**EnvironmentVariable**

Bases: mixbox.entities.Entity

XML binding class: <undefined>

static from_dict (environment_variable_dict)

static from_obj (environment_variable_obj)

to_dict ()

to_obj (return_obj=None, ns_info=None)

class cybox.common.environment_variable.**EnvironmentVariableList** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.cybox_common.EnvironmentVariableListType

Version: 2.1.0.12.dev1

cybox.common.extracted_features module

class cybox.common.extracted_features.**CodeSnippets** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.cybox_common.CodeSnippetsType

class cybox.common.extracted_features.**ExtractedFeatures**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.cybox_common.ExtractedFeaturesType

code_snippets

Type: *cybox.common.extracted_features.CodeSnippets*

XML Binding class name: Code_Snippets

Dictionary key name: code_snippets

functions

Type: *cybox.common.extracted_features.Functions*

XML Binding class name: Functions

Dictionary key name: functions

imports

Type: *cybox.common.extracted_features.Imports*

XML Binding class name: Imports

Dictionary key name: imports

strings

Type: *cybox.common.extracted_string.ExtractedStrings*

XML Binding class name: Strings

Dictionary key name: strings

class `cybox.common.extracted_features.Functions` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.FunctionsType`

class `cybox.common.extracted_features.Imports` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.ImportsType`

Version: 2.1.0.12.dev1

cybox.common.extracted_string module

class `cybox.common.extracted_string.ExtractedString` (*string_value=None*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ExtractedStringType`

address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Address

Dictionary key name: address

byte_string_value

Type: *cybox.common.properties.String*

XML Binding class name: Byte_String_Value

Dictionary key name: byte_string_value

encoding

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Encoding

Dictionary key name: encoding

english_translation

Type: *cybox.common.properties.String*

XML Binding class name: English_Translation

Dictionary key name: english_translation

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

language

Type: *cybox.common.properties.String*

XML Binding class name: Language

Dictionary key name: language

length

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Length

Dictionary key name: length

string_value

Type: *cybox.common.properties.String*

XML Binding class name: String_Value

Dictionary key name: string_value

class `cybox.common.extracted_string.ExtractedStrings` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.ExtractedStringsType`

Version: 2.1.0.12.dev1

cybox.common.hashes module

class `cybox.common.hashes.Hash` (*hash_value=None, type_=None, exact=False*)
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.HashType`

fuzzy_hash_value

Type: `cybox.common.properties.String`

XML Binding class name: `Fuzzy_Hash_Value`

Dictionary key name: `fuzzy_hash_value`

simple_hash_value

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Simple_Hash_Value`

Dictionary key name: `simple_hash_value`

type_

TypedField subclass for `VocabString` fields.

Type: `cybox.common.vocabs.VocabString`

XML Binding class name: `Type`

Dictionary key name: `type`

class `cybox.common.hashes.HashList` (**args*)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.HashListType`

Version: 2.1.0.12.dev1

cybox.common.measuresource module

class `cybox.common.measuresource.MeasureSource`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.MeasureSourceType`

class_

XML Binding class name: `classxx`

Dictionary key name: `class`

contributors

Type: *cybox.common.contributor.Personnel*

XML Binding class name: Contributors

Dictionary key name: contributors

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

information_source_type

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Information_Source_Type

Dictionary key name: information_source_type

instance

Type: *cybox.common.object_properties.ObjectProperties*

XML Binding class name: Instance

Dictionary key name: instance

name

XML Binding class name: name

Dictionary key name: name

platform

Type: *cybox.common.platform_specification.PlatformSpecification*

XML Binding class name: Platform

Dictionary key name: platform

sighting_count

XML Binding class name: sighting_count

Dictionary key name: sighting_count

source_type

XML Binding class name: source_type

Dictionary key name: source_type

system

Type: *cybox.common.object_properties.ObjectProperties*

XML Binding class name: System

Dictionary key name: system

time

Type: *cybox.common.time.Time*

XML Binding class name: Time

Dictionary key name: time

tool_type

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Tool_Type

Dictionary key name: tool_type

tools

Type: *cybox.common.tools.ToolInformationList*

XML Binding class name: Tools

Dictionary key name: tools

Version: 2.1.0.12.dev1

cybox.common.object_properties module

class `cybox.common.object_properties.CustomProperties` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.CustomPropertiesType`

class `cybox.common.object_properties.ObjectProperties`

Bases: `mixbox.entities.Entity`

The Cybox ObjectProperties base class.

XML binding class: <undefined>

add_related (*related, relationship, inline=True*)

custom_properties

Type: *cybox.common.object_properties.CustomProperties*

XML Binding class name: Custom_Properties

Dictionary key name: custom_properties

classmethod from_dict (*defobj_dict, defobj=None*)

classmethod from_obj (*defobj_obj, defobj=None*)

object_reference

XML Binding class name: `object_reference`

Dictionary key name: `object_reference`

to_dict (*partial_dict=None*)

to_obj (*return_obj=None, ns_info=None*)

class `cybox.common.object_properties.Property`

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.cybox_common.PropertyType`

static from_dict (*property_dict*)

static from_obj (*property_obj*)

is_plain ()

Whether the Property can be represented as a single value.

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.common.platform_specification module

class `cybox.common.platform_specification.PlatformIdentifier`

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.cybox_common.PlatformIdentifierType`

static from_dict (*platform_identifier_dict*)

static from_obj (*platform_identifier_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.common.platform_specification.PlatformSpecification`

Bases: `mixbox.entities.Entity`

Cybox Common PlatformSpecification object representation

XML binding class: <undefined>

static from_dict (*platform_specification_dict*)

static from_obj (*platform_specification_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.common.properties module

class cybox.common.properties.**BaseProperty** (*value=None*)

XML binding class: <undefined>

is_plain ()

Whether the Property can be represented as a single value.

The *datatype* can be inferred by the particular BaseProperty subclass, so if *datatype* and *value* are the only non-None properties, the BaseProperty can be represented by a single value rather than a dictionary. This makes the JSON representation simpler without losing any data fidelity.

class cybox.common.properties.**AnyURI** (*value=None*)

XML binding class: cybox.bindings.cybox_common.AnyURIObjectPropertyType

class cybox.common.properties.**Base64Binary** (*value=None*)

XML binding class: cybox.bindings.cybox_common.Base64BinaryObjectPropertyType

class cybox.common.properties.**Date** (*value=None, precision='day'*)

XML binding class: cybox.bindings.cybox_common.DateObjectPropertyType

class cybox.common.properties.**DateTime** (*value=None, precision='second'*)

XML binding class: cybox.bindings.cybox_common.DateTimeObjectPropertyType

class cybox.common.properties.**Double** (*value=None*)

XML binding class: cybox.bindings.cybox_common.DoubleObjectPropertyType

class cybox.common.properties.**Duration** (*value=None*)

XML binding class: cybox.bindings.cybox_common.DurationObjectPropertyType

class cybox.common.properties.**Float** (*value=None*)

XML binding class: cybox.bindings.cybox_common.FloatObjectPropertyType

class cybox.common.properties.**HexBinary** (*value=None*)

XML binding class: cybox.bindings.cybox_common.HexBinaryObjectPropertyType

class cybox.common.properties.**Integer** (*value=None*)

XML binding class: cybox.bindings.cybox_common.IntegerObjectPropertyType

class cybox.common.properties.**Long** (*value=None*)

XML binding class: cybox.bindings.cybox_common.LongObjectPropertyType

class `cybox.common.properties.Name` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.NameObjectPropertyType`

class `cybox.common.properties.NonNegativeInteger` (*value=None*)

XML binding class:

`cybox.bindings.cybox_common.NonNegativeIntegerObjectPropertyType`

class `cybox.common.properties.PositiveInteger` (*value=None*)

XML binding class:

`cybox.bindings.cybox_common.PositiveIntegerObjectPropertyType`

class `cybox.common.properties.String` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.StringObjectPropertyType`

class `cybox.common.properties.Time` (*value=None, precision='second'*)

XML binding class: `cybox.bindings.cybox_common.TimeObjectPropertyType`

class `cybox.common.properties.UnsignedInteger` (*value=None*)

XML binding class:

`cybox.bindings.cybox_common.UnsignedIntegerObjectPropertyType`

class `cybox.common.properties.UnsignedLong` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.UnsignedLongObjectPropertyType`

Version: 2.1.0.12.dev1

cybox.common.structured_text module

class `cybox.common.structured_text.StructuredText` (*value=None*)

Bases: `mixbox.entities.Entity`

XML binding class: <undefined>

classmethod `from_dict` (*text_dict, text=None*)

classmethod `from_obj` (*text_obj, text=None*)

is_plain ()

Whether this can be represented as a string rather than a dictionary

Subclasses can override this to include their custom fields in this check:

return `(super(..., self).is_plain() and self.other_field is None)`

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.common.time module

class cybox.common.time.**Time** (*start_time=None, end_time=None, produced_time=None, received_time=None*)

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.cybox_common.TimeType

end_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: End_Time

Dictionary key name: end_time

produced_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: Produced_Time

Dictionary key name: produced_time

received_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: Received_Time

Dictionary key name: received_time

start_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: Start_Time

Dictionary key name: start_time

Version: 2.1.0.12.dev1

cybox.common.tools module

class cybox.common.tools.**ToolInformation** (*tool_name=None, tool_vendor=None*)

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.cybox_common.ToolInformationType

static from_dict (*toolinfo_dict, toolinfo=None*)

static from_obj (*toolinfo_obj, toolinfo=None*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class cybox.common.tools.**ToolInformationList** (**args*)

Bases: mixbox.entities.EntityList

XML binding class: `cybox.bindings.cybox_common.ToolsInformationType`

Version: 2.1.0.12.dev1

cybox.common.vocabs module

class `cybox.common.vocabs.ActionArgumentName` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionName` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionObjectAssociationType` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionRelationshipType` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionType` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.CharacterEncoding` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.EventType` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.HashName` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.InformationSourceType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ObjectRelationship` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ObjectState` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ToolType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.VocabString` (*value=None*)
Bases: `cybox.common.attribute_groups.PatternFieldGroup`,
`mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

classmethod `from_dict` (*vocab_dict*, *return_obj=None*)

classmethod `from_obj` (*vocab_obj*, *return_obj=None*)

is_plain ()

Whether the VocabString can be represented as a single value.

static lookup_class (*xsi_type*)

to_dict ()

to_obj (*return_obj=None*, *ns_info=None*)

`cybox.common.vocabs.register_vocab` (*cls*)

Register a VocabString subclass.

Also, calculate all the permitted values for class being decorated by adding an `_ALLOWED_VALUES` tuple of all the values of class members beginning with `TERM_`.

Version: 2.1.0.12.dev1

`cybox.common.attribute_groups` module

Version: 2.1.0.12.dev1

`cybox.common.byterun` module

class `cybox.common.byterun.ByteRun`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ByteRunType`

byte_order

Type: `cybox.common.properties.String`

XML Binding class name: `Byte_Order`

Dictionary key name: `byte_order`

byte_run_data

XML Binding class name: `Byte_Run_Data`

Dictionary key name: `byte_run_data`

file_system_offset

Type: `cybox.common.properties.Integer`

XML Binding class name: `File_System_Offset`

Dictionary key name: `file_system_offset`

hashes

Type: `cybox.common.hashes.HashList`

XML Binding class name: `Hashes`

Dictionary key name: `hashes`

image_offset

Type: `cybox.common.properties.Integer`

XML Binding class name: `Image_Offset`

Dictionary key name: `image_offset`

length

Type: *cybox.common.properties.Integer*
XML Binding class name: Length
Dictionary key name: length

offset

Type: *cybox.common.properties.Integer*
XML Binding class name: Offset
Dictionary key name: offset

class `cybox.common.byterun.ByteRuns` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.ByteRunsType`

Version: 2.1.0.12.dev1

cybox.common.contributor module

class `cybox.common.contributor.Contributor`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ContributorType`

contribution_location

XML Binding class name: Contribution_Location
Dictionary key name: contribution_location

date

Type: *cybox.common.daterange.DateRange*
XML Binding class name: Date
Dictionary key name: date

email

XML Binding class name: Email
Dictionary key name: email

name

XML Binding class name: Name
Dictionary key name: name

organization

XML Binding class name: Organization

Dictionary key name: organization

phone

XML Binding class name: Phone

Dictionary key name: phone

role

XML Binding class name: Role

Dictionary key name: role

class cybox.common.contributor.**Personnel** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.cybox_common.PersonnelType

Version: 2.1.0.12.dev1

cybox.common.data_segment module

class cybox.common.data_segment.**DataSegment**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.cybox_common.DataSegmentType

byte_order

Type: *cybox.common.properties.String*

XML Binding class name: Byte_Order

Dictionary key name: byte_order

data_format

XML Binding class name: Data_Format

Dictionary key name: data_format

data_segment

Type: *cybox.common.properties.String*

XML Binding class name: Data_Segment

Dictionary key name: data_segment

data_size

Type: *cybox.common.data_segment.DataSize*

XML Binding class name: Data_Size

Dictionary key name: data_size

id_

XML Binding class name: id

Dictionary key name: id

offset

Type: *cybox.common.properties.Integer*

XML Binding class name: Offset

Dictionary key name: offset

search_distance

Type: *cybox.common.properties.Integer*

XML Binding class name: Search_Distance

Dictionary key name: search_distance

search_within

Type: *cybox.common.properties.Integer*

XML Binding class name: Search_Within

Dictionary key name: search_within

class *cybox.common.data_segment.DataSize*(*args, **kwargs)

Bases: *cybox.common.properties.String*

XML binding class: *cybox.bindings.cybox_common.DataSizeType*

static from_dict (*datasize_dict*)

static from_obj (*datasize_obj*)

is_plain ()

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.common.daterange module

class *cybox.common.daterange.DateRange*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.cybox_common.DateRangeType*

end_date

Type: *cybox.common.datetimewithprecision.DateWithPrecision*

XML Binding class name: End_Date

Dictionary key name: end_date

start_date

Type: *cybox.common.datetimewithprecision.DateWithPrecision*

XML Binding class name: Start_Date

Dictionary key name: start_date

Version: 2.1.0.12.dev1

cybox.common.datetimewithprecision module

class `cybox.common.datetimewithprecision.DateTimeWithPrecision` (*value=None, precision='second'*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DateTimeWithPrecisionType`

classmethod `from_dict` (*dict_*)

classmethod `from_obj` (*obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.common.datetimewithprecision.DateWithPrecision` (*value=None, precision='day'*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DateWithPrecisionType`

classmethod `from_dict` (*dict_*)

classmethod `from_obj` (*obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

`cybox.common.datetimewithprecision.parse_value` (*value*)

`cybox.common.datetimewithprecision.serialize_value` (*value*)

Version: 2.1.0.12.dev1

cybox.common.digitalsignature module

class `cybox.common.digitalsignature.DigitalSignature`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.DigitalSignatureInfoType`

certificate_issuer

Type: *cybox.common.properties.String*
XML Binding class name: Certificate_Issuer
Dictionary key name: certificate_issuer

certificate_subject

Type: *cybox.common.properties.String*
XML Binding class name: Certificate_Subject
Dictionary key name: certificate_subject

signature_description

Type: *cybox.common.properties.String*
XML Binding class name: Signature_Description
Dictionary key name: signature_description

signature_exists

XML Binding class name: signature_exists
Dictionary key name: signature_exists

signature_verified

XML Binding class name: signature_verified
Dictionary key name: signature_verified

class `cybox.common.digitalsignature.DigitalSignatureList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.DigitalSignaturesType`

Version: 2.1.0.12.dev1

cybox.common.environment_variable module

class `cybox.common.environment_variable.EnvironmentVariable`
Bases: `mixbox.entities.Entity`

XML binding class: <undefined>

static from_dict (*environment_variable_dict*)

static from_obj (*environment_variable_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.common.environment_variable.EnvironmentVariableList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.EnvironmentVariableListType`

Version: 2.1.0.12.dev1

cybox.common.extracted_features module

class `cybox.common.extracted_features.CodeSnippets` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.CodeSnippetsType`

class `cybox.common.extracted_features.ExtractedFeatures`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ExtractedFeaturesType`

code_snippets

Type: `cybox.common.extracted_features.CodeSnippets`

XML Binding class name: `Code_Snippets`

Dictionary key name: `code_snippets`

functions

Type: `cybox.common.extracted_features.Functions`

XML Binding class name: `Functions`

Dictionary key name: `functions`

imports

Type: `cybox.common.extracted_features.Imports`

XML Binding class name: `Imports`

Dictionary key name: `imports`

strings

Type: `cybox.common.extracted_string.ExtractedStrings`

XML Binding class name: `Strings`

Dictionary key name: `strings`

class `cybox.common.extracted_features.Functions` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.FunctionsType`

class `cybox.common.extracted_features.Imports` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.ImportsType`

Version: 2.1.0.12.dev1

cybox.common.extracted_string module

class `cybox.common.extracted_string.ExtractedString` (*string_value=None*)
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ExtractedStringType`

address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Address

Dictionary key name: address

byte_string_value

Type: `cybox.common.properties.String`

XML Binding class name: Byte_String_Value

Dictionary key name: byte_string_value

encoding

TypedField subclass for VocabString fields.

Type: `cybox.common.vocabs.VocabString`

XML Binding class name: Encoding

Dictionary key name: encoding

english_translation

Type: `cybox.common.properties.String`

XML Binding class name: English_Translation

Dictionary key name: english_translation

hashes

Type: `cybox.common.hashes.HashList`

XML Binding class name: Hashes

Dictionary key name: hashes

language

Type: *cybox.common.properties.String*

XML Binding class name: Language

Dictionary key name: language

length

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Length

Dictionary key name: length

string_value

Type: *cybox.common.properties.String*

XML Binding class name: String_Value

Dictionary key name: string_value

class `cybox.common.extracted_string.ExtractedStrings` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.ExtractedStringsType`

Version: 2.1.0.12.dev1

cybox.common.hashes module

class `cybox.common.hashes.Hash` (*hash_value=None, type_=None, exact=False*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.HashType`

fuzzy_hash_value

Type: *cybox.common.properties.String*

XML Binding class name: Fuzzy_Hash_Value

Dictionary key name: fuzzy_hash_value

simple_hash_value

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Simple_Hash_Value

Dictionary key name: simple_hash_value

type_

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Type

Dictionary key name: type

class `cybox.common.hashses.HashList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.HashListType`

Version: 2.1.0.12.dev1

cybox.common.measuresource module

class `cybox.common.measuresource.MeasureSource`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.MeasureSourceType`

class_

XML Binding class name: classxx

Dictionary key name: class

contributors

Type: *cybox.common.contributor.Personnel*

XML Binding class name: Contributors

Dictionary key name: contributors

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

information_source_type

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Information_Source_Type

Dictionary key name: information_source_type

instance

Type: *cybox.common.object_properties.ObjectProperties*

XML Binding class name: Instance

Dictionary key name: instance

name

XML Binding class name: name

Dictionary key name: name

platform

Type: *cybox.common.platform_specification.PlatformSpecification*

XML Binding class name: Platform

Dictionary key name: platform

sighting_count

XML Binding class name: sighting_count

Dictionary key name: sighting_count

source_type

XML Binding class name: source_type

Dictionary key name: source_type

system

Type: *cybox.common.object_properties.ObjectProperties*

XML Binding class name: System

Dictionary key name: system

time

Type: *cybox.common.time.Time*

XML Binding class name: Time

Dictionary key name: time

tool_type

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Tool_Type

Dictionary key name: tool_type

tools

Type: *cybox.common.tools.ToolInformationList*

XML Binding class name: Tools

Dictionary key name: tools

Version: 2.1.0.12.dev1

cybox.common.object_properties module

class `cybox.common.object_properties.CustomProperties` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.CustomPropertiesType`

class `cybox.common.object_properties.ObjectProperties`

Bases: `mixbox.entities.Entity`

The Cybox ObjectProperties base class.

XML binding class: <undefined>

add_related (*related, relationship, inline=True*)

custom_properties

Type: `cybox.common.object_properties.CustomProperties`

XML Binding class name: `Custom_Properties`

Dictionary key name: `custom_properties`

classmethod from_dict (*defobj_dict, defobj=None*)

classmethod from_obj (*defobj_obj, defobj=None*)

object_reference

XML Binding class name: `object_reference`

Dictionary key name: `object_reference`

to_dict (*partial_dict=None*)

to_obj (*return_obj=None, ns_info=None*)

class `cybox.common.object_properties.Property`

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.cybox_common.PropertyType`

static from_dict (*property_dict*)

static from_obj (*property_obj*)

is_plain ()

Whether the Property can be represented as a single value.

`to_dict ()`

`to_obj (return_obj=None, ns_info=None)`

Version: 2.1.0.12.dev1

cybox.common.platform_specification module

class `cybox.common.platform_specification.PlatformIdentifier`

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.cybox_common.PlatformIdentifierType`

static `from_dict (platform_identifier_dict)`

static `from_obj (platform_identifier_obj)`

`to_dict ()`

`to_obj (return_obj=None, ns_info=None)`

class `cybox.common.platform_specification.PlatformSpecification`

Bases: `mixbox.entities.Entity`

CyBOX Common PlatformSpecification object representation

XML binding class: <undefined>

static `from_dict (platform_specification_dict)`

static `from_obj (platform_specification_obj)`

`to_dict ()`

`to_obj (return_obj=None, ns_info=None)`

Version: 2.1.0.12.dev1

cybox.common.properties module

class `cybox.common.properties.BaseProperty (value=None)`

XML binding class: <undefined>

is_plain ()

Whether the Property can be represented as a single value.

The *datatype* can be inferred by the particular BaseProperty subclass, so if *datatype* and *value* are the only non-None properties, the BaseProperty can be represented by a single value rather than a dictionary. This makes the JSON representation simpler without losing any data fidelity.

class `cybox.common.properties.AnyURI (value=None)`

XML binding class: `cybox.bindings.cybox_common.AnyURIObjectPropertyType`

class `cybox.common.properties.Base64Binary` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.Base64BinaryObjectPropertyType`

class `cybox.common.properties.Date` (*value=None, precision='day'*)

XML binding class: `cybox.bindings.cybox_common.DateObjectPropertyType`

class `cybox.common.properties.DateTime` (*value=None, precision='second'*)

XML binding class: `cybox.bindings.cybox_common.DateTimeObjectPropertyType`

class `cybox.common.properties.Double` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.DoubleObjectPropertyType`

class `cybox.common.properties.Duration` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.DurationObjectPropertyType`

class `cybox.common.properties.Float` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.FloatObjectPropertyType`

class `cybox.common.properties.HexBinary` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.HexBinaryObjectPropertyType`

class `cybox.common.properties.Integer` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.IntegerObjectPropertyType`

class `cybox.common.properties.Long` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.LongObjectPropertyType`

class `cybox.common.properties.Name` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.NameObjectPropertyType`

class `cybox.common.properties.NonNegativeInteger` (*value=None*)

XML binding class:

`cybox.bindings.cybox_common.NonNegativeIntegerObjectPropertyType`

class `cybox.common.properties.PositiveInteger` (*value=None*)

XML binding class:

`cybox.bindings.cybox_common.PositiveIntegerObjectPropertyType`

class `cybox.common.properties.String` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.StringObjectPropertyType`

class `cybox.common.properties.Time` (*value=None, precision='second'*)

XML binding class: `cybox.bindings.cybox_common.TimeObjectPropertyType`

class `cybox.common.properties.UnsignedInteger` (*value=None*)

XML binding class:

`cybox.bindings.cybox_common.UnsignedIntegerObjectPropertyType`

class `cybox.common.properties.UnsignedLong` (*value=None*)

XML binding class: `cybox.bindings.cybox_common.UnsignedLongObjectPropertyType`

Version: 2.1.0.12.dev1

cybox.common.structured_text module

class `cybox.common.structured_text.StructuredText` (*value=None*)

Bases: `mixbox.entities.Entity`

XML binding class: <undefined>

classmethod `from_dict` (*text_dict, text=None*)

classmethod `from_obj` (*text_obj, text=None*)

is_plain ()

Whether this can be represented as a string rather than a dictionary

Subclasses can override this to include their custom fields in this check:

return `(super(..., self).is_plain() and self.other_field is None)`

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.common.time module

class `cybox.common.time.Time` (*start_time=None, end_time=None, produced_time=None, received_time=None*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.TimeType`

end_time

Type: `cybox.common.datetimewithprecision.DateTimeWithPrecision`

XML Binding class name: `End_Time`

Dictionary key name: end_time

produced_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: Produced_Time

Dictionary key name: produced_time

received_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: Received_Time

Dictionary key name: received_time

start_time

Type: *cybox.common.datetimewithprecision.DateTimeWithPrecision*

XML Binding class name: Start_Time

Dictionary key name: start_time

Version: 2.1.0.12.dev1

cybox.common.tools module

class `cybox.common.tools.ToolInformation` (*tool_name=None, tool_vendor=None*)

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ToolInformationType`

static from_dict (*toolinfo_dict, toolinfo=None*)

static from_obj (*toolinfo_obj, toolinfo=None*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.common.tools.ToolInformationList` (**args*)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_common.ToolsInformationType`

Version: 2.1.0.12.dev1

cybox.common.vocabs module

class `cybox.common.vocabs.ActionArgumentName` (*value=None*)

Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionName` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionObjectAssociationType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionRelationshipType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ActionType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.CharacterEncoding` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.EventType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.HashName` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.InformationSourceType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ObjectRelationship` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ObjectState` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.ToolType` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

class `cybox.common.vocabs.VocabString` (*value=None*)
Bases: `cybox.common.attribute_groups.PatternFieldGroup`,
`mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

classmethod `from_dict` (*vocab_dict*, *return_obj=None*)

classmethod `from_obj` (*vocab_obj*, *return_obj=None*)

is_plain ()

Whether the VocabString can be represented as a single value.

static lookup_class (*xsi_type*)

to_dict ()

to_obj (*return_obj=None*, *ns_info=None*)

`cybox.common.vocabs.register_vocab` (*cls*)
Register a VocabString subclass.

Also, calculate all the permitted values for class being decorated by adding an `_ALLOWED_VALUES` tuple of all the values of class members beginning with `TERM_`.

3.1.2 CybOX Core

Modules located in the base `cybox.core` package

Note: Most objects from the CybOX Core schema can be implemented directly from the `cybox.core` package, rather than needing to remember which submodule they are defined in.

Version: 2.1.0.12.dev1

cybox.core package

Submodules

Version: 2.1.0.12.dev1

cybox.core.action module

class cybox.core.action.Action

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.cybox_core.ActionType

action_aliases

Type: *cybox.core.action.ActionAliases*

XML Binding class name: ActionAliases

Dictionary key name: action_aliases

action_arguments

Type: *cybox.core.action.ActionArguments*

XML Binding class name: ActionArguments

Dictionary key name: action_arguments

action_status

XML Binding class name: action_status

Dictionary key name: action_status

associated_objects

Type: *cybox.core.action.AssociatedObjects*

XML Binding class name: Associated_Objects

Dictionary key name: associated_objects

context

XML Binding class name: context

Dictionary key name: context

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

discovery_method

Type: *cybox.common.measuresource.MeasureSource*

XML Binding class name: Discovery_Method

Dictionary key name: discovery_method

frequency

Type: *cybox.core.frequency.Frequency*

XML Binding class name: Frequency

Dictionary key name: frequency

classmethod from_dict (action_dict)

id_

XML Binding class name: id

Dictionary key name: id

idref

XML Binding class name: idref

Dictionary key name: idref

name

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Name

Dictionary key name: name

ordinal_position

XML Binding class name: ordinal_position

Dictionary key name: ordinal_position

relationships

Type: *cybox.core.action.ActionRelationships*

XML Binding class name: Relationships

Dictionary key name: relationships

timestamp

XML Binding class name: timestamp

Dictionary key name: timestamp

to_dict ()

type_

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*
XML Binding class name: Type
Dictionary key name: type

class `cybox.core.action.ActionAliases` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_core.ActionAliasesType`

class `cybox.core.action.ActionArgument`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_core.ActionArgumentType`

argument_name
TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*
XML Binding class name: Argument_Name
Dictionary key name: argument_name

argument_value

XML Binding class name: Argument_Value
Dictionary key name: argument_value

class `cybox.core.action.ActionArguments` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_core.ActionArgumentsType`

class `cybox.core.action.ActionRelationship`
Bases: `mixbox.entities.Entity`

XML binding class: <undefined>

static from_dict (*action_relationship_dict*)

static from_obj (*action_relationship_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

```
class cybox.core.action.ActionRelationships (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: cybox.bindings.cybox_core.ActionRelationshipsType

```
class cybox.core.action.Actions (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: cybox.bindings.cybox_core.ActionsType

```
class cybox.core.action.AssociatedObjects (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: cybox.bindings.cybox_core.AssociatedObjectsType

Version: 2.1.0.12.dev1

cybox.core.action_reference module CybOX Action Reference Class

```
class cybox.core.action_reference.ActionReference (action_id=None)
    Bases: mixbox.entities.Entity
```

XML binding class: cybox.bindings.cybox_core.ActionReferenceType

action_id

XML Binding class name: action_id
Dictionary key name: action_id

Version: 2.1.0.12.dev1

cybox.core.associated_object module

```
class cybox.core.associated_object.AssociatedObject (defined_object=None, type_=None,
    association_type=None)
    Bases: cybox.core.object.Object
```

The CybOX Associated Object element.

Currently only supports the id, association_type and ObjectProperties properties

XML binding class: <undefined>

```
static from_dict (object_dict)
```

```
static from_obj (object_obj)
```

superclassalias of `Object` | XML binding class: <undefined>**to_dict ()****to_obj** (*return_obj=None, ns_info=None*)

Version: 2.1.0.12.dev1

cybox.core.event module**class** `cybox.core.event.Event`Bases: `mixbox.entities.Entity`XML binding class: `cybox.bindings.cybox_core.EventType`**actions**Type: `cybox.core.action.Actions`XML Binding class name: `Actions`Dictionary key name: `actions`**description**Type: `cybox.common.structured_text.StructuredText`XML Binding class name: `Description`Dictionary key name: `description`**event**

(List of values permitted)

Type: `cybox.core.event.Event`XML Binding class name: `Event`Dictionary key name: `event`**frequency**Type: `cybox.core.frequency.Frequency`XML Binding class name: `Frequency`Dictionary key name: `frequency`**id_**XML Binding class name: `id`Dictionary key name: `id`**idref**XML Binding class name: `idref`Dictionary key name: `idref`**observation_method**

Type: *cybox.common.measuresource.MeasureSource*
XML Binding class name: *Observation_Method*
Dictionary key name: *observation_method*

type_

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*
XML Binding class name: *Type*
Dictionary key name: *type*

Version: 2.1.0.12.dev1

cybox.core.frequency module

class `cybox.core.frequency.Frequency`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_core.FrequencyType`

rate

XML Binding class name: *rate*
Dictionary key name: *rate*

scale

XML Binding class name: *scale*
Dictionary key name: *scale*

trend

XML Binding class name: *trend*
Dictionary key name: *trend*

units

XML Binding class name: *units*
Dictionary key name: *units*

Version: 2.1.0.12.dev1

cybox.core.object module

class `cybox.core.object.DomainSpecificObjectProperties`

Bases: `mixbox.entities.Entity`

The Cybox DomainSpecificObjectProperties base class.

XML binding class: <undefined>

static from_dict (*domain_specific_properties_dict*)

static from_obj (*domain_specific_properties_obj*)

to_dict (*partial_dict=None*)

Populate an existing dictionary.

Note that this is different than `to_dict()` on most other CybOX types.

to_obj (*return_obj=None, ns_info=None*)

Populate an existing bindings object.

Note that this is different than `to_obj()` on most other CybOX types.

class `cybox.core.object.Object` (*properties=None, type_=None*)

Bases: `mixbox.entities.Entity`

The CybOX Object element.

Currently only supports the following data members: - `id_` - `idref` - `properties` - `related_objects`

XML binding class: <undefined>

add_related (*related, relationship, inline=True*)

static from_dict (*object_dict, obj=None*)

static from_obj (*object_obj, obj=None*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.core.object.RelatedObject` (**args, **kwargs*)

Bases: `cybox.core.object.Object`

XML binding class: <undefined>

static from_dict (*relobj_dict*)

static from_obj (*relobj_obj*)

get_properties ()

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

`cybox.core.object.add_external_class` (*klass, name=None*)

Adds a class implementation to this binding's `globals()` dict.

These classes can be used to implement `Properties`, `Domain_Specific_Object_Properties`, or `Defined_Effect` fields on an `Object`.

Parameters

- **klass** (*class*) – Python class that implements the new type
- **name** (*str*) – The name of the class, as it will appear in XML documents to be parsed. Defaults to `klass.__name__`.

Version: 2.1.0.12.dev1

cybox.core.observable module

class cybox.core.observable.**Keywords** (*args)
Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.cybox_core.KeywordsType

class cybox.core.observable.**Observable** (item=None, id=None, idref=None, title=None, description=None)
Bases: mixbox.entities.Entity

A single Observable.

XML binding class: <undefined>

XML binding class: <undefined>

add_keyword (value)

static from_dict (observable_dict)

static from_obj (observable_obj)

to_dict ()

to_obj (return_obj=None, ns_info=None)

class cybox.core.observable.**ObservableComposition** (operator='AND', observables=None)
Bases: mixbox.entities.Entity

The ObservableCompositionType entity defines a logical compositions of CybOX Observables. The combinatorial behavior is derived from the operator property.

XML binding class: <undefined>

add (observable)

static from_dict (observable_comp_dict)

static from_obj (observable_comp_obj)

to_dict ()

to_obj (return_obj=None, ns_info=None)

class cybox.core.observable.**Observables** (observables=None)
Bases: mixbox.entities.EntityList

The root CybOX Observables object.

Pools are not currently supported.

XML binding class: <undefined>

add (observable)

static from_dict (observables_dict)

```
static from_obj (observables_obj)
to_dict ()
to_obj (return_obj=None, ns_info=None)
```

Version: 2.1.0.12.dev1

cybox.core.action module

```
class cybox.core.action.Action
    Bases: mixbox.entities.Entity
```

XML binding class: `cybox.bindings.cybox_core.ActionType`

action_aliases

```
Type: cybox.core.action.ActionAliases
XML Binding class name: ActionAliases
Dictionary key name: action_aliases
```

action_arguments

```
Type: cybox.core.action.ActionArguments
XML Binding class name: Action_Arguments
Dictionary key name: action_arguments
```

action_status

```
XML Binding class name: action_status
Dictionary key name: action_status
```

associated_objects

```
Type: cybox.core.action.AssociatedObjects
XML Binding class name: Associated_Objects
Dictionary key name: associated_objects
```

context

```
XML Binding class name: context
Dictionary key name: context
```

description

```
Type: cybox.common.structured_text.StructuredText
XML Binding class name: Description
Dictionary key name: description
```

discovery_method

Type: *cybox.common.measuresource.MeasureSource*
XML Binding class name: Discovery_Method
Dictionary key name: discovery_method

frequency

Type: *cybox.core.frequency.Frequency*
XML Binding class name: Frequency
Dictionary key name: frequency

classmethod from_dict (*action_dict*)

id_

XML Binding class name: id
Dictionary key name: id

idref

XML Binding class name: idref
Dictionary key name: idref

name

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*
XML Binding class name: Name
Dictionary key name: name

ordinal_position

XML Binding class name: ordinal_position
Dictionary key name: ordinal_position

relationships

Type: *cybox.core.action.ActionRelationships*
XML Binding class name: Relationships
Dictionary key name: relationships

timestamp

XML Binding class name: timestamp
Dictionary key name: timestamp

to_dict ()

type_

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Type

Dictionary key name: type

```
class cybox.core.action.ActionAliases (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: cybox.bindings.cybox_core.ActionAliasesType

```
class cybox.core.action.ActionArgument
    Bases: mixbox.entities.Entity
```

XML binding class: cybox.bindings.cybox_core.ActionArgumentType

argument_name

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Argument_Name

Dictionary key name: argument_name

argument_value

XML Binding class name: Argument_Value

Dictionary key name: argument_value

```
class cybox.core.action.ActionArguments (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: cybox.bindings.cybox_core.ActionArgumentsType

```
class cybox.core.action.ActionRelationship
    Bases: mixbox.entities.Entity
```

XML binding class: <undefined>

static from_dict (*action_relationship_dict*)

static from_obj (*action_relationship_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

```
class cybox.core.action.ActionRelationships (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: `cybox.bindings.cybox_core.ActionRelationshipsType`

```
class cybox.core.action.Actions (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: `cybox.bindings.cybox_core.ActionsType`

```
class cybox.core.action.AssociatedObjects (*args)
    Bases: mixbox.entities.EntityList
```

XML binding class: `cybox.bindings.cybox_core.AssociatedObjectsType`

Version: 2.1.0.12.dev1

cybox.core.action_reference module

CyBOX Action Reference Class

```
class cybox.core.action_reference.ActionReference (action_id=None)
    Bases: mixbox.entities.Entity
```

XML binding class: `cybox.bindings.cybox_core.ActionReferenceType`

action_id

XML Binding class name: `action_id`
Dictionary key name: `action_id`

Version: 2.1.0.12.dev1

cybox.core.associated_object module

```
class cybox.core.associated_object.AssociatedObject (defined_object=None, type_=None,
    association_type=None)
```

Bases: `cybox.core.object.Object`

The CyBOX Associated Object element.

Currently only supports the `id`, `association_type` and `ObjectProperties` properties

XML binding class: <undefined>

```

static from_dict (object_dict)
static from_obj (object_obj)
superclass
    alias of Object | XML binding class: <undefined>
to_dict ()
to_obj (return_obj=None, ns_info=None)

```

Version: 2.1.0.12.dev1

cybox.core.event module

```

class cybox.core.event.Event
    Bases: mixbox.entities.Entity

```

XML binding class: cybox.bindings.cybox_core.EventType

actions

```

    Type: cybox.core.action.Actions
    XML Binding class name: Actions
    Dictionary key name: actions

```

description

```

    Type: cybox.common.structured_text.StructuredText
    XML Binding class name: Description
    Dictionary key name: description

```

event

```

    (List of values permitted)
    Type: cybox.core.event.Event
    XML Binding class name: Event
    Dictionary key name: event

```

frequency

```

    Type: cybox.core.frequency.Frequency
    XML Binding class name: Frequency
    Dictionary key name: frequency

```

id_

```

    XML Binding class name: id
    Dictionary key name: id

```

idref

XML Binding class name: idref

Dictionary key name: idref

observation_method

Type: *cybox.common.measuresource.MeasureSource*

XML Binding class name: Observation_Method

Dictionary key name: observation_method

type_

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.core.frequency module

class `cybox.core.frequency.Frequency`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.cybox_core.FrequencyType`

rate

XML Binding class name: rate

Dictionary key name: rate

scale

XML Binding class name: scale

Dictionary key name: scale

trend

XML Binding class name: trend

Dictionary key name: trend

units

XML Binding class name: units

Dictionary key name: units

Version: 2.1.0.12.dev1

cybox.core.object module

class `cybox.core.object.DomainSpecificObjectProperties`

Bases: `mixbox.entities.Entity`

The Cybox DomainSpecificObjectProperties base class.

XML binding class: <undefined>

static from_dict (*domain_specific_properties_dict*)

static from_obj (*domain_specific_properties_obj*)

to_dict (*partial_dict=None*)

Populate an existing dictionary.

Note that this is different than `to_dict()` on most other CybOX types.

to_obj (*return_obj=None, ns_info=None*)

Populate an existing bindings object.

Note that this is different than `to_obj()` on most other CybOX types.

class `cybox.core.object.Object` (*properties=None, type_=None*)

Bases: `mixbox.entities.Entity`

The CybOX Object element.

Currently only supports the following data members: - `id_` - `idref` - `properties` - `related_objects`

XML binding class: <undefined>

add_related (*related, relationship, inline=True*)

static from_dict (*object_dict, obj=None*)

static from_obj (*object_obj, obj=None*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.core.object.RelatedObject` (**args, **kwargs*)

Bases: `cybox.core.object.Object`

XML binding class: <undefined>

static from_dict (*relobj_dict*)

static from_obj (*relobj_obj*)

get_properties ()

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

`cybox.core.object.add_external_class` (*klass*, *name=None*)

Adds a class implementation to this binding's `globals()` dict.

These classes can be used to implement `Properties`, `Domain_Specific_Object_Properties`, or `Defined_Effect` fields on an `Object`.

Parameters

- **klass** (*class*) – Python class that implements the new type
- **name** (*str*) – The name of the class, as it will appear in XML documents to be parsed. Defaults to `klass.__name__`.

Version: 2.1.0.12.dev1

`cybox.core.observable` module

class `cybox.core.observable.Keywords` (**args*)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.cybox_core.KeywordsType`

class `cybox.core.observable.Observable` (*item=None*, *id=None*, *idref=None*, *title=None*, *description=None*)

Bases: `mixbox.entities.Entity`

A single `Observable`.

XML binding class: <undefined>

add_keyword (*value*)

static from_dict (*observable_dict*)

static from_obj (*observable_obj*)

to_dict ()

to_obj (*return_obj=None*, *ns_info=None*)

class `cybox.core.observable.ObservableComposition` (*operator='AND'*, *observables=None*)

Bases: `mixbox.entities.Entity`

The `ObservableCompositionType` entity defines a logical compositions of `CyBOX` `Observables`. The combinatorial behavior is derived from the `operator` property.

XML binding class: <undefined>

add (*observable*)

static from_dict (*observable_comp_dict*)

static from_obj (*observable_comp_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.core.observable.Observables` (*observables=None*)

Bases: `mixbox.entities.EntityList`

The root CyBOX Observables object.

Pools are not currently supported.

XML binding class: <undefined>

add (*observable*)

static from_dict (*observables_dict*)

static from_obj (*observables_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

3.1.3 CyBOX Objects

Modules located in the base `cybox.objects` package

Version: 2.1.0.12.dev1

`cybox.objects` package

Submodules

Version: 2.1.0.12.dev1

`cybox.objects.account_object` module

class `cybox.objects.account_object.Account`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.account_object.AccountObjectType`

authentication

(List of values permitted)

Type: `cybox.objects.account_object.Authentication`

XML Binding class name: Authentication

Dictionary key name: authentication

creation_date

Type: `cybox.common.properties.DateTime`

XML Binding class name: Creation_Date

Dictionary key name: `creation_date`

description

Type: `cybox.common.properties.String`

XML Binding class name: `Description`

Dictionary key name: `description`

disabled

XML Binding class name: `disabled`

Dictionary key name: `disabled`

domain

Type: `cybox.common.properties.String`

XML Binding class name: `Domain`

Dictionary key name: `domain`

last_accessed_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Last_Accessed_Time`

Dictionary key name: `last_accessed_time`

locked_out

XML Binding class name: `locked_out`

Dictionary key name: `locked_out`

modified_date

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Modified_Date`

Dictionary key name: `modified_date`

class `cybox.objects.account_object.Authentication`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.account_object.AuthenticationType`

authentication_data

Type: `cybox.common.properties.String`

XML Binding class name: `Authentication_Data`

Dictionary key name: `authentication_data`

authentication_token_protection_mechanism

TypedField subclass for `VocabString` fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Authentication-Token-Protection-Mechanism

Dictionary key name: authentication_token_protection_mechanism

authentication_type

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Authentication_Type

Dictionary key name: authentication_type

structured_authentication_mechanism

Type: *cybox.objects.account_object.StructuredAuthenticationMechanism*

XML Binding class name: Structured_Authentication_Mechanism

Dictionary key name: structured_authentication_mechanism

class `cybox.objects.account_object.StructuredAuthenticationMechanism`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.account_object.StructuredAuthenticationMechanismType`

description

Type: *cybox.common.properties.String*

XML Binding class name: Description

Dictionary key name: description

Version: 2.1.0.12.dev1

cybox.objects.address_object module

class `cybox.objects.address_object.Address` (*address_value=None, category=None*)

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.address_object.AddressObjectType`

address_value

Type: *cybox.common.properties.String*

XML Binding class name: Address_Value

Dictionary key name: address_value

category

XML Binding class name: `category`

Dictionary key name: `category`

is_destination

XML Binding class name: `is_destination`

Dictionary key name: `is_destination`

is_source

XML Binding class name: `is_source`

Dictionary key name: `is_source`

is_spoofed

XML Binding class name: `is_spoofed`

Dictionary key name: `is_spoofed`

vlan_name

Type: `cybox.common.properties.String`

XML Binding class name: `VLAN_Name`

Dictionary key name: `vlan_name`

vlan_num

Type: `cybox.common.properties.Integer`

XML Binding class name: `VLAN_Num`

Dictionary key name: `vlan_num`

class `cybox.objects.address_object.EmailAddress` (*addr_string=None*)

Bases: `cybox.objects.address_object.Address`

Convenience class for creating email addresses.

Note that this is not an actual CyBOX type.

XML binding class: `cybox.bindings.address_object.AddressObjectType`

classmethod `istypeof` (*obj*)

Version: 2.1.0.12.dev1

cybox.objects.api_object module

class `cybox.objects.api_object.API`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.api_object.APIObjectType`

address

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Address
Dictionary key name: address

description

Type: *cybox.common.structured_text.StructuredText*
XML Binding class name: Description
Dictionary key name: description

function_name

Type: *cybox.common.properties.String*
XML Binding class name: Function_Name
Dictionary key name: function_name

normalized_function_name

Type: *cybox.common.properties.String*
XML Binding class name: Normalized_Function_Name
Dictionary key name: normalized_function_name

platform

Type: *cybox.common.platform_specification.PlatformSpecification*
XML Binding class name: Platform
Dictionary key name: platform

Version: 2.1.0.12.dev1

cybox.objects.archive_file_object module

class *cybox.objects.archive_file_object.ArchiveFile*

Bases: *cybox.objects.file_object.File*

XML binding class: *cybox.bindings.archive_file_object.ArchiveFileObjectType*

archive_format

Type: *cybox.common.properties.String*
XML Binding class name: Archive_Format
Dictionary key name: archive_format

archived_file

(List of values permitted)
Type: *cybox.objects.file_object.File*
XML Binding class name: Archived_File
Dictionary key name: archived_file

comment

Type: *cybox.common.properties.String*

XML Binding class name: Comment

Dictionary key name: comment

decryption_key

Type: *cybox.common.properties.String*

XML Binding class name: Decryption_Key

Dictionary key name: decryption_key

encryption_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: Encryption_Algorithm

Dictionary key name: encryption_algorithm

file_count

Type: *cybox.common.properties.Integer*

XML Binding class name: File_Count

Dictionary key name: file_count

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

Version: 2.1.0.12.dev1

cybox.objects.artifact_object module

class `cybox.objects.artifact_object.Artifact` (*data=None, type_=None*)

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: <undefined>

static from_dict (*artifact_dict*)

static from_obj (*artifact_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Base64Encoding`

Bases: *cybox.objects.artifact_object.Encoding*

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

class `cybox.objects.artifact_object.Bz2Compression`
 Bases: `cybox.objects.artifact_object.Compression`

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

class `cybox.objects.artifact_object.Compression` (*compression_mechanism=None*)
 Bases: `cybox.objects.artifact_object.Packaging`

A Compression packaging layer

Currently only zlib and bz2 are supported. Also, `compression_mechanism_ref` is not currently supported.

XML binding class: <undefined>

static from_dict (*compression_dict*)

static from_obj (*compression_obj*)

static get_object (*mechanism*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Encoding`
 Bases: `cybox.objects.artifact_object.Packaging`

An encoding packaging layer.

Currently only base64 with a standard alphabet is supported.

XML binding class: <undefined>

static from_dict (*encoding_dict*)

static from_obj (*encoding_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Encryption` (*encryption_mechanism=None, encryption_key=None*)
 Bases: `cybox.objects.artifact_object.Packaging`

An encryption packaging layer.

XML binding class: <undefined>

static from_dict (*encryption_dict*)

static from_obj (*encryption_obj*)

static get_object (*mechanism, key*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Packaging`

Bases: `mixbox.entities.Entity`

An individual packaging layer.

XML binding class: <undefined>

pack (*data*)

This should accept byte data and return byte data

unpack (*packed_data*)

This should accept byte data and return byte data

class `cybox.objects.artifact_object.PasswordProtectedZipEncryption` (*key*)

Bases: `cybox.objects.artifact_object.Encryption`

XML binding class: <undefined>

unpack (*packed_data*)

class `cybox.objects.artifact_object.RawArtifact` (*value=None*)

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.artifact_object.RawArtifactType`

byte_order

XML Binding class name: `byte_order`

Dictionary key name: `byte_order`

class `cybox.objects.artifact_object.XOREncryption` (*key*)

Bases: `cybox.objects.artifact_object.Encryption`

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

class `cybox.objects.artifact_object.ZlibCompression`

Bases: `cybox.objects.artifact_object.Compression`

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

Version: 2.1.0.12.dev1

cybox.objects.as_object module

cybox.objects.as_object.**AS**

alias of *AutonomousSystem* | XML binding class: cybox.bindings.as_object.ASObjectType

class cybox.objects.as_object.**AutonomousSystem**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.as_object.ASObjectType

handle

Type: *cybox.common.properties.String*

XML Binding class name: Handle

Dictionary key name: handle

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number

Dictionary key name: number

regional_internet_registry

Type: *cybox.common.properties.String*

XML Binding class name: Regional_Internet_Registry

Dictionary key name: regional_internet_registry

Version: 2.1.0.12.dev1

cybox.objects.arp_cache_object module

class cybox.objects.arp_cache_object.**ARPCache**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.arp_cache_object.ARPCacheObjectType

arp_cache_entry

(List of values permitted)

Type: *cybox.objects.arp_cache_object.ARPCacheEntry*

XML Binding class name: ARP_Cache_Entry

Dictionary key name: arp_cache_entry

class *cybox.objects.arp_cache_object.ARPCacheEntry*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.arp_cache_object.ARPCacheEntryType*

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

network_interface

Type: *cybox.objects.system_object.NetworkInterface*

XML Binding class name: Network_Interface

Dictionary key name: network_interface

physical_address

Type: *cybox.common.properties.String*

XML Binding class name: Physical_Address

Dictionary key name: physical_address

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.code_object module

class *cybox.objects.code_object.Code*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.code_object.CodeObjectType*

code_language

Type: *cybox.common.properties.String*

XML Binding class name: Code_Language

Dictionary key name: code_language

code_segment

Type: *cybox.common.properties.String*

XML Binding class name: Code_Segment

Dictionary key name: code_segment

code_segment_xor

Type: *cybox.objects.code_object.CodeSegmentXOR*

XML Binding class name: Code_Segment_XOR

Dictionary key name: code_segment_xor

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

digital_signatures

Type: *cybox.common.digitalsignature.DigitalSignatureList*

XML Binding class name: Digital_Signatures

Dictionary key name: digital_signatures

discovery_method

Type: *cybox.common.measuresource.MeasureSource*

XML Binding class name: Discovery_Method

Dictionary key name: discovery_method

extracted_features

Type: *cybox.common.extracted_features.ExtractedFeatures*

XML Binding class name: Extracted_Features

Dictionary key name: extracted_features

processor_family

(List of values permitted)

Type: *cybox.common.properties.String*

XML Binding class name: Processor_Family

Dictionary key name: processor_family

purpose

Type: *cybox.common.properties.String*

XML Binding class name: Purpose

Dictionary key name: purpose

start_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Start_Address

Dictionary key name: start_address

targeted_platforms

Type: *cybox.objects.code_object.TargetedPlatforms*

XML Binding class name: Targeted_Platforms

Dictionary key name: targeted_platforms

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class `cybox.objects.code_object.CodeSegmentXOR` (*value=None*)

Bases: *cybox.common.properties.String*

XML binding class: `cybox.bindings.code_object.CodeSegmentXORType`

xor_pattern

XML Binding class name: xor_pattern

Dictionary key name: xor_pattern

class `cybox.objects.code_object.TargetedPlatforms` (**args*)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.code_object.TargetedPlatformsType`

Version: 2.1.0.12.dev1

cybox.objects.device_object module

class `cybox.objects.device_object.Device`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.device_object.DeviceObjectType`

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

device_type

Type: *cybox.common.properties.String*

XML Binding class name: Device_Type

Dictionary key name: device_type

firmware_version

Type: *cybox.common.properties.String*

XML Binding class name: Firmware_Version

Dictionary key name: firmware_version

manufacturer

Type: *cybox.common.properties.String*

XML Binding class name: Manufacturer

Dictionary key name: manufacturer

model

Type: *cybox.common.properties.String*

XML Binding class name: Model

Dictionary key name: model

serial_number

Type: *cybox.common.properties.String*

XML Binding class name: Serial_Number

Dictionary key name: serial_number

Version: 2.1.0.12.dev1

cybox.objects.disk_object module

class `cybox.objects.disk_object.Disk`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.disk_object.DiskObjectType`

disk_name

Type: *cybox.common.properties.String*

XML Binding class name: Disk_Name

Dictionary key name: disk_name

disk_size

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Disk_Size

Dictionary key name: disk_size

free_space

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Free_Space

Dictionary key name: free_space

partition_list

Type: *cybox.objects.disk_object.PartitionList*

XML Binding class name: Partition_List

Dictionary key name: partition_list

type

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class `cybox.objects.disk_object.PartitionList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.disk_object.PartitionListType`

Version: 2.1.0.12.dev1

cybox.objects.disk_partition_object module

class `cybox.objects.disk_partition_object.DiskPartition`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.disk_partition_object.DiskPartitionObjectType`

created

Type: *cybox.common.properties.String*

XML Binding class name: Created

Dictionary key name: created

device_name

Type: *cybox.common.properties.Name*

XML Binding class name: Device_Name

Dictionary key name: device_name

mount_point

Type: *cybox.common.properties.String*

XML Binding class name: Mount_Point

Dictionary key name: mount_point

partition_id

Type: *cybox.common.properties.Integer*

XML Binding class name: Partition_ID

Dictionary key name: partition_id

partition_length

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Partition_Length

Dictionary key name: partition_length

partition_offset

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Partition_Offset

Dictionary key name: partition_offset

space_left

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Space_Left

Dictionary key name: space_left

space_used

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Space_Used

Dictionary key name: space_used

total_space

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Total_Space

Dictionary key name: total_space

type

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.dns_cache_object module

class `cybox.objects.dns_cache_object.DNSCache`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.dns_cache_object.DNSCacheObjectType`

dns_cache_entry

(List of values permitted)

Type: *cybox.objects.dns_cache_object.DNSCacheEntry*

XML Binding class name: `DNS_Cache_Entry`

Dictionary key name: `dns_cache_entry`

class `cybox.objects.dns_cache_object.DNSCacheEntry`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.dns_cache_object.DNSCacheEntryType`

dns_entry

Type: *cybox.objects.dns_record_object.DNSRecord*

XML Binding class name: `DNS_Entry`

Dictionary key name: `dns_entry`

t11

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: `TTL`

Dictionary key name: `t11`

Version: 2.1.0.12.dev1

cybox.objects.dns_query_object module

class `cybox.objects.dns_query_object.DNSQuery`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.dns_query_object.DNSQueryObjectType`

additional_records

Type: *cybox.objects.dns_query_object.DNSResourceRecords*

XML Binding class name: `Additional_Records`

Dictionary key name: `additional_records`

answer_resource_records

Type: *cybox.objects.dns_query_object.DNSResourceRecords*

XML Binding class name: `Answer_Resource_Records`

Dictionary key name: `answer_resource_records`

authority_resource_records

Type: *cybox.objects.dns_query_object.DNSResourceRecords*

XML Binding class name: Authority_Resource_Records

Dictionary key name: authority_resource_records

date_ran

Type: *cybox.common.properties.DateTime*

XML Binding class name: Date_Ran

Dictionary key name: date_ran

question

Type: *cybox.objects.dns_query_object.DNSQuestion*

XML Binding class name: Question

Dictionary key name: question

service_used

Type: *cybox.common.properties.String*

XML Binding class name: Service_Used

Dictionary key name: service_used

successful

XML Binding class name: successful

Dictionary key name: successful

transaction_id

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Transaction_ID

Dictionary key name: transaction_id

class `cybox.objects.dns_query_object.DNSQuestion`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.dns_query_object.DNSQuestionType`

qclass

Type: *cybox.common.properties.String*

XML Binding class name: QClass

Dictionary key name: qclass

qname

Type: *cybox.objects.uri_object.URI*

XML Binding class name: QName

Dictionary key name: qname

qtype

Type: *cybox.common.properties.String*
XML Binding class name: QType
Dictionary key name: qtype

class `cybox.objects.dns_query_object.DNSResourceRecords` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.dns_query_object.DNSResourceRecordsType`

Version: 2.1.0.12.dev1

cybox.objects.dns_record_object module

class `cybox.objects.dns_record_object.DNSRecord`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.dns_record_object.DNSRecordObjectType`

address_class

Type: *cybox.common.properties.String*
XML Binding class name: Address_Class
Dictionary key name: address_class

data_length

Type: *cybox.common.properties.Integer*
XML Binding class name: Data_Length
Dictionary key name: data_length

description

Type: *cybox.common.structured_text.StructuredText*
XML Binding class name: Description
Dictionary key name: description

domain_name

Type: *cybox.objects.uri_object.URI*
XML Binding class name: Domain_Name
Dictionary key name: domain_name

entry_type

Type: *cybox.common.properties.String*
XML Binding class name: Entry_Type
Dictionary key name: entry_type

flags

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Flags

Dictionary key name: flags

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

queried_date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Queried_Date

Dictionary key name: queried_date

record_data

XML Binding class name: Record_Data

Dictionary key name: record_data

record_name

Type: *cybox.common.properties.String*

XML Binding class name: Record_Name

Dictionary key name: record_name

record_type

Type: *cybox.common.properties.String*

XML Binding class name: Record_Type

Dictionary key name: record_type

ttl

Type: *cybox.common.properties.Integer*

XML Binding class name: TTL

Dictionary key name: ttl

Version: 2.1.0.12.dev1

cybox.objects.domain_name_object module

class *cybox.objects.domain_name_object.DomainName*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.domain_name_object.DomainNameObjectType*

type_

XML Binding class name: type_

Dictionary key name: type

value

Type: *cybox.common.properties.String*

XML Binding class name: Value

Dictionary key name: value

Version: 2.1.0.12.dev1

cybox.objects.email_message_object module

class `cybox.objects.email_message_object.AttachmentReference` (*object_reference=None*)

Bases: `cybox.objects.email_message_object._Reference`, `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.AttachmentReferenceType`

class `cybox.objects.email_message_object.Attachments` (**args*)

Bases: `cybox.objects.email_message_object._ReferenceList`,
`mixbox.entities.EntityList`

XML binding class: `cybox.bindings.email_message_object.AttachmentsType`

class `cybox.objects.email_message_object.EmailHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.EmailHeaderType`

bcc

Type: *cybox.objects.email_message_object.EmailRecipients*

XML Binding class name: BCC

Dictionary key name: bcc

boundary

Type: *cybox.common.properties.String*

XML Binding class name: Boundary

Dictionary key name: boundary

cc

Type: *cybox.objects.email_message_object.EmailRecipients*

XML Binding class name: CC

Dictionary key name: cc

content_type

Type: *cybox.common.properties.String*

XML Binding class name: Content_Type

Dictionary key name: content_type

date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Date

Dictionary key name: date

errors_to

Type: *cybox.common.properties.String*

XML Binding class name: Errors_To

Dictionary key name: errors_to

from_

Type: *cybox.objects.address_object.EmailAddress*

XML Binding class name: From

Dictionary key name: from

in_reply_to

Type: *cybox.common.properties.String*

XML Binding class name: In_Reply_To

Dictionary key name: in_reply_to

message_id

Type: *cybox.common.properties.String*

XML Binding class name: Message_ID

Dictionary key name: message_id

mime_version

Type: *cybox.common.properties.String*

XML Binding class name: MIME_Version

Dictionary key name: mime_version

precedence

Type: *cybox.common.properties.String*

XML Binding class name: Precedence

Dictionary key name: precedence

received_lines

Type: *cybox.objects.email_message_object.ReceivedLineList*
XML Binding class name: Received_Lines
Dictionary key name: received_lines

reply_to

Type: *cybox.objects.address_object.EmailAddress*
XML Binding class name: Reply_To
Dictionary key name: reply_to

sender

Type: *cybox.objects.address_object.EmailAddress*
XML Binding class name: Sender
Dictionary key name: sender

subject

Type: *cybox.common.properties.String*
XML Binding class name: Subject
Dictionary key name: subject

to

Type: *cybox.objects.email_message_object.EmailRecipients*
XML Binding class name: To
Dictionary key name: to

user_agent

Type: *cybox.common.properties.String*
XML Binding class name: User_Agent
Dictionary key name: user_agent

x_mailer

Type: *cybox.common.properties.String*
XML Binding class name: X_Mailer
Dictionary key name: x_mailer

x_originating_ip

Type: *cybox.objects.address_object.Address*
XML Binding class name: X_Originating_IP
Dictionary key name: x_originating_ip

x_priority

Type: *cybox.common.properties.PositiveInteger*
XML Binding class name: X_Priority
Dictionary key name: x_priority

class `cybox.objects.email_message_object.EmailMessage`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.email_message_object.EmailMessageObjectType`

attachments

Type: `cybox.objects.email_message_object.Attachments`
XML Binding class name: Attachments
Dictionary key name: attachments

email_server

Type: `cybox.common.properties.String`
XML Binding class name: Email_Server
Dictionary key name: email_server

header

Type: `cybox.objects.email_message_object.EmailHeader`
XML Binding class name: Header
Dictionary key name: header

links

Type: `cybox.objects.email_message_object.Links`
XML Binding class name: Links
Dictionary key name: links

raw_body

Type: `cybox.common.properties.String`
XML Binding class name: Raw_Body
Dictionary key name: raw_body

raw_header

Type: `cybox.common.properties.String`
XML Binding class name: Raw_Header
Dictionary key name: raw_header

class `cybox.objects.email_message_object.EmailRecipients` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.email_message_object.EmailRecipientsType`

class `cybox.objects.email_message_object.LinkReference` (*object_reference=None*)
Bases: `cybox.objects.email_message_object._Reference`, `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.LinkReferenceType`

class `cybox.objects.email_message_object.Links` (*args)
Bases: `cybox.objects.email_message_object._ReferenceList`,
`mixbox.entities.EntityList`

XML binding class: `cybox.bindings.email_message_object.LinksType`

class `cybox.objects.email_message_object.ReceivedLine`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.EmailReceivedLineType`

by

Type: `cybox.common.properties.String`
XML Binding class name: `By`
Dictionary key name: `by`

for_

Type: `cybox.common.properties.String`
XML Binding class name: `For`
Dictionary key name: `for`

from_

Type: `cybox.common.properties.String`
XML Binding class name: `From`
Dictionary key name: `from`

id_

Type: `cybox.common.properties.String`
XML Binding class name: `ID`
Dictionary key name: `id`

timestamp

Type: `cybox.common.properties.DateTime`
XML Binding class name: `Timestamp`
Dictionary key name: `timestamp`

via

Type: `cybox.common.properties.String`
XML Binding class name: `Via`

Dictionary key name: via

with_

Type: *cybox.common.properties.String*

XML Binding class name: With

Dictionary key name: with

class cybox.objects.email_message_object.**ReceivedLineList** (*args)

Bases: mixbox.entities.EntityList

XML binding class:

cybox.bindings.email_message_object.EmailReceivedLineListType

Version: 2.1.0.12.dev1

cybox.objects.file_object module

class cybox.objects.file_object.**EPJumpCode**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.file_object.EPJumpCodeType

depth

Type: *cybox.common.properties.Integer*

XML Binding class name: Depth

Dictionary key name: depth

opcodes

Type: *cybox.common.properties.String*

XML Binding class name: Opcodes

Dictionary key name: opcodes

class cybox.objects.file_object.**EntryPointSignature**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.file_object.EntryPointSignatureType

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

type_

XML Binding class name: Type

Dictionary key name: type

class cybox.objects.file_object.**EntryPointSignatureList** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.file_object.EntryPointSignatureListType

class cybox.objects.file_object.**File**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.file_object.FileObjectType

accessed_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Accessed_Time

Dictionary key name: accessed_time

add_hash (*hash_*)

byte_runs

Type: *cybox.common.byterun.ByteRuns*

XML Binding class name: Byte_Runs

Dictionary key name: byte_runs

compression_comment

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Comment

Dictionary key name: compression_comment

compression_method

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Method

Dictionary key name: compression_method

compression_version

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Version

Dictionary key name: compression_version

created_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Created_Time

Dictionary key name: `created_time`

decryption_key

Type: `cybox.common.properties.String`

XML Binding class name: `Decryption_Key`

Dictionary key name: `decryption_key`

device_path

Type: `cybox.common.properties.String`

XML Binding class name: `Device_Path`

Dictionary key name: `device_path`

digital_signatures

Type: `cybox.common.digitalsignature.DigitalSignatureList`

XML Binding class name: `Digital_Signatures`

Dictionary key name: `digital_signatures`

encryption_algorithm

Type: `cybox.common.properties.String`

XML Binding class name: `Encryption_Algorithm`

Dictionary key name: `encryption_algorithm`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`

XML Binding class name: `Extracted_Features`

Dictionary key name: `extracted_features`

file_attributes_list

Type: `cybox.objects.file_object.FileAttribute`

XML Binding class name: `File_Attributes_List`

Dictionary key name: `file_attributes_list`

file_extension

Type: `cybox.common.properties.String`

XML Binding class name: `File_Extension`

Dictionary key name: `file_extension`

file_format

Type: `cybox.common.properties.String`

XML Binding class name: `File_Format`

Dictionary key name: `file_format`

file_name

Type: *cybox.common.properties.String*
XML Binding class name: File_Name
Dictionary key name: file_name

file_path

Type: *cybox.objects.file_object.FilePath*
XML Binding class name: File_Path
Dictionary key name: file_path

full_path

Type: *cybox.common.properties.String*
XML Binding class name: Full_Path
Dictionary key name: full_path

hashes

Type: *cybox.common.hashes.HashList*
XML Binding class name: Hashes
Dictionary key name: hashes

is_masqueraded

XML Binding class name: is_masqueraded
Dictionary key name: is_masqueraded

is_packed

XML Binding class name: is_packed
Dictionary key name: is_packed

magic_number

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Magic_Number
Dictionary key name: magic_number

modified_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Modified_Time
Dictionary key name: modified_time

packer_list

Type: *cybox.objects.file_object.PackerList*
XML Binding class name: Packer_List
Dictionary key name: packer_list

peak_entropy

Type: `cybox.common.properties.Double`
XML Binding class name: `Peak_Entropy`
Dictionary key name: `peak_entropy`

permissions

Type: `cybox.objects.file_object.FilePermissions`
XML Binding class name: `Permissions`
Dictionary key name: `permissions`

size_in_bytes

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Size_In_Bytes`
Dictionary key name: `size_in_bytes`

sym_links

Type: `cybox.objects.file_object.SymLinksList`
XML Binding class name: `Sym_Links`
Dictionary key name: `sym_links`

user_owner

Type: `cybox.common.properties.String`
XML Binding class name: `User_Owner`
Dictionary key name: `user_owner`

class `cybox.objects.file_object.FileAttribute`

Bases: `mixbox.entities.Entity`

An abstract class for file attributes.

XML binding class: <undefined>

class `cybox.objects.file_object.FilePath` (*args, **kwargs)

Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.file_object.FilePathType`

static from_dict (*filepath_dict*)

static from_obj (*filepath_obj*)

is_plain ()

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.file_object.FilePermissions`

Bases: `mixbox.entities.Entity`

An abstract class for file permissions.

XML binding class: <undefined>

class `cybox.objects.file_object.Packer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.file_object.PackerType`

detected_entrypoint_signatures

Type: `cybox.objects.file_object.EntryPointSignatureList`

XML Binding class name: `Detected_Entrypoint_Signatures`

Dictionary key name: `detected_entrypoint_signatures`

entry_point

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Entry_Point`

Dictionary key name: `entry_point`

ep_jump_codes

Type: `cybox.objects.file_object.EPJumpCode`

XML Binding class name: `EP_Jump_Codes`

Dictionary key name: `ep_jump_codes`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

signature

Type: `cybox.common.properties.String`

XML Binding class name: `Signature`

Dictionary key name: `signature`

type_

Type: `cybox.common.properties.String`

XML Binding class name: `Type`

Dictionary key name: `type`

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

class `cybox.objects.file_object.PackerList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.file_object.PackerListType`

class `cybox.objects.file_object.SymLinksList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.file_object.SymLinksListType`

Version: 2.1.0.12.dev1

cybox.objects.gui_dialogbox_object module

class `cybox.objects.gui_dialogbox_object.GUIDialogbox`

Bases: *cybox.objects.gui_object.GUI*

XML binding class: `cybox.bindings.gui_dialogbox_object.GUIDialogboxObjectType`

box_caption

Type: *cybox.common.properties.String*

XML Binding class name: Box_Caption

Dictionary key name: box_caption

box_text

Type: *cybox.common.properties.String*

XML Binding class name: Box_Text

Dictionary key name: box_text

Version: 2.1.0.12.dev1

cybox.objects.gui_object module

class `cybox.objects.gui_object.GUI`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.gui_object.GUIObjectType`

height

Type: *cybox.common.properties.Integer*

XML Binding class name: Height

Dictionary key name: height

width

Type: *cybox.common.properties.Integer*

XML Binding class name: Width

Dictionary key name: width

Version: 2.1.0.12.dev1

cybox.objects.gui_window_object module

class `cybox.objects.gui_window_object.GUIWindow`

Bases: *cybox.objects.gui_object.GUI*

XML binding class: `cybox.bindings.gui_window_object.GUIWindowObjectType`

owner_window

Type: *cybox.common.properties.String*

XML Binding class name: Owner_Window

Dictionary key name: owner_window

parent_window

Type: *cybox.common.properties.String*

XML Binding class name: Parent_Window

Dictionary key name: parent_window

window_display_name

Type: *cybox.common.properties.String*

XML Binding class name: Window_Display_Name

Dictionary key name: window_display_name

Version: 2.1.0.12.dev1

cybox.objects.hostname_object module

class `cybox.objects.hostname_object.Hostname`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.hostname_object.HostnameObjectType`

hostname_value

Type: *cybox.common.properties.String*
XML Binding class name: Hostname_Value
Dictionary key name: hostname_value

is_domain_name

XML Binding class name: is_domain_name
Dictionary key name: is_domain_name

naming_system

(List of values permitted)
Type: *cybox.common.properties.String*
XML Binding class name: Naming_System
Dictionary key name: naming_system

Version: 2.1.0.12.dev1

cybox.objects.http_session_object module

class `cybox.objects.http_session_object.HTTPClientRequest`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPClientRequestType`

http_message_body

Type: *cybox.objects.http_session_object.HTTPMessage*
XML Binding class name: HTTP_Message_Body
Dictionary key name: http_message_body

http_request_header

Type: *cybox.objects.http_session_object.HTTPRequestHeader*
XML Binding class name: HTTP_Request_Header
Dictionary key name: http_request_header

http_request_line

Type: *cybox.objects.http_session_object.HTTPRequestLine*
XML Binding class name: HTTP_Request_Line
Dictionary key name: http_request_line

class `cybox.objects.http_session_object.HTTPMessage`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPMessageType`

length

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Length

Dictionary key name: length

message_body

Type: *cybox.common.properties.String*

XML Binding class name: Message_Body

Dictionary key name: message_body

class `cybox.objects.http_session_object.HTTPRequestHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPRequestHeaderType`

parsed_header

Type: *cybox.objects.http_session_object.HTTPRequestHeaderFields*

XML Binding class name: Parsed_Header

Dictionary key name: parsed_header

raw_header

Type: *cybox.common.properties.String*

XML Binding class name: Raw_Header

Dictionary key name: raw_header

class `cybox.objects.http_session_object.HTTPRequestHeaderFields`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.http_session_object.HTTPRequestHeaderFieldsType`

accept

Type: *cybox.common.properties.String*

XML Binding class name: Accept

Dictionary key name: accept

accept_charset

Type: *cybox.common.properties.String*

XML Binding class name: Accept_Charset

Dictionary key name: accept_charset

accept_datetime

Type: *cybox.common.properties.String*

XML Binding class name: Accept_Datetime

Dictionary key name: accept_datetime

accept_encoding

Type: *cybox.common.properties.String*

XML Binding class name: Accept_Encoding

Dictionary key name: accept_encoding

accept_language

Type: *cybox.common.properties.String*

XML Binding class name: Accept_Language

Dictionary key name: accept_language

authorization

Type: *cybox.common.properties.String*

XML Binding class name: Authorization

Dictionary key name: authorization

cache_control

Type: *cybox.common.properties.String*

XML Binding class name: Cache_Control

Dictionary key name: cache_control

connection

Type: *cybox.common.properties.String*

XML Binding class name: Connection

Dictionary key name: connection

content_length

Type: *cybox.common.properties.Integer*

XML Binding class name: Content_Length

Dictionary key name: content_length

content_md5

Type: *cybox.common.properties.String*

XML Binding class name: Content_MD5

Dictionary key name: content_md5

content_type

Type: *cybox.common.properties.String*

XML Binding class name: Content_Type

Dictionary key name: content_type

cookie

Type: *cybox.common.properties.String*

XML Binding class name: Cookie

Dictionary key name: cookie

date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Date

Dictionary key name: date

dnt

Type: *cybox.common.properties.String*

XML Binding class name: DNT

Dictionary key name: dnt

expect

Type: *cybox.common.properties.String*

XML Binding class name: Expect

Dictionary key name: expect

from_

Type: *cybox.objects.address_object.EmailAddress*

XML Binding class name: From

Dictionary key name: from

host

Type: *cybox.objects.http_session_object.HostField*

XML Binding class name: Host

Dictionary key name: host

if_match

Type: *cybox.common.properties.String*

XML Binding class name: If_Match

Dictionary key name: if_match

if_modified_since

Type: *cybox.common.properties.DateTime*

XML Binding class name: If_Modified_Since

Dictionary key name: if_modified_since

if_none_match

Type: *cybox.common.properties.String*

XML Binding class name: `If_None_Match`

Dictionary key name: `if_none_match`

if_range

Type: `cybox.common.properties.String`

XML Binding class name: `If_Range`

Dictionary key name: `if_range`

if_unmodified_since

Type: `cybox.common.properties.DateTime`

XML Binding class name: `If_Unmodified_Since`

Dictionary key name: `if_unmodified_since`

max_forwards

Type: `cybox.common.properties.Integer`

XML Binding class name: `Max_Forwards`

Dictionary key name: `max_forwards`

pragma

Type: `cybox.common.properties.String`

XML Binding class name: `Pragma`

Dictionary key name: `pragma`

proxy_authorization

Type: `cybox.common.properties.String`

XML Binding class name: `Proxy_Authorization`

Dictionary key name: `proxy_authorization`

range_

Type: `cybox.common.properties.String`

XML Binding class name: `Range`

Dictionary key name: `range`

referer

Type: `cybox.objects.uri_object.URI`

XML Binding class name: `Referer`

Dictionary key name: `referer`

te

Type: `cybox.common.properties.String`

XML Binding class name: `TE`

Dictionary key name: `te`

user_agent

Type: *cybox.common.properties.String*

XML Binding class name: User_Agent

Dictionary key name: user_agent

via

Type: *cybox.common.properties.String*

XML Binding class name: Via

Dictionary key name: via

warning

Type: *cybox.common.properties.String*

XML Binding class name: Warning

Dictionary key name: warning

x_att_deviceid

Type: *cybox.common.properties.String*

XML Binding class name: X_ATT_DeviceId

Dictionary key name: x_att_deviceid

x_forwarded_for

Type: *cybox.common.properties.String*

XML Binding class name: X_Forwarded_For

Dictionary key name: x_forwarded_for

x_forwarded_proto

Type: *cybox.common.properties.String*

XML Binding class name: X_Forwarded_Proto

Dictionary key name: x_forwarded_proto

x_requested_with

Type: *cybox.common.properties.String*

XML Binding class name: X_Requested_With

Dictionary key name: x_requested_with

x_wap_profile

Type: *cybox.objects.uri_object.URI*

XML Binding class name: X_Wap_Profile

Dictionary key name: x_wap_profile

class `cybox.objects.http_session_object.HTTPRequestLine`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPRequestLineType`

http_method

Type: `cybox.common.properties.String`

XML Binding class name: `HTTP_Method`

Dictionary key name: `http_method`

value

Type: `cybox.common.properties.String`

XML Binding class name: `Value`

Dictionary key name: `value`

version

Type: `cybox.common.properties.String`

XML Binding class name: `Version`

Dictionary key name: `version`

class `cybox.objects.http_session_object.HTTPRequestResponse`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPRequestResponseType`

http_client_request

Type: `cybox.objects.http_session_object.HTTPClientRequest`

XML Binding class name: `HTTP_Client_Request`

Dictionary key name: `http_client_request`

http_provisional_server_response

Type: `cybox.objects.http_session_object.HTTPServerResponse`

XML Binding class name: `HTTP_Provisional_Server_Response`

Dictionary key name: `http_provisional_server_response`

http_server_response

Type: `cybox.objects.http_session_object.HTTPServerResponse`

XML Binding class name: `HTTP_Server_Response`

Dictionary key name: `http_server_response`

ordinal_position

XML Binding class name: `ordinal_position`

Dictionary key name: `ordinal_position`

class `cybox.objects.http_session_object.HTTPResponseHeader`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPResponseHeaderType`

parsed_header

Type: `cybox.objects.http_session_object.HTTPResponseHeaderFields`
XML Binding class name: `Parsed_Header`
Dictionary key name: `parsed_header`

raw_header

Type: `cybox.common.properties.String`
XML Binding class name: `Raw_Header`
Dictionary key name: `raw_header`

class `cybox.objects.http_session_object.HTTPResponseHeaderFields`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.http_session_object.HTTPResponseHeaderFieldsType`

accept_ranges

Type: `cybox.common.properties.String`
XML Binding class name: `Accept_Ranges`
Dictionary key name: `accept_ranges`

access_control_allow_origin

Type: `cybox.common.properties.String`
XML Binding class name: `Access_Control-Allow-Origin`
Dictionary key name: `access_control_allow_origin`

age

Type: `cybox.common.properties.Integer`
XML Binding class name: `Age`
Dictionary key name: `age`

cache_control

Type: `cybox.common.properties.String`
XML Binding class name: `Cache_Control`
Dictionary key name: `cache_control`

connection

Type: *cybox.common.properties.String*

XML Binding class name: Connection

Dictionary key name: connection

content_disposition

Type: *cybox.common.properties.String*

XML Binding class name: Content_Disposition

Dictionary key name: content_disposition

content_encoding

Type: *cybox.common.properties.String*

XML Binding class name: Content_Encoding

Dictionary key name: content_encoding

content_language

Type: *cybox.common.properties.String*

XML Binding class name: Content_Language

Dictionary key name: content_language

content_length

Type: *cybox.common.properties.Integer*

XML Binding class name: Content_Length

Dictionary key name: content_length

content_location

Type: *cybox.common.properties.String*

XML Binding class name: Content_Location

Dictionary key name: content_location

content_md5

Type: *cybox.common.properties.String*

XML Binding class name: Content_MD5

Dictionary key name: content_md5

content_range

Type: *cybox.common.properties.String*

XML Binding class name: Content_Range

Dictionary key name: content_range

content_type

Type: *cybox.common.properties.String*

XML Binding class name: Content_Type
Dictionary key name: content_type

date

Type: *cybox.common.properties.DateTime*
XML Binding class name: Date
Dictionary key name: date

etag

Type: *cybox.common.properties.String*
XML Binding class name: ETag
Dictionary key name: etag

expires

Type: *cybox.common.properties.DateTime*
XML Binding class name: Expires
Dictionary key name: expires

last_modified

Type: *cybox.common.properties.DateTime*
XML Binding class name: Last_Modified
Dictionary key name: last_modified

link

Type: *cybox.common.properties.String*
XML Binding class name: Link
Dictionary key name: link

location

Type: *cybox.objects.uri_object.URI*
XML Binding class name: Location
Dictionary key name: location

p3p

Type: *cybox.common.properties.String*
XML Binding class name: P3P
Dictionary key name: p3p

pragma

Type: *cybox.common.properties.String*
XML Binding class name: Pragma
Dictionary key name: pragma

proxy_authenticate

Type: *cybox.common.properties.String*
XML Binding class name: Proxy_Authenticate
Dictionary key name: proxy_authenticate

refresh

Type: *cybox.common.properties.String*
XML Binding class name: Refresh
Dictionary key name: refresh

retry_after

Type: *cybox.common.properties.Integer*
XML Binding class name: Retry_After
Dictionary key name: retry_after

server

Type: *cybox.common.properties.String*
XML Binding class name: Server
Dictionary key name: server

set_cookie

Type: *cybox.common.properties.String*
XML Binding class name: Set_Cookie
Dictionary key name: set_cookie

strict_transport_security

Type: *cybox.common.properties.String*
XML Binding class name: Strict_Transport_Security
Dictionary key name: strict_transport_security

trailer

Type: *cybox.common.properties.String*
XML Binding class name: Trailer
Dictionary key name: trailer

transfer_encoding

Type: *cybox.common.properties.String*
XML Binding class name: Transfer_Encoding
Dictionary key name: transfer_encoding

vary

Type: *cybox.common.properties.String*

XML Binding class name: Vary

Dictionary key name: vary

via

Type: *cybox.common.properties.String*

XML Binding class name: Via

Dictionary key name: via

warning

Type: *cybox.common.properties.String*

XML Binding class name: Warning

Dictionary key name: warning

www_authenticate

Type: *cybox.common.properties.String*

XML Binding class name: WWW_Authenticate

Dictionary key name: www_authenticate

x_content_type_options

Type: *cybox.common.properties.String*

XML Binding class name: X_Content_Type_Options

Dictionary key name: x_content_type_options

x_frame_options

Type: *cybox.common.properties.String*

XML Binding class name: X_Frame_Options

Dictionary key name: x_frame_options

x_powered_by

Type: *cybox.common.properties.String*

XML Binding class name: X_Powered_By

Dictionary key name: x_powered_by

x_ua_compatible

Type: *cybox.common.properties.String*

XML Binding class name: X_UA_Compatible

Dictionary key name: x_ua_compatible

x_xss_protection

Type: *cybox.common.properties.String*

XML Binding class name: X_XSS_Protection

Dictionary key name: x_xss_protection

class `cybox.objects.http_session_object.HTTPServerResponse`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPServerResponseType`

http_message_body

Type: `cybox.objects.http_session_object.HTTPMessage`
XML Binding class name: `HTTP_Message_Body`
Dictionary key name: `http_message_body`

http_response_header

Type: `cybox.objects.http_session_object.HTTPResponseHeader`
XML Binding class name: `HTTP_Response_Header`
Dictionary key name: `http_response_header`

http_status_line

Type: `cybox.objects.http_session_object.HTTPStatusLine`
XML Binding class name: `HTTP_Status_Line`
Dictionary key name: `http_status_line`

class `cybox.objects.http_session_object.HTTPSession`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.http_session_object.HTTPSessionObjectType`

http_request_response

(List of values permitted)
Type: `cybox.objects.http_session_object.HTTPRequestResponse`
XML Binding class name: `HTTP_Request_Response`
Dictionary key name: `http_request_response`

class `cybox.objects.http_session_object.HTTPStatusLine`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPStatusLineType`

reason_phrase

Type: `cybox.common.properties.String`
XML Binding class name: `Reason_Phrase`
Dictionary key name: `reason_phrase`

status_code

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Status_Code

Dictionary key name: status_code

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

class `cybox.objects.http_session_object.HostField`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HostFieldType`

domain_name

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Domain_Name

Dictionary key name: domain_name

port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Port

Dictionary key name: port

Version: 2.1.0.12.dev1

cybox.objects.image_file_object module

class `cybox.objects.image_file_object.ImageFile`

Bases: *cybox.objects.file_object.File*

XML binding class: `cybox.bindings.image_file_object.ImageFileObjectType`

bits_per_pixel

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Bits_Per_Pixel

Dictionary key name: bits_per_pixel

compression_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Algorithm

Dictionary key name: `compression_algorithm`

image_file_format

Type: `cybox.common.properties.String`

XML Binding class name: `Image_File_Format`

Dictionary key name: `image_file_format`

image_height

Type: `cybox.common.properties.Integer`

XML Binding class name: `Image_Height`

Dictionary key name: `image_height`

image_is_compressed

XML Binding class name: `image_is_compressed`

Dictionary key name: `image_is_compressed`

image_width

Type: `cybox.common.properties.Integer`

XML Binding class name: `Image_Width`

Dictionary key name: `image_width`

Version: 2.1.0.12.dev1

cybox.objects.library_object module

class `cybox.objects.library_object.Library`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.library_object.LibraryObjectType`

base_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Base_Address`

Dictionary key name: `base_address`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`

XML Binding class name: `Extracted_Features`

Dictionary key name: `extracted_features`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

path

Type: *cybox.common.properties.String*

XML Binding class name: Path

Dictionary key name: path

size

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Size

Dictionary key name: size

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

Version: 2.1.0.12.dev1

cybox.objects.link_object module

class `cybox.objects.link_object.Link` (*value=None, type_=None*)

Bases: *cybox.objects.uri_object.URI*

XML binding class: `cybox.bindings.link_object.LinkObjectType`

url_label

Type: *cybox.common.properties.String*

XML Binding class name: URL_Label

Dictionary key name: url_label

Version: 2.1.0.12.dev1

cybox.objects.linux_package_object module

class `cybox.objects.linux_package_object.LinuxPackage`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.linux_package_object.LinuxPackageObjectType`

architecture

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*
XML Binding class name: Architecture
Dictionary key name: architecture

category

Type: *cybox.common.properties.String*
XML Binding class name: Category
Dictionary key name: category

description

Type: *cybox.common.properties.String*
XML Binding class name: Description
Dictionary key name: description

epoch

Type: *cybox.common.properties.String*
XML Binding class name: Epoch
Dictionary key name: epoch

evr

Type: *cybox.common.properties.String*
XML Binding class name: EVR
Dictionary key name: evr

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

release

Type: *cybox.common.properties.String*
XML Binding class name: Release
Dictionary key name: release

vendor

Type: *cybox.common.properties.String*
XML Binding class name: Vendor
Dictionary key name: vendor

version

Type: *cybox.common.properties.String*
XML Binding class name: Version

Dictionary key name: `version`
class `cybox.objects.linux_package_object.LinuxPackageArchitecture` (*value=None*)
Bases: `cybox.common.vocabs.VocabString`

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

Version: 2.1.0.12.dev1

cybox.objects.memory_object module

class `cybox.objects.memory_object.Memory`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.memory_object.MemoryObjectType`

block_type

Type: `cybox.common.properties.String`
XML Binding class name: `Block_Type`
Dictionary key name: `block_type`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`
XML Binding class name: `Extracted_Features`
Dictionary key name: `extracted_features`

hashes

Type: `cybox.common.hashes.HashList`
XML Binding class name: `Hashes`
Dictionary key name: `hashes`

is_injected

XML Binding class name: `is_injected`
Dictionary key name: `is_injected`

is_mapped

XML Binding class name: `is_mapped`
Dictionary key name: `is_mapped`

is_protected

XML Binding class name: `is_protected`
Dictionary key name: `is_protected`

is_volatile

XML Binding class name: `is_volatile`

Dictionary key name: `is_volatile`

memory_source

Type: `cybox.common.properties.String`

XML Binding class name: `Memory_Source`

Dictionary key name: `memory_source`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

region_end_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_End_Address`

Dictionary key name: `region_end_address`

region_size

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Region_Size`

Dictionary key name: `region_size`

region_start_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_Start_Address`

Dictionary key name: `region_start_address`

Version: 2.1.0.12.dev1

cybox.objects.mutex_object module

class `cybox.objects.mutex_object.Mutex`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.mutex_object.MutexObjectType`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

named

XML Binding class name: named

Dictionary key name: named

Version: 2.1.0.12.dev1

cybox.objects.network_connection_object module

class `cybox.objects.network_connection_object.Layer7Connections`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_connection_object.Layer7ConnectionsType`

dns_query

(List of values permitted)

Type: `cybox.objects.dns_query_object.DNSQuery`

XML Binding class name: `DNS_Query`

Dictionary key name: `dns_query`

http_session

Type: `cybox.objects.http_session_object.HTTPSession`

XML Binding class name: `HTTP_Session`

Dictionary key name: `http_session`

class `cybox.objects.network_connection_object.NetworkConnection`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.network_connection_object.NetworkConnectionObjectType`

creation_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Creation_Time`

Dictionary key name: `creation_time`

destination_socket_address

Type: `cybox.objects.socket_address_object.SocketAddress`

XML Binding class name: `Destination_Socket_Address`

Dictionary key name: `destination_socket_address`

destination_tcp_state

XML Binding class name: `Destination_TCP_State`

Dictionary key name: destination_tcp_state

layer3_protocol

Type: *cybox.common.properties.String*

XML Binding class name: Layer3_Protocol

Dictionary key name: layer3_protocol

layer4_protocol

Type: *cybox.common.properties.String*

XML Binding class name: Layer4_Protocol

Dictionary key name: layer4_protocol

layer7_connections

Type: *cybox.objects.network_connection_object.Layer7Connections*

XML Binding class name: Layer7_Connections

Dictionary key name: layer7_connections

layer7_protocol

Type: *cybox.common.properties.String*

XML Binding class name: Layer7_Protocol

Dictionary key name: layer7_protocol

source_socket_address

Type: *cybox.objects.socket_address_object.SocketAddress*

XML Binding class name: Source_Socket_Address

Dictionary key name: source_socket_address

source_tcp_state

XML Binding class name: Source_TCP_State

Dictionary key name: source_tcp_state

tls_used

XML Binding class name: tls_used

Dictionary key name: tls_used

Version: 2.1.0.12.dev1

cybox.objects.network_packet_object module

class `cybox.objects.network_packet_object.ARP`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ARPTyp`

hardware_addr_size

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Hardware_Addr_Size

Dictionary key name: hardware_addr_size

hardware_addr_type

Type: *cybox.common.properties.String*

XML Binding class name: Hardware_Addr_Type

Dictionary key name: hardware_addr_type

op_type

Type: *cybox.common.properties.String*

XML Binding class name: Op_Type

Dictionary key name: op_type

proto_addr_size

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Proto_Addr_Size

Dictionary key name: proto_addr_size

proto_addr_type

Type: *cybox.common.properties.String*

XML Binding class name: Proto_Addr_Type

Dictionary key name: proto_addr_type

recip_hardware_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Recip_Hardware_Addr

Dictionary key name: recip_hardware_addr

recip_protocol_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Recip_Protocol_Addr

Dictionary key name: recip_protocol_addr

sender_hardware_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Sender_Hardware_Addr

Dictionary key name: sender_hardware_addr

sender_protocol_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: `Sender_Protocol_Addr`
 Dictionary key name: `sender_protocol_addr`
class `cybox.objects.network_packet_object.AuthenticationHeader`
 Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.AuthenticationHeaderType`

Authentication_Data

Type: `cybox.common.properties.HexBinary`
 XML Binding class name: `Authentication_Data`
 Dictionary key name: `authentication_data`

header_ext_len

Type: `cybox.common.properties.HexBinary`
 XML Binding class name: `Header_Ext_Len`
 Dictionary key name: `header_ext_len`

next_header

Type: `cybox.common.properties.String`
 XML Binding class name: `Next_Header`
 Dictionary key name: `next_header`

security_parameters_index

Type: `cybox.common.properties.HexBinary`
 XML Binding class name: `Security_Parameters_Index`
 Dictionary key name: `security_parameters_index`

sequence_number

Type: `cybox.common.properties.HexBinary`
 XML Binding class name: `Sequence_Number`
 Dictionary key name: `sequence_number`

class `cybox.objects.network_packet_object.DestinationOptions`
 Bases: `cybox.objects.network_packet_object._IPv6ExtHeader`

XML binding class: `cybox.bindings.network_packet_object.DestinationOptionsType`

class `cybox.objects.network_packet_object.EncapsulatingSecurityPayload`
 Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.EncapsulatingSecurityPayloadType`

authentication_data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Authentication_Data`

Dictionary key name: `authentication_data`

next_header

Type: `cybox.common.properties.String`

XML Binding class name: `Next_Header`

Dictionary key name: `next_header`

padding

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Padding`

Dictionary key name: `padding`

padding_len

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Padding_Len`

Dictionary key name: `padding_len`

payload_data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Payload_Data`

Dictionary key name: `payload_data`

security_parameters_index

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Security_Parameters_Index`

Dictionary key name: `security_parameters_index`

sequence_number

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Sequence_Number`

Dictionary key name: `sequence_number`

class `cybox.objects.network_packet_object.EthernetHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.EthernetHeaderType`

checksum

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Checksum

Dictionary key name: checksum

destination_mac_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Destination_MAC_Addr

Dictionary key name: destination_mac_addr

source_mac_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Source_MAC_Addr

Dictionary key name: source_mac_addr

type_or_length

Type: *cybox.objects.network_packet_object.TypeLength*

XML Binding class name: Type_Or_Length

Dictionary key name: type_or_length

class `cybox.objects.network_packet_object.EthernetInterface`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.EthernetInterfaceType`

ethernet_header

Type: *cybox.objects.network_packet_object.EthernetHeader*

XML Binding class name: Ethernet_Header

Dictionary key name: ethernet_header

class `cybox.objects.network_packet_object.Fragment`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.FragmentType`

fragment

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Fragment

Dictionary key name: fragment

fragment_header

Type: *cybox.objects.network_packet_object.FragmentHeader*

XML Binding class name: `Fragment_Header`

Dictionary key name: `fragment_header`

class `cybox.objects.network_packet_object.FragmentHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.FragmentHeaderType`

fragment_offset

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Fragment_Offset`

Dictionary key name: `fragment_offset`

identification

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Identification`

Dictionary key name: `identification`

m_flag

Type: *cybox.common.properties.String*

XML Binding class name: `M_Flag`

Dictionary key name: `m_flag`

next_header

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Next_Header`

Dictionary key name: `next_header`

class `cybox.objects.network_packet_object.FragmentationRequired`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.FragmentationRequiredType`

fragmentation_required

XML Binding class name: `Fragmentation_Required`

Dictionary key name: `fragmentation_required`

next_hop_mtu

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Next_Hop_MTU`

Dictionary key name: `next_hop_mtu`

class `cybox.objects.network_packet_object.HopByHopOptions`
Bases: `cybox.objects.network_packet_object._IPv6ExtHeader`

XML binding class: `cybox.bindings.network_packet_object.HopByHopOptionsType`

class `cybox.objects.network_packet_object.ICMPv4AddressMaskReply`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4AddressMaskReplyType`

address_mask

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Address_Mask`
Dictionary key name: `address_mask`

address_mask_reply

XML Binding class name: `Address_Mask_Reply`
Dictionary key name: `address_mask_reply`

class `cybox.objects.network_packet_object.ICMPv4AddressMaskRequest`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4AddressMaskRequestType`

address_mask

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Address_Mask`
Dictionary key name: `address_mask`

address_mask_request

XML Binding class name: `Address_Mask_Request`
Dictionary key name: `address_mask_request`

class `cybox.objects.network_packet_object.ICMPv4DestinationUnreachable`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4DestinationUnreachableType`

communication_administratively_prohibited

XML Binding class name: Communication_Administratively_Prohibited

Dictionary key name: communication_administratively_prohibited

destination_host_unknown

XML Binding class name: Destination_Host_Unknown

Dictionary key name: destination_host_unknown

destination_host_unreachable

XML Binding class name: Destination_Host_Unreachable

Dictionary key name: destination_host_unreachable

destination_network_unknown

XML Binding class name: Destination_Network_Unknown

Dictionary key name: destination_network_unknown

destination_network_unreachable

XML Binding class name: Destination_Network_Unreachable

Dictionary key name: destination_network_unreachable

destination_port_unreachable

XML Binding class name: Destination_Port_Unreachable

Dictionary key name: destination_port_unreachable

destination_protocol_unreachable

XML Binding class name: Destination_Protocol_Unreachable

Dictionary key name: destination_protocol_unreachable

fragmentation_required

Type: *cybox.objects.network_packet_object.FragmentationRequired*

XML Binding class name: Fragmentation_Required

Dictionary key name: fragmentation_required

host_administratively_prohibited

XML Binding class name: Host_Administratively_Prohibited

Dictionary key name: host_administratively_prohibited

host_precedence_violation

XML Binding class name: Host_Precedence_Violation

Dictionary key name: host_precedence_violation

host_unreachable_for_tos

XML Binding class name: Host_Unreachable_For_TOS

Dictionary key name: host_unreachable_for_tos

network_administratively_prohibited

XML Binding class name: Network_Administratively_Prohibited

Dictionary key name: network_administratively_prohibited

network_unreachable_for_tos

XML Binding class name: Network_Unreachable_For_TOS

Dictionary key name: network_unreachable_for_tos

precedence_cutoff_in_effect

XML Binding class name: Precedence_Cutoff_In_Effect

Dictionary key name: precedence_cutoff_in_effect

source_host_isolated

XML Binding class name: Source_Host_Isolated

Dictionary key name: source_host_isolated

source_route_failed

XML Binding class name: Source_Route_Failed

Dictionary key name: source_route_failed

class cybox.objects.network_packet_object.**ICMPv4EchoReply**

Bases: cybox.objects.network_packet_object._ICMPEchoReply

XML binding class: cybox.bindings.network_packet_object.ICMPv4EchoReplyType

class cybox.objects.network_packet_object.**ICMPv4EchoRequest**

Bases: cybox.objects.network_packet_object._ICMPEchoRequest

XML binding class: cybox.bindings.network_packet_object.ICMPv4EchoRequestType

class cybox.objects.network_packet_object.**ICMPv4ErrorMessage**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.ICMPv4ErrorMessageType

destination_unreachable

Type: *cybox.objects.network_packet_object.ICMPv4DestinationUnreachable*
XML Binding class name: Destination_Unreachable
Dictionary key name: destination_unreachable

error_msg_content

Type: *cybox.objects.network_packet_object.ICMPv4ErrorMessageContent*
XML Binding class name: Error_Msg_Content
Dictionary key name: error_msg_content

redirect_message

Type: *cybox.objects.network_packet_object.ICMPv4RedirectMessage*
XML Binding class name: Redirect_Message
Dictionary key name: redirect_message

source_quench

Type: *cybox.objects.network_packet_object.ICMPv4SourceQuench*
XML Binding class name: Source_Quench
Dictionary key name: source_quench

time_exceeded

Type: *cybox.objects.network_packet_object.ICMPv4TimeExceeded*
XML Binding class name: Time_Exceeded
Dictionary key name: time_exceeded

class `cybox.objects.network_packet_object.ICMPv4ErrorMessageContent`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4ErrorMessageContentType`

first_eight_bytes

Type: *cybox.common.properties.HexBinary*
XML Binding class name: First_Eight_Bytes
Dictionary key name: first_eight_bytes

ip_header

Type: *cybox.objects.network_packet_object.IPv4Header*
XML Binding class name: IP_Header
Dictionary key name: ip_header

class `cybox.objects.network_packet_object.ICMPv4Header`
Bases: `cybox.objects.network_packet_object._ICMPHeader`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4HeaderType`

class `cybox.objects.network_packet_object.ICMPv4InfoMessage`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4InfoMessageType`

address_mask_reply

Type: `cybox.objects.network_packet_object.ICMPv4AddressMaskReply`

XML Binding class name: `Address_Mask_Reply`

Dictionary key name: `address_mask_reply`

address_mask_request

Type: `cybox.objects.network_packet_object.ICMPv4AddressMaskRequest`

XML Binding class name: `Address_Mask_Request`

Dictionary key name: `address_mask_request`

echo_reply

Type: `cybox.objects.network_packet_object.ICMPv4EchoReply`

XML Binding class name: `Echo_Reply`

Dictionary key name: `echo_reply`

echo_request

Type: `cybox.objects.network_packet_object.ICMPv4EchoRequest`

XML Binding class name: `Echo_Request`

Dictionary key name: `echo_request`

info_msg_content

Type: `cybox.objects.network_packet_object.ICMPv4InfoMessageContent`

XML Binding class name: `Info_Msg_Content`

Dictionary key name: `info_msg_content`

timestamp_reply

Type: `cybox.objects.network_packet_object.ICMPv4TimestampReply`

XML Binding class name: `Timestamp_Reply`

Dictionary key name: `timestamp_reply`

timestamp_request

Type: `cybox.objects.network_packet_object.ICMPv4TimestampRequest`

XML Binding class name: `Timestamp_Request`

Dictionary key name: `timestamp_request`

class `cybox.objects.network_packet_object.ICMPv4InfoMessageContent`
Bases: `cybox.objects.network_packet_object._ICMPInfoMessageContent`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4InfoMessageContentType`

class `cybox.objects.network_packet_object.ICMPv4Packet`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4PacketType`

error_msg

Type: `cybox.objects.network_packet_object.ICMPv4ErrorMessage`
XML Binding class name: `Error_Msg`
Dictionary key name: `error_msg`

icmpv4_header

Type: `cybox.objects.network_packet_object.ICMPv4Header`
XML Binding class name: `ICMPv4_Header`
Dictionary key name: `icmpv4_header`

info_msg

Type: `cybox.objects.network_packet_object.ICMPv4InfoMessage`
XML Binding class name: `Info_Msg`
Dictionary key name: `info_msg`

traceroute

Type: `cybox.objects.network_packet_object.ICMPv4Traceroute`
XML Binding class name: `Traceroute`
Dictionary key name: `traceroute`

class `cybox.objects.network_packet_object.ICMPv4RedirectMessage`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4RedirectMessageType`

host_redirect

XML Binding class name: `Host_Redirect`
Dictionary key name: `host_redirect`

ip_address

Type: `cybox.objects.address_object.Address`

XML Binding class name: `IP_Address`

Dictionary key name: `ip_address`

network_redirect

XML Binding class name: `Network_Redirect`

Dictionary key name: `network_redirect`

tos_host_redirect

XML Binding class name: `ToS_Host_Redirect`

Dictionary key name: `tos_host_redirect`

tos_network_redirect

XML Binding class name: `ToS_Network_Redirect`

Dictionary key name: `tos_network_redirect`

class `cybox.objects.network_packet_object.ICMPv4SourceQuench`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4SourceQuenchType`

source_quench

XML Binding class name: `Source_Quench`

Dictionary key name: `source_quench`

class `cybox.objects.network_packet_object.ICMPv4TimeExceeded`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4TimeExceededType`

frag_reassembly_time_exceeded

XML Binding class name: `Frag_Reassembly_Time_Exceeded`

Dictionary key name: `frag_reassembly_time_exceeded`

ttl_exceeded_in_transit

XML Binding class name: `TTL_Exceeded_In_Transit`

Dictionary key name: `ttl_exceeded_in_transit`

class `cybox.objects.network_packet_object.ICMPv4TimestampReply`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv4TimestampReplyType`

originate_timestamp

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `Originate_Timestamp`

Dictionary key name: `originate_timestamp`

receive_timestamp

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `Receive_Timestamp`

Dictionary key name: `receive_timestamp`

timestamp_reply

XML Binding class name: `Timestamp_Reply`

Dictionary key name: `timestamp_reply`

transmit_timestamp

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `Transmit_Timestamp`

Dictionary key name: `transmit_timestamp`

class `cybox.objects.network_packet_object.ICMPv4TimestampRequest`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv4TimestampRequestType`

originate_timestamp

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `Originate_Timestamp`

Dictionary key name: `originate_timestamp`

timestamp

XML Binding class name: `Timestamp`

Dictionary key name: `timestamp`

class `cybox.objects.network_packet_object.ICMPv4Traceroute`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4TracerouteType`

identifier

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Identifier

Dictionary key name: identifier

outbound_hop_count

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Outbound_Hop_Count

Dictionary key name: outbound_hop_count

outbound_packet_forward_success

XML Binding class name: Outbound_Packet_Forward_Success

Dictionary key name: outbound_packet_forward_success

outbound_packet_no_route

XML Binding class name: Outbound_Packet_no_Route

Dictionary key name: outbound_packet_no_route

output_link_mtu

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Output_Link_MTU

Dictionary key name: output_link_mtu

output_link_speed

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Output_Link_Speed

Dictionary key name: output_link_speed

return_hop_count

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Return_Hop_Count

Dictionary key name: return_hop_count

class `cybox.objects.network_packet_object.ICMPv6DestinationUnreachable`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv6DestinationUnreachableType`

address_unreachable

XML Binding class name: Address_Unreachable

Dictionary key name: address_unreachable

beyond_scope

XML Binding class name: Beyond_Scope

Dictionary key name: beyond_scope

comm_prohibited

XML Binding class name: Comm_Prohibited

Dictionary key name: comm_prohibited

no_route

XML Binding class name: No_Route

Dictionary key name: no_route

port_unreachable

XML Binding class name: Port_Unreachable

Dictionary key name: port_unreachable

reject_route

XML Binding class name: Reject_Route

Dictionary key name: reject_route

src_addr_failed_policy

XML Binding class name: Src_Addr_Failed_Policy

Dictionary key name: src_addr_failed_policy

class cybox.objects.network_packet_object.**ICMPv6EchoReply**

Bases: cybox.objects.network_packet_object._ICMPEchoReply

XML binding class: cybox.bindings.network_packet_object.ICMPv6EchoReplyType

class cybox.objects.network_packet_object.**ICMPv6EchoRequest**

Bases: cybox.objects.network_packet_object._ICMPEchoRequest

XML binding class: cybox.bindings.network_packet_object.ICMPv6EchoRequestType

class cybox.objects.network_packet_object.**ICMPv6ErrorMessage**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.ICMPv6ErrorMessageType

destination_unreachable

Type: *cybox.objects.network_packet_object.ICMPv6DestinationUnreachable*

XML Binding class name: Destination_Unreachable

Dictionary key name: destination_unreachable

invoking_packet

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Invoking_Packet

Dictionary key name: invoking_packet

packet_too_big

Type: *cybox.objects.network_packet_object.ICMPv6PacketTooBig*

XML Binding class name: Packet_Too_Big

Dictionary key name: packet_too_big

parameter_problem

Type: *cybox.objects.network_packet_object.ICMPv6ParameterProblem*

XML Binding class name: Parameter_Problem

Dictionary key name: parameter_problem

time_exceeded

Type: *cybox.objects.network_packet_object.ICMPv6TimeExceeded*

XML Binding class name: Time_Exceeded

Dictionary key name: time_exceeded

class *cybox.objects.network_packet_object.ICMPv6Header*

Bases: *cybox.objects.network_packet_object._ICMPHeader*

XML binding class: *cybox.bindings.network_packet_object.ICMPv6HeaderType*

class *cybox.objects.network_packet_object.ICMPv6InfoMessage*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.ICMPv6InfoMessageType*

echo_reply

Type: *cybox.objects.network_packet_object.ICMPv6EchoReply*

XML Binding class name: Echo_Reply

Dictionary key name: echo_reply

echo_request

Type: *cybox.objects.network_packet_object.ICMPv6EchoRequest*
XML Binding class name: Echo_Request
Dictionary key name: echo_request

info_msg_content

Type: *cybox.objects.network_packet_object.ICMPv6InfoMessageContent*
XML Binding class name: Info_Msg_Content
Dictionary key name: info_msg_content

class *cybox.objects.network_packet_object.ICMPv6InfoMessageContent*
Bases: *cybox.objects.network_packet_object._ICMPInfoMessageContent*

XML binding class:
cybox.bindings.network_packet_object.ICMPv6InfoMessageContentType

class *cybox.objects.network_packet_object.ICMPv6Packet*
Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.ICMPv6PacketType*

error_msg

Type: *cybox.objects.network_packet_object.ICMPv6ErrorMessage*
XML Binding class name: Error_Msg
Dictionary key name: error_msg

icmpv6_header

Type: *cybox.objects.network_packet_object.ICMPv6Header*
XML Binding class name: ICMPv6_Header
Dictionary key name: icmpv6_header

info_msg

Type: *cybox.objects.network_packet_object.ICMPv6InfoMessage*
XML Binding class name: Info_Msg
Dictionary key name: info_msg

class *cybox.objects.network_packet_object.ICMPv6PacketTooBig*
Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.ICMPv6PacketTooBigType*

mtu

Type: *cybox.common.properties.HexBinary*
XML Binding class name: MTU
Dictionary key name: mtu

packet_too_big

XML Binding class name: Packet_Too_Big
Dictionary key name: packet_too_big

class `cybox.objects.network_packet_object.ICMPv6ParameterProblem`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv6ParameterProblemType`

erroneous_header_field

XML Binding class name: Erroneous_Header_Field
Dictionary key name: erroneous_header_field

pointer

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Pointer
Dictionary key name: pointer

unrecognized_ipv6_option

XML Binding class name: Unrecognized_IPv6_Option
Dictionary key name: unrecognized_ipv6_option

unrecognized_next_header_type

XML Binding class name: Unrecognized_Next_Header_Type
Dictionary key name: unrecognized_next_header_type

class `cybox.objects.network_packet_object.ICMPv6TimeExceeded`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv6TimeExceededType`

fragment_reassem_time_exceeded

XML Binding class name: Fragment_Reassem_Time_Exceeded
Dictionary key name: fragment_reassem_time_exceeded

hop_limit_exceeded

XML Binding class name: Hop_Limit_Exceeded

Dictionary key name: hop_limit_exceeded

class `cybox.objects.network_packet_object.IPv4Flags`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv4FlagsType`

do_not_fragment

Type: `cybox.common.properties.String`

XML Binding class name: Do_Not_Fragment

Dictionary key name: do_not_fragment

more_fragments

Type: `cybox.common.properties.String`

XML Binding class name: More_Fragments

Dictionary key name: more_fragments

reserved

Type: `cybox.common.properties.Integer`

XML Binding class name: Reserved

Dictionary key name: reserved

class `cybox.objects.network_packet_object.IPv4Header`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv4HeaderType`

checksum

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Checksum

Dictionary key name: checksum

dest_ipv4_addr

Type: `cybox.objects.address_object.Address`

XML Binding class name: Dest_IPv4_Addr

Dictionary key name: dest_ipv4_addr

dscp

Type: `cybox.common.properties.HexBinary`

XML Binding class name: DSCP

Dictionary key name: dscp

ecn

Type: *cybox.common.properties.HexBinary*

XML Binding class name: ECN

Dictionary key name: ecn

flags

Type: *cybox.objects.network_packet_object.Ipv4Flags*

XML Binding class name: Flags

Dictionary key name: flags

fragment_offset

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Fragment_Offset

Dictionary key name: fragment_offset

header_length

Type: *cybox.common.properties.Integer*

XML Binding class name: Header_Length

Dictionary key name: header_length

identification

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Identification

Dictionary key name: identification

ip_version

Type: *cybox.common.properties.String*

XML Binding class name: IP_Version

Dictionary key name: ip_version

option

(List of values permitted)

Type: *cybox.objects.network_packet_object.Ipv4Option*

XML Binding class name: Option

Dictionary key name: option

protocol

Type: *cybox.common.properties.String*

XML Binding class name: Protocol

Dictionary key name: protocol

src_ipv4_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Src_IPv4_Addr

Dictionary key name: src_ipv4_addr

total_length

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Total_Length

Dictionary key name: total_length

ttl

Type: *cybox.common.properties.HexBinary*

XML Binding class name: TTL

Dictionary key name: ttl

class `cybox.objects.network_packet_object.IPv4Option`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv4OptionType`

class_

Type: *cybox.common.properties.String*

XML Binding class name: Class

Dictionary key name: class

copy_flag

Type: *cybox.common.properties.String*

XML Binding class name: Copy_Flag

Dictionary key name: copy_flag

option

Type: *cybox.common.properties.String*

XML Binding class name: Option

Dictionary key name: option

class `cybox.objects.network_packet_object.IPv4Packet`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv4PacketType`

data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Data

Dictionary key name: data

ipv4_header

Type: *cybox.objects.network_packet_object.IPv4Header*

XML Binding class name: IPv4_Header

Dictionary key name: ipv4_header

class `cybox.objects.network_packet_object.IPv6ExtHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6ExtHeaderType`

authentication_header

Type: *cybox.objects.network_packet_object.AuthenticationHeader*

XML Binding class name: Authentication_Header

Dictionary key name: authentication_header

destination_options

(List of values permitted)

Type: *cybox.objects.network_packet_object.DestinationOptions*

XML Binding class name: Destination_Options

Dictionary key name: destination_options

encapsulating_security_payload

Type: *cybox.objects.network_packet_object.EncapsulatingSecurityPayload*

XML Binding class name: Encapsulating_Security_Payload

Dictionary key name: encapsulating_security_payload

fragment

Type: *cybox.objects.network_packet_object.Fragment*

XML Binding class name: Fragment

Dictionary key name: fragment

hop_by_hop_options

Type: *cybox.objects.network_packet_object.HopByHopOptions*

XML Binding class name: Hop_by_Hop_Options

Dictionary key name: hop_by_hop_options

routing

Type: *cybox.objects.network_packet_object.Routing*

XML Binding class name: Routing

Dictionary key name: routing

class `cybox.objects.network_packet_object.IPv6Header`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6HeaderType`

dest_ipv6_addr

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Dest_IPv6_Addr`
Dictionary key name: `dest_ipv6_addr`

flow_label

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Flow_Label`
Dictionary key name: `flow_label`

ip_version

Type: `cybox.common.properties.String`
XML Binding class name: `IP_Version`
Dictionary key name: `ip_version`

next_header

Type: `cybox.common.properties.String`
XML Binding class name: `Next_Header`
Dictionary key name: `next_header`

payload_length

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Payload_Length`
Dictionary key name: `payload_length`

src_ipv6_addr

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Src_IPv6_Addr`
Dictionary key name: `src_ipv6_addr`

traffic_class

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Traffic_Class`
Dictionary key name: `traffic_class`

ttl

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: TTL

Dictionary key name: ttl

class `cybox.objects.network_packet_object.IPv6Option`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6OptionType`

do_not_recogn_action

Type: *cybox.common.properties.String*

XML Binding class name: Do_Not_Recogn_Action

Dictionary key name: do_not_recogn_action

option_byte

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Option_Byte

Dictionary key name: option_byte

packet_change

Type: *cybox.common.properties.String*

XML Binding class name: Packet_Change

Dictionary key name: packet_change

class `cybox.objects.network_packet_object.IPv6Packet`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6PacketType`

data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Data

Dictionary key name: data

ext_headers

(List of values permitted)

Type: *cybox.objects.network_packet_object.IPv6ExtHeader*

XML Binding class name: Ext_Headers

Dictionary key name: ext_headers

ipv6_header

Type: *cybox.objects.network_packet_object.IPv6Header*

XML Binding class name: IPv6_Header

Dictionary key name: ipv6_header

class `cybox.objects.network_packet_object.InternetLayer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.InternetLayerType`

icmpv4

Type: `cybox.objects.network_packet_object.ICMPv4Packet`

XML Binding class name: ICMPv4

Dictionary key name: icmpv4

icmpv6

Type: `cybox.objects.network_packet_object.ICMPv6Packet`

XML Binding class name: ICMPv6

Dictionary key name: icmpv6

ipv4

Type: `cybox.objects.network_packet_object.IPv4Packet`

XML Binding class name: IPv4

Dictionary key name: ipv4

ipv6

Type: `cybox.objects.network_packet_object.IPv6Packet`

XML Binding class name: IPv6

Dictionary key name: ipv6

class `cybox.objects.network_packet_object.LinkLayer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.LinkLayerType`

logical_protocols

Type: `cybox.objects.network_packet_object.LogicalProtocol`

XML Binding class name: Logical_Protocols

Dictionary key name: logical_protocols

physical_interface

Type: `cybox.objects.network_packet_object.PhysicalInterface`

XML Binding class name: Physical_Interface

Dictionary key name: physical_interface

class `cybox.objects.network_packet_object.LogicalProtocol`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.LogicalProtocolType`

arp_rarp

Type: `cybox.objects.network_packet_object.ARP`
XML Binding class name: `ARP_RARP`
Dictionary key name: `arp_rarp`

ndp

Type: `cybox.objects.network_packet_object.NDP`
XML Binding class name: `NDP`
Dictionary key name: `ndp`

class `cybox.objects.network_packet_object.NDP`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPType`

icmpv6_header

Type: `cybox.objects.network_packet_object.ICMPv6Header`
XML Binding class name: `ICMPv6_Header`
Dictionary key name: `icmpv6_header`

neighbor_advertisement

Type: `cybox.objects.network_packet_object.NeighborAdvertisement`
XML Binding class name: `Neighbor_Advertisement`
Dictionary key name: `neighbor_advertisement`

neighbor_solicitation

Type: `cybox.objects.network_packet_object.NeighborSolicitation`
XML Binding class name: `Neighbor_Solicitation`
Dictionary key name: `neighbor_solicitation`

redirect

Type: `cybox.objects.network_packet_object.Redirect`
XML Binding class name: `Redirect`
Dictionary key name: `redirect`

router_advertisement

Type: *cybox.objects.network_packet_object.RouterAdvertisement*

XML Binding class name: Router_Advertisement

Dictionary key name: router_advertisement

router_solicitation

Type: *cybox.objects.network_packet_object.RouterSolicitation*

XML Binding class name: Router_Solicitation

Dictionary key name: router_solicitation

class `cybox.objects.network_packet_object.NDPLinkAddr`

Bases: `mixbox.entities.Entity`

Abstract Type

XML binding class: `cybox.bindings.network_packet_object.NDPLinkAddrType`

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

link_layer_mac_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Link_Layer_MAC_Addr

Dictionary key name: link_layer_mac_addr

class `cybox.objects.network_packet_object.NDPMTU`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPMTUType`

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

mtu

Type: *cybox.common.properties.Integer*

XML Binding class name: MTU

Dictionary key name: mtu

class `cybox.objects.network_packet_object.NDPPrefixInfo`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPPrefixInfoType`

addr_config_flag

XML Binding class name: `addr_config_flag`

Dictionary key name: `addr_config_flag`

length

Type: `cybox.common.properties.Integer`

XML Binding class name: `Length`

Dictionary key name: `length`

link_flag

XML Binding class name: `link_flag`

Dictionary key name: `link_flag`

preferred_lifetime

Type: `cybox.common.properties.Integer`

XML Binding class name: `Preferred_Lifetime`

Dictionary key name: `preferred_lifetime`

prefix

Type: `cybox.objects.network_packet_object.Prefix`

XML Binding class name: `Prefix`

Dictionary key name: `prefix`

prefix_length

Type: `cybox.common.properties.Integer`

XML Binding class name: `Prefix_Length`

Dictionary key name: `prefix_length`

valid_lifetime

Type: `cybox.common.properties.Integer`

XML Binding class name: `Valid_Lifetime`

Dictionary key name: `valid_lifetime`

class `cybox.objects.network_packet_object.NDPRedirectedHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPRedirectedHeaderType`

ipheader_and_data

Type: *cybox.common.properties.HexBinary*
XML Binding class name: IPHeader_And_Data
Dictionary key name: ipheader_and_data

length

Type: *cybox.common.properties.Integer*
XML Binding class name: Length
Dictionary key name: length

class `cybox.objects.network_packet_object.NeighborAdvertisement`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.NeighborAdvertisementType`

options

Type: *cybox.objects.network_packet_object.NeighborOptions*
XML Binding class name: Options
Dictionary key name: options

override_flag

XML Binding class name: override_flag
Dictionary key name: override_flag

router_flag

XML Binding class name: router_flag
Dictionary key name: router_flag

solicited_flag

XML Binding class name: solicited_flag
Dictionary key name: solicited_flag

target_ipv6_addr

Type: *cybox.objects.address_object.Address*
XML Binding class name: Target_IPv6_Addr
Dictionary key name: target_ipv6_addr

class `cybox.objects.network_packet_object.NeighborOptions`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NeighborOptionsType`

target_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Target_Link_Addr

Dictionary key name: target_link_addr

class *cybox.objects.network_packet_object.NeighborSolicitation*

Bases: *mixbox.entities.Entity*

XML binding class:

cybox.bindings.network_packet_object.NeighborSolicitationType

options

Type: *cybox.objects.network_packet_object.NeighborSolicitationOptions*

XML Binding class name: Options

Dictionary key name: options

target_ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Target_IPv6_Addr

Dictionary key name: target_ipv6_addr

class *cybox.objects.network_packet_object.NeighborSolicitationOptions*

Bases: *mixbox.entities.Entity*

XML binding class:

cybox.bindings.network_packet_object.NeighborSolicitationOptionsType

src_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Src_Link_Addr

Dictionary key name: src_link_addr

class *cybox.objects.network_packet_object.NetworkPacket*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.network_packet_object.NetworkPacketObjectType*

internet_layer

Type: *cybox.objects.network_packet_object.InternetLayer*

XML Binding class name: Internet_Layer

Dictionary key name: internet_layer

link_layer

Type: *cybox.objects.network_packet_object.LinkLayer*

XML Binding class name: Link_Layer

Dictionary key name: link_layer

transport_layer

Type: *cybox.objects.network_packet_object.TransportLayer*

XML Binding class name: Transport_Layer

Dictionary key name: transport_layer

class *cybox.objects.network_packet_object.OptionData*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.OptionDataType*

option_data_len

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Option_Data_Len

Dictionary key name: option_data_len

option_type

Type: *cybox.objects.network_packet_object.IPv6Option*

XML Binding class name: Option_Type

Dictionary key name: option_type

pad1

Type: *cybox.objects.network_packet_object.Pad1*

XML Binding class name: Pad1

Dictionary key name: pad1

padn

Type: *cybox.objects.network_packet_object.PadN*

XML Binding class name: PadN

Dictionary key name: padn

class *cybox.objects.network_packet_object.Pad1*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.Pad1Type*

octet

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Octet

Dictionary key name: octet

class `cybox.objects.network_packet_object.PadN`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.PadNType`

octet

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Octet

Dictionary key name: octet

option_data

Type: *cybox.common.properties.Integer*

XML Binding class name: Option_Data

Dictionary key name: option_data

option_data_length

Type: *cybox.common.properties.Integer*

XML Binding class name: Option_Data_Length

Dictionary key name: option_data_length

class `cybox.objects.network_packet_object.PhysicalInterface`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.PhysicalInterfaceType`

ethernet

Type: *cybox.objects.network_packet_object.EthernetInterface*

XML Binding class name: Ethernet

Dictionary key name: ethernet

class `cybox.objects.network_packet_object.Prefix`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.PrefixType`

ip_addr_prefix

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Addr_Prefix

Dictionary key name: ip_addr_prefix

ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: IPv6_Addr

Dictionary key name: ipv6_addr

class `cybox.objects.network_packet_object.Redirect`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RedirectType`

dest_ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Dest_IPv6_Addr

Dictionary key name: dest_ipv6_addr

options

Type: *cybox.objects.network_packet_object.RedirectOptions*

XML Binding class name: Options

Dictionary key name: options

target_ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Target_IPv6_Addr

Dictionary key name: target_ipv6_addr

class `cybox.objects.network_packet_object.RedirectOptions`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RedirectOptionsType`

redirected_header

Type: *cybox.objects.network_packet_object.NDPRedirectedHeader*

XML Binding class name: Redirected_Header

Dictionary key name: redirected_header

target_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Target_Link_Addr

Dictionary key name: target_link_addr

class `cybox.objects.network_packet_object.RouterAdvertisement`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RouterAdvertisementType`

cur_hop_limit

Type: `cybox.common.properties.Integer`

XML Binding class name: `Cur_Hop_Limit`

Dictionary key name: `cur_hop_limit`

managed_address_config_flag

XML Binding class name: `managed_address_config_flag`

Dictionary key name: `managed_address_config_flag`

options

Type: `cybox.objects.network_packet_object.RouterAdvertisementOptions`

XML Binding class name: `Options`

Dictionary key name: `options`

other_config_flag

XML Binding class name: `other_config_flag`

Dictionary key name: `other_config_flag`

reachable_time

Type: `cybox.common.properties.Integer`

XML Binding class name: `Reachable_Time`

Dictionary key name: `reachable_time`

retrans_timer

Type: `cybox.common.properties.Integer`

XML Binding class name: `Retrans_Timer`

Dictionary key name: `retrans_timer`

router_lifetime

Type: `cybox.common.properties.Integer`

XML Binding class name: `Router_Lifetime`

Dictionary key name: `router_lifetime`

class `cybox.objects.network_packet_object.RouterAdvertisementOptions`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.RouterAdvertisementOptionsType`

mtu

Type: `cybox.objects.network_packet_object.NDPMTU`

XML Binding class name: MTU

Dictionary key name: mtu

prefix_info

Type: `cybox.objects.network_packet_object.NDPPrefixInfo`

XML Binding class name: Prefix_Info

Dictionary key name: prefix_info

src_link_addr

Type: `cybox.objects.network_packet_object.NDPLinkAddr`

XML Binding class name: Src_Link_Addr

Dictionary key name: src_link_addr

class `cybox.objects.network_packet_object.RouterSolicitation`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RouterSolicitationType`

options

(List of values permitted)

Type: `cybox.objects.network_packet_object.RouterSolicitationOptions`

XML Binding class name: Options

Dictionary key name: options

class `cybox.objects.network_packet_object.RouterSolicitationOptions`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.RouterSolicitationOptionsType`

src_link_addr

Type: `cybox.objects.network_packet_object.NDPLinkAddr`

XML Binding class name: Src_Link_Addr

Dictionary key name: src_link_addr

class `cybox.objects.network_packet_object.Routing`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RoutingType`

header_ext_len

Type: `cybox.common.properties.Integer`

XML Binding class name: `Header_Ext_Len`

Dictionary key name: `header_ext_len`

next_header

Type: `cybox.common.properties.String`

XML Binding class name: `Next_Header`

Dictionary key name: `next_header`

routing_type

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Routing_Type`

Dictionary key name: `routing_type`

segments_left

Type: `cybox.common.properties.Integer`

XML Binding class name: `Segments_Left`

Dictionary key name: `segments_left`

type_specific_data

Type: `cybox.common.properties.String`

XML Binding class name: `Type_Specific_Data`

Dictionary key name: `type_specific_data`

class `cybox.objects.network_packet_object.TCP`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TCPTType`

data

Type: `cybox.common.data_segment.DataSegment`

XML Binding class name: `Data`

Dictionary key name: `data`

options

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Options`

Dictionary key name: `options`

tcp_header

Type: *cybox.objects.network_packet_object.TCPHeader*

XML Binding class name: TCP_Header

Dictionary key name: tcp_header

class *cybox.objects.network_packet_object.TCPFlags*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.TCPFlagsType*

ack

XML Binding class name: ack

Dictionary key name: ack

cwr

XML Binding class name: cwr

Dictionary key name: cwr

ece

XML Binding class name: ece

Dictionary key name: ece

fin

XML Binding class name: fin

Dictionary key name: fin

ns

XML Binding class name: ns

Dictionary key name: ns

psh

XML Binding class name: psh

Dictionary key name: psh

rst

XML Binding class name: rst

Dictionary key name: rst

syn

XML Binding class name: syn

Dictionary key name: syn

urg

XML Binding class name: urg

Dictionary key name: urg

class cybox.objects.network_packet_object.TCPHeader

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.TCPHeaderType

ack_num

Type: *cybox.common.properties.HexBinary*

XML Binding class name: ACK_Num

Dictionary key name: ack_num

checksum

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Checksum

Dictionary key name: checksum

data_offset

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Data_Offset

Dictionary key name: data_offset

dest_port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Dest_Port

Dictionary key name: dest_port

reserved

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Reserved

Dictionary key name: reserved

seq_num

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Seq_Num

Dictionary key name: seq_num

src_port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Src_Port

Dictionary key name: src_port

tcp_flags

Type: *cybox.objects.network_packet_object.TCPFlags*

XML Binding class name: TCP_Flags

Dictionary key name: tcp_flags

urg_ptr

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Urg_Ptr

Dictionary key name: urg_ptr

window

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Window

Dictionary key name: window

class `cybox.objects.network_packet_object.TransportLayer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TransportLayerType`

tcp

Type: *cybox.objects.network_packet_object.TCP*

XML Binding class name: TCP

Dictionary key name: tcp

udp

Type: *cybox.objects.network_packet_object.UDP*

XML Binding class name: UDP

Dictionary key name: udp

class `cybox.objects.network_packet_object.TypeLength`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TypeLengthType`

internet_layer_type

Type: *cybox.common.properties.String*

XML Binding class name: Internet_Layer_Type

Dictionary key name: internet_layer_type

length

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Length

Dictionary key name: length

class `cybox.objects.network_packet_object.UDP`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.UDPType`

data

Type: *cybox.common.data_segment.DataSegment*

XML Binding class name: Data

Dictionary key name: data

udp_header

Type: *cybox.objects.network_packet_object.UDPHeader*

XML Binding class name: UDP_Header

Dictionary key name: udp_header

class `cybox.objects.network_packet_object.UDPHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.UDPHeaderType`

checksum

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Checksum

Dictionary key name: checksum

destport

Type: *cybox.objects.port_object.Port*

XML Binding class name: DestPort

Dictionary key name: destport

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

srcport

Type: *cybox.objects.port_object.Port*
XML Binding class name: SrcPort
Dictionary key name: srcport

Version: 2.1.0.12.dev1

cybox.objects.network_route_entry_object module

class `cybox.objects.network_route_entry_object.NetworkRouteEntry`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:
`cybox.bindings.network_route_entry_object.NetworkRouteEntryObjectType`

destination_address

Type: *cybox.objects.address_object.Address*
XML Binding class name: Destination_Address
Dictionary key name: destination_address

gateway_address

Type: *cybox.objects.address_object.Address*
XML Binding class name: Gateway_Address
Dictionary key name: gateway_address

interface

Type: *cybox.common.properties.String*
XML Binding class name: Interface
Dictionary key name: interface

is_autoconfigure_address

XML Binding class name: is_autoconfigure_address
Dictionary key name: is_autoconfigure_address

is_immortal

XML Binding class name: is_immortal
Dictionary key name: is_immortal

is_ipv6

XML Binding class name: is_ipv6
Dictionary key name: is_ipv6

is_loopback

XML Binding class name: is_loopback

Dictionary key name: `is_loopback`

is_publish

XML Binding class name: `is_publish`

Dictionary key name: `is_publish`

metric

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Metric`

Dictionary key name: `metric`

netmask

Type: `cybox.objects.address_object.Address`

XML Binding class name: `Netmask`

Dictionary key name: `netmask`

origin

Type: `cybox.objects.address_object.Address`

XML Binding class name: `Origin`

Dictionary key name: `origin`

preferred_lifetime

Type: `cybox.common.properties.Duration`

XML Binding class name: `Preferred_Lifetime`

Dictionary key name: `preferred_lifetime`

protocol

Type: `cybox.common.properties.String`

XML Binding class name: `Protocol`

Dictionary key name: `protocol`

route_age

Type: `cybox.common.properties.Duration`

XML Binding class name: `Route_Age`

Dictionary key name: `route_age`

type_

Type: `cybox.common.properties.String`

XML Binding class name: `Type`

Dictionary key name: `type`

valid_lifetime

Type: `cybox.common.properties.Duration`

XML Binding class name: Valid_Lifetime

Dictionary key name: valid_lifetime

Version: 2.1.0.12.dev1

cybox.objects.network_route_object module

class cybox.objects.network_route_object.**NetRoute**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.network_route_object.NetRouteObjectType

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

is_autoconfigure_address

XML Binding class name: is_autoconfigure_address

Dictionary key name: is_autoconfigure_address

is_immortal

XML Binding class name: is_immortal

Dictionary key name: is_immortal

is_ipv6

XML Binding class name: is_ipv6

Dictionary key name: is_ipv6

is_loopback

XML Binding class name: is_loopback

Dictionary key name: is_loopback

is_publish

XML Binding class name: is_publish

Dictionary key name: is_publish

network_route_entries

Type: *cybox.objects.network_route_object.NetworkRouteEntries*

XML Binding class name: Network_Route_Entries

Dictionary key name: network_route_entries

preferred_lifetime

Type: *cybox.common.properties.Duration*
XML Binding class name: Preferred_Lifetime
Dictionary key name: preferred_lifetime

route_age

Type: *cybox.common.properties.Duration*
XML Binding class name: Route_Age
Dictionary key name: route_age

valid_lifetime

Type: *cybox.common.properties.Duration*
XML Binding class name: Valid_Lifetime
Dictionary key name: valid_lifetime

class `cybox.objects.network_route_object.NetworkRouteEntries` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.network_route_object.NetworkRouteEntriesType`

Version: 2.1.0.12.dev1

cybox.objects.network_socket_object module

class `cybox.objects.network_socket_object.NetworkSocket`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.network_socket_object.NetworkSocketObjectType`

address_family

Type: *cybox.common.properties.String*
XML Binding class name: Address_Family
Dictionary key name: address_family

domain

Type: *cybox.common.properties.String*
XML Binding class name: Domain
Dictionary key name: domain

is_blocking

XML Binding class name: is_blocking
Dictionary key name: is_blocking

is_listening

XML Binding class name: `is_listening`

Dictionary key name: `is_listening`

local_address

Type: `cybox.objects.socket_address_object.SocketAddress`

XML Binding class name: `Local_Address`

Dictionary key name: `local_address`

options

Type: `cybox.objects.network_socket_object.SocketOptions`

XML Binding class name: `Options`

Dictionary key name: `options`

protocol

Type: `cybox.common.properties.String`

XML Binding class name: `Protocol`

Dictionary key name: `protocol`

remote_address

Type: `cybox.objects.socket_address_object.SocketAddress`

XML Binding class name: `Remote_Address`

Dictionary key name: `remote_address`

socket_descriptor

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: `Socket_Descriptor`

Dictionary key name: `socket_descriptor`

type_

Type: `cybox.common.properties.String`

XML Binding class name: `Type`

Dictionary key name: `type`

class `cybox.objects.network_socket_object.SocketOptions`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_socket_object.SocketOptionsType`

ip_multicast_if

Type: `cybox.common.properties.String`

XML Binding class name: `IP_MULTICAST_IF`

Dictionary key name: `ip_multicast_if`

ip_multicast_if2

Type: *cybox.common.properties.String*

XML Binding class name: IP_MULTICAST_IF2

Dictionary key name: ip_multicast_if2

ip_multicast_loop

XML Binding class name: IP_MULTICAST_LOOP

Dictionary key name: ip_multicast_loop

ip_tos

Type: *cybox.common.properties.String*

XML Binding class name: IP_TOS

Dictionary key name: ip_tos

so_broadcast

XML Binding class name: SO_BROADCAST

Dictionary key name: so_broadcast

so_conditional_accept

XML Binding class name: SO_CONDITIONAL_ACCEPT

Dictionary key name: so_conditional_accept

so_debug

XML Binding class name: SO_DEBUG

Dictionary key name: so_debug

so_dontlinger

XML Binding class name: SO_DONTLINGER

Dictionary key name: so_dontlinger

so_dontroute

XML Binding class name: SO_DONTRROUTE

Dictionary key name: so_dontroute

so_group_priority

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: SO_GROUP_PRIORITY

Dictionary key name: so_group_priority

so_keepalive

XML Binding class name: SO_KEEPALIVE

Dictionary key name: `so_keepalive`

so_linger

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_LINGER`

Dictionary key name: `so_linger`

so_oobinline

XML Binding class name: `SO_OOBINLINE`

Dictionary key name: `so_oobinline`

so_rcvbuf

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_RCVBUF`

Dictionary key name: `so_rcvbuf`

so_rcvtimeo

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_RCVTIMEO`

Dictionary key name: `so_rcvtimeo`

so_reuseaddr

XML Binding class name: `SO_REUSEADDR`

Dictionary key name: `so_reuseaddr`

so_sndbuf

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_SNDBUF`

Dictionary key name: `so_sndbuf`

so_sndtimeo

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_SNDTIMEO`

Dictionary key name: `so_sndtimeo`

so_timeout

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_TIMEOUT`

Dictionary key name: `so_timeout`

so_update_accept_context

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: `SO_UPDATE_ACCEPT_CONTEXT`

Dictionary key name: so_update_accept_context

tcp_nodelay

XML Binding class name: TCP_NODELAY

Dictionary key name: tcp_nodelay

Version: 2.1.0.12.dev1

cybox.objects.network_subnet_object module

class cybox.objects.network_subnet_object.**NetworkSubnet**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.network_subnet_object.NetworkSubnetObjectType

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number_of_ip_addresses

Type: *cybox.common.properties.Integer*

XML Binding class name: Number_Of_IP_Addresses

Dictionary key name: number_of_ip_addresses

routes

Type: *cybox.objects.network_subnet_object.Routes*

XML Binding class name: Routes

Dictionary key name: routes

class cybox.objects.network_subnet_object.**Routes** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.network_subnet_object.RoutesType

Version: 2.1.0.12.dev1

cybox.objects.pdf_file_object module

class cybox.objects.pdf_file_object.PDFDocumentInformationDictionary

Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.pdf_file_object.PDFDocumentInformationDictionaryType

author

Type: *cybox.common.properties.String*

XML Binding class name: Author

Dictionary key name: author

creationdate

Type: *cybox.common.properties.DateTime*

XML Binding class name: CreationDate

Dictionary key name: creationdate

creator

Type: *cybox.common.properties.String*

XML Binding class name: Creator

Dictionary key name: creator

keywords

Type: *cybox.common.properties.String*

XML Binding class name: Keywords

Dictionary key name: keywords

moddate

Type: *cybox.common.properties.DateTime*

XML Binding class name: ModDate

Dictionary key name: moddate

producer

Type: *cybox.common.properties.String*

XML Binding class name: Producer

Dictionary key name: producer

subject

Type: *cybox.common.properties.String*

XML Binding class name: Subject

Dictionary key name: subject

title

Type: *cybox.common.properties.String*

XML Binding class name: Title

Dictionary key name: title

trapped

Type: *cybox.common.properties.String*

XML Binding class name: Trapped

Dictionary key name: trapped

class *cybox.objects.pdf_file_object.PDFFile*

Bases: *cybox.objects.file_object.File*

XML binding class: *cybox.bindings.pdf_file_object.PDFFileObjectType*

metadata

Type: *cybox.objects.pdf_file_object.PDFFileMetadata*

XML Binding class name: Metadata

Dictionary key name: metadata

version

Type: *cybox.common.properties.Double*

XML Binding class name: Version

Dictionary key name: version

class *cybox.objects.pdf_file_object.PDFFileMetadata*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.pdf_file_object.PDFFileMetadataType*

document_information_dictionary

Type: *cybox.objects.pdf_file_object.PDFDocumentInformationDictionary*

XML Binding class name: Document_Information_Dictionary

Dictionary key name: document_information_dictionary

encrypted

XML Binding class name: encrypted

Dictionary key name: encrypted

keyword_counts

Type: *cybox.objects.pdf_file_object.PDFKeywordCounts*

XML Binding class name: Keyword_Counts

Dictionary key name: keyword_counts

number_of_cross_reference_tables

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Number_Of_Cross_Reference_Tables

Dictionary key name: number_of_cross_reference_tables

number_of_indirect_objects

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Number_Of_Indirect_Objects

Dictionary key name: number_of_indirect_objects

number_oftrailers

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Number_Of_Trailers

Dictionary key name: number_oftrailers

optimized

XML Binding class name: optimized

Dictionary key name: optimized

class `cybox.objects.pdf_file_object.PDFKeywordCount`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.pdf_file_object.PDFKeywordCountType`

non_obfuscated_count

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Non_Obfuscated_Count

Dictionary key name: non_obfuscated_count

obfuscated_count

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Obfuscated_Count

Dictionary key name: obfuscated_count

class `cybox.objects.pdf_file_object.PDFKeywordCounts`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.pdf_file_object.PDFKeywordCountsType`

aa_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: AA_Count

Dictionary key name: aa_count

ascii85decode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: ASCII85Decode_Count

Dictionary key name: ascii85decode_count

asciihexdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: ASCIIHexDecode_Count

Dictionary key name: asciihexdecode_count

ccittfaxdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: CCITTFaxDecode_Count

Dictionary key name: ccittfaxdecode_count

dctdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: DCTDecode_Count

Dictionary key name: dctdecode_count

encrypt_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: Encrypt_Count

Dictionary key name: encrypt_count

flateddecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: FlateDecode_Count

Dictionary key name: flateddecode_count

javascript_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: JavaScript_Count

Dictionary key name: javascript_count

jbig2decode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: JBIG2Decode_Count

Dictionary key name: jbig2decode_count

js_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: JS_Count

Dictionary key name: js_count

launch_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: Launch_Count

Dictionary key name: launch_count

lzwdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: LZWDecode_Count

Dictionary key name: lzwdecode_count

objstm_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: ObjStm_Count

Dictionary key name: objstm_count

openaction_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: OpenAction_Count

Dictionary key name: openaction_count

page_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: Page_Count

Dictionary key name: page_count

richmedia_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: RichMedia_Count

Dictionary key name: richmedia_count

runlengthdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: RunLengthDecode_Count

Dictionary key name: runlengthdecode_count

xfa_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: XFA_Count

Dictionary key name: xfa_count

Version: 2.1.0.12.dev1

cybox.objects.pipe_object module

class *cybox.objects.pipe_object.Pipe*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.pipe_object.PipeObjectType*

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

named

XML Binding class name: named

Dictionary key name: named

Version: 2.1.0.12.dev1

cybox.objects.port_object module

class *cybox.objects.port_object.Port*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.port_object.PortObjectType*

layer4_protocol

Type: *cybox.common.properties.String*

XML Binding class name: Layer4_Protocol

Dictionary key name: layer4_protocol

port_value

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Port_Value

Dictionary key name: port_value

Version: 2.1.0.12.dev1

cybox.objects.process_object module

class cybox.objects.process_object.**ArgumentList** (*args)
Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.process_object.ArgumentListType

class cybox.objects.process_object.**ChildPIDList** (*args)
Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.process_object.ChildPIDListType

class cybox.objects.process_object.**ImageInfo**
Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.process_object.ImageInfoType

command_line

Type: *cybox.common.properties.String*

XML Binding class name: Command_Line

Dictionary key name: command_line

current_directory

Type: *cybox.common.properties.String*

XML Binding class name: Current_Directory

Dictionary key name: current_directory

file_name

Type: *cybox.common.properties.String*

XML Binding class name: File_Name

Dictionary key name: file_name

path

Type: *cybox.common.properties.String*

XML Binding class name: Path

Dictionary key name: path

class cybox.objects.process_object.**NetworkConnectionList** (*args)
Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.process_object.NetworkConnectionListType

class `cybox.objects.process_object.PortList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.process_object.PortListType`

class `cybox.objects.process_object.Process`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.process_object.ProcessObjectType`

argument_list

Type: `cybox.objects.process_object.ArgumentList`
XML Binding class name: `Argument_List`
Dictionary key name: `argument_list`

child_pid_list

Type: `cybox.objects.process_object.ChildPIDList`
XML Binding class name: `Child_PID_List`
Dictionary key name: `child_pid_list`

creation_time

Type: `cybox.common.properties.DateTime`
XML Binding class name: `Creation_Time`
Dictionary key name: `creation_time`

environment_variable_list

Type: `cybox.common.environment_variable.EnvironmentVariableList`
XML Binding class name: `Environment_Variable_List`
Dictionary key name: `environment_variable_list`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`
XML Binding class name: `Extracted_Features`
Dictionary key name: `extracted_features`

image_info

Type: `cybox.objects.process_object.ImageInfo`
XML Binding class name: `Image_Info`
Dictionary key name: `image_info`

is_hidden

XML Binding class name: `is_hidden`

Dictionary key name: `is_hidden`

kernel_time

Type: `cybox.common.properties.Duration`

XML Binding class name: `Kernel_Time`

Dictionary key name: `kernel_time`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

network_connection_list

Type: `cybox.objects.process_object.NetworkConnectionList`

XML Binding class name: `Network_Connection_List`

Dictionary key name: `network_connection_list`

parent_pid

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `Parent_PID`

Dictionary key name: `parent_pid`

pid

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `PID`

Dictionary key name: `pid`

port_list

Type: `cybox.objects.process_object.PortList`

XML Binding class name: `Port_List`

Dictionary key name: `port_list`

start_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Start_Time`

Dictionary key name: `start_time`

user_time

Type: `cybox.common.properties.Duration`

XML Binding class name: `User_Time`

Dictionary key name: `user_time`

username

Type: *cybox.common.properties.String*

XML Binding class name: Username

Dictionary key name: username

Version: 2.1.0.12.dev1

cybox.objects.product_object module

class `cybox.objects.product_object.Product`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.product_object.ProductObjectType`

device_details

Type: *cybox.common.object_properties.ObjectProperties*

XML Binding class name: Device_Details

Dictionary key name: device_details

edition

Type: *cybox.common.properties.String*

XML Binding class name: Edition

Dictionary key name: edition

language

Type: *cybox.common.properties.String*

XML Binding class name: Language

Dictionary key name: language

product

Type: *cybox.common.properties.String*

XML Binding class name: Product

Dictionary key name: product

update

Type: *cybox.common.properties.String*

XML Binding class name: Update

Dictionary key name: update

vendor

Type: *cybox.common.properties.String*

XML Binding class name: Vendor

Dictionary key name: vendor

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

Version: 2.1.0.12.dev1

cybox.objects.semaphore_object module

class `cybox.objects.semaphore_object.Semaphore`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.semaphore_object.SemaphoreObjectType`

current_count

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Current_Count

Dictionary key name: current_count

maximum_count

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Maximum_Count

Dictionary key name: maximum_count

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

named

XML Binding class name: named

Dictionary key name: named

Version: 2.1.0.12.dev1

cybox.objects.socket_address_object module

class `cybox.objects.socket_address_object.SocketAddress`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.socket_address_object.SocketAddressObjectType`

hostname

Type: *cybox.objects.hostname_object.Hostname*

XML Binding class name: Hostname

Dictionary key name: hostname

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Port

Dictionary key name: port

Version: 2.1.0.12.dev1

cybox.objects.sms_message_object module

class *cybox.objects.sms_message_object.SMSMessage*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.sms_message_object.SMSMessageObjectType*

bits_per_character

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Bits_Per_Character

Dictionary key name: bits_per_character

body

Type: *cybox.common.properties.String*

XML Binding class name: Body

Dictionary key name: body

encoding

Type: *cybox.common.properties.String*

XML Binding class name: Encoding

Dictionary key name: encoding

is_premium

XML Binding class name: is_premium

Dictionary key name: is_premium

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

recipient_phone_number

Type: *cybox.common.properties.String*

XML Binding class name: Recipient_Phone_Number

Dictionary key name: recipient_phone_number

sender_phone_number

Type: *cybox.common.properties.String*

XML Binding class name: Sender_Phone_Number

Dictionary key name: sender_phone_number

sent_datetime

Type: *cybox.common.properties.DateTime*

XML Binding class name: Sent_DateTime

Dictionary key name: sent_datetime

size

Type: *cybox.common.properties.Integer*

XML Binding class name: Size

Dictionary key name: size

user_data_header

Type: *cybox.common.properties.HexBinary*

XML Binding class name: User_Data_Header

Dictionary key name: user_data_header

Version: 2.1.0.12.dev1

cybox.objects.system_object module

class cybox.objects.system_object.BIOSInfo

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.system_object.BIOSInfoType

bios_date

Type: *cybox.common.properties.Date*

XML Binding class name: BIOS_Date

Dictionary key name: bios_date

bios_manufacturer

Type: *cybox.common.properties.String*

XML Binding class name: BIOS_Manufacturer

Dictionary key name: bios_manufacturer

bios_release_date

Type: *cybox.common.properties.Date*

XML Binding class name: BIOS_Release_Date

Dictionary key name: bios_release_date

bios_serial_number

Type: *cybox.common.properties.String*

XML Binding class name: BIOS_Serial_Number

Dictionary key name: bios_serial_number

bios_version

Type: *cybox.common.properties.String*

XML Binding class name: BIOS_Version

Dictionary key name: bios_version

class `cybox.objects.system_object.DHCPServerList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.DHCPServerListType`

class `cybox.objects.system_object.IPGatewayList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.IPGatewayListType`

class `cybox.objects.system_object.IPInfo`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.IPInfoType`

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

subnet_mask

Type: *cybox.objects.address_object.Address*

XML Binding class name: Subnet_Mask

Dictionary key name: subnet_mask

class `cybox.objects.system_object.IPInfoList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.IPInfoListType`

class `cybox.objects.system_object.NetworkInterface`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.NetworkInterfaceType`

adapter

Type: `cybox.common.properties.String`
XML Binding class name: Adapter
Dictionary key name: adapter

description

Type: `cybox.common.properties.String`
XML Binding class name: Description
Dictionary key name: description

dhcp_lease_expires

Type: `cybox.common.properties.DateTime`
XML Binding class name: DHCP_Lease_Expires
Dictionary key name: dhcp_lease_expires

dhcp_lease_obtained

Type: `cybox.common.properties.DateTime`
XML Binding class name: DHCP_Lease_Obtained
Dictionary key name: dhcp_lease_obtained

dhcp_server_list

Type: `cybox.objects.system_object.DHCPServerList`
XML Binding class name: DHCP_Server_List
Dictionary key name: dhcp_server_list

ip_gateway_list

Type: `cybox.objects.system_object.IPGatewayList`
XML Binding class name: IP_Gateway_List
Dictionary key name: ip_gateway_list

ip_list

Type: *cybox.objects.system_object.IPInfoList*
XML Binding class name: IP_List
Dictionary key name: ip_list

mac

Type: *cybox.common.properties.String*
XML Binding class name: MAC
Dictionary key name: mac

class `cybox.objects.system_object.NetworkInterfaceList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.NetworkInterfaceListType`

class `cybox.objects.system_object.OS`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.OSType`

bitness

Type: *cybox.common.properties.String*
XML Binding class name: Bitness
Dictionary key name: bitness

build_number

Type: *cybox.common.properties.String*
XML Binding class name: Build_Number
Dictionary key name: build_number

environment_variable_list

Type: *cybox.common.environment_variable.EnvironmentVariableList*
XML Binding class name: Environment_Variable_List
Dictionary key name: environment_variable_list

install_date

Type: *cybox.common.properties.Date*
XML Binding class name: Install_Date
Dictionary key name: install_date

patch_level

Type: *cybox.common.properties.String*
XML Binding class name: Patch_Level

Dictionary key name: patch_level

platform

Type: *cybox.common.platform_specification.PlatformSpecification*

XML Binding class name: Platform

Dictionary key name: platform

class `cybox.objects.system_object.System`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.system_object.SystemObjectType`

available_physical_memory

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Available_Physical_Memory

Dictionary key name: available_physical_memory

bios_info

Type: *cybox.objects.system_object.BIOSInfo*

XML Binding class name: BIOS_Info

Dictionary key name: bios_info

date

Type: *cybox.common.properties.Date*

XML Binding class name: Date

Dictionary key name: date

hostname

Type: *cybox.common.properties.String*

XML Binding class name: Hostname

Dictionary key name: hostname

local_time

Type: *cybox.common.properties.Time*

XML Binding class name: Local_Time

Dictionary key name: local_time

network_interface_list

Type: *cybox.objects.system_object.NetworkInterfaceList*

XML Binding class name: Network_Interface_List

Dictionary key name: network_interface_list

os

Type: *cybox.objects.system_object.OS*

XML Binding class name: OS

Dictionary key name: os

processor

Type: *cybox.common.properties.String*

XML Binding class name: Processor

Dictionary key name: processor

system_time

Type: *cybox.common.properties.Time*

XML Binding class name: System_Time

Dictionary key name: system_time

timezone_dst

Type: *cybox.common.properties.String*

XML Binding class name: Timezone_DST

Dictionary key name: timezone_dst

timezone_standard

Type: *cybox.common.properties.String*

XML Binding class name: Timezone_Standard

Dictionary key name: timezone_standard

total_physical_memory

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Total_Physical_Memory

Dictionary key name: total_physical_memory

uptime

Type: *cybox.common.properties.Duration*

XML Binding class name: Uptime

Dictionary key name: uptime

username

Type: *cybox.common.properties.String*

XML Binding class name: Username

Dictionary key name: username

Version: 2.1.0.12.dev1

cybox.objects.uri_object module

class `cybox.objects.uri_object.URI` (*value=None, type_=None*)
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.uri_object.URIOBJECTType`

type_

XML Binding class name: `type_`
Dictionary key name: `type`

value

Type: `cybox.common.properties.AnyURI`
XML Binding class name: `Value`
Dictionary key name: `value`

Version: 2.1.0.12.dev1

cybox.objects.user_account_object module

class `cybox.objects.user_account_object.Group`
Bases: `mixbox.entities.Entity`

An abstract class for account groups.

XML binding class: <undefined>

class `cybox.objects.user_account_object.GroupList` (**args*)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.user_account_object.GroupListType`

class `cybox.objects.user_account_object.Privilege`
Bases: `mixbox.entities.Entity`

An abstract class for account privileges.

XML binding class: <undefined>

class `cybox.objects.user_account_object.PrivilegeList` (**args*)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.user_account_object.PrivilegeListType`

class `cybox.objects.user_account_object.UserAccount`
Bases: `cybox.objects.account_object.Account`

XML binding class: `cybox.bindings.user_account_object.UserAccountObjectType`

full_name

Type: `cybox.common.properties.String`
XML Binding class name: `Full_Name`
Dictionary key name: `full_name`

group_list

Type: `cybox.objects.user_account_object.GroupList`
XML Binding class name: `Group_List`
Dictionary key name: `group_list`

home_directory

Type: `cybox.common.properties.String`
XML Binding class name: `Home_Directory`
Dictionary key name: `home_directory`

last_login

Type: `cybox.common.properties.DateTime`
XML Binding class name: `Last_Login`
Dictionary key name: `last_login`

password_required

XML Binding class name: `password_required`
Dictionary key name: `password_required`

privilege_list

Type: `cybox.objects.user_account_object.PrivilegeList`
XML Binding class name: `Privilege_List`
Dictionary key name: `privilege_list`

script_path

Type: `cybox.common.properties.String`
XML Binding class name: `Script_Path`
Dictionary key name: `script_path`

user_password_age

Type: `cybox.common.properties.Duration`

XML Binding class name: User_Password_Age
Dictionary key name: user_password_age

username

Type: *cybox.common.properties.String*
XML Binding class name: Username
Dictionary key name: username

Version: 2.1.0.12.dev1

cybox.objects.volume_object module

class `cybox.objects.volume_object.FileSystemFlagList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.volume_object.FileSystemFlagListType`

class `cybox.objects.volume_object.Volume`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.volume_object.VolumeObjectType`

actual_available_allocation_units

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Actual_Available_Allocation_Units
Dictionary key name: actual_available_allocation_units

bytes_per_sector

Type: *cybox.common.properties.PositiveInteger*
XML Binding class name: Bytes_Per_Sector
Dictionary key name: bytes_per_sector

creation_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Creation_Time
Dictionary key name: creation_time

device_path

Type: *cybox.common.properties.String*
XML Binding class name: Device_Path
Dictionary key name: device_path

file_system_flag_list

Type: *cybox.objects.volume_object.FileSystemFlagList*
XML Binding class name: File_System_Flag_List
Dictionary key name: file_system_flag_list

file_system_type

Type: *cybox.common.properties.String*
XML Binding class name: File_System_Type
Dictionary key name: file_system_type

is_mounted

XML Binding class name: is_mounted
Dictionary key name: is_mounted

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

sectors_per_allocation_unit

Type: *cybox.common.properties.UnsignedInteger*
XML Binding class name: Sectors_Per_Allocation_Unit
Dictionary key name: sectors_per_allocation_unit

serial_number

Type: *cybox.common.properties.String*
XML Binding class name: Serial_Number
Dictionary key name: serial_number

total_allocation_units

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Total_Allocation_Units
Dictionary key name: total_allocation_units

Version: 2.1.0.12.dev1

cybox.objects.whois_object module

class *cybox.objects.whois_object.WhoisContact*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.whois_object.WhoisContactType*

address

Type: *cybox.common.properties.String*
XML Binding class name: Address
Dictionary key name: address

contact_id

Type: *cybox.common.properties.String*
XML Binding class name: Contact_ID
Dictionary key name: contact_id

contact_type

XML Binding class name: contact_type
Dictionary key name: contact_type

email_address

Type: *cybox.objects.address_object.EmailAddress*
XML Binding class name: Email_Address
Dictionary key name: email_address

fax_number

Type: *cybox.common.properties.String*
XML Binding class name: Fax_Number
Dictionary key name: fax_number

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

organization

Type: *cybox.common.properties.String*
XML Binding class name: Organization
Dictionary key name: organization

phone_number

Type: *cybox.common.properties.String*
XML Binding class name: Phone_Number
Dictionary key name: phone_number

class `cybox.objects.whois_object.WhoisContacts` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisContactsType`

class `cybox.objects.whois_object.WhoisEntry`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.whois_object.WhoisObjectType`

contact_info

Type: `cybox.objects.whois_object.WhoisContact`
XML Binding class name: `Contact_Info`
Dictionary key name: `contact_info`

creation_date

Type: `cybox.common.properties.Date`
XML Binding class name: `Creation_Date`
Dictionary key name: `creation_date`

dnssec

XML Binding class name: `DNSSEC`
Dictionary key name: `dnssec`

domain_id

Type: `cybox.common.properties.String`
XML Binding class name: `Domain_ID`
Dictionary key name: `domain_id`

domain_name

Type: `cybox.objects.uri_object.URI`
XML Binding class name: `Domain_Name`
Dictionary key name: `domain_name`

expiration_date

Type: `cybox.common.properties.Date`
XML Binding class name: `Expiration_Date`
Dictionary key name: `expiration_date`

ip_address

Type: `cybox.objects.address_object.Address`
XML Binding class name: `IP_Address`
Dictionary key name: `ip_address`

lookup_date

Type: `cybox.common.properties.DateTime`

XML Binding class name: Lookup_Date

Dictionary key name: lookup_date

nameservers

Type: *cybox.objects.whois_object.WhoisNameservers*

XML Binding class name: Nameservers

Dictionary key name: nameservers

regional_internet_registry

Type: *cybox.common.properties.String*

XML Binding class name: Regional_Internet_Registry

Dictionary key name: regional_internet_registry

registrants

Type: *cybox.objects.whois_object.WhoisRegistrants*

XML Binding class name: Registrants

Dictionary key name: registrants

registrar_info

Type: *cybox.objects.whois_object.WhoisRegistrar*

XML Binding class name: Registrar_Info

Dictionary key name: registrar_info

remarks

Type: *cybox.common.properties.String*

XML Binding class name: Remarks

Dictionary key name: remarks

server_name

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Server_Name

Dictionary key name: server_name

sponsoring_registrar

Type: *cybox.common.properties.String*

XML Binding class name: Sponsoring_Registrar

Dictionary key name: sponsoring_registrar

status

Type: *cybox.objects.whois_object.WhoisStatuses*

XML Binding class name: Status

Dictionary key name: status

updated_date

Type: *cybox.common.properties.Date*

XML Binding class name: Updated_Date

Dictionary key name: updated_date

class `cybox.objects.whois_object.WhoisNameservers` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisNameserversType`

class `cybox.objects.whois_object.WhoisRegistrant`

Bases: *cybox.objects.whois_object.WhoisContact*

XML binding class: `cybox.bindings.whois_object.WhoisRegistrantInfoType`

registrant_id

Type: *cybox.common.properties.String*

XML Binding class name: Registrant_ID

Dictionary key name: registrant_id

class `cybox.objects.whois_object.WhoisRegistrants` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisRegistrantsType`

class `cybox.objects.whois_object.WhoisRegistrar`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.whois_object.WhoisRegistrarInfoType`

address

Type: *cybox.common.properties.String*

XML Binding class name: Address

Dictionary key name: address

contacts

Type: *cybox.objects.whois_object.WhoisContacts*

XML Binding class name: Contacts

Dictionary key name: contacts

email_address

Type: *cybox.objects.address_object.EmailAddress*

XML Binding class name: Email_Address

Dictionary key name: email_address

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

phone_number

Type: *cybox.common.properties.String*

XML Binding class name: Phone_Number

Dictionary key name: phone_number

referral_url

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Referral_URL

Dictionary key name: referral_url

registrar_guid

Type: *cybox.common.properties.String*

XML Binding class name: Registrar_GUID

Dictionary key name: registrar_guid

registrar_id

Type: *cybox.common.properties.String*

XML Binding class name: Registrar_ID

Dictionary key name: registrar_id

whois_server

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Whois_Server

Dictionary key name: whois_server

class *cybox.objects.whois_object.WhoisStatus* (*value=None*)

Bases: *cybox.common.properties.BaseProperty*

XML binding class: *cybox.bindings.whois_object.WhoisStatusType*

class *cybox.objects.whois_object.WhoisStatuses* (**args*)

Bases: *mixbox.entities.EntityList*

XML binding class: `cybox.bindings.whois_object.WhoisStatusesType`

Version: 2.1.0.12.dev1

cybox.objects.win_computer_account_object module

class `cybox.objects.win_computer_account_object.FullyQualifiedName`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_computer_account_object.FullyQualifiedNameType`

full_name

Type: `cybox.common.properties.String`

XML Binding class name: `Full_Name`

Dictionary key name: `full_name`

netbeui_name

Type: `cybox.common.properties.String`

XML Binding class name: `NetBEUI_Name`

Dictionary key name: `netbeui_name`

class `cybox.objects.win_computer_account_object.Kerberos`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_computer_account_object.KerberosType`

delegation

Type: `cybox.objects.win_computer_account_object.KerberosDelegation`

XML Binding class name: `Delegation`

Dictionary key name: `delegation`

ticket

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Ticket`

Dictionary key name: `ticket`

class `cybox.objects.win_computer_account_object.KerberosDelegation`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_computer_account_object.KerberosDelegationType`

bitmask

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Bitmask

Dictionary key name: bitmask

service

Type: *cybox.objects.win_computer_account_object.KerberosService*

XML Binding class name: Service

Dictionary key name: service

class `cybox.objects.win_computer_account_object.KerberosService`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_computer_account_object.KerberosServiceType`

computer

Type: *cybox.common.properties.String*

XML Binding class name: Computer

Dictionary key name: computer

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Port

Dictionary key name: port

user

Type: *cybox.common.properties.String*

XML Binding class name: User

Dictionary key name: user

class `cybox.objects.win_computer_account_object.WinComputerAccount`

Bases: `cybox.objects.account_object.Account`

XML binding class:

`cybox.bindings.win_computer_account_object.WindowsComputerAccountObjectType`

fully_qualified_name

Type: *cybox.objects.win_computer_account_object.FullyQualifiedName*

XML Binding class name: Fully_Qualified_Name

Dictionary key name: fully_qualified_name

kerberos

Type: *cybox.objects.win_computer_account_object.Kerberos*

XML Binding class name: Kerberos

Dictionary key name: kerberos

security_id

Type: *cybox.common.properties.String*

XML Binding class name: Security_ID

Dictionary key name: security_id

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_critical_section_object module

class `cybox.objects.win_critical_section_object.WinCriticalSection`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.win_critical_section_object.WindowsCriticalSectionObjectType`

address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Address

Dictionary key name: address

spin_count

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Spin_Count

Dictionary key name: spin_count

Version: 2.1.0.12.dev1

cybox.objects.win_driver_object module

class `cybox.objects.win_driver_object.DeviceObjectList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_driver_object.DeviceObjectListType`

class `cybox.objects.win_driver_object.DeviceObjectStruct`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_driver_object.DeviceObjectStructType`

attached_device_name

Type: `cybox.common.properties.String`
XML Binding class name: `Attached_Device_Name`
Dictionary key name: `attached_device_name`

attached_device_object

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Attached_Device_Object`
Dictionary key name: `attached_device_object`

attached_to_device_name

Type: `cybox.common.properties.String`
XML Binding class name: `Attached_To_Device_Name`
Dictionary key name: `attached_to_device_name`

attached_to_device_object

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Attached_To_Device_Object`
Dictionary key name: `attached_to_device_object`

attached_to_driver_name

Type: `cybox.common.properties.String`
XML Binding class name: `Attached_To_Driver_Name`
Dictionary key name: `attached_to_driver_name`

attached_to_driver_object

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Attached_To_Driver_Object`
Dictionary key name: `attached_to_driver_object`

device_name

Type: *cybox.common.properties.String*
XML Binding class name: Device_Name
Dictionary key name: device_name

device_object

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Device_Object
Dictionary key name: device_object

class `cybox.objects.win_driver_object.WinDriver`

Bases: *cybox.objects.win_executable_file_object.WinExecutableFile*

XML binding class: `cybox.bindings.win_driver_object.WindowsDriverObjectType`

device_object_list

Type: *cybox.objects.win_driver_object.DeviceObjectList*
XML Binding class name: Device_Object_List
Dictionary key name: device_object_list

driver_init

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Driver_Init
Dictionary key name: driver_init

driver_name

Type: *cybox.common.properties.String*
XML Binding class name: Driver_Name
Dictionary key name: driver_name

driver_object_address

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Driver_Object_Address
Dictionary key name: driver_object_address

driver_start_io

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Driver_Start_IO
Dictionary key name: driver_start_io

driver_unload

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Driver_Unload

Dictionary key name: driver_unload

image_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Image_Base

Dictionary key name: image_base

image_size

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Image_Size

Dictionary key name: image_size

irp_mj_cleanup

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CLEANUP

Dictionary key name: irp_mj_cleanup

irp_mj_close

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CLOSE

Dictionary key name: irp_mj_close

irp_mj_create

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CREATE

Dictionary key name: irp_mj_create

irp_mj_create_mailslot

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CREATE_MAILSLLOT

Dictionary key name: irp_mj_create_mailslot

irp_mj_create_named_pipe

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CREATE_NAMED_PIPE

Dictionary key name: irp_mj_create_named_pipe

irp_mj_device_change

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_DEVICE_CHANGE

Dictionary key name: irp_mj_device_change

irp_mj_device_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_DEVICE_CONTROL
Dictionary key name: irp_mj_device_control

irp_mj_directory_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_DIRECTORY_CONTROL
Dictionary key name: irp_mj_directory_control

irp_mj_file_system_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_FILE_SYSTEM_CONTROL
Dictionary key name: irp_mj_file_system_control

irp_mj_flush_buffers

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_FLUSH_BUFFERS
Dictionary key name: irp_mj_flush_buffers

irp_mj_internal_device_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_INTERNAL_DEVICE_CONTROL
Dictionary key name: irp_mj_internal_device_control

irp_mj_lock_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_LOCK_CONTROL
Dictionary key name: irp_mj_lock_control

irp_mj_pnp

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_PNP
Dictionary key name: irp_mj_pnp

irp_mj_power

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_POWER
Dictionary key name: irp_mj_power

irp_mj_query_ea

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_EA
Dictionary key name: irp_mj_query_ea

irp_mj_query_information

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_INFORMATION
Dictionary key name: irp_mj_query_information

irp_mj_query_quota

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_QUOTA
Dictionary key name: irp_mj_query_quota

irp_mj_query_security

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_SECURITY
Dictionary key name: irp_mj_query_security

irp_mj_query_volume_information

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_VOLUME_INFORMATION
Dictionary key name: irp_mj_query_volume_information

irp_mj_read

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_READ
Dictionary key name: irp_mj_read

irp_mj_set_ea

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_SET_EA
Dictionary key name: irp_mj_set_ea

irp_mj_set_information

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_SET_INFORMATION
Dictionary key name: irp_mj_set_information

irp_mj_set_quota

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_SET_QUOTA
Dictionary key name: irp_mj_set_quota

irp_mj_set_security

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_SECURITY

Dictionary key name: irp_mj_set_security

irp_mj_set_volume_information

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_VOLUME_INFORMATION

Dictionary key name: irp_mj_set_volume_information

irp_mj_shutdown

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SHUTDOWN

Dictionary key name: irp_mj_shutdown

irp_mj_system_control

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SYSTEM_CONTROL

Dictionary key name: irp_mj_system_control

irp_mj_write

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_WRITE

Dictionary key name: irp_mj_write

Version: 2.1.0.12.dev1

cybox.objects.win_event_log_object module

class `cybox.objects.win_event_log_object.UnformattedMessageList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class:

`cybox.bindings.win_event_log_object.UnformattedMessageListType`

class `cybox.objects.win_event_log_object.WinEventLog`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.win_event_log_object.WindowsEventLogObjectType`

blob

Type: *cybox.common.properties.Base64Binary*

XML Binding class name: Blob

Dictionary key name: blob

category

Type: *cybox.common.properties.String*

XML Binding class name: Category

Dictionary key name: category

category_num

Type: *cybox.common.properties.Long*

XML Binding class name: Category_Num

Dictionary key name: category_num

correlation_activity_id

Type: *cybox.common.properties.String*

XML Binding class name: Correlation_Activity_ID

Dictionary key name: correlation_activity_id

correlation_related_activity_id

Type: *cybox.common.properties.String*

XML Binding class name: Correlation_Related_Activity_ID

Dictionary key name: correlation_related_activity_id

eid

Type: *cybox.common.properties.Long*

XML Binding class name: EID

Dictionary key name: eid

execution_process_id

Type: *cybox.common.properties.String*

XML Binding class name: Execution_Process_ID

Dictionary key name: execution_process_id

execution_thread_id

Type: *cybox.common.properties.String*

XML Binding class name: Execution_Thread_ID

Dictionary key name: execution_thread_id

generation_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Generation_Time

Dictionary key name: generation_time

index

Type: *cybox.common.properties.Long*

XML Binding class name: Index

Dictionary key name: index

log

Type: *cybox.common.properties.String*

XML Binding class name: Log

Dictionary key name: log

machine

Type: *cybox.common.properties.String*

XML Binding class name: Machine

Dictionary key name: machine

message

Type: *cybox.common.properties.String*

XML Binding class name: Message

Dictionary key name: message

reserved

Type: *cybox.common.properties.Long*

XML Binding class name: Reserved

Dictionary key name: reserved

source

Type: *cybox.common.properties.String*

XML Binding class name: Source

Dictionary key name: source

type

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

unformatted_message_list

Type: *cybox.objects.win_event_log_object.UnformattedMessageList*

XML Binding class name: Unformatted_Message_List

Dictionary key name: unformatted_message_list

user

Type: *cybox.common.properties.String*

XML Binding class name: User

Dictionary key name: user

write_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Write_Time

Dictionary key name: write_time

Version: 2.1.0.12.dev1

cybox.objects.win_event_object module

class `cybox.objects.win_event_object.WinEvent`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_event_object.WindowsEventObjectType`

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_executable_file_object module

class `cybox.objects.win_executable_file_object.DOSHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.DOSHeaderType`

e_cblp

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_cblp

Dictionary key name: e_cblp

e_cp

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_cp
Dictionary key name: e_cp

e_cparhdr

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_cparhdr
Dictionary key name: e_cparhdr

e_crlc

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_crlc
Dictionary key name: e_crlc

e_cs

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_cs
Dictionary key name: e_cs

e_csum

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_csum
Dictionary key name: e_csum

e_ip

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_ip
Dictionary key name: e_ip

e_lfanew

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_lfanew
Dictionary key name: e_lfanew

e_lfarlc

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_lfarlc
Dictionary key name: e_lfarlc

e_magic

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_magic
Dictionary key name: e_magic

e_maxalloc

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_maxalloc

Dictionary key name: e_maxalloc

e_minalloc

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_minalloc

Dictionary key name: e_minalloc

e_oemid

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_oemid

Dictionary key name: e_oemid

e_oeminfo

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_oeminfo

Dictionary key name: e_oeminfo

e_ovro

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_ovro

Dictionary key name: e_ovro

e_sp

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_sp

Dictionary key name: e_sp

e_ss

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_ss

Dictionary key name: e_ss

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

reserved2

Type: *cybox.common.properties.HexBinary*

XML Binding class name: reserved2

Dictionary key name: reserved2

class `cybox.objects.win_executable_file_object.DataDirectory`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.DataDirectoryType`

architecture

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: Architecture

Dictionary key name: architecture

base_relocation_table

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: Base_Relocation_Table

Dictionary key name: base_relocation_table

bound_import

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: Bound_Import

Dictionary key name: bound_import

certificate_table

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: Certificate_Table

Dictionary key name: certificate_table

clr_runtime_header

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: CLR_Runtime_Header

Dictionary key name: clr_runtime_header

debug

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: Debug

Dictionary key name: debug

delay_import_descriptor

Type: `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

XML Binding class name: Delay_Import_Descriptor

Dictionary key name: delay_import_descriptor

exception_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Exception_Table

Dictionary key name: exception_table

export_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Export_Table

Dictionary key name: export_table

global_ptr

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Global_Ptr

Dictionary key name: global_ptr

import_address_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Import_Address_Table

Dictionary key name: import_address_table

import_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Import_Table

Dictionary key name: import_table

load_config_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Load_Config_Table

Dictionary key name: load_config_table

reserved

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Reserved

Dictionary key name: reserved

resource_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Resource_Table

Dictionary key name: resource_table

tls_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Tls_Table

Dictionary key name: tls_table

class cybox.objects.win_executable_file_object.**Entropy**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_executable_file_object.EntropyType

max

Type: *cybox.common.properties.Float*

XML Binding class name: Max

Dictionary key name: max

min

Type: *cybox.common.properties.Float*

XML Binding class name: Min

Dictionary key name: min

value

Type: *cybox.common.properties.Float*

XML Binding class name: Value

Dictionary key name: value

class cybox.objects.win_executable_file_object.**PEBuildInformation**

Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.win_executable_file_object.PEBuildInformationType

compiler_name

Type: *cybox.common.properties.String*

XML Binding class name: Compiler_Name

Dictionary key name: compiler_name

compiler_version

Type: *cybox.common.properties.String*

XML Binding class name: Compiler_Version

Dictionary key name: compiler_version

linker_name

Type: *cybox.common.properties.String*

XML Binding class name: Linker_Name

Dictionary key name: linker_name

linker_version

Type: *cybox.common.properties.String*

XML Binding class name: Linker_Version

Dictionary key name: linker_version

class cybox.objects.win_executable_file_object.**PEChecksum**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_executable_file_object.PEChecksumType

pe_computed_api

Type: *cybox.common.properties.Long*

XML Binding class name: PE_Computed_API

Dictionary key name: pe_computed_api

pe_file_api

Type: *cybox.common.properties.Long*

XML Binding class name: PE_File_API

Dictionary key name: pe_file_api

pe_file_raw

Type: *cybox.common.properties.Long*

XML Binding class name: PE_File_Raw

Dictionary key name: pe_file_raw

class cybox.objects.win_executable_file_object.**PEDataDirectoryStruct**

Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.win_executable_file_object.PEDataDirectoryStructType

size

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Size

Dictionary key name: size

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class `cybox.objects.win_executable_file_object.PEExportedFunction`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.win_executable_file_object.PEExportedFunctionType`

entry_point

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Entry_Point`
Dictionary key name: `entry_point`

function_name

Type: `cybox.common.properties.String`
XML Binding class name: `Function_Name`
Dictionary key name: `function_name`

ordinal

Type: `cybox.common.properties.NonNegativeInteger`
XML Binding class name: `Ordinal`
Dictionary key name: `ordinal`

class `cybox.objects.win_executable_file_object.PEExportedFunctions` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class:
`cybox.bindings.win_executable_file_object.PEExportedFunctionsType`

class `cybox.objects.win_executable_file_object.PEExports`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEExportsType`

exported_functions

Type: `cybox.objects.win_executable_file_object.PEExportedFunctions`
XML Binding class name: `Exported_Functions`
Dictionary key name: `exported_functions`

exports_time_stamp

Type: `cybox.common.properties.DateTime`
XML Binding class name: `Exports_Time_Stamp`
Dictionary key name: `exports_time_stamp`

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number_of_addresses

Type: *cybox.common.properties.Long*

XML Binding class name: Number_Of_Addresses

Dictionary key name: number_of_addresses

number_of_functions

Type: *cybox.common.properties.Integer*

XML Binding class name: Number_Of_Functions

Dictionary key name: number_of_functions

number_of_names

Type: *cybox.common.properties.Long*

XML Binding class name: Number_Of_Names

Dictionary key name: number_of_names

class `cybox.objects.win_executable_file_object.PEFileHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEFileHeaderType`

characteristics

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Characteristics

Dictionary key name: characteristics

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

machine

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Machine

Dictionary key name: machine

number_of_sections

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Number_Of_Sections
Dictionary key name: number_of_sections

number_of_symbols

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Number_Of_Symbols
Dictionary key name: number_of_symbols

pointer_to_symbol_table

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Pointer_To_Symbol_Table
Dictionary key name: pointer_to_symbol_table

size_of_optional_header

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Size_Of_Optional_Header
Dictionary key name: size_of_optional_header

time_date_stamp

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Time_Date_Stamp
Dictionary key name: time_date_stamp

class `cybox.objects.win_executable_file_object.PEHeaders`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEHeadersType`

dos_header

Type: *cybox.objects.win_executable_file_object.DOSHeader*
XML Binding class name: DOS_Header
Dictionary key name: dos_header

entropy

Type: *cybox.objects.win_executable_file_object.Entropy*
XML Binding class name: Entropy
Dictionary key name: entropy

file_header

Type: *cybox.objects.win_executable_file_object.PEFileHeader*
XML Binding class name: File_Header

Dictionary key name: file_header

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

optional_header

Type: *cybox.objects.win_executable_file_object.PEOptionalHeader*

XML Binding class name: Optional_Header

Dictionary key name: optional_header

signature

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Signature

Dictionary key name: signature

class `cybox.objects.win_executable_file_object.PEImport`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEImportType`

delay_load

XML Binding class name: delay_load

Dictionary key name: delay_load

file_name

Type: *cybox.common.properties.String*

XML Binding class name: File_Name

Dictionary key name: file_name

imported_functions

Type: *cybox.objects.win_executable_file_object.PEImportedFunctions*

XML Binding class name: Imported_Functions

Dictionary key name: imported_functions

initially_visible

XML Binding class name: initially_visible

Dictionary key name: initially_visible

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class cybox.objects.win_executable_file_object.**PEImportList** (*args)
Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.win_executable_file_object.PEImportListType

class cybox.objects.win_executable_file_object.**PEImportedFunction**
Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.win_executable_file_object.PEImportedFunctionType

bound

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Bound

Dictionary key name: bound

function_name

Type: *cybox.common.properties.String*

XML Binding class name: Function_Name

Dictionary key name: function_name

hint

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Hint

Dictionary key name: hint

ordinal

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Ordinal

Dictionary key name: ordinal

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class cybox.objects.win_executable_file_object.**PEImportedFunctions** (*args)
Bases: mixbox.entities.EntityList

XML binding class:

`cybox.bindings.win_executable_file_object.PEImportedFunctionsType`

class `cybox.objects.win_executable_file_object.PEOptionalHeader`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PEOptionalHeaderType`

address_of_entry_point

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Address_Of_Entry_Point`

Dictionary key name: `address_of_entry_point`

base_of_code

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Base_Of_Code`

Dictionary key name: `base_of_code`

base_of_data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Base_Of_Data`

Dictionary key name: `base_of_data`

checksum

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Checksum`

Dictionary key name: `checksum`

data_directory

Type: `cybox.objects.win_executable_file_object.DataDirectory`

XML Binding class name: `Data_Directory`

Dictionary key name: `data_directory`

dll_characteristics

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `DLL_Characteristics`

Dictionary key name: `dll_characteristics`

file_alignment

Type: `cybox.common.properties.HexBinary`

XML Binding class name: File_Alignment

Dictionary key name: file_alignment

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

image_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Image_Base

Dictionary key name: image_base

loader_flags

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Loader_Flags

Dictionary key name: loader_flags

magic

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Magic

Dictionary key name: magic

major_image_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_Image_Version

Dictionary key name: major_image_version

major_linker_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_Linker_Version

Dictionary key name: major_linker_version

major_os_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_OS_Version

Dictionary key name: major_os_version

major_subsystem_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_Subsystem_Version

Dictionary key name: major_subsystem_version

minor_image_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_Image_Version

Dictionary key name: minor_image_version

minor_linker_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_Linker_Version

Dictionary key name: minor_linker_version

minor_os_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_OS_Version

Dictionary key name: minor_os_version

minor_subsystem_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_Subsystem_Version

Dictionary key name: minor_subsystem_version

number_of_rva_and_sizes

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Number_Of_Rva_And_Sizes

Dictionary key name: number_of_rva_and_sizes

section_alignment

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Section_Alignment

Dictionary key name: section_alignment

size_of_code

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Code

Dictionary key name: size_of_code

size_of_headers

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Headers

Dictionary key name: size_of_headers

size_of_heap_commit

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Heap_Commit

Dictionary key name: size_of_heap_commit

size_of_heap_reserve

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Heap_Reserve

Dictionary key name: size_of_heap_reserve

size_of_image

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Image

Dictionary key name: size_of_image

size_of_initialized_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Initialized_Data

Dictionary key name: size_of_initialized_data

size_of_stack_commit

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Stack_Commit

Dictionary key name: size_of_stack_commit

size_of_stack_reserve

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Stack_Reserve

Dictionary key name: size_of_stack_reserve

size_of_uninitialized_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Uninitialized_Data

Dictionary key name: size_of_uninitialized_data

subsystem

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Subsystem

Dictionary key name: subsystem

win32_version_value

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Win32_Version_Value

Dictionary key name: win32_version_value

class `cybox.objects.win_executable_file_object.PEResource`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEResourceType`

data

Type: `cybox.common.properties.String`
XML Binding class name: Data
Dictionary key name: data

hashes

Type: `cybox.common.hashes.HashList`
XML Binding class name: Hashes
Dictionary key name: hashes

language

Type: `cybox.common.properties.String`
XML Binding class name: Language
Dictionary key name: language

name

Type: `cybox.common.properties.String`
XML Binding class name: Name
Dictionary key name: name

size

Type: `cybox.common.properties.PositiveInteger`
XML Binding class name: Size
Dictionary key name: size

sub_language

Type: `cybox.common.properties.String`
XML Binding class name: Sub_Language
Dictionary key name: sub_language

type_

Type: `cybox.common.properties.String`
XML Binding class name: Type
Dictionary key name: type

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: *Virtual_Address*

Dictionary key name: *virtual_address*

class `cybox.objects.win_executable_file_object.PEResourceList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_executable_file_object.PEResourceListType`

static from_list (*pe_resource_list*)

class `cybox.objects.win_executable_file_object.PESection`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PESectionType`

data_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: *Data_Hashes*

Dictionary key name: *data_hashes*

entropy

Type: *cybox.objects.win_executable_file_object.Entropy*

XML Binding class name: *Entropy*

Dictionary key name: *entropy*

header_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: *Header_Hashes*

Dictionary key name: *header_hashes*

section_header

Type: *cybox.objects.win_executable_file_object.PESectionHeaderStruct*

XML Binding class name: *Section_Header*

Dictionary key name: *section_header*

class `cybox.objects.win_executable_file_object.PESectionHeaderStruct`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PESectionHeaderStructType`

characteristics

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Characteristics

Dictionary key name: characteristics

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number_of_linenumbers

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Linenumbers

Dictionary key name: number_of_linenumbers

number_of_relocations

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Relocations

Dictionary key name: number_of_relocations

pointer_to_linenumbers

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Linenumbers

Dictionary key name: pointer_to_linenumbers

pointer_to_raw_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Raw_Data

Dictionary key name: pointer_to_raw_data

pointer_to_relocations

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Relocations

Dictionary key name: pointer_to_relocations

size_of_raw_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Raw_Data

Dictionary key name: size_of_raw_data

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

virtual_size

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Size

Dictionary key name: virtual_size

class cybox.objects.win_executable_file_object.**PESectionList** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.win_executable_file_object.PESectionListType

class cybox.objects.win_executable_file_object.**PEVersionInfoResource**

Bases: *cybox.objects.win_executable_file_object.PEResource*

XML binding class:

cybox.bindings.win_executable_file_object.PEVersionInfoResourceType

comments

Type: *cybox.common.properties.String*

XML Binding class name: Comments

Dictionary key name: comments

companyname

Type: *cybox.common.properties.String*

XML Binding class name: CompanyName

Dictionary key name: companyname

filedescription

Type: *cybox.common.properties.String*

XML Binding class name: FileDescription

Dictionary key name: filedescription

fileversion

Type: *cybox.common.properties.String*

XML Binding class name: FileVersion

Dictionary key name: fileversion

internalname

Type: *cybox.common.properties.String*

XML Binding class name: InternalName

Dictionary key name: `internalname`

static keyword_test (*pe_resource_dict*)

langid

Type: *cybox.common.properties.String*

XML Binding class name: `LangID`

Dictionary key name: `langid`

legalcopyright

Type: *cybox.common.properties.String*

XML Binding class name: `LegalCopyright`

Dictionary key name: `legalcopyright`

legaltrademarks

Type: *cybox.common.properties.String*

XML Binding class name: `LegalTrademarks`

Dictionary key name: `legaltrademarks`

originalfilename

Type: *cybox.common.properties.String*

XML Binding class name: `OriginalFilename`

Dictionary key name: `originalfilename`

privatebuild

Type: *cybox.common.properties.String*

XML Binding class name: `PrivateBuild`

Dictionary key name: `privatebuild`

productname

Type: *cybox.common.properties.String*

XML Binding class name: `ProductName`

Dictionary key name: `productname`

productversion

Type: *cybox.common.properties.String*

XML Binding class name: `ProductVersion`

Dictionary key name: `productversion`

specialbuild

Type: *cybox.common.properties.String*

XML Binding class name: `SpecialBuild`

Dictionary key name: `specialbuild`

class `cybox.objects.win_executable_file_object.WinExecutableFile`

Bases: `cybox.objects.win_file_object.WinFile`

XML binding class:

`cybox.bindings.win_executable_file_object.WindowsExecutableFileObjectType`

build_information

Type: `cybox.objects.win_executable_file_object.PEBuildInformation`

XML Binding class name: `Build_Information`

Dictionary key name: `build_information`

digital_signature

Type: `cybox.common.digitalsignature.DigitalSignature`

XML Binding class name: `Digital_Signature`

Dictionary key name: `digital_signature`

exports

Type: `cybox.objects.win_executable_file_object.PEExports`

XML Binding class name: `Exports`

Dictionary key name: `exports`

extraneous_bytes

Type: `cybox.common.properties.Integer`

XML Binding class name: `Extraneous_Bytes`

Dictionary key name: `extraneous_bytes`

headers

Type: `cybox.objects.win_executable_file_object.PEHeaders`

XML Binding class name: `Headers`

Dictionary key name: `headers`

imports

Type: `cybox.objects.win_executable_file_object.PEImportList`

XML Binding class name: `Imports`

Dictionary key name: `imports`

pe_checksum

Type: `cybox.objects.win_executable_file_object.PEChecksum`

XML Binding class name: `PE_Checksum`

Dictionary key name: `pe_checksum`

resources

Type: *cybox.objects.win_executable_file_object.PEResourceList*

XML Binding class name: Resources

Dictionary key name: resources

sections

Type: *cybox.objects.win_executable_file_object.PESectionList*

XML Binding class name: Sections

Dictionary key name: sections

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_file_object module

class `cybox.objects.win_file_object.Stream`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_file_object.StreamObjectType`

hashes

(List of values permitted)

Type: *cybox.common.hashes.Hash*

XML Binding class name: Hash

Dictionary key name: hashes

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

size_in_bytes

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Size_In_Bytes

Dictionary key name: size_in_bytes

class `cybox.objects.win_file_object.StreamList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_file_object.StreamListType`

class `cybox.objects.win_file_object.WinFile`

Bases: `cybox.objects.file_object.File`

XML binding class: `cybox.bindings.win_file_object.WindowsFileObjectType`

drive

Type: `cybox.common.properties.String`

XML Binding class name: Drive

Dictionary key name: drive

file_attributes_list

Type: `cybox.objects.win_file_object.WindowsFileAttributes`

XML Binding class name: File_Attributes_List

Dictionary key name: file_attributes_list

filename_accessed_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: Filename_Accessed_Time

Dictionary key name: filename_accessed_time

filename_created_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: Filename_Created_Time

Dictionary key name: filename_created_time

filename_modified_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: Filename_Modified_Time

Dictionary key name: filename_modified_time

privilege_list

Type: `cybox.objects.win_file_object.WindowsFilePermissions`

XML Binding class name: Permissions

Dictionary key name: permissions

security_id

Type: `cybox.common.properties.String`

XML Binding class name: Security_ID

Dictionary key name: security_id

security_type

Type: *cybox.common.properties.String*
XML Binding class name: Security_Type
Dictionary key name: security_type

stream_list

Type: *cybox.objects.win_file_object.StreamList*
XML Binding class name: Stream_List
Dictionary key name: stream_list

class *cybox.objects.win_file_object.WindowsFileAttribute* (*value=None*)
Bases: *cybox.common.properties.String*

XML binding class: *cybox.bindings.win_file_object.WindowsFileAttributeType*

class *cybox.objects.win_file_object.WindowsFileAttributes* (**args*)
Bases: *cybox.objects.file_object.FileAttribute*, *mixbox.entities.EntityList*

XML binding class: *cybox.bindings.win_file_object.WindowsFileAttributesType*

class *cybox.objects.win_file_object.WindowsFilePermissions*
Bases: *cybox.objects.file_object.FilePermissions*, *mixbox.entities.Entity*

XML binding class: *cybox.bindings.win_file_object.WindowsFilePermissionsType*

full_control

XML Binding class name: Full_Control
Dictionary key name: full_control

modify

XML Binding class name: Modify
Dictionary key name: modify

read

XML Binding class name: Read
Dictionary key name: read

read_and_execute

XML Binding class name: Read_And_Execute
Dictionary key name: read_and_execute

write

XML Binding class name: Write

Dictionary key name: write

Version: 2.1.0.12.dev1

cybox.objects.win_filemapping_object module

class `cybox.objects.win_filemapping_object.WinFilemapping`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.win_filemapping_object.WindowsFilemappingObjectType`

actual_size

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: Actual_Size

Dictionary key name: actual_size

file_handle

Type: `cybox.objects.win_handle_object.WinHandle`

XML Binding class name: File_Handle

Dictionary key name: file_handle

handle

Type: `cybox.objects.win_handle_object.WinHandle`

XML Binding class name: Handle

Dictionary key name: handle

maximum_size

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: Maximum_Size

Dictionary key name: maximum_size

name

Type: `cybox.common.properties.String`

XML Binding class name: Name

Dictionary key name: name

page_protection_attribute

(List of values permitted)

Type: `cybox.common.properties.String`

XML Binding class name: Page_Protection_Attribute

Dictionary key name: page_protection_attribute

page_protection_value

Type: *cybox.common.properties.String*
XML Binding class name: Page_Protection_Value
Dictionary key name: page_protection_value

security_attributes

Type: *cybox.common.properties.String*
XML Binding class name: Security_Attributes
Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_handle_object module

class `cybox.objects.win_handle_object.WinHandle`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_handle_object.WindowsHandleObjectType`

access_mask

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Access_Mask
Dictionary key name: access_mask

id_

Type: *cybox.common.properties.UnsignedInteger*
XML Binding class name: ID
Dictionary key name: id

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

object_address

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Object_Address
Dictionary key name: object_address

pointer_count

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Pointer_Count
Dictionary key name: pointer_count

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class `cybox.objects.win_handle_object.WinHandleList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_handle_object.WindowsHandleListType`

Version: 2.1.0.12.dev1

cybox.objects.win_hook_object module

class `cybox.objects.win_hook_object.WinHook`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_hook_object.WindowsHookObjectType`

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

hooking_function_name

Type: *cybox.common.properties.String*

XML Binding class name: Hooking_Function_Name

Dictionary key name: hooking_function_name

hooking_module

Type: *cybox.objects.library_object.Library*

XML Binding class name: Hooking_Module

Dictionary key name: hooking_module

thread_id

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Thread_ID

Dictionary key name: thread_id

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_kernel_object module

class cybox.objects.win_kernel_object.**IDTEntry**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_kernel_object.IDTEntryType

offset_high

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Offset_High

Dictionary key name: offset_high

offset_low

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Offset_Low

Dictionary key name: offset_low

offset_middle

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Offset_Middle

Dictionary key name: offset_middle

selector

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Selector

Dictionary key name: selector

type_attr

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Type_Attr

Dictionary key name: type_attr

class cybox.objects.win_kernel_object.**IDTEntryList** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.win_kernel_object.IDTEntryListType

class cybox.objects.win_kernel_object.**SSDTEEntry**

Bases: mixbox.entities.Entity

XML binding class: `cybox.bindings.win_kernel_object.SSDTEntryType`

argument_table_base

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Argument_Table_Base`

Dictionary key name: `argument_table_base`

hooked

XML Binding class name: `hooked`

Dictionary key name: `hooked`

number_of_services

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: `Number_Of_Services`

Dictionary key name: `number_of_services`

service_counter_table_base

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Service_Counter_Table_Base`

Dictionary key name: `service_counter_table_base`

service_table_base

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Service_Table_Base`

Dictionary key name: `service_table_base`

class `cybox.objects.win_kernel_object.SSDTEntryList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_kernel_object.SSDTEntryListType`

class `cybox.objects.win_kernel_object.WinKernel`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.win_kernel_object.WindowsKernelObjectType`

idt

Type: `cybox.objects.win_kernel_object.IDTEntryList`

XML Binding class name: `IDT`

Dictionary key name: `idt`

ssdt

Type: *cybox.objects.win_kernel_object.SSDTEntryList*

XML Binding class name: SSDT

Dictionary key name: ssdt

Version: 2.1.0.12.dev1

cybox.objects.win_kernel_hook_object module

class *cybox.objects.win_kernel_hook_object.WinKernelHook*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

cybox.bindings.win_kernel_hook_object.WindowsKernelHookObjectType

digital_signature_hooked

Type: *cybox.common.digitalsignature.DigitalSignature*

XML Binding class name: Digital_Signature_Hooked

Dictionary key name: digital_signature_hooked

digital_signature_hooking

Type: *cybox.common.digitalsignature.DigitalSignature*

XML Binding class name: Digital_Signature_Hooking

Dictionary key name: digital_signature_hooking

hook_description

Type: *cybox.common.properties.String*

XML Binding class name: Hook_Description

Dictionary key name: hook_description

hooked_function

Type: *cybox.common.properties.String*

XML Binding class name: Hooked_Function

Dictionary key name: hooked_function

hooked_module

Type: *cybox.common.properties.String*

XML Binding class name: Hooked_Module

Dictionary key name: hooked_module

hooking_address

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Hooking_Address

Dictionary key name: hooking_address

hooking_module

Type: *cybox.common.properties.String*

XML Binding class name: Hooking_Module

Dictionary key name: hooking_module

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_mailslot_object module

class `cybox.objects.win_mailslot_object.WinMailslot`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_mailslot_object.WindowsMailslotObjectType`

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

max_message_size

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Max_Message_Size

Dictionary key name: max_message_size

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

read_timeout

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Read_Timeout

Dictionary key name: read_timeout

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes
Version: 2.1.0.12.dev1

cybox.objects.win_memory_page_region_object module

class cybox.objects.win_memory_page_region_object.**WinMemoryPageRegion**

Bases: *cybox.objects.memory_object.Memory*

XML binding class:

cybox.bindings.win_memory_page_region_object.WindowsMemoryPageRegionObjectType

allocation_base_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Allocation_Base_Address

Dictionary key name: allocation_base_address

allocation_protect

Type: *cybox.common.properties.String*

XML Binding class name: Allocation_Protect

Dictionary key name: allocation_protect

block_type

Type: *cybox.common.properties.String*

XML Binding class name: Block_Type

Dictionary key name: block_type

extracted_features

Type: *cybox.common.extracted_features.ExtractedFeatures*

XML Binding class name: Extracted_Features

Dictionary key name: extracted_features

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

is_injected

XML Binding class name: is_injected

Dictionary key name: is_injected

is_mapped

XML Binding class name: is_mapped

Dictionary key name: is_mapped

is_protected

XML Binding class name: `is_protected`

Dictionary key name: `is_protected`

is_volatile

XML Binding class name: `is_volatile`

Dictionary key name: `is_volatile`

memory_source

Type: `cybox.common.properties.String`

XML Binding class name: `Memory_Source`

Dictionary key name: `memory_source`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

protect

Type: `cybox.common.properties.String`

XML Binding class name: `Protect`

Dictionary key name: `protect`

region_end_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_End_Address`

Dictionary key name: `region_end_address`

region_size

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Region_Size`

Dictionary key name: `region_size`

region_start_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_Start_Address`

Dictionary key name: `region_start_address`

state

Type: `cybox.common.properties.String`

XML Binding class name: `State`

Dictionary key name: `state`

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_mutex_object module

class `cybox.objects.win_mutex_object.WinMutex`

Bases: *cybox.objects.mutex_object.Mutex*

XML binding class: `cybox.bindings.win_mutex_object.WindowsMutexObjectType`

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_network_route_entry_object module

class `cybox.objects.win_network_route_entry_object.WinNetworkRouteEntry`

Bases: *cybox.objects.network_route_entry_object.NetworkRouteEntry*

XML binding class:

`cybox.bindings.win_network_route_entry_object.WindowsNetworkRouteEntryObjectType`

nl_route_origin

Type: *cybox.common.properties.String*

XML Binding class name: NL_ROUTE_ORIGIN

Dictionary key name: nl_route_origin

nl_route_protocol

Type: *cybox.common.properties.String*

XML Binding class name: NL_ROUTE_PROTOCOL

Dictionary key name: nl_route_protocol

Version: 2.1.0.12.dev1

cybox.objects.win_network_share_object module**class** cybox.objects.win_network_share_object.**WinNetworkShare**Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

cybox.bindings.win_network_share_object.WindowsNetworkShareObjectType

access_all

XML Binding class name: ACCESS_ALL

Dictionary key name: access_all

access_atrib

XML Binding class name: ACCESS_ATRIB

Dictionary key name: access_atrib

access_create

XML Binding class name: ACCESS_CREATE

Dictionary key name: access_create

access_delete

XML Binding class name: ACCESS_DELETE

Dictionary key name: access_delete

access_exec

XML Binding class name: ACCESS_EXEC

Dictionary key name: access_exec

access_perm

XML Binding class name: ACCESS_PERM

Dictionary key name: access_perm

access_read

XML Binding class name: ACCESS_READ

Dictionary key name: access_read

access_write

XML Binding class name: ACCESS_WRITE

Dictionary key name: access_write

current_usesType: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Current_Uses

Dictionary key name: current_uses

local_path

Type: *cybox.common.properties.String*

XML Binding class name: Local_Path

Dictionary key name: local_path

max_uses

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Max_Uses

Dictionary key name: max_uses

netname

Type: *cybox.common.properties.String*

XML Binding class name: Netname

Dictionary key name: netname

type

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_pipe_object module

class `cybox.objects.win_pipe_object.WinPipe`

Bases: *cybox.objects.pipe_object.Pipe*

XML binding class: `cybox.bindings.win_pipe_object.WindowsPipeObjectType`

default_time_out

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Default_Time_Out

Dictionary key name: default_time_out

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

in_buffer_size

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: In_Buffer_Size

Dictionary key name: in_buffer_size

max_instances

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Max_Instances

Dictionary key name: max_instances

open_mode

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Open_Mode

Dictionary key name: open_mode

out_buffer_size

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Out_Buffer_Size

Dictionary key name: out_buffer_size

pipe_mode

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pipe_Mode

Dictionary key name: pipe_mode

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_prefetch_object module

class `cybox.objects.win_prefetch_object.AccessedDirectoryList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_prefetch_object.AccessedDirectoryListType`

class `cybox.objects.win_prefetch_object.AccessedFileList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_prefetch_object.AccessedFileListType`

class `cybox.objects.win_prefetch_object.Volume` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_prefetch_object.VolumeType`

deviceitem

Type: `cybox.objects.device_object.Device`

XML Binding class name: `DeviceItem`

Dictionary key name: `deviceitem`

volumeitem

Type: `cybox.objects.win_volume_object.WinVolume`

XML Binding class name: `VolumeItem`

Dictionary key name: `volumeitem`

class `cybox.objects.win_prefetch_object.WinPrefetch`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.win_prefetch_object.WindowsPrefetchObjectType`

accessed_directory_list

Type: `cybox.objects.win_prefetch_object.AccessedDirectoryList`

XML Binding class name: `Accessed_Directory_List`

Dictionary key name: `accessed_directory_list`

accessed_file_list

Type: `cybox.objects.win_prefetch_object.AccessedFileList`

XML Binding class name: `Accessed_File_List`

Dictionary key name: `accessed_file_list`

application_file_name

Type: `cybox.common.properties.String`

XML Binding class name: `Application_File_Name`

Dictionary key name: `application_file_name`

first_run

Type: `cybox.common.properties.DateTime`

XML Binding class name: `First_Run`

Dictionary key name: `first_run`

last_run

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Last_Run`

Dictionary key name: `last_run`

prefetch_hash

Type: *cybox.common.properties.String*

XML Binding class name: Prefetch_Hash

Dictionary key name: prefetch_hash

times_executed

Type: *cybox.common.properties.Long*

XML Binding class name: Times_Executed

Dictionary key name: times_executed

volume

Type: *cybox.objects.win_volume_object.WinVolume*

XML Binding class name: Volume

Dictionary key name: volume

Version: 2.1.0.12.dev1

cybox.objects.win_process_object module

class `cybox.objects.win_process_object.MemorySectionList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_process_object.MemorySectionListType`

class `cybox.objects.win_process_object.StartupInfo`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_process_object.StartupInfoType`

dwfillattribute

Type: *cybox.common.properties.Integer*

XML Binding class name: dwFillAttribute

Dictionary key name: dwfillattribute

dwflags

Type: *cybox.common.properties.Integer*

XML Binding class name: dwFlags

Dictionary key name: dwflags

dwx

Type: *cybox.common.properties.Integer*

XML Binding class name: dwX

Dictionary key name: dwx

dwxcntchars

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwXCountChars

Dictionary key name: dwxcntchars

dwysize

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwXSize

Dictionary key name: dwysize

dwy

Type: *cybox.common.properties.Integer*

XML Binding class name: dwY

Dictionary key name: dwy

dwycntchars

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwYCountChars

Dictionary key name: dwycntchars

dwysize

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwYSize

Dictionary key name: dwysize

hstderror

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: hStdError

Dictionary key name: hstderror

hstdinput

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: hStdInput

Dictionary key name: hstdinput

hstdoutput

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: hStdOutput

Dictionary key name: hstdoutput

lpdesktop

Type: *cybox.common.properties.String*
XML Binding class name: lpDesktop
Dictionary key name: lpdesktop

lptitle

Type: *cybox.common.properties.String*
XML Binding class name: lpTitle
Dictionary key name: lptitle

wshowwindow

Type: *cybox.common.properties.Integer*
XML Binding class name: wShowWindow
Dictionary key name: wshowwindow

class `cybox.objects.win_process_object.WinProcess`

Bases: *cybox.objects.process_object.Process*

XML binding class: `cybox.bindings.win_process_object.WindowsProcessObjectType`

aslr_enabled

XML Binding class name: aslr_enabled
Dictionary key name: aslr_enabled

dep_enabled

XML Binding class name: dep_enabled
Dictionary key name: dep_enabled

handle_list

Type: *cybox.objects.win_handle_object.WinHandleList*
XML Binding class name: Handle_List
Dictionary key name: handle_list

priority

Type: *cybox.common.properties.String*
XML Binding class name: Priority
Dictionary key name: priority

section_list

Type: *cybox.objects.win_process_object.MemorySectionList*
XML Binding class name: Section_List
Dictionary key name: section_list

security_id

Type: *cybox.common.properties.String*

XML Binding class name: Security_ID

Dictionary key name: security_id

security_type

Type: *cybox.common.properties.String*

XML Binding class name: Security_Type

Dictionary key name: security_type

startup_info

Type: *cybox.objects.win_process_object.StartupInfo*

XML Binding class name: Startup_Info

Dictionary key name: startup_info

thread

(List of values permitted)

Type: *cybox.objects.win_thread_object.WinThread*

XML Binding class name: Thread

Dictionary key name: thread

window_title

Type: *cybox.common.properties.String*

XML Binding class name: Window_Title

Dictionary key name: window_title

Version: 2.1.0.12.dev1

cybox.objects.win_registry_key_object module

class `cybox.objects.win_registry_key_object.RegistrySubkeys` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_registry_key_object.RegistrySubkeysType`

class `cybox.objects.win_registry_key_object.RegistryValue`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_registry_key_object.RegistryValueType`

byte_runs

Type: *cybox.common.byterun.ByteRuns*

XML Binding class name: Byte_Runs

Dictionary key name: byte_runs

data

Type: *cybox.common.properties.String*

XML Binding class name: Data

Dictionary key name: data

datatype

Type: *cybox.common.properties.String*

XML Binding class name: Datatype

Dictionary key name: datatype

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

class `cybox.objects.win_registry_key_object.RegistryValues` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_registry_key_object.RegistryValuesType`

class `cybox.objects.win_registry_key_object.WinRegistryKey`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.win_registry_key_object.WindowsRegistryKeyObjectType`

byte_runs

Type: *cybox.common.byterun.ByteRuns*

XML Binding class name: Byte_Runs

Dictionary key name: byte_runs

creator_username

Type: *cybox.common.properties.String*

XML Binding class name: Creator_Username

Dictionary key name: creator_username

handle_list

Type: *cybox.objects.win_handle_object.WinHandleList*

XML Binding class name: Handle_List

Dictionary key name: handle_list

hive

Type: *cybox.common.properties.String*

XML Binding class name: Hive

Dictionary key name: hive

key

Type: *cybox.common.properties.String*

XML Binding class name: Key

Dictionary key name: key

modified_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Modified_Time

Dictionary key name: modified_time

number_subkeys

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Number_Subkeys

Dictionary key name: number_subkeys

number_values

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Number_Values

Dictionary key name: number_values

subkeys

Type: *cybox.objects.win_registry_key_object.RegistrySubkeys*

XML Binding class name: Subkeys

Dictionary key name: subkeys

values

Type: *cybox.objects.win_registry_key_object.RegistryValues*

XML Binding class name: Values

Dictionary key name: values

Version: 2.1.0.12.dev1

cybox.objects.win_service_object module

class `cybox.objects.win_service_object.ServiceDescriptionList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_service_object.ServiceDescriptionListType`

class `cybox.objects.win_service_object.WinService`
Bases: `cybox.objects.win_process_object.WinProcess`

XML binding class: `cybox.bindings.win_service_object.WindowsServiceObjectType`

description_list

Type: `cybox.objects.win_service_object.ServiceDescriptionList`
XML Binding class name: `Description_List`
Dictionary key name: `description_list`

display_name

Type: `cybox.common.properties.String`
XML Binding class name: `Display_Name`
Dictionary key name: `display_name`

group_name

Type: `cybox.common.properties.String`
XML Binding class name: `Group_Name`
Dictionary key name: `group_name`

service_dll

Type: `cybox.common.properties.String`
XML Binding class name: `Service_DLL`
Dictionary key name: `service_dll`

service_dll_certificate_issuer

Type: `cybox.common.properties.String`
XML Binding class name: `Service_DLL_Certificate_Issuer`
Dictionary key name: `service_dll_certificate_issuer`

service_dll_certificate_subject

Type: `cybox.common.properties.String`
XML Binding class name: `Service_DLL_Certificate_Subject`
Dictionary key name: `service_dll_certificate_subject`

service_dll_hashes

Type: `cybox.common.hashes.HashList`
XML Binding class name: `Service_DLL_Hashes`
Dictionary key name: `service_dll_hashes`

service_dll_signature_description

Type: *cybox.common.properties.String*
XML Binding class name: Service_DLL_Signature_Description
Dictionary key name: service_dll_signature_description

service_dll_signature_exists

XML Binding class name: service_dll_signature_exists
Dictionary key name: service_dll_signature_exists

service_dll_signature_verified

XML Binding class name: service_dll_signature_verified
Dictionary key name: service_dll_signature_verified

service_name

Type: *cybox.common.properties.String*
XML Binding class name: Service_Name
Dictionary key name: service_name

service_status

Type: *cybox.common.properties.String*
XML Binding class name: Service_Status
Dictionary key name: service_status

service_type

Type: *cybox.common.properties.String*
XML Binding class name: Service_Type
Dictionary key name: service_type

started_as

Type: *cybox.common.properties.String*
XML Binding class name: Started_As
Dictionary key name: started_as

startup_command_line

Type: *cybox.common.properties.String*
XML Binding class name: Startup_Command_Line
Dictionary key name: startup_command_line

startup_type

Type: *cybox.common.properties.String*
XML Binding class name: Startup_Type
Dictionary key name: startup_type

Version: 2.1.0.12.dev1

cybox.objects.win_semaphore_object module

class cybox.objects.win_semaphore_object.**WinSemaphore**

Bases: *cybox.objects.semaphore_object.Semaphore*

XML binding class:

cybox.bindings.win_semaphore_object.WindowsSemaphoreObjectType

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_system_object module

class cybox.objects.win_system_object.**GlobalFlag**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_system_object.GlobalFlagType

abbreviation

Type: *cybox.common.properties.String*

XML Binding class name: Abbreviation

Dictionary key name: abbreviation

destination

Type: *cybox.common.properties.String*

XML Binding class name: Destination

Dictionary key name: destination

hexadecimal_value

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Hexadecimal_Value

Dictionary key name: hexadecimal_value

symbolic_name

Type: *cybox.common.properties.String*

XML Binding class name: `Symbolic_Name`

Dictionary key name: `symbolic_name`

class `cybox.objects.win_system_object.GlobalFlagList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_system_object.GlobalFlagListType`

class `cybox.objects.win_system_object.WinSystem`
Bases: `cybox.objects.system_object.System`

XML binding class: `cybox.bindings.win_system_object.WindowsSystemObjectType`

domain

(List of values permitted)

Type: `cybox.common.properties.String`

XML Binding class name: `Domain`

Dictionary key name: `domain`

global_flag_list

Type: `cybox.objects.win_system_object.GlobalFlagList`

XML Binding class name: `Global_Flag_List`

Dictionary key name: `global_flag_list`

netbios_name

Type: `cybox.common.properties.String`

XML Binding class name: `NetBIOS_Name`

Dictionary key name: `netbios_name`

open_handle_list

Type: `cybox.objects.win_handle_object.WinHandleList`

XML Binding class name: `Open_Handle_List`

Dictionary key name: `open_handle_list`

product_id

Type: `cybox.common.properties.String`

XML Binding class name: `Product_ID`

Dictionary key name: `product_id`

product_name

Type: `cybox.common.properties.String`

XML Binding class name: `Product_Name`

Dictionary key name: product_name

registered_organization

Type: *cybox.common.properties.String*

XML Binding class name: Registered_Organization

Dictionary key name: registered_organization

registered_owner

Type: *cybox.common.properties.String*

XML Binding class name: Registered_Owner

Dictionary key name: registered_owner

windows_directory

Type: *cybox.common.properties.String*

XML Binding class name: Windows_Directory

Dictionary key name: windows_directory

windows_system_directory

Type: *cybox.common.properties.String*

XML Binding class name: Windows_System_Directory

Dictionary key name: windows_system_directory

windows_temp_directory

Type: *cybox.common.properties.String*

XML Binding class name: Windows_Temp_Directory

Dictionary key name: windows_temp_directory

Version: 2.1.0.12.dev1

cybox.objects.win_system_restore_object module

class `cybox.objects.win_system_restore_object.HiveList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_system_restore_object.HiveListType`

class `cybox.objects.win_system_restore_object.WinSystemRestore`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.win_system_restore_object.WindowsSystemRestoreObjectType`

acl_change_sid

Type: *cybox.common.properties.String*
XML Binding class name: ACL_Change_SID
Dictionary key name: acl_change_sid

acl_change_username

Type: *cybox.common.properties.String*
XML Binding class name: ACL_Change_Username
Dictionary key name: acl_change_username

backup_file_name

Type: *cybox.common.properties.String*
XML Binding class name: Backup_File_Name
Dictionary key name: backup_file_name

change_event

Type: *cybox.common.properties.String*
XML Binding class name: Change_Event
Dictionary key name: change_event

changelog_entry_flags

Type: *cybox.common.properties.String*
XML Binding class name: ChangeLog_Entry_Flags
Dictionary key name: changelog_entry_flags

changelog_entry_sequence_number

Type: *cybox.common.properties.Long*
XML Binding class name: ChangeLog_Entry_Sequence_Number
Dictionary key name: changelog_entry_sequence_number

changelog_entry_type

Type: *cybox.common.properties.String*
XML Binding class name: ChangeLog_Entry_Type
Dictionary key name: changelog_entry_type

created

Type: *cybox.common.properties.DateTime*
XML Binding class name: Created
Dictionary key name: created

file_attributes

Type: *cybox.common.properties.String*
XML Binding class name: File_Attributes
Dictionary key name: file_attributes

new_file_name

Type: *cybox.common.properties.String*

XML Binding class name: New_File_Name

Dictionary key name: new_file_name

original_file_name

Type: *cybox.common.properties.String*

XML Binding class name: Original_File_Name

Dictionary key name: original_file_name

original_short_file_name

Type: *cybox.common.properties.String*

XML Binding class name: Original_Short_File_Name

Dictionary key name: original_short_file_name

process_name

Type: *cybox.common.properties.String*

XML Binding class name: Process_Name

Dictionary key name: process_name

registry_hive_list

Type: *cybox.objects.win_system_restore_object.HiveList*

XML Binding class name: Registry_Hive_List

Dictionary key name: registry_hive_list

restore_point_description

Type: *cybox.common.properties.String*

XML Binding class name: Restore_Point_Description

Dictionary key name: restore_point_description

restore_point_full_path

Type: *cybox.common.properties.String*

XML Binding class name: Restore_Point_Full_Path

Dictionary key name: restore_point_full_path

restore_point_name

Type: *cybox.common.properties.String*

XML Binding class name: Restore_Point_Name

Dictionary key name: restore_point_name

restore_point_type

Type: *cybox.common.properties.String*

XML Binding class name: Restore_Point_Type

Dictionary key name: restore_point_type

Version: 2.1.0.12.dev1

cybox.objects.win_task_object module

class cybox.objects.win_task_object.IComHandlerAction

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_task_object.IComHandlerActionType

com_class_id

Type: *cybox.common.properties.String*

XML Binding class name: COM_Class_ID

Dictionary key name: com_class_id

com_data

Type: *cybox.common.properties.String*

XML Binding class name: COM_Data

Dictionary key name: com_data

class cybox.objects.win_task_object.IExecAction

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_task_object.IExecActionType

exec_arguments

Type: *cybox.common.properties.String*

XML Binding class name: Exec_Arguments

Dictionary key name: exec_arguments

exec_program_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Exec_Program_Hashes

Dictionary key name: exec_program_hashes

exec_program_path

Type: *cybox.common.properties.String*

XML Binding class name: Exec_Program_Path

Dictionary key name: exec_program_path

exec_working_directory

Type: *cybox.common.properties.String*
XML Binding class name: Exec_Working_Directory
Dictionary key name: exec_working_directory

class `cybox.objects.win_task_object.IShowMessageAction`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_task_object.IShowMessageActionType`

show_message_body

Type: *cybox.common.properties.String*
XML Binding class name: Show_Message_Body
Dictionary key name: show_message_body

show_message_title

Type: *cybox.common.properties.String*
XML Binding class name: Show_Message_Title
Dictionary key name: show_message_title

class `cybox.objects.win_task_object.TaskAction`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_task_object.TaskActionType`

action_id

Type: *cybox.common.properties.String*
XML Binding class name: Action_ID
Dictionary key name: action_id

action_type

Type: *cybox.common.properties.String*
XML Binding class name: Action_Type
Dictionary key name: action_type

icomhandleraction

Type: *cybox.objects.win_task_object.IComHandlerAction*
XML Binding class name: IComHandlerAction
Dictionary key name: icomhandleraction

iemailaction

Type: *cybox.objects.email_message_object.EmailMessage*
XML Binding class name: IEmailAction

Dictionary key name: iemailaction

iexecaction

Type: *cybox.objects.win_task_object.IExecAction*

XML Binding class name: IExecAction

Dictionary key name: iexecaction

ishowmessageaction

Type: *cybox.objects.win_task_object.IShowMessageAction*

XML Binding class name: IShowMessageAction

Dictionary key name: ishowmessageaction

class *cybox.objects.win_task_object.TaskActionList* (*args)

Bases: *mixbox.entities.EntityList*

XML binding class: *cybox.bindings.win_task_object.TaskActionListType*

class *cybox.objects.win_task_object.Trigger*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.win_task_object.TriggerType*

trigger_begin

Type: *cybox.common.properties.DateTime*

XML Binding class name: Trigger_Begin

Dictionary key name: trigger_begin

trigger_delay

Type: *cybox.common.properties.Duration*

XML Binding class name: Trigger_Delay

Dictionary key name: trigger_delay

trigger_end

Type: *cybox.common.properties.DateTime*

XML Binding class name: Trigger_End

Dictionary key name: trigger_end

trigger_frequency

Type: *cybox.common.properties.String*

XML Binding class name: Trigger_Frequency

Dictionary key name: trigger_frequency

trigger_max_run_time

Type: *cybox.common.properties.Duration*
XML Binding class name: Trigger_Max_Run_Time
Dictionary key name: trigger_max_run_time

trigger_session_change_type

Type: *cybox.common.properties.String*
XML Binding class name: Trigger_Session_Change_Type
Dictionary key name: trigger_session_change_type

trigger_type

Type: *cybox.common.properties.String*
XML Binding class name: Trigger_Type
Dictionary key name: trigger_type

class `cybox.objects.win_task_object.TriggerList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_task_object.TriggerListType`

class `cybox.objects.win_task_object.WinTask`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_task_object.WindowsTaskObjectType`

account_logon_type

Type: *cybox.common.properties.String*
XML Binding class name: Account_Logon_Type
Dictionary key name: account_logon_type

account_name

Type: *cybox.common.properties.String*
XML Binding class name: Account_Name
Dictionary key name: account_name

account_run_level

Type: *cybox.common.properties.String*
XML Binding class name: Account_Run_Level
Dictionary key name: account_run_level

action_list

Type: *cybox.objects.win_task_object.TaskActionList*
XML Binding class name: Action_List
Dictionary key name: action_list

application_name

Type: *cybox.common.properties.String*
XML Binding class name: Application_Name
Dictionary key name: application_name

comment

Type: *cybox.common.properties.String*
XML Binding class name: Comment
Dictionary key name: comment

creation_date

Type: *cybox.common.properties.DateTime*
XML Binding class name: Creation_Date
Dictionary key name: creation_date

creator

Type: *cybox.common.properties.String*
XML Binding class name: Creator
Dictionary key name: creator

exit_code

Type: *cybox.common.properties.Long*
XML Binding class name: Exit_Code
Dictionary key name: exit_code

flags

Type: *cybox.common.properties.String*
XML Binding class name: Flags
Dictionary key name: flags

max_run_time

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Max_Run_Time
Dictionary key name: max_run_time

most_recent_run_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Most_Recent_Run_Time
Dictionary key name: most_recent_run_time

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

next_run_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Next_Run_Time

Dictionary key name: next_run_time

parameters

Type: *cybox.common.properties.String*

XML Binding class name: Parameters

Dictionary key name: parameters

priority

Type: *cybox.common.properties.String*

XML Binding class name: Priority

Dictionary key name: priority

status

Type: *cybox.common.properties.String*

XML Binding class name: Status

Dictionary key name: status

trigger_list

Type: *cybox.objects.win_task_object.TriggerList*

XML Binding class name: Trigger_List

Dictionary key name: trigger_list

work_item_data

Type: *cybox.common.properties.Base64Binary*

XML Binding class name: Work_Item_Data

Dictionary key name: work_item_data

working_directory

Type: *cybox.common.properties.String*

XML Binding class name: Working_Directory

Dictionary key name: working_directory

Version: 2.1.0.12.dev1

cybox.objects.win_thread_object module

class cybox.objects.win_thread_object.**WinThread**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.win_thread_object.WindowsThreadObjectType

context

Type: *cybox.common.properties.String*

XML Binding class name: Context

Dictionary key name: context

creation_flags

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Creation_Flags

Dictionary key name: creation_flags

creation_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Creation_Time

Dictionary key name: creation_time

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

parameter_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Parameter_Address

Dictionary key name: parameter_address

priority

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Priority

Dictionary key name: priority

running_status

Type: *cybox.common.properties.String*

XML Binding class name: Running_Status

Dictionary key name: running_status

security_attributes

Type: *cybox.common.properties.String*
XML Binding class name: Security_Attributes
Dictionary key name: security_attributes

stack_size

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Stack_Size
Dictionary key name: stack_size

start_address

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Start_Address
Dictionary key name: start_address

thread_id

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Thread_ID
Dictionary key name: thread_id

Version: 2.1.0.12.dev1

cybox.objects.win_user_object module

class `cybox.objects.win_user_object.WinGroup`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_user_account_object.WindowsGroupType`

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

class `cybox.objects.win_user_object.WinGroupList` (*args)
Bases: *cybox.objects.user_account_object.GroupList*

XML binding class: `cybox.bindings.user_account_object.GroupListType`

class `cybox.objects.win_user_object.WinPrivilege`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_user_account_object.WindowsPrivilegeType`

user_right

Type: *cybox.common.properties.String*

XML Binding class name: User_Right

Dictionary key name: user_right

class *cybox.objects.win_user_object.WinPrivilegeList* (*args)

Bases: *cybox.objects.user_account_object.PrivilegeList*

XML binding class: *cybox.bindings.user_account_object.PrivilegeListType*

class *cybox.objects.win_user_object.WinUser*

Bases: *cybox.objects.user_account_object.UserAccount*

XML binding class:

cybox.bindings.win_user_account_object.WindowsUserAccountObjectType

group_list

Type: *cybox.objects.win_user_object.WinGroupList*

XML Binding class name: Group_List

Dictionary key name: group_list

privilege_list

Type: *cybox.objects.win_user_object.WinPrivilegeList*

XML Binding class name: Privilege_List

Dictionary key name: privilege_list

security_id

Type: *cybox.common.properties.String*

XML Binding class name: Security_ID

Dictionary key name: security_id

security_type

Type: *cybox.common.properties.String*

XML Binding class name: Security_Type

Dictionary key name: security_type

Version: 2.1.0.12.dev1

cybox.objects.win_volume_object module

class *cybox.objects.win_volume_object.WinVolume*

Bases: *cybox.objects.volume_object.Volume*

XML binding class: `cybox.bindings.win_volume_object.WindowsVolumeObjectType`

attributes_list

Type: `cybox.objects.win_volume_object.WindowsVolumeAttributesList`

XML Binding class name: `Attributes_List`

Dictionary key name: `attributes_list`

drive_Type

Type: `cybox.common.properties.String`

XML Binding class name: `Drive_Type`

Dictionary key name: `drive_type`

drive_letter

Type: `cybox.common.properties.String`

XML Binding class name: `Drive_Letter`

Dictionary key name: `drive_letter`

class `cybox.objects.win_volume_object.WindowsVolumeAttributesList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class:

`cybox.bindings.win_volume_object.WindowsVolumeAttributesListType`

Version: 2.1.0.12.dev1

cybox.objects.win_waitable_timer_object module

class `cybox.objects.win_waitable_timer_object.WinWaitableTimer`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.win_waitable_timer_object.WindowsWaitableTimerObjectType`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

security_attributes

Type: `cybox.common.properties.String`

XML Binding class name: `Security_Attributes`

Dictionary key name: `security_attributes`

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.x509_certificate_object module

class `cybox.objects.x509_certificate_object.RSAPublicKey`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.RSAPublicKeyType`

exponent

Type: *cybox.common.properties.Integer*

XML Binding class name: Exponent

Dictionary key name: exponent

modulus

Type: *cybox.common.properties.String*

XML Binding class name: Modulus

Dictionary key name: modulus

class `cybox.objects.x509_certificate_object.SubjectPublicKey`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.SubjectPublicKeyType`

public_key_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: Public_Key_Algorithm

Dictionary key name: public_key_algorithm

rsa_public_key

Type: *cybox.objects.x509_certificate_object.RSAPublicKey*

XML Binding class name: RSA_Public_Key

Dictionary key name: rsa_public_key

class `cybox.objects.x509_certificate_object.Validity`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.ValidityType`

not_after

Type: *cybox.common.properties.DateTime*

XML Binding class name: Not_After

Dictionary key name: not_after

not_before

Type: *cybox.common.properties.DateTime*

XML Binding class name: Not_Before

Dictionary key name: not_before

class `cybox.objects.x509_certificate_object.X509Cert`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.x509_certificate_object.X509CertificateContentsType`

issuer

Type: *cybox.common.properties.String*

XML Binding class name: Issuer

Dictionary key name: issuer

non_standard_extensions

Type: *cybox.objects.x509_certificate_object.X509NonStandardExtensions*

XML Binding class name: Non_Standard_Extensions

Dictionary key name: non_standard_extensions

serial_number

Type: *cybox.common.properties.String*

XML Binding class name: Serial_Number

Dictionary key name: serial_number

signature_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: Signature_Algorithm

Dictionary key name: signature_algorithm

standard_extensions

Type: *cybox.objects.x509_certificate_object.X509V3Extensions*

XML Binding class name: Standard_Extensions

Dictionary key name: standard_extensions

subject

Type: *cybox.common.properties.String*
XML Binding class name: Subject
Dictionary key name: subject

subject_public_key

Type: *cybox.objects.x509_certificate_object.SubjectPublicKey*
XML Binding class name: Subject_Public_Key
Dictionary key name: subject_public_key

validity

Type: *cybox.objects.x509_certificate_object.Validity*
XML Binding class name: Validity
Dictionary key name: validity

version

Type: *cybox.common.properties.Integer*
XML Binding class name: Version
Dictionary key name: version

class `cybox.objects.x509_certificate_object.X509Certificate`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:
`cybox.bindings.x509_certificate_object.X509CertificateObjectType`

certificate

Type: *cybox.objects.x509_certificate_object.X509Cert*
XML Binding class name: Certificate
Dictionary key name: certificate

certificate_signature

Type: *cybox.objects.x509_certificate_object.X509CertificateSignature*
XML Binding class name: Certificate_Signature
Dictionary key name: certificate_signature

raw_certificate

Type: *cybox.common.properties.String*
XML Binding class name: Raw_Certificate
Dictionary key name: raw_certificate

class `cybox.objects.x509_certificate_object.X509CertificateSignature`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.x509_certificate_object.X509CertificateSignatureType`

signature

Type: `cybox.common.properties.String`

XML Binding class name: `Signature`

Dictionary key name: `signature`

signature_algorithm

Type: `cybox.common.properties.String`

XML Binding class name: `Signature_Algorithm`

Dictionary key name: `signature_algorithm`

class `cybox.objects.x509_certificate_object.X509NonStandardExtensions`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.x509_certificate_object.X509NonStandardExtensionsType`

netscape_certificate_type

Type: `cybox.common.properties.String`

XML Binding class name: `Netscape_Certificate_Type`

Dictionary key name: `netscape_certificate_type`

netscape_comment

Type: `cybox.common.properties.String`

XML Binding class name: `Netscape_Comment`

Dictionary key name: `netscape_comment`

old_authority_key_identifier

Type: `cybox.common.properties.String`

XML Binding class name: `Old_Authority_Key_Identifier`

Dictionary key name: `old_authority_key_identifier`

old_primary_key_attributes

Type: `cybox.common.properties.String`

XML Binding class name: `Old_Primary_Key_Attributes`

Dictionary key name: `old_primary_key_attributes`

class `cybox.objects.x509_certificate_object.X509V3Extensions`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.X509V3ExtensionsType`

authority_key_identifier

Type: `cybox.common.properties.String`
XML Binding class name: `Authority_Key_Identifier`
Dictionary key name: `authority_key_identifier`

basic_constraints

Type: `cybox.common.properties.String`
XML Binding class name: `Basic_Constraints`
Dictionary key name: `basic_constraints`

certificate_policies

Type: `cybox.common.properties.String`
XML Binding class name: `Certificate_Policies`
Dictionary key name: `certificate_policies`

crl_distribution_points

Type: `cybox.common.properties.String`
XML Binding class name: `CRL_Distribution_Points`
Dictionary key name: `crl_distribution_points`

extended_key_usage

Type: `cybox.common.properties.String`
XML Binding class name: `Extended_Key_Usage`
Dictionary key name: `extended_key_usage`

inhibit_any_policy

Type: `cybox.common.properties.NonNegativeInteger`
XML Binding class name: `Inhibit_Any_Policy`
Dictionary key name: `inhibit_any_policy`

issuer_alternative_name

Type: `cybox.common.properties.String`
XML Binding class name: `Issuer_Alternative_Name`
Dictionary key name: `issuer_alternative_name`

key_usage

Type: `cybox.common.properties.String`
XML Binding class name: `Key_Usage`
Dictionary key name: `key_usage`

name_constraints

Type: *cybox.common.properties.String*

XML Binding class name: Name_Constraints

Dictionary key name: name_constraints

policy_constraints

Type: *cybox.common.properties.String*

XML Binding class name: Policy_Constraints

Dictionary key name: policy_constraints

policy_mappings

Type: *cybox.common.properties.String*

XML Binding class name: Policy_Mappings

Dictionary key name: policy_mappings

private_key_usage_period

Type: *cybox.objects.x509_certificate_object.Validity*

XML Binding class name: Private_Key_Usage_Period

Dictionary key name: private_key_usage_period

subject_alternative_name

Type: *cybox.common.properties.String*

XML Binding class name: Subject_Alternative_Name

Dictionary key name: subject_alternative_name

subject_directory_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Subject_Directory_Attributes

Dictionary key name: subject_directory_attributes

subject_key_identifier

Type: *cybox.common.properties.String*

XML Binding class name: Subject_Key_Identifier

Dictionary key name: subject_key_identifier

Module contents

exception `cybox.objects.UnknownObjectType`

Bases: `exceptions.Exception`

`cybox.objects.get_class_for_object_type(object_type)`

Version: 2.1.0.12.dev1

cybox.objects.account_object module

class `cybox.objects.account_object.Account`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.account_object.AccountObjectType`

authentication

(List of values permitted)

Type: `cybox.objects.account_object.Authentication`

XML Binding class name: Authentication

Dictionary key name: authentication

creation_date

Type: `cybox.common.properties.DateTime`

XML Binding class name: Creation_Date

Dictionary key name: creation_date

description

Type: `cybox.common.properties.String`

XML Binding class name: Description

Dictionary key name: description

disabled

XML Binding class name: disabled

Dictionary key name: disabled

domain

Type: `cybox.common.properties.String`

XML Binding class name: Domain

Dictionary key name: domain

last_accessed_time

Type: `cybox.common.properties.DateTime`

XML Binding class name: Last_Accessed_Time

Dictionary key name: last_accessed_time

locked_out

XML Binding class name: locked_out

Dictionary key name: locked_out

modified_date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Modified_Date

Dictionary key name: modified_date

class `cybox.objects.account_object.Authentication`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.account_object.AuthenticationType`

authentication_data

Type: *cybox.common.properties.String*

XML Binding class name: Authentication_Data

Dictionary key name: authentication_data

authentication_token_protection_mechanism

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Authentication-Token-Protection-Mechanism

Dictionary key name: authentication_token_protection_mechanism

authentication_type

TypedField subclass for VocabString fields.

Type: *cybox.common.vocabs.VocabString*

XML Binding class name: Authentication_Type

Dictionary key name: authentication_type

structured_authentication_mechanism

Type: *cybox.objects.account_object.StructuredAuthenticationMechanism*

XML Binding class name: Structured_Authentication_Mechanism

Dictionary key name: structured_authentication_mechanism

class `cybox.objects.account_object.StructuredAuthenticationMechanism`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.account_object.StructuredAuthenticationMechanismType`

description

Type: *cybox.common.properties.String*

XML Binding class name: Description

Dictionary key name: description

Version: 2.1.0.12.dev1

cybox.objects.address_object module

class cybox.objects.address_object.**Address** (*address_value=None, category=None*)

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.address_object.AddressObjectType

address_value

Type: *cybox.common.properties.String*

XML Binding class name: Address_Value

Dictionary key name: address_value

category

XML Binding class name: category

Dictionary key name: category

is_destination

XML Binding class name: is_destination

Dictionary key name: is_destination

is_source

XML Binding class name: is_source

Dictionary key name: is_source

is_spoofed

XML Binding class name: is_spoofed

Dictionary key name: is_spoofed

vlan_name

Type: *cybox.common.properties.String*

XML Binding class name: VLAN_Name

Dictionary key name: vlan_name

vlan_num

Type: *cybox.common.properties.Integer*

XML Binding class name: VLAN_Num

Dictionary key name: vlan_num

class `cybox.objects.address_object.EmailAddress` (*addr_string=None*)
Bases: `cybox.objects.address_object.Address`

Convenience class for creating email addresses.

Note that this is not an actual CybOX type.

XML binding class: `cybox.bindings.address_object.AddressObjectType`

classmethod `istypeof` (*obj*)

Version: 2.1.0.12.dev1

`cybox.objects.api_object` module

class `cybox.objects.api_object.API`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.api_object.APIObjectType`

address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Address

Dictionary key name: address

description

Type: `cybox.common.structured_text.StructuredText`

XML Binding class name: Description

Dictionary key name: description

function_name

Type: `cybox.common.properties.String`

XML Binding class name: Function_Name

Dictionary key name: function_name

normalized_function_name

Type: `cybox.common.properties.String`

XML Binding class name: Normalized_Function_Name

Dictionary key name: normalized_function_name

platform

Type: `cybox.common.platform_specification.PlatformSpecification`

XML Binding class name: Platform

Dictionary key name: platform

Version: 2.1.0.12.dev1

cybox.objects.archive_file_object module

class `cybox.objects.archive_file_object.ArchiveFile`

Bases: `cybox.objects.file_object.File`

XML binding class: `cybox.bindings.archive_file_object.ArchiveFileObjectType`

archive_format

Type: `cybox.common.properties.String`

XML Binding class name: `Archive_Format`

Dictionary key name: `archive_format`

archived_file

(List of values permitted)

Type: `cybox.objects.file_object.File`

XML Binding class name: `Archived_File`

Dictionary key name: `archived_file`

comment

Type: `cybox.common.properties.String`

XML Binding class name: `Comment`

Dictionary key name: `comment`

decryption_key

Type: `cybox.common.properties.String`

XML Binding class name: `Decryption_Key`

Dictionary key name: `decryption_key`

encryption_algorithm

Type: `cybox.common.properties.String`

XML Binding class name: `Encryption_Algorithm`

Dictionary key name: `encryption_algorithm`

file_count

Type: `cybox.common.properties.Integer`

XML Binding class name: `File_Count`

Dictionary key name: `file_count`

version

Type: `cybox.common.properties.String`

XML Binding class name: Version

Dictionary key name: version

Version: 2.1.0.12.dev1

cybox.objects.arp_cache_object module

class cybox.objects.arp_cache_object.**ARPCache**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.arp_cache_object.ARPCacheObjectType

arp_cache_entry

(List of values permitted)

Type: *cybox.objects.arp_cache_object.ARPCacheEntry*

XML Binding class name: ARP_Cache_Entry

Dictionary key name: arp_cache_entry

class cybox.objects.arp_cache_object.**ARPCacheEntry**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.arp_cache_object.ARPCacheEntryType

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

network_interface

Type: *cybox.objects.system_object.NetworkInterface*

XML Binding class name: Network_Interface

Dictionary key name: network_interface

physical_address

Type: *cybox.common.properties.String*

XML Binding class name: Physical_Address

Dictionary key name: physical_address

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.artifact_object module

class cybox.objects.artifact_object.**Artifact** (*data=None, type_=None*)
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: <undefined>

static from_dict (*artifact_dict*)

static from_obj (*artifact_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class cybox.objects.artifact_object.**Base64Encoding**
Bases: *cybox.objects.artifact_object.Encoding*

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

class cybox.objects.artifact_object.**Bz2Compression**
Bases: *cybox.objects.artifact_object.Compression*

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

class cybox.objects.artifact_object.**Compression** (*compression_mechanism=None*)
Bases: *cybox.objects.artifact_object.Packaging*

A Compression packaging layer

Currently only zlib and bz2 are supported. Also, `compression_mechanism_ref` is not currently supported.

XML binding class: <undefined>

static from_dict (*compression_dict*)

static from_obj (*compression_obj*)

static get_object (*mechanism*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Encoding`
 Bases: `cybox.objects.artifact_object.Packaging`

An encoding packaging layer.

Currently only base64 with a standard alphabet is supported.

XML binding class: <undefined>

static from_dict (*encoding_dict*)

static from_obj (*encoding_obj*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Encryption` (*encryption_mechanism=None, encryption_key=None*)

Bases: `cybox.objects.artifact_object.Packaging`

An encryption packaging layer.

XML binding class: <undefined>

static from_dict (*encryption_dict*)

static from_obj (*encryption_obj*)

static get_object (*mechanism, key*)

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.artifact_object.Packaging`

Bases: `mixbox.entities.Entity`

An individual packaging layer.

XML binding class: <undefined>

pack (*data*)

This should accept byte data and return byte data

unpack (*packed_data*)

This should accept byte data and return byte data

class `cybox.objects.artifact_object.PasswordProtectedZipEncryption` (*key*)

Bases: `cybox.objects.artifact_object.Encryption`

XML binding class: <undefined>

unpack (*packed_data*)

class `cybox.objects.artifact_object.RawArtifact` (*value=None*)
Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.artifact_object.RawArtifactType`

byte_order

XML Binding class name: `byte_order`

Dictionary key name: `byte_order`

class `cybox.objects.artifact_object.XOREncryption` (*key*)
Bases: `cybox.objects.artifact_object.Encryption`

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

class `cybox.objects.artifact_object.ZlibCompression`
Bases: `cybox.objects.artifact_object.Compression`

XML binding class: <undefined>

pack (*data*)

unpack (*packed_data*)

Version: 2.1.0.12.dev1

cybox.objects.as_object module

`cybox.objects.as_object.AS`
alias of `AutonomousSystem` | XML binding class: `cybox.bindings.as_object.ASObjectType`

class `cybox.objects.as_object.AutonomousSystem`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.as_object.ASObjectType`

handle

Type: `cybox.common.properties.String`

XML Binding class name: `Handle`

Dictionary key name: `handle`

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number

Dictionary key name: number

regional_internet_registry

Type: *cybox.common.properties.String*

XML Binding class name: Regional_Internet_Registry

Dictionary key name: regional_internet_registry

Version: 2.1.0.12.dev1

cybox.objects.code_object module

class `cybox.objects.code_object.Code`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.code_object.CodeObjectType`

code_language

Type: *cybox.common.properties.String*

XML Binding class name: Code_Language

Dictionary key name: code_language

code_segment

Type: *cybox.common.properties.String*

XML Binding class name: Code_Segment

Dictionary key name: code_segment

code_segment_xor

Type: *cybox.objects.code_object.CodeSegmentXOR*

XML Binding class name: Code_Segment_XOR

Dictionary key name: code_segment_xor

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

digital_signatures

Type: *cybox.common.digitalsignature.DigitalSignatureList*

XML Binding class name: Digital_Signatures

Dictionary key name: digital_signatures

discovery_method

Type: *cybox.common.measuresource.MeasureSource*

XML Binding class name: Discovery_Method

Dictionary key name: discovery_method

extracted_features

Type: *cybox.common.extracted_features.ExtractedFeatures*

XML Binding class name: Extracted_Features

Dictionary key name: extracted_features

processor_family

(List of values permitted)

Type: *cybox.common.properties.String*

XML Binding class name: Processor_Family

Dictionary key name: processor_family

purpose

Type: *cybox.common.properties.String*

XML Binding class name: Purpose

Dictionary key name: purpose

start_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Start_Address

Dictionary key name: start_address

targeted_platforms

Type: *cybox.objects.code_object.TargetedPlatforms*

XML Binding class name: Targeted_Platforms

Dictionary key name: targeted_platforms

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class `cybox.objects.code_object.CodeSegmentXOR` (*value=None*)
Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.code_object.CodeSegmentXORType`

xor_pattern

XML Binding class name: `xor_pattern`

Dictionary key name: `xor_pattern`

class `cybox.objects.code_object.TargetedPlatforms` (**args*)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.code_object.TargetedPlatformsType`

Version: 2.1.0.12.dev1

cybox.objects.device_object module

class `cybox.objects.device_object.Device`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.device_object.DeviceObjectType`

description

Type: `cybox.common.structured_text.StructuredText`

XML Binding class name: `Description`

Dictionary key name: `description`

device_type

Type: `cybox.common.properties.String`

XML Binding class name: `Device_Type`

Dictionary key name: `device_type`

firmware_version

Type: `cybox.common.properties.String`

XML Binding class name: `Firmware_Version`

Dictionary key name: `firmware_version`

manufacturer

Type: `cybox.common.properties.String`

XML Binding class name: Manufacturer

Dictionary key name: manufacturer

model

Type: *cybox.common.properties.String*

XML Binding class name: Model

Dictionary key name: model

serial_number

Type: *cybox.common.properties.String*

XML Binding class name: Serial_Number

Dictionary key name: serial_number

Version: 2.1.0.12.dev1

cybox.objects.disk_object module

class `cybox.objects.disk_object.Disk`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.disk_object.DiskObjectType`

disk_name

Type: *cybox.common.properties.String*

XML Binding class name: Disk_Name

Dictionary key name: disk_name

disk_size

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Disk_Size

Dictionary key name: disk_size

free_space

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Free_Space

Dictionary key name: free_space

partition_list

Type: *cybox.objects.disk_object.PartitionList*

XML Binding class name: Partition_List

Dictionary key name: partition_list

type

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class `cybox.objects.disk_object.PartitionList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.disk_object.PartitionListType`

Version: 2.1.0.12.dev1

cybox.objects.disk_partition_object module

class `cybox.objects.disk_partition_object.DiskPartition`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.disk_partition_object.DiskPartitionObjectType`

created

Type: *cybox.common.properties.String*

XML Binding class name: Created

Dictionary key name: created

device_name

Type: *cybox.common.properties.Name*

XML Binding class name: Device_Name

Dictionary key name: device_name

mount_point

Type: *cybox.common.properties.String*

XML Binding class name: Mount_Point

Dictionary key name: mount_point

partition_id

Type: *cybox.common.properties.Integer*

XML Binding class name: Partition_ID

Dictionary key name: partition_id

partition_length

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Partition_Length

Dictionary key name: partition_length

partition_offset

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Partition_Offset

Dictionary key name: partition_offset

space_left

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Space_Left

Dictionary key name: space_left

space_used

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Space_Used

Dictionary key name: space_used

total_space

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Total_Space

Dictionary key name: total_space

type

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.dns_cache_object module

class `cybox.objects.dns_cache_object.DNSCache`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.dns_cache_object.DNSCacheObjectType`

dns_cache_entry

(List of values permitted)

Type: *cybox.objects.dns_cache_object.DNSCacheEntry*

XML Binding class name: DNS_Cache_Entry

Dictionary key name: dns_cache_entry

class `cybox.objects.dns_cache_object.DNSCacheEntry`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.dns_cache_object.DNSCacheEntryType`

dns_entry

Type: `cybox.objects.dns_record_object.DNSRecord`

XML Binding class name: `DNS_Entry`

Dictionary key name: `dns_entry`

t11

Type: `cybox.common.properties.PositiveInteger`

XML Binding class name: `TTL`

Dictionary key name: `t11`

Version: 2.1.0.12.dev1

cybox.objects.dns_query_object module

class `cybox.objects.dns_query_object.DNSQuery`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.dns_query_object.DNSQueryObjectType`

additional_records

Type: `cybox.objects.dns_query_object.DNSResourceRecords`

XML Binding class name: `Additional_Records`

Dictionary key name: `additional_records`

answer_resource_records

Type: `cybox.objects.dns_query_object.DNSResourceRecords`

XML Binding class name: `Answer_Resource_Records`

Dictionary key name: `answer_resource_records`

authority_resource_records

Type: `cybox.objects.dns_query_object.DNSResourceRecords`

XML Binding class name: `Authority_Resource_Records`

Dictionary key name: `authority_resource_records`

date_ran

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Date_Ran`

Dictionary key name: `date_ran`

question

Type: *cybox.objects.dns_query_object.DNSQuestion*

XML Binding class name: Question

Dictionary key name: question

service_used

Type: *cybox.common.properties.String*

XML Binding class name: Service_Used

Dictionary key name: service_used

successful

XML Binding class name: successful

Dictionary key name: successful

transaction_id

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Transaction_ID

Dictionary key name: transaction_id

class `cybox.objects.dns_query_object.DNSQuestion`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.dns_query_object.DNSQuestionType`

qclass

Type: *cybox.common.properties.String*

XML Binding class name: QClass

Dictionary key name: qclass

qname

Type: *cybox.objects.uri_object.URI*

XML Binding class name: QName

Dictionary key name: qname

qtype

Type: *cybox.common.properties.String*

XML Binding class name: QType

Dictionary key name: qtype

class `cybox.objects.dns_query_object.DNSResourceRecords` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.dns_query_object.DNSResourceRecordsType`

Version: 2.1.0.12.dev1

cybox.objects.dns_record_object module

class `cybox.objects.dns_record_object.DNSRecord`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.dns_record_object.DNSRecordObjectType`

address_class

Type: `cybox.common.properties.String`

XML Binding class name: `Address_Class`

Dictionary key name: `address_class`

data_length

Type: `cybox.common.properties.Integer`

XML Binding class name: `Data_Length`

Dictionary key name: `data_length`

description

Type: `cybox.common.structured_text.StructuredText`

XML Binding class name: `Description`

Dictionary key name: `description`

domain_name

Type: `cybox.objects.uri_object.URI`

XML Binding class name: `Domain_Name`

Dictionary key name: `domain_name`

entry_type

Type: `cybox.common.properties.String`

XML Binding class name: `Entry_Type`

Dictionary key name: `entry_type`

flags

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Flags`

Dictionary key name: `flags`

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

queried_date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Queried_Date

Dictionary key name: queried_date

record_data

XML Binding class name: Record_Data

Dictionary key name: record_data

record_name

Type: *cybox.common.properties.String*

XML Binding class name: Record_Name

Dictionary key name: record_name

record_type

Type: *cybox.common.properties.String*

XML Binding class name: Record_Type

Dictionary key name: record_type

t11

Type: *cybox.common.properties.Integer*

XML Binding class name: TTL

Dictionary key name: t11

Version: 2.1.0.12.dev1

cybox.objects.domain_name_object module

class `cybox.objects.domain_name_object.DomainName`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.domain_name_object.DomainNameObjectType`

type_

XML Binding class name: type_

Dictionary key name: type

value

Type: *cybox.common.properties.String*

XML Binding class name: Value

Dictionary key name: value

Version: 2.1.0.12.dev1

cybox.objects.email_message_object module

class `cybox.objects.email_message_object.AttachmentReference` (*object_reference=None*)
Bases: `cybox.objects.email_message_object._Reference`, `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.AttachmentReferenceType`

class `cybox.objects.email_message_object.Attachments` (**args*)
Bases: `cybox.objects.email_message_object._ReferenceList`, `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.email_message_object.AttachmentsType`

class `cybox.objects.email_message_object.EmailHeader`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.EmailHeaderType`

bcc

Type: *cybox.objects.email_message_object.EmailRecipients*

XML Binding class name: BCC

Dictionary key name: bcc

boundary

Type: *cybox.common.properties.String*

XML Binding class name: Boundary

Dictionary key name: boundary

cc

Type: *cybox.objects.email_message_object.EmailRecipients*

XML Binding class name: CC

Dictionary key name: cc

content_type

Type: *cybox.common.properties.String*
XML Binding class name: Content_Type
Dictionary key name: content_type

date

Type: *cybox.common.properties.DateTime*
XML Binding class name: Date
Dictionary key name: date

errors_to

Type: *cybox.common.properties.String*
XML Binding class name: Errors_To
Dictionary key name: errors_to

from_

Type: *cybox.objects.address_object.EmailAddress*
XML Binding class name: From
Dictionary key name: from

in_reply_to

Type: *cybox.common.properties.String*
XML Binding class name: In_Reply_To
Dictionary key name: in_reply_to

message_id

Type: *cybox.common.properties.String*
XML Binding class name: Message_ID
Dictionary key name: message_id

mime_version

Type: *cybox.common.properties.String*
XML Binding class name: MIME_Version
Dictionary key name: mime_version

precedence

Type: *cybox.common.properties.String*
XML Binding class name: Precedence
Dictionary key name: precedence

received_lines

Type: *cybox.objects.email_message_object.ReceivedLineList*
XML Binding class name: Received_Lines
Dictionary key name: received_lines

reply_to

Type: *cybox.objects.address_object.EmailAddress*

XML Binding class name: Reply_To

Dictionary key name: reply_to

sender

Type: *cybox.objects.address_object.EmailAddress*

XML Binding class name: Sender

Dictionary key name: sender

subject

Type: *cybox.common.properties.String*

XML Binding class name: Subject

Dictionary key name: subject

to

Type: *cybox.objects.email_message_object.EmailRecipients*

XML Binding class name: To

Dictionary key name: to

user_agent

Type: *cybox.common.properties.String*

XML Binding class name: User_Agent

Dictionary key name: user_agent

x_mailer

Type: *cybox.common.properties.String*

XML Binding class name: X_Mailer

Dictionary key name: x_mailer

x_originating_ip

Type: *cybox.objects.address_object.Address*

XML Binding class name: X_Originating_IP

Dictionary key name: x_originating_ip

x_priority

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: X_Priority

Dictionary key name: x_priority

class *cybox.objects.email_message_object.EmailMessage*

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.email_message_object.EmailMessageObjectType`

attachments

Type: `cybox.objects.email_message_object.Attachments`

XML Binding class name: `Attachments`

Dictionary key name: `attachments`

email_server

Type: `cybox.common.properties.String`

XML Binding class name: `Email_Server`

Dictionary key name: `email_server`

header

Type: `cybox.objects.email_message_object.EmailHeader`

XML Binding class name: `Header`

Dictionary key name: `header`

links

Type: `cybox.objects.email_message_object.Links`

XML Binding class name: `Links`

Dictionary key name: `links`

raw_body

Type: `cybox.common.properties.String`

XML Binding class name: `Raw_Body`

Dictionary key name: `raw_body`

raw_header

Type: `cybox.common.properties.String`

XML Binding class name: `Raw_Header`

Dictionary key name: `raw_header`

class `cybox.objects.email_message_object.EmailRecipients` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.email_message_object.EmailRecipientsType`

class `cybox.objects.email_message_object.LinkReference` (*object_reference=None*)

Bases: `cybox.objects.email_message_object._Reference`, `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.LinkReferenceType`

class `cybox.objects.email_message_object.Links` (*args)
Bases: `cybox.objects.email_message_object._ReferenceList`,
`mixbox.entities.EntityList`

XML binding class: `cybox.bindings.email_message_object.LinksType`

class `cybox.objects.email_message_object.ReceivedLine`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.email_message_object.EmailReceivedLineType`

by

Type: `cybox.common.properties.String`

XML Binding class name: By

Dictionary key name: by

for_

Type: `cybox.common.properties.String`

XML Binding class name: For

Dictionary key name: for

from_

Type: `cybox.common.properties.String`

XML Binding class name: From

Dictionary key name: from

id_

Type: `cybox.common.properties.String`

XML Binding class name: ID

Dictionary key name: id

timestamp

Type: `cybox.common.properties.DateTime`

XML Binding class name: Timestamp

Dictionary key name: timestamp

via

Type: `cybox.common.properties.String`

XML Binding class name: Via

Dictionary key name: via

with_

Type: *cybox.common.properties.String*

XML Binding class name: With

Dictionary key name: with

class `cybox.objects.email_message_object.ReceivedLineList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class:

`cybox.bindings.email_message_object.EmailReceivedLineListType`

Version: 2.1.0.12.dev1

cybox.objects.file_object module

class `cybox.objects.file_object.EPJumpCode`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.file_object.EPJumpCodeType`

depth

Type: *cybox.common.properties.Integer*

XML Binding class name: Depth

Dictionary key name: depth

opcodes

Type: *cybox.common.properties.String*

XML Binding class name: Opcodes

Dictionary key name: opcodes

class `cybox.objects.file_object.EntryPointSignature`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.file_object.EntryPointSignatureType`

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

type_

XML Binding class name: Type

Dictionary key name: type

class cybox.objects.file_object.**EntryPointSignatureList** (*args)

Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.file_object.EntryPointSignatureListType

class cybox.objects.file_object.**File**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.file_object.FileObjectType

accessed_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Accessed_Time

Dictionary key name: accessed_time

add_hash (*hash_*)

byte_runs

Type: *cybox.common.byterun.ByteRuns*

XML Binding class name: Byte_Runs

Dictionary key name: byte_runs

compression_comment

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Comment

Dictionary key name: compression_comment

compression_method

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Method

Dictionary key name: compression_method

compression_version

Type: *cybox.common.properties.String*

XML Binding class name: Compression_Version

Dictionary key name: compression_version

created_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Created_Time

Dictionary key name: `created_time`

decryption_key

Type: `cybox.common.properties.String`

XML Binding class name: `Decryption_Key`

Dictionary key name: `decryption_key`

device_path

Type: `cybox.common.properties.String`

XML Binding class name: `Device_Path`

Dictionary key name: `device_path`

digital_signatures

Type: `cybox.common.digitalsignature.DigitalSignatureList`

XML Binding class name: `Digital_Signatures`

Dictionary key name: `digital_signatures`

encryption_algorithm

Type: `cybox.common.properties.String`

XML Binding class name: `Encryption_Algorithm`

Dictionary key name: `encryption_algorithm`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`

XML Binding class name: `Extracted_Features`

Dictionary key name: `extracted_features`

file_attributes_list

Type: `cybox.objects.file_object.FileAttribute`

XML Binding class name: `File_Attributes_List`

Dictionary key name: `file_attributes_list`

file_extension

Type: `cybox.common.properties.String`

XML Binding class name: `File_Extension`

Dictionary key name: `file_extension`

file_format

Type: `cybox.common.properties.String`

XML Binding class name: `File_Format`

Dictionary key name: `file_format`

file_name

Type: *cybox.common.properties.String*
XML Binding class name: File_Name
Dictionary key name: file_name

file_path

Type: *cybox.objects.file_object.FilePath*
XML Binding class name: File_Path
Dictionary key name: file_path

full_path

Type: *cybox.common.properties.String*
XML Binding class name: Full_Path
Dictionary key name: full_path

hashes

Type: *cybox.common.hashes.HashList*
XML Binding class name: Hashes
Dictionary key name: hashes

is_masqueraded

XML Binding class name: is_masqueraded
Dictionary key name: is_masqueraded

is_packed

XML Binding class name: is_packed
Dictionary key name: is_packed

magic_number

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Magic_Number
Dictionary key name: magic_number

modified_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Modified_Time
Dictionary key name: modified_time

packer_list

Type: *cybox.objects.file_object.PackerList*
XML Binding class name: Packer_List
Dictionary key name: packer_list

peak_entropy

Type: *cybox.common.properties.Double*
XML Binding class name: Peak_Entropy
Dictionary key name: peak_entropy

permissions

Type: *cybox.objects.file_object.FilePermissions*
XML Binding class name: Permissions
Dictionary key name: permissions

size_in_bytes

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Size_In_Bytes
Dictionary key name: size_in_bytes

sym_links

Type: *cybox.objects.file_object.SymLinksList*
XML Binding class name: Sym_Links
Dictionary key name: sym_links

user_owner

Type: *cybox.common.properties.String*
XML Binding class name: User_Owner
Dictionary key name: user_owner

class `cybox.objects.file_object.FileAttribute`

Bases: `mixbox.entities.Entity`

An abstract class for file attributes.

XML binding class: <undefined>

class `cybox.objects.file_object.FilePath` (*args, **kwargs)

Bases: *cybox.common.properties.String*

XML binding class: `cybox.bindings.file_object.FilePathType`

static from_dict (*filepath_dict*)

static from_obj (*filepath_obj*)

is_plain ()

to_dict ()

to_obj (*return_obj=None, ns_info=None*)

class `cybox.objects.file_object.FilePermissions`

Bases: `mixbox.entities.Entity`

An abstract class for file permissions.

XML binding class: <undefined>

class `cybox.objects.file_object.Packer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.file_object.PackerType`

detected_entrypoint_signatures

Type: `cybox.objects.file_object.EntryPointSignatureList`

XML Binding class name: `Detected_Entrypoint_Signatures`

Dictionary key name: `detected_entrypoint_signatures`

entry_point

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Entry_Point`

Dictionary key name: `entry_point`

ep_jump_codes

Type: `cybox.objects.file_object.EPJumpCode`

XML Binding class name: `EP_Jump_Codes`

Dictionary key name: `ep_jump_codes`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

signature

Type: `cybox.common.properties.String`

XML Binding class name: `Signature`

Dictionary key name: `signature`

type_

Type: `cybox.common.properties.String`

XML Binding class name: `Type`

Dictionary key name: `type`

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

class `cybox.objects.file_object.PackerList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.file_object.PackerListType`

class `cybox.objects.file_object.SymLinksList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.file_object.SymLinksListType`

Version: 2.1.0.12.dev1

cybox.objects.gui_dialogbox_object module

class `cybox.objects.gui_dialogbox_object.GUIDialogbox`

Bases: *cybox.objects.gui_object.GUI*

XML binding class: `cybox.bindings.gui_dialogbox_object.GUIDialogboxObjectType`

box_caption

Type: *cybox.common.properties.String*

XML Binding class name: Box_Caption

Dictionary key name: box_caption

box_text

Type: *cybox.common.properties.String*

XML Binding class name: Box_Text

Dictionary key name: box_text

Version: 2.1.0.12.dev1

cybox.objects.gui_object module

class `cybox.objects.gui_object.GUI`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.gui_object.GUIObjectType`

height

Type: *cybox.common.properties.Integer*

XML Binding class name: Height

Dictionary key name: height

width

Type: *cybox.common.properties.Integer*

XML Binding class name: Width

Dictionary key name: width

Version: 2.1.0.12.dev1

cybox.objects.gui_window_object module

class `cybox.objects.gui_window_object.GUIWindow`

Bases: *cybox.objects.gui_object.GUI*

XML binding class: `cybox.bindings.gui_window_object.GUIWindowObjectType`

owner_window

Type: *cybox.common.properties.String*

XML Binding class name: Owner_Window

Dictionary key name: owner_window

parent_window

Type: *cybox.common.properties.String*

XML Binding class name: Parent_Window

Dictionary key name: parent_window

window_display_name

Type: *cybox.common.properties.String*

XML Binding class name: Window_Display_Name

Dictionary key name: window_display_name

Version: 2.1.0.12.dev1

cybox.objects.hostname_object module

class `cybox.objects.hostname_object.Hostname`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.hostname_object.HostnameObjectType`

hostname_value

Type: *cybox.common.properties.String*

XML Binding class name: Hostname_Value

Dictionary key name: hostname_value

is_domain_name

XML Binding class name: is_domain_name

Dictionary key name: is_domain_name

naming_system

(List of values permitted)

Type: *cybox.common.properties.String*

XML Binding class name: Naming_System

Dictionary key name: naming_system

Version: 2.1.0.12.dev1

cybox.objects.http_session_object module

class `cybox.objects.http_session_object.HTTPClientRequest`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPClientRequestType`

http_message_body

Type: *cybox.objects.http_session_object.HTTPMessage*

XML Binding class name: HTTP_Message_Body

Dictionary key name: http_message_body

http_request_header

Type: *cybox.objects.http_session_object.HTTPRequestHeader*

XML Binding class name: HTTP_Request_Header

Dictionary key name: http_request_header

http_request_line

Type: *cybox.objects.http_session_object.HTTPRequestLine*

XML Binding class name: HTTP_Request_Line

Dictionary key name: http_request_line

class `cybox.objects.http_session_object.HTTPMessage`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPMessageType`

length

Type: `cybox.common.properties.PositiveInteger`

XML Binding class name: Length

Dictionary key name: length

message_body

Type: `cybox.common.properties.String`

XML Binding class name: Message_Body

Dictionary key name: message_body

class `cybox.objects.http_session_object.HTTPRequestHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPRequestHeaderType`

parsed_header

Type: `cybox.objects.http_session_object.HTTPRequestHeaderFields`

XML Binding class name: Parsed_Header

Dictionary key name: parsed_header

raw_header

Type: `cybox.common.properties.String`

XML Binding class name: Raw_Header

Dictionary key name: raw_header

class `cybox.objects.http_session_object.HTTPRequestHeaderFields`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.http_session_object.HTTPRequestHeaderFieldsType`

accept

Type: `cybox.common.properties.String`

XML Binding class name: Accept

Dictionary key name: accept

accept_charset

Type: `cybox.common.properties.String`

XML Binding class name: Accept_Charset

Dictionary key name: `accept_charset`

accept_datetime

Type: `cybox.common.properties.String`

XML Binding class name: `Accept_Datetime`

Dictionary key name: `accept_datetime`

accept_encoding

Type: `cybox.common.properties.String`

XML Binding class name: `Accept_Encoding`

Dictionary key name: `accept_encoding`

accept_language

Type: `cybox.common.properties.String`

XML Binding class name: `Accept_Language`

Dictionary key name: `accept_language`

authorization

Type: `cybox.common.properties.String`

XML Binding class name: `Authorization`

Dictionary key name: `authorization`

cache_control

Type: `cybox.common.properties.String`

XML Binding class name: `Cache_Control`

Dictionary key name: `cache_control`

connection

Type: `cybox.common.properties.String`

XML Binding class name: `Connection`

Dictionary key name: `connection`

content_length

Type: `cybox.common.properties.Integer`

XML Binding class name: `Content_Length`

Dictionary key name: `content_length`

content_md5

Type: `cybox.common.properties.String`

XML Binding class name: `Content_MD5`

Dictionary key name: `content_md5`

content_type

Type: *cybox.common.properties.String*
XML Binding class name: Content_Type
Dictionary key name: content_type

cookie

Type: *cybox.common.properties.String*
XML Binding class name: Cookie
Dictionary key name: cookie

date

Type: *cybox.common.properties.DateTime*
XML Binding class name: Date
Dictionary key name: date

dnt

Type: *cybox.common.properties.String*
XML Binding class name: DNT
Dictionary key name: dnt

expect

Type: *cybox.common.properties.String*
XML Binding class name: Expect
Dictionary key name: expect

from_

Type: *cybox.objects.address_object.EmailAddress*
XML Binding class name: From
Dictionary key name: from

host

Type: *cybox.objects.http_session_object.HostField*
XML Binding class name: Host
Dictionary key name: host

if_match

Type: *cybox.common.properties.String*
XML Binding class name: If_Match
Dictionary key name: if_match

if_modified_since

Type: *cybox.common.properties.DateTime*
XML Binding class name: If_Modified_Since
Dictionary key name: if_modified_since

if_none_match

Type: *cybox.common.properties.String*

XML Binding class name: If_None_Match

Dictionary key name: if_none_match

if_range

Type: *cybox.common.properties.String*

XML Binding class name: If_Range

Dictionary key name: if_range

if_unmodified_since

Type: *cybox.common.properties.DateTime*

XML Binding class name: If_Unmodified_Since

Dictionary key name: if_unmodified_since

max_forwards

Type: *cybox.common.properties.Integer*

XML Binding class name: Max_Forwards

Dictionary key name: max_forwards

pragma

Type: *cybox.common.properties.String*

XML Binding class name: Pragma

Dictionary key name: pragma

proxy_authorization

Type: *cybox.common.properties.String*

XML Binding class name: Proxy_Authorization

Dictionary key name: proxy_authorization

range_

Type: *cybox.common.properties.String*

XML Binding class name: Range

Dictionary key name: range

referer

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Referer

Dictionary key name: referer

te

Type: *cybox.common.properties.String*

XML Binding class name: TE

Dictionary key name: te

user_agent

Type: *cybox.common.properties.String*

XML Binding class name: User_Agent

Dictionary key name: user_agent

via

Type: *cybox.common.properties.String*

XML Binding class name: Via

Dictionary key name: via

warning

Type: *cybox.common.properties.String*

XML Binding class name: Warning

Dictionary key name: warning

x_att_deviceid

Type: *cybox.common.properties.String*

XML Binding class name: X_ATT_DeviceId

Dictionary key name: x_att_deviceid

x_forwarded_for

Type: *cybox.common.properties.String*

XML Binding class name: X_Forwarded_For

Dictionary key name: x_forwarded_for

x_forwarded_proto

Type: *cybox.common.properties.String*

XML Binding class name: X_Forwarded_Proto

Dictionary key name: x_forwarded_proto

x_requested_with

Type: *cybox.common.properties.String*

XML Binding class name: X_Requested_With

Dictionary key name: x_requested_with

x_wap_profile

Type: *cybox.objects.uri_object.URI*

XML Binding class name: X_Wap_Profile

Dictionary key name: x_wap_profile

class `cybox.objects.http_session_object.HTTPRequestLine`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPRequestLineType`

http_method

Type: `cybox.common.properties.String`
XML Binding class name: `HTTP_Method`
Dictionary key name: `http_method`

value

Type: `cybox.common.properties.String`
XML Binding class name: `Value`
Dictionary key name: `value`

version

Type: `cybox.common.properties.String`
XML Binding class name: `Version`
Dictionary key name: `version`

class `cybox.objects.http_session_object.HTTPRequestResponse`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPRequestResponseType`

http_client_request

Type: `cybox.objects.http_session_object.HTTPClientRequest`
XML Binding class name: `HTTP_Client_Request`
Dictionary key name: `http_client_request`

http_provisional_server_response

Type: `cybox.objects.http_session_object.HTTPServerResponse`
XML Binding class name: `HTTP_Provisional_Server_Response`
Dictionary key name: `http_provisional_server_response`

http_server_response

Type: `cybox.objects.http_session_object.HTTPServerResponse`
XML Binding class name: `HTTP_Server_Response`
Dictionary key name: `http_server_response`

ordinal_position

XML Binding class name: ordinal_position

Dictionary key name: ordinal_position

class cybox.objects.http_session_object.HTTPResponseHeader

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.http_session_object.HTTPResponseHeaderType

parsed_header

Type: *cybox.objects.http_session_object.HTTPResponseHeaderFields*

XML Binding class name: Parsed_Header

Dictionary key name: parsed_header

raw_header

Type: *cybox.common.properties.String*

XML Binding class name: Raw_Header

Dictionary key name: raw_header

class cybox.objects.http_session_object.HTTPResponseHeaderFields

Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.http_session_object.HTTPResponseHeaderFieldsType

accept_ranges

Type: *cybox.common.properties.String*

XML Binding class name: Accept_Ranges

Dictionary key name: accept_ranges

access_control_allow_origin

Type: *cybox.common.properties.String*

XML Binding class name: Access_Control-Allow-Origin

Dictionary key name: access_control_allow_origin

age

Type: *cybox.common.properties.Integer*

XML Binding class name: Age

Dictionary key name: age

cache_control

Type: *cybox.common.properties.String*

XML Binding class name: Cache_Control

Dictionary key name: `cache_control`

connection

Type: `cybox.common.properties.String`

XML Binding class name: `Connection`

Dictionary key name: `connection`

content_disposition

Type: `cybox.common.properties.String`

XML Binding class name: `Content_Disposition`

Dictionary key name: `content_disposition`

content_encoding

Type: `cybox.common.properties.String`

XML Binding class name: `Content_Encoding`

Dictionary key name: `content_encoding`

content_language

Type: `cybox.common.properties.String`

XML Binding class name: `Content_Language`

Dictionary key name: `content_language`

content_length

Type: `cybox.common.properties.Integer`

XML Binding class name: `Content_Length`

Dictionary key name: `content_length`

content_location

Type: `cybox.common.properties.String`

XML Binding class name: `Content_Location`

Dictionary key name: `content_location`

content_md5

Type: `cybox.common.properties.String`

XML Binding class name: `Content_MD5`

Dictionary key name: `content_md5`

content_range

Type: `cybox.common.properties.String`

XML Binding class name: `Content_Range`

Dictionary key name: `content_range`

content_type

Type: *cybox.common.properties.String*
XML Binding class name: Content_Type
Dictionary key name: content_type

date

Type: *cybox.common.properties.DateTime*
XML Binding class name: Date
Dictionary key name: date

etag

Type: *cybox.common.properties.String*
XML Binding class name: ETag
Dictionary key name: etag

expires

Type: *cybox.common.properties.DateTime*
XML Binding class name: Expires
Dictionary key name: expires

last_modified

Type: *cybox.common.properties.DateTime*
XML Binding class name: Last_Modified
Dictionary key name: last_modified

link

Type: *cybox.common.properties.String*
XML Binding class name: Link
Dictionary key name: link

location

Type: *cybox.objects.uri_object.URI*
XML Binding class name: Location
Dictionary key name: location

p3p

Type: *cybox.common.properties.String*
XML Binding class name: P3P
Dictionary key name: p3p

pragma

Type: *cybox.common.properties.String*
XML Binding class name: Pragma
Dictionary key name: pragma

proxy_authenticate

Type: *cybox.common.properties.String*
XML Binding class name: Proxy_Authenticate
Dictionary key name: proxy_authenticate

refresh

Type: *cybox.common.properties.String*
XML Binding class name: Refresh
Dictionary key name: refresh

retry_after

Type: *cybox.common.properties.Integer*
XML Binding class name: Retry_After
Dictionary key name: retry_after

server

Type: *cybox.common.properties.String*
XML Binding class name: Server
Dictionary key name: server

set_cookie

Type: *cybox.common.properties.String*
XML Binding class name: Set_Cookie
Dictionary key name: set_cookie

strict_transport_security

Type: *cybox.common.properties.String*
XML Binding class name: Strict_Transport_Security
Dictionary key name: strict_transport_security

trailer

Type: *cybox.common.properties.String*
XML Binding class name: Trailer
Dictionary key name: trailer

transfer_encoding

Type: *cybox.common.properties.String*
XML Binding class name: Transfer_Encoding
Dictionary key name: transfer_encoding

vary

Type: *cybox.common.properties.String*

XML Binding class name: Vary

Dictionary key name: vary

via

Type: *cybox.common.properties.String*

XML Binding class name: Via

Dictionary key name: via

warning

Type: *cybox.common.properties.String*

XML Binding class name: Warning

Dictionary key name: warning

www_authenticate

Type: *cybox.common.properties.String*

XML Binding class name: WWW_Authenticate

Dictionary key name: www_authenticate

x_content_type_options

Type: *cybox.common.properties.String*

XML Binding class name: X_Content_Type_Options

Dictionary key name: x_content_type_options

x_frame_options

Type: *cybox.common.properties.String*

XML Binding class name: X_Frame_Options

Dictionary key name: x_frame_options

x_powered_by

Type: *cybox.common.properties.String*

XML Binding class name: X_Powered_By

Dictionary key name: x_powered_by

x_ua_compatible

Type: *cybox.common.properties.String*

XML Binding class name: X_UA_Compatible

Dictionary key name: x_ua_compatible

x_xss_protection

Type: *cybox.common.properties.String*

XML Binding class name: X_XSS_Protection

Dictionary key name: x_xss_protection

class `cybox.objects.http_session_object.HTTPServerResponse`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPServerResponseType`

http_message_body

Type: `cybox.objects.http_session_object.HTTPMessage`
XML Binding class name: `HTTP_Message_Body`
Dictionary key name: `http_message_body`

http_response_header

Type: `cybox.objects.http_session_object.HTTPResponseHeader`
XML Binding class name: `HTTP_Response_Header`
Dictionary key name: `http_response_header`

http_status_line

Type: `cybox.objects.http_session_object.HTTPStatusLine`
XML Binding class name: `HTTP_Status_Line`
Dictionary key name: `http_status_line`

class `cybox.objects.http_session_object.HTTPSession`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.http_session_object.HTTPSessionObjectType`

http_request_response

(List of values permitted)
Type: `cybox.objects.http_session_object.HTTPRequestResponse`
XML Binding class name: `HTTP_Request_Response`
Dictionary key name: `http_request_response`

class `cybox.objects.http_session_object.HTTPStatusLine`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HTTPStatusLineType`

reason_phrase

Type: `cybox.common.properties.String`
XML Binding class name: `Reason_Phrase`
Dictionary key name: `reason_phrase`

status_code

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Status_Code

Dictionary key name: status_code

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

class `cybox.objects.http_session_object.HostField`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.http_session_object.HostFieldType`

domain_name

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Domain_Name

Dictionary key name: domain_name

port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Port

Dictionary key name: port

Version: 2.1.0.12.dev1

cybox.objects.image_file_object module

class `cybox.objects.image_file_object.ImageFile`

Bases: *cybox.objects.file_object.File*

XML binding class: `cybox.bindings.image_file_object.ImageFileObjectType`

bits_per_pixel

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Bits_Per_Pixel

Dictionary key name: bits_per_pixel

compression_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: `Compression_Algorithm`

Dictionary key name: `compression_algorithm`

image_file_format

Type: `cybox.common.properties.String`

XML Binding class name: `Image_File_Format`

Dictionary key name: `image_file_format`

image_height

Type: `cybox.common.properties.Integer`

XML Binding class name: `Image_Height`

Dictionary key name: `image_height`

image_is_compressed

XML Binding class name: `image_is_compressed`

Dictionary key name: `image_is_compressed`

image_width

Type: `cybox.common.properties.Integer`

XML Binding class name: `Image_Width`

Dictionary key name: `image_width`

Version: 2.1.0.12.dev1

cybox.objects.library_object module

class `cybox.objects.library_object.Library`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.library_object.LibraryObjectType`

base_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Base_Address`

Dictionary key name: `base_address`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`

XML Binding class name: `Extracted_Features`

Dictionary key name: `extracted_features`

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

path

Type: *cybox.common.properties.String*
XML Binding class name: Path
Dictionary key name: path

size

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Size
Dictionary key name: size

type_

Type: *cybox.common.properties.String*
XML Binding class name: Type
Dictionary key name: type

version

Type: *cybox.common.properties.String*
XML Binding class name: Version
Dictionary key name: version

Version: 2.1.0.12.dev1

cybox.objects.link_object module

class `cybox.objects.link_object.Link` (*value=None, type_=None*)
Bases: *cybox.objects.uri_object.URI*

XML binding class: `cybox.bindings.link_object.LinkObjectType`

url_label

Type: *cybox.common.properties.String*
XML Binding class name: URL_Label
Dictionary key name: url_label

Version: 2.1.0.12.dev1

cybox.objects.linux_package_object module

class `cybox.objects.linux_package_object.LinuxPackage`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.linux_package_object.LinuxPackageObjectType`

architecture

TypedField subclass for VocabString fields.

Type: `cybox.common.vocabs.VocabString`

XML Binding class name: Architecture

Dictionary key name: architecture

category

Type: `cybox.common.properties.String`

XML Binding class name: Category

Dictionary key name: category

description

Type: `cybox.common.properties.String`

XML Binding class name: Description

Dictionary key name: description

epoch

Type: `cybox.common.properties.String`

XML Binding class name: Epoch

Dictionary key name: epoch

evr

Type: `cybox.common.properties.String`

XML Binding class name: EVR

Dictionary key name: evr

name

Type: `cybox.common.properties.String`

XML Binding class name: Name

Dictionary key name: name

release

Type: `cybox.common.properties.String`

XML Binding class name: Release

Dictionary key name: release

vendor

Type: `cybox.common.properties.String`

XML Binding class name: Vendor

Dictionary key name: vendor

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

class `cybox.objects.linux_package_object.LinuxPackageArchitecture` (*value=None*)

Bases: *cybox.common.vocabs.VocabString*

XML binding class: `cybox.bindings.cybox_common.ControlledVocabularyStringType`

Version: 2.1.0.12.dev1

cybox.objects.memory_object module

class `cybox.objects.memory_object.Memory`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.memory_object.MemoryObjectType`

block_type

Type: *cybox.common.properties.String*

XML Binding class name: Block_Type

Dictionary key name: block_type

extracted_features

Type: *cybox.common.extracted_features.ExtractedFeatures*

XML Binding class name: Extracted_Features

Dictionary key name: extracted_features

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

is_injected

XML Binding class name: is_injected

Dictionary key name: is_injected

is_mapped

XML Binding class name: `is_mapped`

Dictionary key name: `is_mapped`

`is_protected`

XML Binding class name: `is_protected`

Dictionary key name: `is_protected`

`is_volatile`

XML Binding class name: `is_volatile`

Dictionary key name: `is_volatile`

`memory_source`

Type: `cybox.common.properties.String`

XML Binding class name: `Memory_Source`

Dictionary key name: `memory_source`

`name`

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

`region_end_address`

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_End_Address`

Dictionary key name: `region_end_address`

`region_size`

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Region_Size`

Dictionary key name: `region_size`

`region_start_address`

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_Start_Address`

Dictionary key name: `region_start_address`

Version: 2.1.0.12.dev1

`cybox.objects.mutex_object` module

class `cybox.objects.mutex_object.Mutex`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.mutex_object.MutexObjectType`

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

named

XML Binding class name: named

Dictionary key name: named

Version: 2.1.0.12.dev1

cybox.objects.network_connection_object module

class `cybox.objects.network_connection_object.Layer7Connections`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_connection_object.Layer7ConnectionsType`

dns_query

(List of values permitted)

Type: *cybox.objects.dns_query_object.DNSQuery*

XML Binding class name: DNS_Query

Dictionary key name: dns_query

http_session

Type: *cybox.objects.http_session_object.HTTPSession*

XML Binding class name: HTTP_Session

Dictionary key name: http_session

class `cybox.objects.network_connection_object.NetworkConnection`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.network_connection_object.NetworkConnectionObjectType`

creation_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Creation_Time

Dictionary key name: creation_time

destination_socket_address

Type: *cybox.objects.socket_address_object.SocketAddress*
XML Binding class name: Destination_Socket_Address
Dictionary key name: destination_socket_address

destination_tcp_state

XML Binding class name: Destination_TCP_State
Dictionary key name: destination_tcp_state

layer3_protocol

Type: *cybox.common.properties.String*
XML Binding class name: Layer3_Protocol
Dictionary key name: layer3_protocol

layer4_protocol

Type: *cybox.common.properties.String*
XML Binding class name: Layer4_Protocol
Dictionary key name: layer4_protocol

layer7_connections

Type: *cybox.objects.network_connection_object.Layer7Connections*
XML Binding class name: Layer7_Connections
Dictionary key name: layer7_connections

layer7_protocol

Type: *cybox.common.properties.String*
XML Binding class name: Layer7_Protocol
Dictionary key name: layer7_protocol

source_socket_address

Type: *cybox.objects.socket_address_object.SocketAddress*
XML Binding class name: Source_Socket_Address
Dictionary key name: source_socket_address

source_tcp_state

XML Binding class name: Source_TCP_State
Dictionary key name: source_tcp_state

tls_used

XML Binding class name: tls_used
Dictionary key name: tls_used

Version: 2.1.0.12.dev1

cybox.objects.network_packet_object module**class** cybox.objects.network_packet_object.**ARP**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.ARPTyp

hardware_addr_sizeType: *cybox.common.properties.HexBinary*

XML Binding class name: Hardware_Addr_Size

Dictionary key name: hardware_addr_size

hardware_addr_typeType: *cybox.common.properties.String*

XML Binding class name: Hardware_Addr_Type

Dictionary key name: hardware_addr_type

op_typeType: *cybox.common.properties.String*

XML Binding class name: Op_Type

Dictionary key name: op_type

proto_addr_sizeType: *cybox.common.properties.HexBinary*

XML Binding class name: Proto_Addr_Size

Dictionary key name: proto_addr_size

proto_addr_typeType: *cybox.common.properties.String*

XML Binding class name: Proto_Addr_Type

Dictionary key name: proto_addr_type

recip_hardware_addrType: *cybox.objects.address_object.Address*

XML Binding class name: Recip_Hardware_Addr

Dictionary key name: recip_hardware_addr

recip_protocol_addrType: *cybox.objects.address_object.Address*

XML Binding class name: Recip_Protocol_Addr

Dictionary key name: recip_protocol_addr

sender_hardware_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Sender_Hardware_Addr

Dictionary key name: sender_hardware_addr

sender_protocol_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Sender_Protocol_Addr

Dictionary key name: sender_protocol_addr

class `cybox.objects.network_packet_object.AuthenticationHeader`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.AuthenticationHeaderType`

Authentication_Data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Authentication_Data

Dictionary key name: authentication_data

header_ext_len

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Header_Ext_Len

Dictionary key name: header_ext_len

next_header

Type: *cybox.common.properties.String*

XML Binding class name: Next_Header

Dictionary key name: next_header

security_parameters_index

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Security_Parameters_Index

Dictionary key name: security_parameters_index

sequence_number

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Sequence_Number

Dictionary key name: sequence_number

class `cybox.objects.network_packet_object.DestinationOptions`

Bases: `cybox.objects.network_packet_object._IPv6ExtHeader`

XML binding class: `cybox.bindings.network_packet_object.DestinationOptionsType`

class `cybox.objects.network_packet_object.EncapsulatingSecurityPayload`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.EncapsulatingSecurityPayloadType`

authentication_data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Authentication_Data`

Dictionary key name: `authentication_data`

next_header

Type: `cybox.common.properties.String`

XML Binding class name: `Next_Header`

Dictionary key name: `next_header`

padding

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Padding`

Dictionary key name: `padding`

padding_len

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Padding_Len`

Dictionary key name: `padding_len`

payload_data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Payload_Data`

Dictionary key name: `payload_data`

security_parameters_index

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Security_Parameters_Index`

Dictionary key name: `security_parameters_index`

sequence_number

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Sequence_Number`

Dictionary key name: `sequence_number`

class `cybox.objects.network_packet_object.EthernetHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.EthernetHeaderType`

checksum

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Checksum`

Dictionary key name: `checksum`

destination_mac_addr

Type: `cybox.objects.address_object.Address`

XML Binding class name: `Destination_MAC_Addr`

Dictionary key name: `destination_mac_addr`

source_mac_addr

Type: `cybox.objects.address_object.Address`

XML Binding class name: `Source_MAC_Addr`

Dictionary key name: `source_mac_addr`

type_or_length

Type: `cybox.objects.network_packet_object.TypeLength`

XML Binding class name: `Type_Or_Length`

Dictionary key name: `type_or_length`

class `cybox.objects.network_packet_object.EthernetInterface`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.EthernetInterfaceType`

ethernet_header

Type: `cybox.objects.network_packet_object.EthernetHeader`

XML Binding class name: `Ethernet_Header`

Dictionary key name: `ethernet_header`

class `cybox.objects.network_packet_object.Fragment`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.FragmentType`

fragment

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Fragment`

Dictionary key name: `fragment`

fragment_header

Type: *cybox.objects.network_packet_object.FragmentHeader*

XML Binding class name: `Fragment_Header`

Dictionary key name: `fragment_header`

class `cybox.objects.network_packet_object.FragmentHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.FragmentHeaderType`

fragment_offset

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Fragment_Offset`

Dictionary key name: `fragment_offset`

identification

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Identification`

Dictionary key name: `identification`

m_flag

Type: *cybox.common.properties.String*

XML Binding class name: `M_Flag`

Dictionary key name: `m_flag`

next_header

Type: *cybox.common.properties.HexBinary*

XML Binding class name: `Next_Header`

Dictionary key name: `next_header`

class `cybox.objects.network_packet_object.FragmentationRequired`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.FragmentationRequiredType`

fragmentation_required

XML Binding class name: Fragmentation_Required

Dictionary key name: fragmentation_required

next_hop_mtu

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Next_Hop_MTU

Dictionary key name: next_hop_mtu

class `cybox.objects.network_packet_object.HopByHopOptions`

Bases: `cybox.objects.network_packet_object._IPv6ExtHeader`

XML binding class: `cybox.bindings.network_packet_object.HopByHopOptionsType`

class `cybox.objects.network_packet_object.ICMPv4AddressMaskReply`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv4AddressMaskReplyType`

address_mask

Type: *cybox.objects.address_object.Address*

XML Binding class name: Address_Mask

Dictionary key name: address_mask

address_mask_reply

XML Binding class name: Address_Mask_Reply

Dictionary key name: address_mask_reply

class `cybox.objects.network_packet_object.ICMPv4AddressMaskRequest`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv4AddressMaskRequestType`

address_mask

Type: *cybox.objects.address_object.Address*

XML Binding class name: Address_Mask

Dictionary key name: address_mask

address_mask_request

XML Binding class name: Address_Mask_Request

Dictionary key name: address_mask_request

class `cybox.objects.network_packet_object.ICMPv4DestinationUnreachable`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv4DestinationUnreachableType`

communication_administratively_prohibited

XML Binding class name: Communication_Administratively_Prohibited

Dictionary key name: communication_administratively_prohibited

destination_host_unknown

XML Binding class name: Destination_Host_Unknown

Dictionary key name: destination_host_unknown

destination_host_unreachable

XML Binding class name: Destination_Host_Unreachable

Dictionary key name: destination_host_unreachable

destination_network_unknown

XML Binding class name: Destination_Network_Unknown

Dictionary key name: destination_network_unknown

destination_network_unreachable

XML Binding class name: Destination_Network_Unreachable

Dictionary key name: destination_network_unreachable

destination_port_unreachable

XML Binding class name: Destination_Port_Unreachable

Dictionary key name: destination_port_unreachable

destination_protocol_unreachable

XML Binding class name: Destination_Protocol_Unreachable

Dictionary key name: destination_protocol_unreachable

fragmentation_required

Type: `cybox.objects.network_packet_object.FragmentationRequired`

XML Binding class name: Fragmentation_Required

Dictionary key name: fragmentation_required

host_administratively_prohibited

XML Binding class name: Host_Administratively_Prohibited

Dictionary key name: host_administratively_prohibited

host_precedence_violation

XML Binding class name: Host_Precedence_Violation

Dictionary key name: host_precedence_violation

host_unreachable_for_tos

XML Binding class name: Host_Unreachable_For_TOS

Dictionary key name: host_unreachable_for_tos

network_administratively_prohibited

XML Binding class name: Network_Administratively_Prohibited

Dictionary key name: network_administratively_prohibited

network_unreachable_for_tos

XML Binding class name: Network_Unreachable_For_TOS

Dictionary key name: network_unreachable_for_tos

precedence_cutoff_in_effect

XML Binding class name: Precedence_Cutoff_In_Effect

Dictionary key name: precedence_cutoff_in_effect

source_host_isolated

XML Binding class name: Source_Host_Isolated

Dictionary key name: source_host_isolated

source_route_failed

XML Binding class name: Source_Route_Failed

Dictionary key name: source_route_failed

class cybox.objects.network_packet_object.ICMPv4EchoReply

Bases: cybox.objects.network_packet_object._ICMPEchoReply

XML binding class: cybox.bindings.network_packet_object.ICMPv4EchoReplyType

class cybox.objects.network_packet_object.ICMPv4EchoRequest

Bases: cybox.objects.network_packet_object._ICMPEchoRequest

XML binding class: cybox.bindings.network_packet_object.ICMPv4EchoRequestType

class `cybox.objects.network_packet_object.ICMPv4ErrorMessage`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4ErrorMessageType`

destination_unreachable

Type: `cybox.objects.network_packet_object.ICMPv4DestinationUnreachable`
XML Binding class name: `Destination_Unreachable`
Dictionary key name: `destination_unreachable`

error_msg_content

Type: `cybox.objects.network_packet_object.ICMPv4ErrorMessageContent`
XML Binding class name: `Error_Msg_Content`
Dictionary key name: `error_msg_content`

redirect_message

Type: `cybox.objects.network_packet_object.ICMPv4RedirectMessage`
XML Binding class name: `Redirect_Message`
Dictionary key name: `redirect_message`

source_quench

Type: `cybox.objects.network_packet_object.ICMPv4SourceQuench`
XML Binding class name: `Source_Quench`
Dictionary key name: `source_quench`

time_exceeded

Type: `cybox.objects.network_packet_object.ICMPv4TimeExceeded`
XML Binding class name: `Time_Exceeded`
Dictionary key name: `time_exceeded`

class `cybox.objects.network_packet_object.ICMPv4ErrorMessageContent`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4ErrorMessageContentType`

first_eight_bytes

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `First_Eight_Bytes`
Dictionary key name: `first_eight_bytes`

ip_header

Type: *cybox.objects.network_packet_object.IPv4Header*

XML Binding class name: IP_Header

Dictionary key name: ip_header

class *cybox.objects.network_packet_object.ICMPv4Header*

Bases: *cybox.objects.network_packet_object._ICMPHeader*

XML binding class: *cybox.bindings.network_packet_object.ICMPv4HeaderType*

class *cybox.objects.network_packet_object.ICMPv4InfoMessage*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.ICMPv4InfoMessageType*

address_mask_reply

Type: *cybox.objects.network_packet_object.ICMPv4AddressMaskReply*

XML Binding class name: Address_Mask_Reply

Dictionary key name: address_mask_reply

address_mask_request

Type: *cybox.objects.network_packet_object.ICMPv4AddressMaskRequest*

XML Binding class name: Address_Mask_Request

Dictionary key name: address_mask_request

echo_reply

Type: *cybox.objects.network_packet_object.ICMPv4EchoReply*

XML Binding class name: Echo_Reply

Dictionary key name: echo_reply

echo_request

Type: *cybox.objects.network_packet_object.ICMPv4EchoRequest*

XML Binding class name: Echo_Request

Dictionary key name: echo_request

info_msg_content

Type: *cybox.objects.network_packet_object.ICMPv4InfoMessageContent*

XML Binding class name: Info_Msg_Content

Dictionary key name: info_msg_content

timestamp_reply

Type: *cybox.objects.network_packet_object.ICMPv4TimestampReply*
XML Binding class name: `Timestamp_Reply`
Dictionary key name: `timestamp_reply`

timestamp_request

Type: *cybox.objects.network_packet_object.ICMPv4TimestampRequest*
XML Binding class name: `Timestamp_Request`
Dictionary key name: `timestamp_request`

class `cybox.objects.network_packet_object.ICMPv4InfoMessageContent`
Bases: `cybox.objects.network_packet_object._ICMPInfoMessageContent`

XML binding class:
`cybox.bindings.network_packet_object.ICMPv4InfoMessageContentType`

class `cybox.objects.network_packet_object.ICMPv4Packet`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4PacketType`

error_msg

Type: *cybox.objects.network_packet_object.ICMPv4ErrorMessage*
XML Binding class name: `Error_Msg`
Dictionary key name: `error_msg`

icmpv4_header

Type: *cybox.objects.network_packet_object.ICMPv4Header*
XML Binding class name: `ICMPv4_Header`
Dictionary key name: `icmpv4_header`

info_msg

Type: *cybox.objects.network_packet_object.ICMPv4InfoMessage*
XML Binding class name: `Info_Msg`
Dictionary key name: `info_msg`

traceroute

Type: *cybox.objects.network_packet_object.ICMPv4Traceroute*
XML Binding class name: `Traceroute`
Dictionary key name: `traceroute`

class `cybox.objects.network_packet_object.ICMPv4RedirectMessage`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv4RedirectMessageType`

host_redirect

XML Binding class name: `Host_Redirect`

Dictionary key name: `host_redirect`

ip_address

Type: `cybox.objects.address_object.Address`

XML Binding class name: `IP_Address`

Dictionary key name: `ip_address`

network_redirect

XML Binding class name: `Network_Redirect`

Dictionary key name: `network_redirect`

tos_host_redirect

XML Binding class name: `ToS_Host_Redirect`

Dictionary key name: `tos_host_redirect`

tos_network_redirect

XML Binding class name: `ToS_Network_Redirect`

Dictionary key name: `tos_network_redirect`

class `cybox.objects.network_packet_object.ICMPv4SourceQuench`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4SourceQuenchType`

source_quench

XML Binding class name: `Source_Quench`

Dictionary key name: `source_quench`

class `cybox.objects.network_packet_object.ICMPv4TimeExceeded`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv4TimeExceededType`

frag_reassembly_time_exceeded

XML Binding class name: `Frag_Reassembly_Time_Exceeded`

Dictionary key name: frag_reassembly_time_exceeded

ttl_exceeded_in_transit

XML Binding class name: TTL_Exceeded_In_Transit

Dictionary key name: ttl_exceeded_in_transit

class cybox.objects.network_packet_object.ICMPv4TimestampReply
Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.network_packet_object.ICMPv4TimestampReplyType

originate_timestamp

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Originate_Timestamp

Dictionary key name: originate_timestamp

receive_timestamp

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Receive_Timestamp

Dictionary key name: receive_timestamp

timestamp_reply

XML Binding class name: Timestamp_Reply

Dictionary key name: timestamp_reply

transmit_timestamp

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Transmit_Timestamp

Dictionary key name: transmit_timestamp

class cybox.objects.network_packet_object.ICMPv4TimestampRequest
Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.network_packet_object.ICMPv4TimestampRequestType

originate_timestamp

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Originate_Timestamp

Dictionary key name: originate_timestamp

timestamp

XML Binding class name: Timestamp

Dictionary key name: timestamp

class cybox.objects.network_packet_object.ICMPv4Traceroute

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.ICMPv4TracerouteType

identifier

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Identifier

Dictionary key name: identifier

outbound_hop_count

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Outbound_Hop_Count

Dictionary key name: outbound_hop_count

outbound_packet_forward_success

XML Binding class name: Outbound_Packet_Forward_Success

Dictionary key name: outbound_packet_forward_success

outbound_packet_no_route

XML Binding class name: Outbound_Packet_no_Route

Dictionary key name: outbound_packet_no_route

output_link_mtu

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Output_Link_MTU

Dictionary key name: output_link_mtu

output_link_speed

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Output_Link_Speed

Dictionary key name: output_link_speed

return_hop_count

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Return_Hop_Count

Dictionary key name: return_hop_count

class cybox.objects.network_packet_object.ICMPv6DestinationUnreachable
Bases: mixbox.entities.Entity

XML binding class:
cybox.bindings.network_packet_object.ICMPv6DestinationUnreachableType

address_unreachable

XML Binding class name: Address_Unreachable
Dictionary key name: address_unreachable

beyond_scope

XML Binding class name: Beyond_Scope
Dictionary key name: beyond_scope

comm_prohibited

XML Binding class name: Comm_Prohibited
Dictionary key name: comm_prohibited

no_route

XML Binding class name: No_Route
Dictionary key name: no_route

port_unreachable

XML Binding class name: Port_Unreachable
Dictionary key name: port_unreachable

reject_route

XML Binding class name: Reject_Route
Dictionary key name: reject_route

src_addr_failed_policy

XML Binding class name: Src_Addr_Failed_Policy
Dictionary key name: src_addr_failed_policy

class cybox.objects.network_packet_object.ICMPv6EchoReply
Bases: cybox.objects.network_packet_object._ICMPEchoReply

XML binding class: cybox.bindings.network_packet_object.ICMPv6EchoReplyType

class cybox.objects.network_packet_object.ICMPv6EchoRequest
Bases: cybox.objects.network_packet_object._ICMPEchoRequest

XML binding class: `cybox.bindings.network_packet_object.ICMPv6EchoRequestType`

class `cybox.objects.network_packet_object.ICMPv6ErrorMessage`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv6ErrorMessageType`

destination_unreachable

Type: `cybox.objects.network_packet_object.ICMPv6DestinationUnreachable`

XML Binding class name: `Destination_Unreachable`

Dictionary key name: `destination_unreachable`

invoking_packet

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Invoking_Packet`

Dictionary key name: `invoking_packet`

packet_too_big

Type: `cybox.objects.network_packet_object.ICMPv6PacketTooBig`

XML Binding class name: `Packet_Too_Big`

Dictionary key name: `packet_too_big`

parameter_problem

Type: `cybox.objects.network_packet_object.ICMPv6ParameterProblem`

XML Binding class name: `Parameter_Problem`

Dictionary key name: `parameter_problem`

time_exceeded

Type: `cybox.objects.network_packet_object.ICMPv6TimeExceeded`

XML Binding class name: `Time_Exceeded`

Dictionary key name: `time_exceeded`

class `cybox.objects.network_packet_object.ICMPv6Header`

Bases: `cybox.objects.network_packet_object._ICMPHeader`

XML binding class: `cybox.bindings.network_packet_object.ICMPv6HeaderType`

class `cybox.objects.network_packet_object.ICMPv6InfoMessage`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv6InfoMessageType`

echo_reply

Type: *cybox.objects.network_packet_object.ICMPv6EchoReply*

XML Binding class name: Echo_Reply

Dictionary key name: echo_reply

echo_request

Type: *cybox.objects.network_packet_object.ICMPv6EchoRequest*

XML Binding class name: Echo_Request

Dictionary key name: echo_request

info_msg_content

Type: *cybox.objects.network_packet_object.ICMPv6InfoMessageContent*

XML Binding class name: Info_Msg_Content

Dictionary key name: info_msg_content

class *cybox.objects.network_packet_object.ICMPv6InfoMessageContent*

Bases: *cybox.objects.network_packet_object._ICMPInfoMessageContent*

XML binding class:

cybox.bindings.network_packet_object.ICMPv6InfoMessageType

class *cybox.objects.network_packet_object.ICMPv6Packet*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.ICMPv6PacketType*

error_msg

Type: *cybox.objects.network_packet_object.ICMPv6ErrorMessage*

XML Binding class name: Error_Msg

Dictionary key name: error_msg

icmpv6_header

Type: *cybox.objects.network_packet_object.ICMPv6Header*

XML Binding class name: ICMPv6_Header

Dictionary key name: icmpv6_header

info_msg

Type: *cybox.objects.network_packet_object.ICMPv6InfoMessage*

XML Binding class name: Info_Msg

Dictionary key name: info_msg

class `cybox.objects.network_packet_object.ICMPv6PacketTooBig`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv6PacketTooBigType`

mtu

Type: `cybox.common.properties.HexBinary`

XML Binding class name: MTU

Dictionary key name: mtu

packet_too_big

XML Binding class name: Packet_Too_Big

Dictionary key name: packet_too_big

class `cybox.objects.network_packet_object.ICMPv6ParameterProblem`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.ICMPv6ParameterProblemType`

erroneous_header_field

XML Binding class name: Erroneous_Header_Field

Dictionary key name: erroneous_header_field

pointer

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Pointer

Dictionary key name: pointer

unrecognized_ipv6_option

XML Binding class name: Unrecognized_IPv6_Option

Dictionary key name: unrecognized_ipv6_option

unrecognized_next_header_type

XML Binding class name: Unrecognized_Next_Header_Type

Dictionary key name: unrecognized_next_header_type

class `cybox.objects.network_packet_object.ICMPv6TimeExceeded`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.ICMPv6TimeExceededType`

fragment_reassem_time_exceeded

XML Binding class name: Fragment_Reassem_Time_Exceeded

Dictionary key name: fragment_reassem_time_exceeded

hop_limit_exceeded

XML Binding class name: Hop_Limit_Exceeded

Dictionary key name: hop_limit_exceeded

class cybox.objects.network_packet_object.**IPv4Flags**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.IPv4FlagsType

do_not_fragment

Type: *cybox.common.properties.String*

XML Binding class name: Do_Not_Fragment

Dictionary key name: do_not_fragment

more_fragments

Type: *cybox.common.properties.String*

XML Binding class name: More_Fragments

Dictionary key name: more_fragments

reserved

Type: *cybox.common.properties.Integer*

XML Binding class name: Reserved

Dictionary key name: reserved

class cybox.objects.network_packet_object.**IPv4Header**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.IPv4HeaderType

checksum

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Checksum

Dictionary key name: checksum

dest_ipv4_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Dest_IPv4_Addr

Dictionary key name: dest_ipv4_addr

dscp

Type: *cybox.common.properties.HexBinary*

XML Binding class name: DSCP

Dictionary key name: dscp

ecn

Type: *cybox.common.properties.HexBinary*

XML Binding class name: ECN

Dictionary key name: ecn

flags

Type: *cybox.objects.network_packet_object.IPv4Flags*

XML Binding class name: Flags

Dictionary key name: flags

fragment_offset

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Fragment_Offset

Dictionary key name: fragment_offset

header_length

Type: *cybox.common.properties.Integer*

XML Binding class name: Header_Length

Dictionary key name: header_length

identification

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Identification

Dictionary key name: identification

ip_version

Type: *cybox.common.properties.String*

XML Binding class name: IP_Version

Dictionary key name: ip_version

option

(List of values permitted)

Type: *cybox.objects.network_packet_object.IPv4Option*

XML Binding class name: Option

Dictionary key name: option

protocol

Type: *cybox.common.properties.String*

XML Binding class name: Protocol

Dictionary key name: protocol

src_ipv4_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Src_IPv4_Addr

Dictionary key name: src_ipv4_addr

total_length

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Total_Length

Dictionary key name: total_length

ttl

Type: *cybox.common.properties.HexBinary*

XML Binding class name: TTL

Dictionary key name: ttl

class `cybox.objects.network_packet_object.IPv4Option`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv4OptionType`

class_

Type: *cybox.common.properties.String*

XML Binding class name: Class

Dictionary key name: class

copy_flag

Type: *cybox.common.properties.String*

XML Binding class name: Copy_Flag

Dictionary key name: copy_flag

option

Type: *cybox.common.properties.String*

XML Binding class name: Option

Dictionary key name: option

class `cybox.objects.network_packet_object.IPv4Packet`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv4PacketType`

data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Data

Dictionary key name: data

ipv4_header

Type: `cybox.objects.network_packet_object.IPv4Header`

XML Binding class name: IPv4_Header

Dictionary key name: ipv4_header

class `cybox.objects.network_packet_object.IPv6ExtHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6ExtHeaderType`

authentication_header

Type: `cybox.objects.network_packet_object.AuthenticationHeader`

XML Binding class name: Authentication_Header

Dictionary key name: authentication_header

destination_options

(List of values permitted)

Type: `cybox.objects.network_packet_object.DestinationOptions`

XML Binding class name: Destination_Options

Dictionary key name: destination_options

encapsulating_security_payload

Type: `cybox.objects.network_packet_object.EncapsulatingSecurityPayload`

XML Binding class name: Encapsulating_Security_Payload

Dictionary key name: encapsulating_security_payload

fragment

Type: `cybox.objects.network_packet_object.Fragment`

XML Binding class name: Fragment

Dictionary key name: fragment

hop_by_hop_options

Type: `cybox.objects.network_packet_object.HopByHopOptions`

XML Binding class name: Hop_by_Hop_Options

Dictionary key name: hop_by_hop_options

routing

Type: *cybox.objects.network_packet_object.Routing*

XML Binding class name: Routing

Dictionary key name: routing

class `cybox.objects.network_packet_object.IPv6Header`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6HeaderType`

dest_ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Dest_IPv6_Addr

Dictionary key name: dest_ipv6_addr

flow_label

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Flow_Label

Dictionary key name: flow_label

ip_version

Type: *cybox.common.properties.String*

XML Binding class name: IP_Version

Dictionary key name: ip_version

next_header

Type: *cybox.common.properties.String*

XML Binding class name: Next_Header

Dictionary key name: next_header

payload_length

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Payload_Length

Dictionary key name: payload_length

src_ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Src_IPv6_Addr

Dictionary key name: src_ipv6_addr

traffic_class

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Traffic_Class

Dictionary key name: traffic_class

ttl

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: TTL

Dictionary key name: ttl

class `cybox.objects.network_packet_object.IPv6Option`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6OptionType`

do_not_recogn_action

Type: *cybox.common.properties.String*

XML Binding class name: Do_Not_Recogn_Action

Dictionary key name: do_not_recogn_action

option_byte

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Option_Byte

Dictionary key name: option_byte

packet_change

Type: *cybox.common.properties.String*

XML Binding class name: Packet_Change

Dictionary key name: packet_change

class `cybox.objects.network_packet_object.IPv6Packet`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.IPv6PacketType`

data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Data

Dictionary key name: data

ext_headers

(List of values permitted)

Type: *cybox.objects.network_packet_object.IPv6ExtHeader*

XML Binding class name: Ext_Headers

Dictionary key name: ext_headers

ipv6_header

Type: *cybox.objects.network_packet_object.IPv6Header*

XML Binding class name: IPv6_Header

Dictionary key name: ipv6_header

class `cybox.objects.network_packet_object.InternetLayer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.InternetLayerType`

icmpv4

Type: *cybox.objects.network_packet_object.ICMPv4Packet*

XML Binding class name: ICMPv4

Dictionary key name: icmpv4

icmpv6

Type: *cybox.objects.network_packet_object.ICMPv6Packet*

XML Binding class name: ICMPv6

Dictionary key name: icmpv6

ipv4

Type: *cybox.objects.network_packet_object.IPv4Packet*

XML Binding class name: IPv4

Dictionary key name: ipv4

ipv6

Type: *cybox.objects.network_packet_object.IPv6Packet*

XML Binding class name: IPv6

Dictionary key name: ipv6

class `cybox.objects.network_packet_object.LinkLayer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.LinkLayerType`

logical_protocols

Type: *cybox.objects.network_packet_object.LogicalProtocol*

XML Binding class name: Logical_Protocols

Dictionary key name: logical_protocols

physical_interface

Type: *cybox.objects.network_packet_object.PhysicalInterface*

XML Binding class name: Physical_Interface

Dictionary key name: physical_interface

class `cybox.objects.network_packet_object.LogicalProtocol`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.LogicalProtocolType`

arp_rarp

Type: *cybox.objects.network_packet_object.ARP*

XML Binding class name: ARP_RARP

Dictionary key name: arp_rarp

ndp

Type: *cybox.objects.network_packet_object.NDP*

XML Binding class name: NDP

Dictionary key name: ndp

class `cybox.objects.network_packet_object.NDP`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPType`

icmpv6_header

Type: *cybox.objects.network_packet_object.ICMPv6Header*

XML Binding class name: ICMPv6_Header

Dictionary key name: icmpv6_header

neighbor_advertisement

Type: *cybox.objects.network_packet_object.NeighborAdvertisement*

XML Binding class name: Neighbor_Advertisement

Dictionary key name: neighbor_advertisement

neighbor_solicitation

Type: *cybox.objects.network_packet_object.NeighborSolicitation*

XML Binding class name: Neighbor_Solicitation

Dictionary key name: neighbor_solicitation

redirect

Type: *cybox.objects.network_packet_object.Redirect*

XML Binding class name: Redirect

Dictionary key name: redirect

router_advertisement

Type: *cybox.objects.network_packet_object.RouterAdvertisement*

XML Binding class name: Router_Advertisement

Dictionary key name: router_advertisement

router_solicitation

Type: *cybox.objects.network_packet_object.RouterSolicitation*

XML Binding class name: Router_Solicitation

Dictionary key name: router_solicitation

class `cybox.objects.network_packet_object.NDPLinkAddr`

Bases: `mixbox.entities.Entity`

Abstract Type

XML binding class: `cybox.bindings.network_packet_object.NDPLinkAddrType`

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

link_layer_mac_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Link_Layer_MAC_Addr

Dictionary key name: link_layer_mac_addr

class `cybox.objects.network_packet_object.NDPMTU`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPMTUType`

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

mtu

Type: *cybox.common.properties.Integer*

XML Binding class name: MTU

Dictionary key name: mtu

class `cybox.objects.network_packet_object.NDPPrefixInfo`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPPrefixInfoType`

addr_config_flag

XML Binding class name: `addr_config_flag`

Dictionary key name: `addr_config_flag`

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

link_flag

XML Binding class name: `link_flag`

Dictionary key name: `link_flag`

preferred_lifetime

Type: *cybox.common.properties.Integer*

XML Binding class name: Preferred_Lifetime

Dictionary key name: `preferred_lifetime`

prefix

Type: *cybox.objects.network_packet_object.Prefix*

XML Binding class name: Prefix

Dictionary key name: `prefix`

prefix_length

Type: *cybox.common.properties.Integer*

XML Binding class name: Prefix_Length

Dictionary key name: `prefix_length`

valid_lifetime

Type: *cybox.common.properties.Integer*

XML Binding class name: Valid_Lifetime

Dictionary key name: `valid_lifetime`

class `cybox.objects.network_packet_object.NDPRedirectedHeader`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.NDPRedirectedHeaderType`

ipheader_and_data

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `IPHeader_And_Data`

Dictionary key name: `ipheader_and_data`

length

Type: `cybox.common.properties.Integer`

XML Binding class name: `Length`

Dictionary key name: `length`

class `cybox.objects.network_packet_object.NeighborAdvertisement`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.NeighborAdvertisementType`

options

Type: `cybox.objects.network_packet_object.NeighborOptions`

XML Binding class name: `Options`

Dictionary key name: `options`

override_flag

XML Binding class name: `override_flag`

Dictionary key name: `override_flag`

router_flag

XML Binding class name: `router_flag`

Dictionary key name: `router_flag`

solicited_flag

XML Binding class name: `solicited_flag`

Dictionary key name: `solicited_flag`

target_ipv6_addr

Type: `cybox.objects.address_object.Address`

XML Binding class name: Target_IPv6_Addr

Dictionary key name: target_ipv6_addr

class cybox.objects.network_packet_object.**NeighborOptions**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.network_packet_object.NeighborOptionsType

target_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Target_Link_Addr

Dictionary key name: target_link_addr

class cybox.objects.network_packet_object.**NeighborSolicitation**

Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.network_packet_object.NeighborSolicitationType

options

Type: *cybox.objects.network_packet_object.NeighborSolicitationOptions*

XML Binding class name: Options

Dictionary key name: options

target_ipv6_addr

Type: *cybox.objects.address_object.Address*

XML Binding class name: Target_IPv6_Addr

Dictionary key name: target_ipv6_addr

class cybox.objects.network_packet_object.**NeighborSolicitationOptions**

Bases: mixbox.entities.Entity

XML binding class:

cybox.bindings.network_packet_object.NeighborSolicitationOptionsType

src_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Src_Link_Addr

Dictionary key name: src_link_addr

class cybox.objects.network_packet_object.**NetworkPacket**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.network_packet_object.NetworkPacketObjectType`

internet_layer

Type: `cybox.objects.network_packet_object.InternetLayer`

XML Binding class name: `Internet_Layer`

Dictionary key name: `internet_layer`

link_layer

Type: `cybox.objects.network_packet_object.LinkLayer`

XML Binding class name: `Link_Layer`

Dictionary key name: `link_layer`

transport_layer

Type: `cybox.objects.network_packet_object.TransportLayer`

XML Binding class name: `Transport_Layer`

Dictionary key name: `transport_layer`

class `cybox.objects.network_packet_object.OptionData`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.OptionDataType`

option_data_len

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Option_Data_Len`

Dictionary key name: `option_data_len`

option_type

Type: `cybox.objects.network_packet_object.IPv6Option`

XML Binding class name: `Option_Type`

Dictionary key name: `option_type`

pad1

Type: `cybox.objects.network_packet_object.Pad1`

XML Binding class name: `Pad1`

Dictionary key name: `pad1`

padn

Type: `cybox.objects.network_packet_object.PadN`

XML Binding class name: `PadN`

Dictionary key name: `padn`

class `cybox.objects.network_packet_object.Pad1`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.Pad1Type`

octet

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Octet`
Dictionary key name: `octet`

class `cybox.objects.network_packet_object.PadN`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.PadNType`

octet

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Octet`
Dictionary key name: `octet`

option_data

Type: `cybox.common.properties.Integer`
XML Binding class name: `Option_Data`
Dictionary key name: `option_data`

option_data_length

Type: `cybox.common.properties.Integer`
XML Binding class name: `Option_Data_Length`
Dictionary key name: `option_data_length`

class `cybox.objects.network_packet_object.PhysicalInterface`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.PhysicalInterfaceType`

ethernet

Type: `cybox.objects.network_packet_object.EthernetInterface`
XML Binding class name: `Ethernet`
Dictionary key name: `ethernet`

class `cybox.objects.network_packet_object.Prefix`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.PrefixType`

ip_addr_prefix

Type: `cybox.objects.address_object.Address`
XML Binding class name: `IP_Addr_Prefix`
Dictionary key name: `ip_addr_prefix`

ipv6_addr

Type: `cybox.objects.address_object.Address`
XML Binding class name: `IPv6_Addr`
Dictionary key name: `ipv6_addr`

class `cybox.objects.network_packet_object.Redirect`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RedirectType`

dest_ipv6_addr

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Dest_IPv6_Addr`
Dictionary key name: `dest_ipv6_addr`

options

Type: `cybox.objects.network_packet_object.RedirectOptions`
XML Binding class name: `Options`
Dictionary key name: `options`

target_ipv6_addr

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Target_IPv6_Addr`
Dictionary key name: `target_ipv6_addr`

class `cybox.objects.network_packet_object.RedirectOptions`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RedirectOptionsType`

redirected_header

Type: *cybox.objects.network_packet_object.NDPRedirectedHeader*

XML Binding class name: Redirected_Header

Dictionary key name: redirected_header

target_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Target_Link_Addr

Dictionary key name: target_link_addr

class `cybox.objects.network_packet_object.RouterAdvertisement`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RouterAdvertisementType`

cur_hop_limit

Type: *cybox.common.properties.Integer*

XML Binding class name: Cur_Hop_Limit

Dictionary key name: cur_hop_limit

managed_address_config_flag

XML Binding class name: managed_address_config_flag

Dictionary key name: managed_address_config_flag

options

Type: *cybox.objects.network_packet_object.RouterAdvertisementOptions*

XML Binding class name: Options

Dictionary key name: options

other_config_flag

XML Binding class name: other_config_flag

Dictionary key name: other_config_flag

reachable_time

Type: *cybox.common.properties.Integer*

XML Binding class name: Reachable_Time

Dictionary key name: reachable_time

retrans_timer

Type: *cybox.common.properties.Integer*

XML Binding class name: Retrans_Timer

Dictionary key name: retrans_timer

router_lifetime

Type: *cybox.common.properties.Integer*

XML Binding class name: Router_Lifetime

Dictionary key name: router_lifetime

class `cybox.objects.network_packet_object.RouterAdvertisementOptions`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.RouterAdvertisementOptionsType`

mtu

Type: *cybox.objects.network_packet_object.NDPMTU*

XML Binding class name: MTU

Dictionary key name: mtu

prefix_info

Type: *cybox.objects.network_packet_object.NDPPrefixInfo*

XML Binding class name: Prefix_Info

Dictionary key name: prefix_info

src_link_addr

Type: *cybox.objects.network_packet_object.NDPLinkAddr*

XML Binding class name: Src_Link_Addr

Dictionary key name: src_link_addr

class `cybox.objects.network_packet_object.RouterSolicitation`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RouterSolicitationType`

options

(List of values permitted)

Type: *cybox.objects.network_packet_object.RouterSolicitationOptions*

XML Binding class name: Options

Dictionary key name: options

class `cybox.objects.network_packet_object.RouterSolicitationOptions`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.network_packet_object.RouterSolicitationOptionsType`

src_link_addr

Type: `cybox.objects.network_packet_object.NDPLinkAddr`

XML Binding class name: `Src_Link_Addr`

Dictionary key name: `src_link_addr`

class `cybox.objects.network_packet_object.Routing`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.RoutingType`

header_ext_len

Type: `cybox.common.properties.Integer`

XML Binding class name: `Header_Ext_Len`

Dictionary key name: `header_ext_len`

next_header

Type: `cybox.common.properties.String`

XML Binding class name: `Next_Header`

Dictionary key name: `next_header`

routing_type

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Routing_Type`

Dictionary key name: `routing_type`

segments_left

Type: `cybox.common.properties.Integer`

XML Binding class name: `Segments_Left`

Dictionary key name: `segments_left`

type_specific_data

Type: `cybox.common.properties.String`

XML Binding class name: `Type_Specific_Data`

Dictionary key name: `type_specific_data`

class `cybox.objects.network_packet_object.TCP`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TCPTType`

data

Type: *cybox.common.data_segment.DataSegment*

XML Binding class name: Data

Dictionary key name: data

options

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Options

Dictionary key name: options

tcp_header

Type: *cybox.objects.network_packet_object.TCPHeader*

XML Binding class name: TCP_Header

Dictionary key name: tcp_header

class *cybox.objects.network_packet_object.TCPFlags*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.network_packet_object.TCPFlagsType*

ack

XML Binding class name: ack

Dictionary key name: ack

cwr

XML Binding class name: cwr

Dictionary key name: cwr

ece

XML Binding class name: ece

Dictionary key name: ece

fin

XML Binding class name: fin

Dictionary key name: fin

ns

XML Binding class name: ns

Dictionary key name: ns

psh

XML Binding class name: psh

Dictionary key name: psh

rst

XML Binding class name: rst

Dictionary key name: rst

syn

XML Binding class name: syn

Dictionary key name: syn

urg

XML Binding class name: urg

Dictionary key name: urg

class `cybox.objects.network_packet_object.TCPHeader`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TCPHeaderType`

ack_num

Type: `cybox.common.properties.HexBinary`

XML Binding class name: ACK_Num

Dictionary key name: ack_num

checksum

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Checksum

Dictionary key name: checksum

data_offset

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Data_Offset

Dictionary key name: data_offset

dest_port

Type: `cybox.objects.port_object.Port`

XML Binding class name: Dest_Port

Dictionary key name: dest_port

reserved

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Reserved

Dictionary key name: reserved

seq_num

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Seq_Num

Dictionary key name: seq_num

src_port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Src_Port

Dictionary key name: src_port

tcp_flags

Type: *cybox.objects.network_packet_object.TCPFlags*

XML Binding class name: TCP_Flags

Dictionary key name: tcp_flags

urg_ptr

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Urg_Ptr

Dictionary key name: urg_ptr

window

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Window

Dictionary key name: window

class `cybox.objects.network_packet_object.TransportLayer`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TransportLayerType`

tcp

Type: *cybox.objects.network_packet_object.TCP*

XML Binding class name: TCP

Dictionary key name: tcp

udp

Type: *cybox.objects.network_packet_object.UDP*

XML Binding class name: UDP

Dictionary key name: udp

class `cybox.objects.network_packet_object.TypeLength`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.TypeLengthType`

internet_layer_type

Type: `cybox.common.properties.String`
XML Binding class name: `Internet_Layer_Type`
Dictionary key name: `internet_layer_type`

length

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Length`
Dictionary key name: `length`

class `cybox.objects.network_packet_object.UDP`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.UDPType`

data

Type: `cybox.common.data_segment.DataSegment`
XML Binding class name: `Data`
Dictionary key name: `data`

udp_header

Type: `cybox.objects.network_packet_object.UDPHeader`
XML Binding class name: `UDP_Header`
Dictionary key name: `udp_header`

class `cybox.objects.network_packet_object.UDPHeader`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_packet_object.UDPHeaderType`

checksum

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Checksum`
Dictionary key name: `checksum`

destport

Type: *cybox.objects.port_object.Port*

XML Binding class name: DestPort

Dictionary key name: destport

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

srcport

Type: *cybox.objects.port_object.Port*

XML Binding class name: SrcPort

Dictionary key name: srcport

Version: 2.1.0.12.dev1

cybox.objects.network_route_entry_object module

class `cybox.objects.network_route_entry_object.NetworkRouteEntry`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.network_route_entry_object.NetworkRouteEntryObjectType`

destination_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: Destination_Address

Dictionary key name: destination_address

gateway_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: Gateway_Address

Dictionary key name: gateway_address

interface

Type: *cybox.common.properties.String*

XML Binding class name: Interface

Dictionary key name: interface

is_autoconfigure_address

XML Binding class name: is_autoconfigure_address

Dictionary key name: `is_autoconfigure_address`

is_immortal

XML Binding class name: `is_immortal`

Dictionary key name: `is_immortal`

is_ipv6

XML Binding class name: `is_ipv6`

Dictionary key name: `is_ipv6`

is_loopback

XML Binding class name: `is_loopback`

Dictionary key name: `is_loopback`

is_publish

XML Binding class name: `is_publish`

Dictionary key name: `is_publish`

metric

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Metric`

Dictionary key name: `metric`

netmask

Type: `cybox.objects.address_object.Address`

XML Binding class name: `Netmask`

Dictionary key name: `netmask`

origin

Type: `cybox.objects.address_object.Address`

XML Binding class name: `Origin`

Dictionary key name: `origin`

preferred_lifetime

Type: `cybox.common.properties.Duration`

XML Binding class name: `Preferred_Lifetime`

Dictionary key name: `preferred_lifetime`

protocol

Type: `cybox.common.properties.String`

XML Binding class name: `Protocol`

Dictionary key name: `protocol`

route_age

Type: *cybox.common.properties.Duration*

XML Binding class name: Route_Age

Dictionary key name: route_age

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

valid_lifetime

Type: *cybox.common.properties.Duration*

XML Binding class name: Valid_Lifetime

Dictionary key name: valid_lifetime

Version: 2.1.0.12.dev1

cybox.objects.network_route_object module

class `cybox.objects.network_route_object.NetRoute`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.network_route_object.NetRouteObjectType`

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

is_autoconfigure_address

XML Binding class name: is_autoconfigure_address

Dictionary key name: is_autoconfigure_address

is_immortal

XML Binding class name: is_immortal

Dictionary key name: is_immortal

is_ipv6

XML Binding class name: is_ipv6

Dictionary key name: is_ipv6

is_loopback

XML Binding class name: `is_loopback`

Dictionary key name: `is_loopback`

is_publish

XML Binding class name: `is_publish`

Dictionary key name: `is_publish`

network_route_entries

Type: `cybox.objects.network_route_object.NetworkRouteEntries`

XML Binding class name: `Network_Route_Entries`

Dictionary key name: `network_route_entries`

preferred_lifetime

Type: `cybox.common.properties.Duration`

XML Binding class name: `Preferred_Lifetime`

Dictionary key name: `preferred_lifetime`

route_age

Type: `cybox.common.properties.Duration`

XML Binding class name: `Route_Age`

Dictionary key name: `route_age`

valid_lifetime

Type: `cybox.common.properties.Duration`

XML Binding class name: `Valid_Lifetime`

Dictionary key name: `valid_lifetime`

class `cybox.objects.network_route_object.NetworkRouteEntries` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.network_route_object.NetworkRouteEntriesType`

Version: 2.1.0.12.dev1

cybox.objects.network_socket_object module

class `cybox.objects.network_socket_object.NetworkSocket`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.network_socket_object.NetworkSocketObjectType`

address_family

Type: *cybox.common.properties.String*
XML Binding class name: Address_Family
Dictionary key name: address_family

domain

Type: *cybox.common.properties.String*
XML Binding class name: Domain
Dictionary key name: domain

is_blocking

XML Binding class name: is_blocking
Dictionary key name: is_blocking

is_listening

XML Binding class name: is_listening
Dictionary key name: is_listening

local_address

Type: *cybox.objects.socket_address_object.SocketAddress*
XML Binding class name: Local_Address
Dictionary key name: local_address

options

Type: *cybox.objects.network_socket_object.SocketOptions*
XML Binding class name: Options
Dictionary key name: options

protocol

Type: *cybox.common.properties.String*
XML Binding class name: Protocol
Dictionary key name: protocol

remote_address

Type: *cybox.objects.socket_address_object.SocketAddress*
XML Binding class name: Remote_Address
Dictionary key name: remote_address

socket_descriptor

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Socket_Descriptor
Dictionary key name: socket_descriptor

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class `cybox.objects.network_socket_object.SocketOptions`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.network_socket_object.SocketOptionsType`

ip_multicast_if

Type: *cybox.common.properties.String*

XML Binding class name: IP_MULTICAST_IF

Dictionary key name: ip_multicast_if

ip_multicast_if2

Type: *cybox.common.properties.String*

XML Binding class name: IP_MULTICAST_IF2

Dictionary key name: ip_multicast_if2

ip_multicast_loop

XML Binding class name: IP_MULTICAST_LOOP

Dictionary key name: ip_multicast_loop

ip_tos

Type: *cybox.common.properties.String*

XML Binding class name: IP_TOS

Dictionary key name: ip_tos

so_broadcast

XML Binding class name: SO_BROADCAST

Dictionary key name: so_broadcast

so_conditional_accept

XML Binding class name: SO_CONDITIONAL_ACCEPT

Dictionary key name: so_conditional_accept

so_debug

XML Binding class name: SO_DEBUG

Dictionary key name: so_debug

so_dontlinger

XML Binding class name: SO_DONTLINGER

Dictionary key name: `so_dontlinger`

so_dontroute

XML Binding class name: `SO_DONTRROUTE`

Dictionary key name: `so_dontroute`

so_group_priority

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `SO_GROUP_PRIORITY`

Dictionary key name: `so_group_priority`

so_keepalive

XML Binding class name: `SO_KEEPALIVE`

Dictionary key name: `so_keepalive`

so_linger

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `SO_LINGER`

Dictionary key name: `so_linger`

so_oobinline

XML Binding class name: `SO_OOBINLINE`

Dictionary key name: `so_oobinline`

so_rcvbuf

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `SO_RCVBUF`

Dictionary key name: `so_rcvbuf`

so_rcvtimeo

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `SO_RCVTIMEO`

Dictionary key name: `so_rcvtimeo`

so_reuseaddr

XML Binding class name: `SO_REUSEADDR`

Dictionary key name: `so_reuseaddr`

so_sndbuf

Type: `cybox.common.properties.UnsignedInteger`

XML Binding class name: `SO_SNDBUF`

Dictionary key name: `so_sndbuf`

so_sndtimeo

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: SO_SNDTIMEO

Dictionary key name: so_sndtimeo

so_timeout

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: SO_TIMEOUT

Dictionary key name: so_timeout

so_update_accept_context

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: SO_UPDATE_ACCEPT_CONTEXT

Dictionary key name: so_update_accept_context

tcp_nodelay

XML Binding class name: TCP_NODELAY

Dictionary key name: tcp_nodelay

Version: 2.1.0.12.dev1

cybox.objects.network_subnet_object module

class `cybox.objects.network_subnet_object.NetworkSubnet`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.network_subnet_object.NetworkSubnetObjectType`

description

Type: *cybox.common.structured_text.StructuredText*

XML Binding class name: Description

Dictionary key name: description

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number_of_ip_addresses

Type: *cybox.common.properties.Integer*

XML Binding class name: Number_Of_IP_Addresses

Dictionary key name: number_of_ip_addresses

routes

Type: *cybox.objects.network_subnet_object.Routes*

XML Binding class name: Routes

Dictionary key name: routes

class `cybox.objects.network_subnet_object.Routes` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.network_subnet_object.RoutesType`

Version: 2.1.0.12.dev1

cybox.objects.pdf_file_object module

class `cybox.objects.pdf_file_object.PDFDocumentInformationDictionary`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.pdf_file_object.PDFDocumentInformationDictionaryType`

author

Type: *cybox.common.properties.String*

XML Binding class name: Author

Dictionary key name: author

creationdate

Type: *cybox.common.properties.DateTime*

XML Binding class name: CreationDate

Dictionary key name: creationdate

creator

Type: *cybox.common.properties.String*

XML Binding class name: Creator

Dictionary key name: creator

keywords

Type: *cybox.common.properties.String*

XML Binding class name: Keywords

Dictionary key name: keywords

moddate

Type: *cybox.common.properties.DateTime*
XML Binding class name: ModDate
Dictionary key name: moddate

producer

Type: *cybox.common.properties.String*
XML Binding class name: Producer
Dictionary key name: producer

subject

Type: *cybox.common.properties.String*
XML Binding class name: Subject
Dictionary key name: subject

title

Type: *cybox.common.properties.String*
XML Binding class name: Title
Dictionary key name: title

trapped

Type: *cybox.common.properties.String*
XML Binding class name: Trapped
Dictionary key name: trapped

class `cybox.objects.pdf_file_object.PDFFile`
Bases: *cybox.objects.file_object.File*

XML binding class: `cybox.bindings.pdf_file_object.PDFFileObjectType`

metadata

Type: *cybox.objects.pdf_file_object.PDFFileMetadata*
XML Binding class name: Metadata
Dictionary key name: metadata

version

Type: *cybox.common.properties.Double*
XML Binding class name: Version
Dictionary key name: version

class `cybox.objects.pdf_file_object.PDFFileMetadata`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.pdf_file_object.PDFFileMetadataType`

document_information_dictionary

Type: *cybox.objects.pdf_file_object.PDFDocumentInformationDictionary*

XML Binding class name: Document_Information_Dictionary

Dictionary key name: document_information_dictionary

encrypted

XML Binding class name: encrypted

Dictionary key name: encrypted

keyword_counts

Type: *cybox.objects.pdf_file_object.PDFKeywordCounts*

XML Binding class name: Keyword_Counts

Dictionary key name: keyword_counts

number_of_cross_reference_tables

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Number_Of_Cross_Reference_Tables

Dictionary key name: number_of_cross_reference_tables

number_of_indirect_objects

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Number_Of_Indirect_Objects

Dictionary key name: number_of_indirect_objects

number_of_trailers

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Number_Of_Trailers

Dictionary key name: number_of_trailers

optimized

XML Binding class name: optimized

Dictionary key name: optimized

class `cybox.objects.pdf_file_object.PDFKeywordCount`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.pdf_file_object.PDFKeywordCountType`

non_obfuscated_count

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Non_Obfuscated_Count

Dictionary key name: non_obfuscated_count

obfuscated_count

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Obfuscated_Count

Dictionary key name: obfuscated_count

class `cybox.objects.pdf_file_object.PDFKeywordCounts`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.pdf_file_object.PDFKeywordCountsType`

aa_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: AA_Count

Dictionary key name: aa_count

ascii85decode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: ASCII85Decode_Count

Dictionary key name: ascii85decode_count

asciihexdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: ASCIIHexDecode_Count

Dictionary key name: asciihexdecode_count

ccittfaxdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: CCITTFaxDecode_Count

Dictionary key name: ccittfaxdecode_count

dctdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: DCTDecode_Count

Dictionary key name: dctdecode_count

encrypt_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: Encrypt_Count

Dictionary key name: encrypt_count

flatedecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: FlateDecode_Count

Dictionary key name: flatedecode_count

javascript_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: JavaScript_Count

Dictionary key name: javascript_count

jbig2decode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: JBIG2Decode_Count

Dictionary key name: jbig2decode_count

js_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: JS_Count

Dictionary key name: js_count

launch_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: Launch_Count

Dictionary key name: launch_count

lzwdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: LZWDecode_Count

Dictionary key name: lzwdecode_count

objstm_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: ObjStm_Count

Dictionary key name: objstm_count

openaction_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: OpenAction_Count

Dictionary key name: openaction_count

page_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: Page_Count

Dictionary key name: page_count

richmedia_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: RichMedia_Count

Dictionary key name: richmedia_count

runlengthdecode_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: RunLengthDecode_Count

Dictionary key name: runlengthdecode_count

xfa_count

Type: *cybox.objects.pdf_file_object.PDFKeywordCount*

XML Binding class name: XFA_Count

Dictionary key name: xfa_count

Version: 2.1.0.12.dev1

cybox.objects.pipe_object module

class `cybox.objects.pipe_object.Pipe`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.pipe_object.PipeObjectType`

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

named

XML Binding class name: named

Dictionary key name: named

Version: 2.1.0.12.dev1

cybox.objects.port_object module

class `cybox.objects.port_object.Port`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.port_object.PortObjectType`

layer4_protocol

Type: *cybox.common.properties.String*

XML Binding class name: Layer4_Protocol

Dictionary key name: layer4_protocol

port_value

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Port_Value

Dictionary key name: port_value

Version: 2.1.0.12.dev1

cybox.objects.process_object module

class `cybox.objects.process_object.ArgumentList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.process_object.ArgumentListType`

class `cybox.objects.process_object.ChildPIDList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.process_object.ChildPIDListType`

class `cybox.objects.process_object.ImageInfo`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.process_object.ImageInfoType`

command_line

Type: *cybox.common.properties.String*

XML Binding class name: Command_Line

Dictionary key name: command_line

current_directory

Type: *cybox.common.properties.String*

XML Binding class name: Current_Directory

Dictionary key name: current_directory

file_name

Type: *cybox.common.properties.String*
XML Binding class name: File_Name
Dictionary key name: file_name

path

Type: *cybox.common.properties.String*
XML Binding class name: Path
Dictionary key name: path

class `cybox.objects.process_object.NetworkConnectionList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.process_object.NetworkConnectionListType`

class `cybox.objects.process_object.PortList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.process_object.PortListType`

class `cybox.objects.process_object.Process`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.process_object.ProcessObjectType`

argument_list

Type: *cybox.objects.process_object.ArgumentList*
XML Binding class name: Argument_List
Dictionary key name: argument_list

child_pid_list

Type: *cybox.objects.process_object.ChildPIDList*
XML Binding class name: Child_PID_List
Dictionary key name: child_pid_list

creation_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Creation_Time
Dictionary key name: creation_time

environment_variable_list

Type: *cybox.common.environment_variable.EnvironmentVariableList*

XML Binding class name: Environment_Variable_List

Dictionary key name: environment_variable_list

extracted_features

Type: *cybox.common.extracted_features.ExtractedFeatures*

XML Binding class name: Extracted_Features

Dictionary key name: extracted_features

image_info

Type: *cybox.objects.process_object.ImageInfo*

XML Binding class name: Image_Info

Dictionary key name: image_info

is_hidden

XML Binding class name: is_hidden

Dictionary key name: is_hidden

kernel_time

Type: *cybox.common.properties.Duration*

XML Binding class name: Kernel_Time

Dictionary key name: kernel_time

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

network_connection_list

Type: *cybox.objects.process_object.NetworkConnectionList*

XML Binding class name: Network_Connection_List

Dictionary key name: network_connection_list

parent_pid

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Parent_PID

Dictionary key name: parent_pid

pid

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: PID

Dictionary key name: pid

port_list

Type: *cybox.objects.process_object.PortList*
XML Binding class name: Port_List
Dictionary key name: port_list

start_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Start_Time
Dictionary key name: start_time

user_time

Type: *cybox.common.properties.Duration*
XML Binding class name: User_Time
Dictionary key name: user_time

username

Type: *cybox.common.properties.String*
XML Binding class name: Username
Dictionary key name: username

Version: 2.1.0.12.dev1

cybox.objects.product_object module

class `cybox.objects.product_object.Product`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.product_object.ProductObjectType`

device_details

Type: *cybox.common.object_properties.ObjectProperties*
XML Binding class name: Device_Details
Dictionary key name: device_details

edition

Type: *cybox.common.properties.String*
XML Binding class name: Edition
Dictionary key name: edition

language

Type: *cybox.common.properties.String*
XML Binding class name: Language
Dictionary key name: language

product

Type: *cybox.common.properties.String*

XML Binding class name: Product

Dictionary key name: product

update

Type: *cybox.common.properties.String*

XML Binding class name: Update

Dictionary key name: update

vendor

Type: *cybox.common.properties.String*

XML Binding class name: Vendor

Dictionary key name: vendor

version

Type: *cybox.common.properties.String*

XML Binding class name: Version

Dictionary key name: version

Version: 2.1.0.12.dev1

cybox.objects.semaphore_object module

class `cybox.objects.semaphore_object.Semaphore`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.semaphore_object.SemaphoreObjectType`

current_count

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Current_Count

Dictionary key name: current_count

maximum_count

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Maximum_Count

Dictionary key name: maximum_count

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

named

XML Binding class name: named

Dictionary key name: named

Version: 2.1.0.12.dev1

cybox.objects.sms_message_object module

class cybox.objects.sms_message_object.SMSMessage

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.sms_message_object.SMSMessageObjectType

bits_per_character

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Bits_Per_Character

Dictionary key name: bits_per_character

body

Type: *cybox.common.properties.String*

XML Binding class name: Body

Dictionary key name: body

encoding

Type: *cybox.common.properties.String*

XML Binding class name: Encoding

Dictionary key name: encoding

is_premium

XML Binding class name: is_premium

Dictionary key name: is_premium

length

Type: *cybox.common.properties.Integer*

XML Binding class name: Length

Dictionary key name: length

recipient_phone_number

Type: *cybox.common.properties.String*

XML Binding class name: Recipient_Phone_Number

Dictionary key name: recipient_phone_number

sender_phone_number

Type: *cybox.common.properties.String*

XML Binding class name: Sender_Phone_Number

Dictionary key name: sender_phone_number

sent_datetime

Type: *cybox.common.properties.DateTime*

XML Binding class name: Sent_DateTime

Dictionary key name: sent_datetime

size

Type: *cybox.common.properties.Integer*

XML Binding class name: Size

Dictionary key name: size

user_data_header

Type: *cybox.common.properties.HexBinary*

XML Binding class name: User_Data_Header

Dictionary key name: user_data_header

Version: 2.1.0.12.dev1

cybox.objects.socket_address_object module

class `cybox.objects.socket_address_object.SocketAddress`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.socket_address_object.SocketAddressObjectType`

hostname

Type: *cybox.objects.hostname_object.Hostname*

XML Binding class name: Hostname

Dictionary key name: hostname

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

port

Type: *cybox.objects.port_object.Port*
XML Binding class name: Port
Dictionary key name: port

Version: 2.1.0.12.dev1

cybox.objects.system_object module

class `cybox.objects.system_object.BIOSInfo`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.BIOSInfoType`

bios_date

Type: *cybox.common.properties.Date*
XML Binding class name: BIOS_Date
Dictionary key name: bios_date

bios_manufacturer

Type: *cybox.common.properties.String*
XML Binding class name: BIOS_Manufacturer
Dictionary key name: bios_manufacturer

bios_release_date

Type: *cybox.common.properties.Date*
XML Binding class name: BIOS_Release_Date
Dictionary key name: bios_release_date

bios_serial_number

Type: *cybox.common.properties.String*
XML Binding class name: BIOS_Serial_Number
Dictionary key name: bios_serial_number

bios_version

Type: *cybox.common.properties.String*
XML Binding class name: BIOS_Version
Dictionary key name: bios_version

class `cybox.objects.system_object.DHCPServerList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.DHCPServerListType`

class `cybox.objects.system_object.IPGatewayList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.IPGatewayListType`

class `cybox.objects.system_object.IPInfo`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.IPInfoType`

ip_address

Type: `cybox.objects.address_object.Address`
XML Binding class name: `IP_Address`
Dictionary key name: `ip_address`

subnet_mask

Type: `cybox.objects.address_object.Address`
XML Binding class name: `Subnet_Mask`
Dictionary key name: `subnet_mask`

class `cybox.objects.system_object.IPInfoList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.IPInfoListType`

class `cybox.objects.system_object.NetworkInterface`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.NetworkInterfaceType`

adapter

Type: `cybox.common.properties.String`
XML Binding class name: `Adapter`
Dictionary key name: `adapter`

description

Type: `cybox.common.properties.String`
XML Binding class name: `Description`
Dictionary key name: `description`

dhcp_lease_expires

Type: *cybox.common.properties.DateTime*

XML Binding class name: DHCP_Lease_Expires

Dictionary key name: dhcp_lease_expires

dhcp_lease_obtained

Type: *cybox.common.properties.DateTime*

XML Binding class name: DHCP_Lease_Obtained

Dictionary key name: dhcp_lease_obtained

dhcp_server_list

Type: *cybox.objects.system_object.DHCPServerList*

XML Binding class name: DHCP_Server_List

Dictionary key name: dhcp_server_list

ip_gateway_list

Type: *cybox.objects.system_object.IPGatewayList*

XML Binding class name: IP_Gateway_List

Dictionary key name: ip_gateway_list

ip_list

Type: *cybox.objects.system_object.IPInfoList*

XML Binding class name: IP_List

Dictionary key name: ip_list

mac

Type: *cybox.common.properties.String*

XML Binding class name: MAC

Dictionary key name: mac

class `cybox.objects.system_object.NetworkInterfaceList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.system_object.NetworkInterfaceListType`

class `cybox.objects.system_object.OS`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.system_object.OSType`

bitness

Type: *cybox.common.properties.String*
XML Binding class name: Bitness
Dictionary key name: bitness

build_number

Type: *cybox.common.properties.String*
XML Binding class name: Build_Number
Dictionary key name: build_number

environment_variable_list

Type: *cybox.common.environment_variable.EnvironmentVariableList*
XML Binding class name: Environment_Variable_List
Dictionary key name: environment_variable_list

install_date

Type: *cybox.common.properties.Date*
XML Binding class name: Install_Date
Dictionary key name: install_date

patch_level

Type: *cybox.common.properties.String*
XML Binding class name: Patch_Level
Dictionary key name: patch_level

platform

Type: *cybox.common.platform_specification.PlatformSpecification*
XML Binding class name: Platform
Dictionary key name: platform

class `cybox.objects.system_object.System`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.system_object.SystemObjectType`

available_physical_memory

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Available_Physical_Memory
Dictionary key name: available_physical_memory

bios_info

Type: *cybox.objects.system_object.BIOSInfo*
XML Binding class name: BIOS_Info

Dictionary key name: bios_info

date

Type: *cybox.common.properties.Date*

XML Binding class name: Date

Dictionary key name: date

hostname

Type: *cybox.common.properties.String*

XML Binding class name: Hostname

Dictionary key name: hostname

local_time

Type: *cybox.common.properties.Time*

XML Binding class name: Local_Time

Dictionary key name: local_time

network_interface_list

Type: *cybox.objects.system_object.NetworkInterfaceList*

XML Binding class name: Network_Interface_List

Dictionary key name: network_interface_list

os

Type: *cybox.objects.system_object.OS*

XML Binding class name: OS

Dictionary key name: os

processor

Type: *cybox.common.properties.String*

XML Binding class name: Processor

Dictionary key name: processor

system_time

Type: *cybox.common.properties.Time*

XML Binding class name: System_Time

Dictionary key name: system_time

timezone_dst

Type: *cybox.common.properties.String*

XML Binding class name: Timezone_DST

Dictionary key name: timezone_dst

timezone_standard

Type: *cybox.common.properties.String*
XML Binding class name: `Timezone_Standard`
Dictionary key name: `timezone_standard`

total_physical_memory

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: `Total_Physical_Memory`
Dictionary key name: `total_physical_memory`

uptime

Type: *cybox.common.properties.Duration*
XML Binding class name: `Uptime`
Dictionary key name: `uptime`

username

Type: *cybox.common.properties.String*
XML Binding class name: `Username`
Dictionary key name: `username`

Version: 2.1.0.12.dev1

cybox.objects.uri_object module

class `cybox.objects.uri_object.URI` (*value=None, type_=None*)
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.uri_object.URIOBJECTType`

type_

XML Binding class name: `type_`
Dictionary key name: `type`

value

Type: *cybox.common.properties.AnyURI*
XML Binding class name: `Value`
Dictionary key name: `value`

Version: 2.1.0.12.dev1

cybox.objects.user_account_object module

class `cybox.objects.user_account_object.Group`
Bases: `mixbox.entities.Entity`

An abstract class for account groups.

XML binding class: <undefined>

class `cybox.objects.user_account_object.GroupList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.user_account_object.GroupListType`

class `cybox.objects.user_account_object.Privilege`
Bases: `mixbox.entities.Entity`

An abstract class for account privileges.

XML binding class: <undefined>

class `cybox.objects.user_account_object.PrivilegeList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.user_account_object.PrivilegeListType`

class `cybox.objects.user_account_object.UserAccount`
Bases: `cybox.objects.account_object.Account`

XML binding class: `cybox.bindings.user_account_object.UserAccountObjectType`

full_name

Type: `cybox.common.properties.String`

XML Binding class name: Full_Name

Dictionary key name: full_name

group_list

Type: `cybox.objects.user_account_object.GroupList`

XML Binding class name: Group_List

Dictionary key name: group_list

home_directory

Type: `cybox.common.properties.String`

XML Binding class name: Home_Directory

Dictionary key name: home_directory

last_login

Type: *cybox.common.properties.DateTime*
XML Binding class name: Last_Login
Dictionary key name: last_login

password_required

XML Binding class name: password_required
Dictionary key name: password_required

privilege_list

Type: *cybox.objects.user_account_object.PrivilegeList*
XML Binding class name: Privilege_List
Dictionary key name: privilege_list

script_path

Type: *cybox.common.properties.String*
XML Binding class name: Script_Path
Dictionary key name: script_path

user_password_age

Type: *cybox.common.properties.Duration*
XML Binding class name: User_Password_Age
Dictionary key name: user_password_age

username

Type: *cybox.common.properties.String*
XML Binding class name: Username
Dictionary key name: username

Version: 2.1.0.12.dev1

cybox.objects.volume_object module

class `cybox.objects.volume_object.FileSystemFlagList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.volume_object.FileSystemFlagListType`

class `cybox.objects.volume_object.Volume`
Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.volume_object.VolumeObjectType`

actual_available_allocation_units

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Actual_Available_Allocation_Units
Dictionary key name: actual_available_allocation_units

bytes_per_sector

Type: *cybox.common.properties.PositiveInteger*
XML Binding class name: Bytes_Per_Sector
Dictionary key name: bytes_per_sector

creation_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Creation_Time
Dictionary key name: creation_time

device_path

Type: *cybox.common.properties.String*
XML Binding class name: Device_Path
Dictionary key name: device_path

file_system_flag_list

Type: *cybox.objects.volume_object.FileSystemFlagList*
XML Binding class name: File_System_Flag_List
Dictionary key name: file_system_flag_list

file_system_type

Type: *cybox.common.properties.String*
XML Binding class name: File_System_Type
Dictionary key name: file_system_type

is_mounted

XML Binding class name: is_mounted
Dictionary key name: is_mounted

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

sectors_per_allocation_unit

Type: *cybox.common.properties.UnsignedInteger*
XML Binding class name: Sectors_Per_Allocation_Unit

Dictionary key name: sectors_per_allocation_unit

serial_number

Type: *cybox.common.properties.String*

XML Binding class name: Serial_Number

Dictionary key name: serial_number

total_allocation_units

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Total_Allocation_Units

Dictionary key name: total_allocation_units

Version: 2.1.0.12.dev1

cybox.objects.whois_object module

class cybox.objects.whois_object.**WhoisContact**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.whois_object.WhoisContactType

address

Type: *cybox.common.properties.String*

XML Binding class name: Address

Dictionary key name: address

contact_id

Type: *cybox.common.properties.String*

XML Binding class name: Contact_ID

Dictionary key name: contact_id

contact_type

XML Binding class name: contact_type

Dictionary key name: contact_type

email_address

Type: *cybox.objects.address_object.EmailAddress*

XML Binding class name: Email_Address

Dictionary key name: email_address

fax_number

Type: *cybox.common.properties.String*

XML Binding class name: Fax_Number

Dictionary key name: fax_number

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

organization

Type: *cybox.common.properties.String*

XML Binding class name: Organization

Dictionary key name: organization

phone_number

Type: *cybox.common.properties.String*

XML Binding class name: Phone_Number

Dictionary key name: phone_number

class `cybox.objects.whois_object.WhoisContacts` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisContactsType`

class `cybox.objects.whois_object.WhoisEntry`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.whois_object.WhoisObjectType`

contact_info

Type: *cybox.objects.whois_object.WhoisContact*

XML Binding class name: Contact_Info

Dictionary key name: contact_info

creation_date

Type: *cybox.common.properties.Date*

XML Binding class name: Creation_Date

Dictionary key name: creation_date

dnssec

XML Binding class name: DNSSEC

Dictionary key name: dnssec

domain_id

Type: *cybox.common.properties.String*

XML Binding class name: Domain_ID

Dictionary key name: domain_id

domain_name

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Domain_Name

Dictionary key name: domain_name

expiration_date

Type: *cybox.common.properties.Date*

XML Binding class name: Expiration_Date

Dictionary key name: expiration_date

ip_address

Type: *cybox.objects.address_object.Address*

XML Binding class name: IP_Address

Dictionary key name: ip_address

lookup_date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Lookup_Date

Dictionary key name: lookup_date

nameservers

Type: *cybox.objects.whois_object.WhoisNameservers*

XML Binding class name: Nameservers

Dictionary key name: nameservers

regional_internet_registry

Type: *cybox.common.properties.String*

XML Binding class name: Regional_Internet_Registry

Dictionary key name: regional_internet_registry

registrants

Type: *cybox.objects.whois_object.WhoisRegistrants*

XML Binding class name: Registrants

Dictionary key name: registrants

registrar_info

Type: *cybox.objects.whois_object.WhoisRegistrar*

XML Binding class name: Registrar_Info

Dictionary key name: registrar_info

remarks

Type: *cybox.common.properties.String*

XML Binding class name: Remarks

Dictionary key name: remarks

server_name

Type: *cybox.objects.uri_object.URI*

XML Binding class name: Server_Name

Dictionary key name: server_name

sponsoring_registrar

Type: *cybox.common.properties.String*

XML Binding class name: Sponsoring_Registrar

Dictionary key name: sponsoring_registrar

status

Type: *cybox.objects.whois_object.WhoisStatuses*

XML Binding class name: Status

Dictionary key name: status

updated_date

Type: *cybox.common.properties.Date*

XML Binding class name: Updated_Date

Dictionary key name: updated_date

class `cybox.objects.whois_object.WhoisNameservers` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisNameserversType`

class `cybox.objects.whois_object.WhoisRegistrant`

Bases: *cybox.objects.whois_object.WhoisContact*

XML binding class: `cybox.bindings.whois_object.WhoisRegistrantInfoType`

registrant_id

Type: *cybox.common.properties.String*

XML Binding class name: Registrant_ID

Dictionary key name: registrant_id

class `cybox.objects.whois_object.WhoisRegistrants` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisRegistrantsType`

class `cybox.objects.whois_object.WhoisRegistrar`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.whois_object.WhoisRegistrarInfoType`

address

Type: `cybox.common.properties.String`

XML Binding class name: Address

Dictionary key name: address

contacts

Type: `cybox.objects.whois_object.WhoisContacts`

XML Binding class name: Contacts

Dictionary key name: contacts

email_address

Type: `cybox.objects.address_object.EmailAddress`

XML Binding class name: Email_Address

Dictionary key name: email_address

name

Type: `cybox.common.properties.String`

XML Binding class name: Name

Dictionary key name: name

phone_number

Type: `cybox.common.properties.String`

XML Binding class name: Phone_Number

Dictionary key name: phone_number

referral_url

Type: `cybox.objects.uri_object.URI`

XML Binding class name: Referral_URL

Dictionary key name: referral_url

registrar_guid

Type: *cybox.common.properties.String*
XML Binding class name: Registrar_GUID
Dictionary key name: registrar_guid

registrar_id

Type: *cybox.common.properties.String*
XML Binding class name: Registrar_ID
Dictionary key name: registrar_id

whois_server

Type: *cybox.objects.uri_object.URI*
XML Binding class name: Whois_Server
Dictionary key name: whois_server

class `cybox.objects.whois_object.WhoisStatus` (*value=None*)
Bases: *cybox.common.properties.BaseProperty*

XML binding class: `cybox.bindings.whois_object.WhoisStatusType`

class `cybox.objects.whois_object.WhoisStatuses` (**args*)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.whois_object.WhoisStatusesType`

Version: 2.1.0.12.dev1

cybox.objects.win_computer_account_object module

class `cybox.objects.win_computer_account_object.FullyQualifiedName`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.win_computer_account_object.FullyQualifiedNameType`

full_name

Type: *cybox.common.properties.String*
XML Binding class name: Full_Name
Dictionary key name: full_name

netbeui_name

Type: *cybox.common.properties.String*
XML Binding class name: NetBEUI_Name

Dictionary key name: netbeui_name

class `cybox.objects.win_computer_account_object.Kerberos`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_computer_account_object.KerberosType`

delegation

Type: `cybox.objects.win_computer_account_object.KerberosDelegation`

XML Binding class name: Delegation

Dictionary key name: delegation

ticket

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: Ticket

Dictionary key name: ticket

class `cybox.objects.win_computer_account_object.KerberosDelegation`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_computer_account_object.KerberosDelegationType`

bitmask

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Bitmask

Dictionary key name: bitmask

service

Type: `cybox.objects.win_computer_account_object.KerberosService`

XML Binding class name: Service

Dictionary key name: service

class `cybox.objects.win_computer_account_object.KerberosService`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_computer_account_object.KerberosServiceType`

computer

Type: `cybox.common.properties.String`

XML Binding class name: Computer

Dictionary key name: computer

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

port

Type: *cybox.objects.port_object.Port*

XML Binding class name: Port

Dictionary key name: port

user

Type: *cybox.common.properties.String*

XML Binding class name: User

Dictionary key name: user

class `cybox.objects.win_computer_account_object.WinComputerAccount`

Bases: *cybox.objects.account_object.Account*

XML binding class:

`cybox.bindings.win_computer_account_object.WindowsComputerAccountObjectType`

fully_qualified_name

Type: *cybox.objects.win_computer_account_object.FullyQualifiedName*

XML Binding class name: Fully_Qualified_Name

Dictionary key name: fully_qualified_name

kerberos

Type: *cybox.objects.win_computer_account_object.Kerberos*

XML Binding class name: Kerberos

Dictionary key name: kerberos

security_id

Type: *cybox.common.properties.String*

XML Binding class name: Security_ID

Dictionary key name: security_id

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_critical_section_object module

class `cybox.objects.win_critical_section_object.WinCriticalSection`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.win_critical_section_object.WindowsCriticalSectionObjectType`

address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: Address

Dictionary key name: address

spin_count

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: Spin_Count

Dictionary key name: spin_count

Version: 2.1.0.12.dev1

cybox.objects.win_driver_object module

class `cybox.objects.win_driver_object.DeviceObjectList (*args)`

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_driver_object.DeviceObjectListType`

class `cybox.objects.win_driver_object.DeviceObjectStruct`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_driver_object.DeviceObjectStructType`

attached_device_name

Type: `cybox.common.properties.String`

XML Binding class name: Attached_Device_Name

Dictionary key name: attached_device_name

attached_device_object

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Attached_Device_Object`
Dictionary key name: `attached_device_object`

attached_to_device_name

Type: `cybox.common.properties.String`
XML Binding class name: `Attached_To_Device_Name`
Dictionary key name: `attached_to_device_name`

attached_to_device_object

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Attached_To_Device_Object`
Dictionary key name: `attached_to_device_object`

attached_to_driver_name

Type: `cybox.common.properties.String`
XML Binding class name: `Attached_To_Driver_Name`
Dictionary key name: `attached_to_driver_name`

attached_to_driver_object

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Attached_To_Driver_Object`
Dictionary key name: `attached_to_driver_object`

device_name

Type: `cybox.common.properties.String`
XML Binding class name: `Device_Name`
Dictionary key name: `device_name`

device_object

Type: `cybox.common.properties.UnsignedLong`
XML Binding class name: `Device_Object`
Dictionary key name: `device_object`

class `cybox.objects.win_driver_object.WinDriver`

Bases: `cybox.objects.win_executable_file_object.WinExecutableFile`

XML binding class: `cybox.bindings.win_driver_object.WindowsDriverObjectType`

device_object_list

Type: `cybox.objects.win_driver_object.DeviceObjectList`
XML Binding class name: `Device_Object_List`
Dictionary key name: `device_object_list`

driver_init

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Driver_Init

Dictionary key name: driver_init

driver_name

Type: *cybox.common.properties.String*

XML Binding class name: Driver_Name

Dictionary key name: driver_name

driver_object_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Driver_Object_Address

Dictionary key name: driver_object_address

driver_start_io

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Driver_Start_IO

Dictionary key name: driver_start_io

driver_unload

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Driver_Unload

Dictionary key name: driver_unload

image_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Image_Base

Dictionary key name: image_base

image_size

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Image_Size

Dictionary key name: image_size

irp_mj_cleanup

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CLEANUP

Dictionary key name: irp_mj_cleanup

irp_mj_close

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CLOSE

Dictionary key name: irp_mj_close

irp_mj_create

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CREATE

Dictionary key name: irp_mj_create

irp_mj_create_mailslot

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CREATE_MAILSLLOT

Dictionary key name: irp_mj_create_mailslot

irp_mj_create_named_pipe

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_CREATE_NAMED_PIPE

Dictionary key name: irp_mj_create_named_pipe

irp_mj_device_change

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_DEVICE_CHANGE

Dictionary key name: irp_mj_device_change

irp_mj_device_control

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_DEVICE_CONTROL

Dictionary key name: irp_mj_device_control

irp_mj_directory_control

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_DIRECTORY_CONTROL

Dictionary key name: irp_mj_directory_control

irp_mj_file_system_control

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_FILE_SYSTEM_CONTROL

Dictionary key name: irp_mj_file_system_control

irp_mj_flush_buffers

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_FLUSH_BUFFERS

Dictionary key name: irp_mj_flush_buffers

irp_mj_internal_device_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_INTERNAL_DEVICE_CONTROL
Dictionary key name: irp_mj_internal_device_control

irp_mj_lock_control

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_LOCK_CONTROL
Dictionary key name: irp_mj_lock_control

irp_mj_pnp

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_PNP
Dictionary key name: irp_mj_pnp

irp_mj_power

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_POWER
Dictionary key name: irp_mj_power

irp_mj_query_ea

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_EA
Dictionary key name: irp_mj_query_ea

irp_mj_query_information

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_INFORMATION
Dictionary key name: irp_mj_query_information

irp_mj_query_quota

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_QUOTA
Dictionary key name: irp_mj_query_quota

irp_mj_query_security

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: IRP_MJ_QUERY_SECURITY
Dictionary key name: irp_mj_query_security

irp_mj_query_volume_information

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_QUERY_VOLUME_INFORMATION

Dictionary key name: irp_mj_query_volume_information

irp_mj_read

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_READ

Dictionary key name: irp_mj_read

irp_mj_set_ea

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_EA

Dictionary key name: irp_mj_set_ea

irp_mj_set_information

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_INFORMATION

Dictionary key name: irp_mj_set_information

irp_mj_set_quota

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_QUOTA

Dictionary key name: irp_mj_set_quota

irp_mj_set_security

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_SECURITY

Dictionary key name: irp_mj_set_security

irp_mj_set_volume_information

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SET_VOLUME_INFORMATION

Dictionary key name: irp_mj_set_volume_information

irp_mj_shutdown

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SHUTDOWN

Dictionary key name: irp_mj_shutdown

irp_mj_system_control

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_SYSTEM_CONTROL

Dictionary key name: irp_mj_system_control

irp_mj_write

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: IRP_MJ_WRITE

Dictionary key name: irp_mj_write

Version: 2.1.0.12.dev1

cybox.objects.win_event_log_object module

class `cybox.objects.win_event_log_object.UnformattedMessageList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class:

`cybox.bindings.win_event_log_object.UnformattedMessageListType`

class `cybox.objects.win_event_log_object.WinEventLog`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.win_event_log_object.WindowsEventLogObjectType`

blob

Type: *cybox.common.properties.Base64Binary*

XML Binding class name: Blob

Dictionary key name: blob

category

Type: *cybox.common.properties.String*

XML Binding class name: Category

Dictionary key name: category

category_num

Type: *cybox.common.properties.Long*

XML Binding class name: Category_Num

Dictionary key name: category_num

correlation_activity_id

Type: *cybox.common.properties.String*

XML Binding class name: Correlation_Activity_ID

Dictionary key name: correlation_activity_id

correlation_related_activity_id

Type: *cybox.common.properties.String*
XML Binding class name: Correlation_Related_Activity_ID
Dictionary key name: correlation_related_activity_id

eid

Type: *cybox.common.properties.Long*
XML Binding class name: EID
Dictionary key name: eid

execution_process_id

Type: *cybox.common.properties.String*
XML Binding class name: Execution_Process_ID
Dictionary key name: execution_process_id

execution_thread_id

Type: *cybox.common.properties.String*
XML Binding class name: Execution_Thread_ID
Dictionary key name: execution_thread_id

generation_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Generation_Time
Dictionary key name: generation_time

index

Type: *cybox.common.properties.Long*
XML Binding class name: Index
Dictionary key name: index

log

Type: *cybox.common.properties.String*
XML Binding class name: Log
Dictionary key name: log

machine

Type: *cybox.common.properties.String*
XML Binding class name: Machine
Dictionary key name: machine

message

Type: *cybox.common.properties.String*
XML Binding class name: Message
Dictionary key name: message

reserved

Type: *cybox.common.properties.Long*

XML Binding class name: Reserved

Dictionary key name: reserved

source

Type: *cybox.common.properties.String*

XML Binding class name: Source

Dictionary key name: source

type

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

unformatted_message_list

Type: *cybox.objects.win_event_log_object.UnformattedMessageList*

XML Binding class name: Unformatted_Message_List

Dictionary key name: unformatted_message_list

user

Type: *cybox.common.properties.String*

XML Binding class name: User

Dictionary key name: user

write_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Write_Time

Dictionary key name: write_time

Version: 2.1.0.12.dev1

cybox.objects.win_event_object module

class `cybox.objects.win_event_object.WinEvent`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_event_object.WindowsEventObjectType`

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_executable_file_object module

class cybox.objects.win_executable_file_object.DOSHeader

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_executable_file_object.DOSHeaderType

e_cblp

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_cblp

Dictionary key name: e_cblp

e_cp

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_cp

Dictionary key name: e_cp

e_cparhdr

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_cparhdr

Dictionary key name: e_cparhdr

e_crlc

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_crlc

Dictionary key name: e_crlc

e_cs

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_cs
Dictionary key name: e_cs

e_csum

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_csum
Dictionary key name: e_csum

e_ip

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_ip
Dictionary key name: e_ip

e_lfanew

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_lfanew
Dictionary key name: e_lfanew

e_lfarlc

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_lfarlc
Dictionary key name: e_lfarlc

e_magic

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_magic
Dictionary key name: e_magic

e_maxalloc

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_maxalloc
Dictionary key name: e_maxalloc

e_minalloc

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_minalloc
Dictionary key name: e_minalloc

e_oemid

Type: *cybox.common.properties.HexBinary*
XML Binding class name: e_oemid
Dictionary key name: e_oemid

e_oeminfo

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_oeminfo

Dictionary key name: e_oeminfo

e_ovro

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_ovro

Dictionary key name: e_ovro

e_sp

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_sp

Dictionary key name: e_sp

e_ss

Type: *cybox.common.properties.HexBinary*

XML Binding class name: e_ss

Dictionary key name: e_ss

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

reserved2

Type: *cybox.common.properties.HexBinary*

XML Binding class name: reserved2

Dictionary key name: reserved2

class `cybox.objects.win_executable_file_object.DataDirectory`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.DataDirectoryType`

architecture

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Architecture

Dictionary key name: architecture

base_relocation_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Base_Relocation_Table
Dictionary key name: base_relocation_table

bound_import

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Bound_Import
Dictionary key name: bound_import

certificate_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Certificate_Table
Dictionary key name: certificate_table

clr_runtime_header

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: CLR_Runtime_Header
Dictionary key name: clr_runtime_header

debug

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Debug
Dictionary key name: debug

delay_import_descriptor

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Delay_Import_Descriptor
Dictionary key name: delay_import_descriptor

exception_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Exception_Table
Dictionary key name: exception_table

export_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Export_Table
Dictionary key name: export_table

global_ptr

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*
XML Binding class name: Global_Ptr
Dictionary key name: global_ptr

import_address_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Import_Address_Table

Dictionary key name: import_address_table

import_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Import_Table

Dictionary key name: import_table

load_config_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Load_Config_Table

Dictionary key name: load_config_table

reserved

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Reserved

Dictionary key name: reserved

resource_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Resource_Table

Dictionary key name: resource_table

tls_table

Type: *cybox.objects.win_executable_file_object.PEDataDirectoryStruct*

XML Binding class name: Tls_Table

Dictionary key name: tls_table

class *cybox.objects.win_executable_file_object*.Entropy

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.win_executable_file_object.EntropyType*

max

Type: *cybox.common.properties.Float*

XML Binding class name: Max

Dictionary key name: max

min

Type: *cybox.common.properties.Float*
XML Binding class name: Min
Dictionary key name: min

value

Type: *cybox.common.properties.Float*
XML Binding class name: Value
Dictionary key name: value

class `cybox.objects.win_executable_file_object.PEBuildInformation`
Bases: `mixbox.entities.Entity`

XML binding class:
`cybox.bindings.win_executable_file_object.PEBuildInformationType`

compiler_name

Type: *cybox.common.properties.String*
XML Binding class name: Compiler_Name
Dictionary key name: compiler_name

compiler_version

Type: *cybox.common.properties.String*
XML Binding class name: Compiler_Version
Dictionary key name: compiler_version

linker_name

Type: *cybox.common.properties.String*
XML Binding class name: Linker_Name
Dictionary key name: linker_name

linker_version

Type: *cybox.common.properties.String*
XML Binding class name: Linker_Version
Dictionary key name: linker_version

class `cybox.objects.win_executable_file_object.PEChecksum`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEChecksumType`

pe_computed_api

Type: *cybox.common.properties.Long*

XML Binding class name: PE_Computed_API

Dictionary key name: pe_computed_api

pe_file_api

Type: *cybox.common.properties.Long*

XML Binding class name: PE_File_API

Dictionary key name: pe_file_api

pe_file_raw

Type: *cybox.common.properties.Long*

XML Binding class name: PE_File_Raw

Dictionary key name: pe_file_raw

class `cybox.objects.win_executable_file_object.PEDataDirectoryStruct`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PEDataDirectoryStructType`

size

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Size

Dictionary key name: size

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class `cybox.objects.win_executable_file_object.PEExportedFunction`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PEExportedFunctionType`

entry_point

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Entry_Point

Dictionary key name: entry_point

function_name

Type: *cybox.common.properties.String*

XML Binding class name: Function_Name

Dictionary key name: function_name

ordinal

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Ordinal

Dictionary key name: ordinal

class `cybox.objects.win_executable_file_object.PEExportedFunctions` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class:

`cybox.bindings.win_executable_file_object.PEExportedFunctionsType`

class `cybox.objects.win_executable_file_object.PEExports`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEExportsType`

exported_functions

Type: *cybox.objects.win_executable_file_object.PEExportedFunctions*

XML Binding class name: Exported_Functions

Dictionary key name: exported_functions

exports_time_stamp

Type: *cybox.common.properties.DateTime*

XML Binding class name: Exports_Time_Stamp

Dictionary key name: exports_time_stamp

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number_of_addresses

Type: *cybox.common.properties.Long*

XML Binding class name: Number_Of_Addresses

Dictionary key name: number_of_addresses

number_of_functions

Type: *cybox.common.properties.Integer*

XML Binding class name: Number_Of_Functions

Dictionary key name: number_of_functions

number_of_names

Type: *cybox.common.properties.Long*

XML Binding class name: Number_Of_Names

Dictionary key name: number_of_names

class cybox.objects.win_executable_file_object.PEFileHeader

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_executable_file_object.PEFileHeaderType

characteristics

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Characteristics

Dictionary key name: characteristics

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

machine

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Machine

Dictionary key name: machine

number_of_sections

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Sections

Dictionary key name: number_of_sections

number_of_symbols

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Symbols

Dictionary key name: number_of_symbols

pointer_to_symbol_table

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Symbol_Table

Dictionary key name: pointer_to_symbol_table

size_of_optional_header

Type: *cybox.common.properties.HexBinary*
XML Binding class name: *Size_Of_Optional_Header*
Dictionary key name: *size_of_optional_header*

time_date_stamp

Type: *cybox.common.properties.HexBinary*
XML Binding class name: *Time_Date_Stamp*
Dictionary key name: *time_date_stamp*

class *cybox.objects.win_executable_file_object.PEHeaders*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.win_executable_file_object.PEHeadersType*

dos_header

Type: *cybox.objects.win_executable_file_object.DOSHeader*
XML Binding class name: *DOS_Header*
Dictionary key name: *dos_header*

entropy

Type: *cybox.objects.win_executable_file_object.Entropy*
XML Binding class name: *Entropy*
Dictionary key name: *entropy*

file_header

Type: *cybox.objects.win_executable_file_object.PEFileHeader*
XML Binding class name: *File_Header*
Dictionary key name: *file_header*

hashes

Type: *cybox.common.hashes.HashList*
XML Binding class name: *Hashes*
Dictionary key name: *hashes*

optional_header

Type: *cybox.objects.win_executable_file_object.PEOptionalHeader*
XML Binding class name: *Optional_Header*
Dictionary key name: *optional_header*

signature

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Signature

Dictionary key name: signature

class `cybox.objects.win_executable_file_object.PEImport`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEImportType`

delay_load

XML Binding class name: delay_load

Dictionary key name: delay_load

file_name

Type: *cybox.common.properties.String*

XML Binding class name: File_Name

Dictionary key name: file_name

imported_functions

Type: *cybox.objects.win_executable_file_object.PEImportedFunctions*

XML Binding class name: Imported_Functions

Dictionary key name: imported_functions

initially_visible

XML Binding class name: initially_visible

Dictionary key name: initially_visible

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class `cybox.objects.win_executable_file_object.PEImportList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_executable_file_object.PEImportListType`

class `cybox.objects.win_executable_file_object.PEImportedFunction`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PEImportedFunctionType`

bound

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Bound

Dictionary key name: bound

function_name

Type: *cybox.common.properties.String*

XML Binding class name: Function_Name

Dictionary key name: function_name

hint

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Hint

Dictionary key name: hint

ordinal

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Ordinal

Dictionary key name: ordinal

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class `cybox.objects.win_executable_file_object.PEImportedFunctions` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class:

`cybox.bindings.win_executable_file_object.PEImportedFunctionsType`

class `cybox.objects.win_executable_file_object.PEOptionalHeader`
Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PEOptionalHeaderType`

address_of_entry_point

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Address_Of_Entry_Point

Dictionary key name: address_of_entry_point

base_of_code

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Base_Of_Code

Dictionary key name: base_of_code

base_of_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Base_Of_Data

Dictionary key name: base_of_data

checksum

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Checksum

Dictionary key name: checksum

data_directory

Type: *cybox.objects.win_executable_file_object.DataDirectory*

XML Binding class name: Data_Directory

Dictionary key name: data_directory

dll_characteristics

Type: *cybox.common.properties.HexBinary*

XML Binding class name: DLL_Characteristics

Dictionary key name: dll_characteristics

file_alignment

Type: *cybox.common.properties.HexBinary*

XML Binding class name: File_Alignment

Dictionary key name: file_alignment

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

image_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Image_Base

Dictionary key name: image_base

loader_flags

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Loader_Flags

Dictionary key name: loader_flags

magic

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Magic

Dictionary key name: magic

major_image_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_Image_Version

Dictionary key name: major_image_version

major_linker_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_Linker_Version

Dictionary key name: major_linker_version

major_os_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_OS_Version

Dictionary key name: major_os_version

major_subsystem_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Major_Subsystem_Version

Dictionary key name: major_subsystem_version

minor_image_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_Image_Version

Dictionary key name: minor_image_version

minor_linker_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_Linker_Version

Dictionary key name: minor_linker_version

minor_os_version

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Minor_OS_Version

Dictionary key name: minor_os_version

minor_subsystem_version

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Minor_Subsystem_Version
Dictionary key name: minor_subsystem_version

number_of_rva_and_sizes

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Number_Of_Rva_And_Sizes
Dictionary key name: number_of_rva_and_sizes

section_alignment

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Section_Alignment
Dictionary key name: section_alignment

size_of_code

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Size_Of_Code
Dictionary key name: size_of_code

size_of_headers

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Size_Of_Headers
Dictionary key name: size_of_headers

size_of_heap_commit

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Size_Of_Heap_Commit
Dictionary key name: size_of_heap_commit

size_of_heap_reserve

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Size_Of_Heap_Reserve
Dictionary key name: size_of_heap_reserve

size_of_image

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Size_Of_Image
Dictionary key name: size_of_image

size_of_initialized_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Initialized_Data

Dictionary key name: size_of_initialized_data

size_of_stack_commit

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Stack_Commit

Dictionary key name: size_of_stack_commit

size_of_stack_reserve

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Stack_Reserve

Dictionary key name: size_of_stack_reserve

size_of_uninitialized_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Uninitialized_Data

Dictionary key name: size_of_uninitialized_data

subsystem

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Subsystem

Dictionary key name: subsystem

win32_version_value

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Win32_Version_Value

Dictionary key name: win32_version_value

class `cybox.objects.win_executable_file_object.PEResource`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PEResourceType`

data

Type: *cybox.common.properties.String*

XML Binding class name: Data

Dictionary key name: data

hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Hashes

Dictionary key name: hashes

language

Type: *cybox.common.properties.String*

XML Binding class name: Language

Dictionary key name: language

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

size

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: Size

Dictionary key name: size

sub_language

Type: *cybox.common.properties.String*

XML Binding class name: Sub_Language

Dictionary key name: sub_language

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

class `cybox.objects.win_executable_file_object.PEResourceList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_executable_file_object.PEResourceListType`

static from_list (*pe_resource_list*)

class `cybox.objects.win_executable_file_object.PESection`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_executable_file_object.PESectionType`

data_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Data_Hashes

Dictionary key name: data_hashes

entropy

Type: *cybox.objects.win_executable_file_object.Entropy*

XML Binding class name: Entropy

Dictionary key name: entropy

header_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Header_Hashes

Dictionary key name: header_hashes

section_header

Type: *cybox.objects.win_executable_file_object.PESectionHeaderStruct*

XML Binding class name: Section_Header

Dictionary key name: section_header

class `cybox.objects.win_executable_file_object.PESectionHeaderStruct`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.win_executable_file_object.PESectionHeaderStructType`

characteristics

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Characteristics

Dictionary key name: characteristics

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

number_of_linenumbers

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Linenumbers

Dictionary key name: number_of_linenumbers

number_of_relocations

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Relocations

Dictionary key name: number_of_relocations

pointer_to_linenumbers

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Linenumbers

Dictionary key name: pointer_to_linenumbers

pointer_to_raw_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Raw_Data

Dictionary key name: pointer_to_raw_data

pointer_to_relocations

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pointer_To_Relocations

Dictionary key name: pointer_to_relocations

size_of_raw_data

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Size_Of_Raw_Data

Dictionary key name: size_of_raw_data

virtual_address

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Address

Dictionary key name: virtual_address

virtual_size

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Virtual_Size

Dictionary key name: virtual_size

class `cybox.objects.win_executable_file_object.PESectionList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_executable_file_object.PESectionListType`

class `cybox.objects.win_executable_file_object.PEVersionInfoResource`

Bases: `cybox.objects.win_executable_file_object.PEResource`

XML binding class:

`cybox.bindings.win_executable_file_object.PEVersionInfoResourceType`

comments

Type: *cybox.common.properties.String*

XML Binding class name: Comments

Dictionary key name: comments

companyname

Type: *cybox.common.properties.String*

XML Binding class name: CompanyName

Dictionary key name: companyname

filedescription

Type: *cybox.common.properties.String*

XML Binding class name: FileDescription

Dictionary key name: filedescription

fileversion

Type: *cybox.common.properties.String*

XML Binding class name: FileVersion

Dictionary key name: fileversion

internalname

Type: *cybox.common.properties.String*

XML Binding class name: InternalName

Dictionary key name: internalname

static keyword_test (*pe_resource_dict*)

langid

Type: *cybox.common.properties.String*

XML Binding class name: LangID

Dictionary key name: langid

legalcopyright

Type: *cybox.common.properties.String*

XML Binding class name: LegalCopyright

Dictionary key name: legalcopyright

legaltrademarks

Type: *cybox.common.properties.String*

XML Binding class name: LegalTrademarks

Dictionary key name: legaltrademarks

originalfilename

Type: *cybox.common.properties.String*

XML Binding class name: OriginalFilename

Dictionary key name: originalfilename

privatebuild

Type: *cybox.common.properties.String*

XML Binding class name: PrivateBuild

Dictionary key name: privatebuild

productname

Type: *cybox.common.properties.String*

XML Binding class name: ProductName

Dictionary key name: productname

productversion

Type: *cybox.common.properties.String*

XML Binding class name: ProductVersion

Dictionary key name: productversion

specialbuild

Type: *cybox.common.properties.String*

XML Binding class name: SpecialBuild

Dictionary key name: specialbuild

class `cybox.objects.win_executable_file_object.WinExecutableFile`

Bases: *cybox.objects.win_file_object.WinFile*

XML binding class:

`cybox.bindings.win_executable_file_object.WindowsExecutableFileObjectType`

build_information

Type: *cybox.objects.win_executable_file_object.PEBuildInformation*

XML Binding class name: Build_Information

Dictionary key name: build_information

digital_signature

Type: *cybox.common.digitalsignature.DigitalSignature*

XML Binding class name: Digital_Signature

Dictionary key name: digital_signature

exports

Type: *cybox.objects.win_executable_file_object.PEExports*

XML Binding class name: Exports

Dictionary key name: exports

extraneous_bytes

Type: *cybox.common.properties.Integer*

XML Binding class name: Extraneous_Bytes

Dictionary key name: extraneous_bytes

headers

Type: *cybox.objects.win_executable_file_object.PEHeaders*

XML Binding class name: Headers

Dictionary key name: headers

imports

Type: *cybox.objects.win_executable_file_object.PEImportList*

XML Binding class name: Imports

Dictionary key name: imports

pe_checksum

Type: *cybox.objects.win_executable_file_object.PEChecksum*

XML Binding class name: PE_Checksum

Dictionary key name: pe_checksum

resources

Type: *cybox.objects.win_executable_file_object.PEResourceList*

XML Binding class name: Resources

Dictionary key name: resources

sections

Type: *cybox.objects.win_executable_file_object.PESectionList*

XML Binding class name: Sections

Dictionary key name: sections

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_file_object module

class cybox.objects.win_file_object.**Stream**
Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_file_object.StreamObjectType

hashes

(List of values permitted)

Type: *cybox.common.hashes.Hash*

XML Binding class name: Hash

Dictionary key name: hashes

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

size_in_bytes

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Size_In_Bytes

Dictionary key name: size_in_bytes

class cybox.objects.win_file_object.**StreamList** (*args)
Bases: mixbox.entities.EntityList

XML binding class: cybox.bindings.win_file_object.StreamListType

class cybox.objects.win_file_object.**WinFile**
Bases: *cybox.objects.file_object.File*

XML binding class: cybox.bindings.win_file_object.WindowsFileObjectType

drive

Type: *cybox.common.properties.String*

XML Binding class name: Drive

Dictionary key name: drive

file_attributes_list

Type: *cybox.objects.win_file_object.WindowsFileAttributes*

XML Binding class name: File_Attributes_List

Dictionary key name: `file_attributes_list`

filename_accessed_time

Type: `cybox.common.properties.DateTime`
 XML Binding class name: `Filename_Accessed_Time`
 Dictionary key name: `filename_accessed_time`

filename_created_time

Type: `cybox.common.properties.DateTime`
 XML Binding class name: `Filename_Created_Time`
 Dictionary key name: `filename_created_time`

filename_modified_time

Type: `cybox.common.properties.DateTime`
 XML Binding class name: `Filename_Modified_Time`
 Dictionary key name: `filename_modified_time`

privilege_list

Type: `cybox.objects.win_file_object.WindowsFilePermissions`
 XML Binding class name: `Permissions`
 Dictionary key name: `permissions`

security_id

Type: `cybox.common.properties.String`
 XML Binding class name: `Security_ID`
 Dictionary key name: `security_id`

security_type

Type: `cybox.common.properties.String`
 XML Binding class name: `Security_Type`
 Dictionary key name: `security_type`

stream_list

Type: `cybox.objects.win_file_object.StreamList`
 XML Binding class name: `Stream_List`
 Dictionary key name: `stream_list`

class `cybox.objects.win_file_object.WindowsFileAttribute` (*value=None*)
 Bases: `cybox.common.properties.String`

XML binding class: `cybox.bindings.win_file_object.WindowsFileAttributeType`

class `cybox.objects.win_file_object.WindowsFileAttributes` (*args)
Bases: `cybox.objects.file_object.FileAttribute`, `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_file_object.WindowsFileAttributesType`

class `cybox.objects.win_file_object.WindowsFilePermissions`
Bases: `cybox.objects.file_object.FilePermissions`, `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_file_object.WindowsFilePermissionsType`

full_control

XML Binding class name: `Full_Control`

Dictionary key name: `full_control`

modify

XML Binding class name: `Modify`

Dictionary key name: `modify`

read

XML Binding class name: `Read`

Dictionary key name: `read`

read_and_execute

XML Binding class name: `Read_And_Execute`

Dictionary key name: `read_and_execute`

write

XML Binding class name: `Write`

Dictionary key name: `write`

Version: 2.1.0.12.dev1

`cybox.objects.win_filemapping_object` module

class `cybox.objects.win_filemapping_object.WinFilemapping`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:
`cybox.bindings.win_filemapping_object.WindowsFilemappingObjectType`

actual_size

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Actual_Size

Dictionary key name: actual_size

file_handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: File_Handle

Dictionary key name: file_handle

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

maximum_size

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Maximum_Size

Dictionary key name: maximum_size

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

page_protection_attribute

(List of values permitted)

Type: *cybox.common.properties.String*

XML Binding class name: Page_Protection_Attribute

Dictionary key name: page_protection_attribute

page_protection_value

Type: *cybox.common.properties.String*

XML Binding class name: Page_Protection_Value

Dictionary key name: page_protection_value

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_handle_object module

class cybox.objects.win_handle_object.**WinHandle**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: *cybox.bindings.win_handle_object.WindowsHandleObjectType*

access_mask

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Access_Mask

Dictionary key name: access_mask

id_

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: ID

Dictionary key name: id

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

object_address

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Object_Address

Dictionary key name: object_address

pointer_count

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Pointer_Count

Dictionary key name: pointer_count

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

class cybox.objects.win_handle_object.**WinHandleList** (*args)

Bases: *mixbox.entities.EntityList*

XML binding class: *cybox.bindings.win_handle_object.WindowsHandleListType*

Version: 2.1.0.12.dev1

cybox.objects.win_hook_object module

class cybox.objects.win_hook_object.**WinHook**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: cybox.bindings.win_hook_object.WindowsHookObjectType

handle

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: Handle

Dictionary key name: handle

hooking_function_name

Type: *cybox.common.properties.String*

XML Binding class name: Hooking_Function_Name

Dictionary key name: hooking_function_name

hooking_module

Type: *cybox.objects.library_object.Library*

XML Binding class name: Hooking_Module

Dictionary key name: hooking_module

thread_id

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Thread_ID

Dictionary key name: thread_id

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_kernel_hook_object module

class cybox.objects.win_kernel_hook_object.**WinKernelHook**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

cybox.bindings.win_kernel_hook_object.WindowsKernelHookObjectType

digital_signature_hooked

Type: *cybox.common.digitalsignature.DigitalSignature*

XML Binding class name: Digital_Signature_Hooked

Dictionary key name: digital_signature_hooked

digital_signature_hooking

Type: *cybox.common.digitalsignature.DigitalSignature*

XML Binding class name: Digital_Signature_Hooking

Dictionary key name: digital_signature_hooking

hook_description

Type: *cybox.common.properties.String*

XML Binding class name: Hook_Description

Dictionary key name: hook_description

hooked_function

Type: *cybox.common.properties.String*

XML Binding class name: Hooked_Function

Dictionary key name: hooked_function

hooked_module

Type: *cybox.common.properties.String*

XML Binding class name: Hooked_Module

Dictionary key name: hooked_module

hooking_address

Type: *cybox.common.properties.UnsignedLong*

XML Binding class name: Hooking_Address

Dictionary key name: hooking_address

hooking_module

Type: *cybox.common.properties.String*

XML Binding class name: Hooking_Module

Dictionary key name: hooking_module

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_kernel_object module

class `cybox.objects.win_kernel_object.IDTEntry`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_kernel_object.IDTEntryType`

offset_high

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Offset_High`
Dictionary key name: `offset_high`

offset_low

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Offset_Low`
Dictionary key name: `offset_low`

offset_middle

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Offset_Middle`
Dictionary key name: `offset_middle`

selector

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Selector`
Dictionary key name: `selector`

type_attr

Type: `cybox.common.properties.HexBinary`
XML Binding class name: `Type_Attr`
Dictionary key name: `type_attr`

class `cybox.objects.win_kernel_object.IDTEntryList` (*args)
Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_kernel_object.IDTEntryListType`

class `cybox.objects.win_kernel_object.SSDTEntry`
Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_kernel_object.SSDTEntryType`

argument_table_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Argument_Table_Base

Dictionary key name: argument_table_base

hooked

XML Binding class name: hooked

Dictionary key name: hooked

number_of_services

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Number_Of_Services

Dictionary key name: number_of_services

service_counter_table_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Service_Counter_Table_Base

Dictionary key name: service_counter_table_base

service_table_base

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Service_Table_Base

Dictionary key name: service_table_base

class `cybox.objects.win_kernel_object.SSDTEntryList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_kernel_object.SSDTEntryListType`

class `cybox.objects.win_kernel_object.WinKernel`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_kernel_object.WindowsKernelObjectType`

idt

Type: *cybox.objects.win_kernel_object.IDTEntryList*

XML Binding class name: IDT

Dictionary key name: idt

ssdt

Type: *cybox.objects.win_kernel_object.SSDTEntryList*

XML Binding class name: SSdT

Dictionary key name: ssdt

Version: 2.1.0.12.dev1

cybox.objects.win_mailslot_object module

class `cybox.objects.win_mailslot_object.WinMailslot`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.win_mailslot_object.WindowsMailslotObjectType`

handle

Type: `cybox.objects.win_handle_object.WinHandle`

XML Binding class name: Handle

Dictionary key name: handle

max_message_size

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: Max_Message_Size

Dictionary key name: max_message_size

name

Type: `cybox.common.properties.String`

XML Binding class name: Name

Dictionary key name: name

read_timeout

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: Read_Timeout

Dictionary key name: read_timeout

security_attributes

Type: `cybox.common.properties.String`

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_memory_page_region_object module

class `cybox.objects.win_memory_page_region_object.WinMemoryPageRegion`

Bases: `cybox.objects.memory_object.Memory`

XML binding class:

`cybox.bindings.win_memory_page_region_object.WindowsMemoryPageRegionObjectType`

allocation_base_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Allocation_Base_Address`

Dictionary key name: `allocation_base_address`

allocation_protect

Type: `cybox.common.properties.String`

XML Binding class name: `Allocation_Protect`

Dictionary key name: `allocation_protect`

block_type

Type: `cybox.common.properties.String`

XML Binding class name: `Block_Type`

Dictionary key name: `block_type`

extracted_features

Type: `cybox.common.extracted_features.ExtractedFeatures`

XML Binding class name: `Extracted_Features`

Dictionary key name: `extracted_features`

hashes

Type: `cybox.common.hashes.HashList`

XML Binding class name: `Hashes`

Dictionary key name: `hashes`

is_injected

XML Binding class name: `is_injected`

Dictionary key name: `is_injected`

is_mapped

XML Binding class name: `is_mapped`

Dictionary key name: `is_mapped`

is_protected

XML Binding class name: `is_protected`

Dictionary key name: `is_protected`

is_volatile

XML Binding class name: `is_volatile`

Dictionary key name: `is_volatile`

memory_source

Type: `cybox.common.properties.String`

XML Binding class name: `Memory_Source`

Dictionary key name: `memory_source`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

protect

Type: `cybox.common.properties.String`

XML Binding class name: `Protect`

Dictionary key name: `protect`

region_end_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_End_Address`

Dictionary key name: `region_end_address`

region_size

Type: `cybox.common.properties.UnsignedLong`

XML Binding class name: `Region_Size`

Dictionary key name: `region_size`

region_start_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Region_Start_Address`

Dictionary key name: `region_start_address`

state

Type: `cybox.common.properties.String`

XML Binding class name: `State`

Dictionary key name: `state`

type_

Type: `cybox.common.properties.String`

XML Binding class name: `Type`

Dictionary key name: `type`

Version: 2.1.0.12.dev1

cybox.objects.win_mutex_object module

class `cybox.objects.win_mutex_object.WinMutex`
Bases: `cybox.objects.mutex_object.Mutex`

XML binding class: `cybox.bindings.win_mutex_object.WindowsMutexObjectType`

handle

Type: `cybox.objects.win_handle_object.WinHandle`
XML Binding class name: Handle
Dictionary key name: handle

security_attributes

Type: `cybox.common.properties.String`
XML Binding class name: Security_Attributes
Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_network_route_entry_object module

class `cybox.objects.win_network_route_entry_object.WinNetworkRouteEntry`
Bases: `cybox.objects.network_route_entry_object.NetworkRouteEntry`

XML binding class:
`cybox.bindings.win_network_route_entry_object.WindowsNetworkRouteEntryObjectType`

nl_route_origin

Type: `cybox.common.properties.String`
XML Binding class name: NL_ROUTE_ORIGIN
Dictionary key name: nl_route_origin

nl_route_protocol

Type: `cybox.common.properties.String`
XML Binding class name: NL_ROUTE_PROTOCOL
Dictionary key name: nl_route_protocol

Version: 2.1.0.12.dev1

cybox.objects.win_network_share_object module

class `cybox.objects.win_network_share_object.WinNetworkShare`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.win_network_share_object.WindowsNetworkShareObjectType`

access_all

XML Binding class name: ACCESS_ALL

Dictionary key name: access_all

access_atrib

XML Binding class name: ACCESS_ATRIB

Dictionary key name: access_atrib

access_create

XML Binding class name: ACCESS_CREATE

Dictionary key name: access_create

access_delete

XML Binding class name: ACCESS_DELETE

Dictionary key name: access_delete

access_exec

XML Binding class name: ACCESS_EXEC

Dictionary key name: access_exec

access_perm

XML Binding class name: ACCESS_PERM

Dictionary key name: access_perm

access_read

XML Binding class name: ACCESS_READ

Dictionary key name: access_read

access_write

XML Binding class name: ACCESS_WRITE

Dictionary key name: access_write

current_uses

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: Current_Uses

Dictionary key name: current_uses

local_path

Type: *cybox.common.properties.String*
XML Binding class name: Local_Path
Dictionary key name: local_path

max_uses

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Max_Uses
Dictionary key name: max_uses

netname

Type: *cybox.common.properties.String*
XML Binding class name: Netname
Dictionary key name: netname

type

Type: *cybox.common.properties.String*
XML Binding class name: Type
Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.win_pipe_object module

class `cybox.objects.win_pipe_object.WinPipe`
Bases: *cybox.objects.pipe_object.Pipe*

XML binding class: `cybox.bindings.win_pipe_object.WindowsPipeObjectType`

default_time_out

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: Default_Time_Out
Dictionary key name: default_time_out

handle

Type: *cybox.objects.win_handle_object.WinHandle*
XML Binding class name: Handle
Dictionary key name: handle

in_buffer_size

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: In_Buffer_Size
Dictionary key name: in_buffer_size

max_instances

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Max_Instances

Dictionary key name: max_instances

open_mode

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Open_Mode

Dictionary key name: open_mode

out_buffer_size

Type: *cybox.common.properties.NonNegativeInteger*

XML Binding class name: Out_Buffer_Size

Dictionary key name: out_buffer_size

pipe_mode

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Pipe_Mode

Dictionary key name: pipe_mode

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_prefetch_object module

class `cybox.objects.win_prefetch_object.AccessedDirectoryList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_prefetch_object.AccessedDirectoryListType`

class `cybox.objects.win_prefetch_object.AccessedFileList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_prefetch_object.AccessedFileListType`

class `cybox.objects.win_prefetch_object.Volume` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_prefetch_object.VolumeType`

deviceitem

Type: `cybox.objects.device_object.Device`

XML Binding class name: `DeviceItem`

Dictionary key name: `deviceitem`

volumeitem

Type: `cybox.objects.win_volume_object.WinVolume`

XML Binding class name: `VolumeItem`

Dictionary key name: `volumeitem`

class `cybox.objects.win_prefetch_object.WinPrefetch`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class: `cybox.bindings.win_prefetch_object.WindowsPrefetchObjectType`

accessed_directory_list

Type: `cybox.objects.win_prefetch_object.AccessedDirectoryList`

XML Binding class name: `Accessed_Directory_List`

Dictionary key name: `accessed_directory_list`

accessed_file_list

Type: `cybox.objects.win_prefetch_object.AccessedFileList`

XML Binding class name: `Accessed_File_List`

Dictionary key name: `accessed_file_list`

application_file_name

Type: `cybox.common.properties.String`

XML Binding class name: `Application_File_Name`

Dictionary key name: `application_file_name`

first_run

Type: `cybox.common.properties.DateTime`

XML Binding class name: `First_Run`

Dictionary key name: `first_run`

last_run

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Last_Run`

Dictionary key name: `last_run`

prefetch_hash

Type: *cybox.common.properties.String*

XML Binding class name: Prefetch_Hash

Dictionary key name: prefetch_hash

times_executed

Type: *cybox.common.properties.Long*

XML Binding class name: Times_Executed

Dictionary key name: times_executed

volume

Type: *cybox.objects.win_volume_object.WinVolume*

XML Binding class name: Volume

Dictionary key name: volume

Version: 2.1.0.12.dev1

cybox.objects.win_process_object module

class `cybox.objects.win_process_object.MemorySectionList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_process_object.MemorySectionListType`

class `cybox.objects.win_process_object.StartupInfo`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_process_object.StartupInfoType`

dwfillattribute

Type: *cybox.common.properties.Integer*

XML Binding class name: dwFillAttribute

Dictionary key name: dwfillattribute

dwflags

Type: *cybox.common.properties.Integer*

XML Binding class name: dwFlags

Dictionary key name: dwflags

dwxx

Type: *cybox.common.properties.Integer*

XML Binding class name: dwX

Dictionary key name: dwx

dwxcntchars

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwXCountChars

Dictionary key name: dwxcntchars

dwysize

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwXSize

Dictionary key name: dwysize

dwy

Type: *cybox.common.properties.Integer*

XML Binding class name: dwY

Dictionary key name: dwy

dwycntchars

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwYCountChars

Dictionary key name: dwycntchars

dwysize

Type: *cybox.common.properties.PositiveInteger*

XML Binding class name: dwYSize

Dictionary key name: dwysize

hstderror

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: hStdError

Dictionary key name: hstderror

hstdinput

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: hStdInput

Dictionary key name: hstdinput

hstdoutput

Type: *cybox.objects.win_handle_object.WinHandle*

XML Binding class name: hStdOutput

Dictionary key name: hstdoutput

lpdesktop

Type: *cybox.common.properties.String*

XML Binding class name: lpDesktop

Dictionary key name: lpdesktop

lptitle

Type: *cybox.common.properties.String*

XML Binding class name: lpTitle

Dictionary key name: lptitle

wshowwindow

Type: *cybox.common.properties.Integer*

XML Binding class name: wShowWindow

Dictionary key name: wshowwindow

class `cybox.objects.win_process_object.WinProcess`

Bases: *cybox.objects.process_object.Process*

XML binding class: `cybox.bindings.win_process_object.WindowsProcessObjectType`

aslr_enabled

XML Binding class name: aslr_enabled

Dictionary key name: aslr_enabled

dep_enabled

XML Binding class name: dep_enabled

Dictionary key name: dep_enabled

handle_list

Type: *cybox.objects.win_handle_object.WinHandleList*

XML Binding class name: Handle_List

Dictionary key name: handle_list

priority

Type: *cybox.common.properties.String*

XML Binding class name: Priority

Dictionary key name: priority

section_list

Type: *cybox.objects.win_process_object.MemorySectionList*

XML Binding class name: Section_List

Dictionary key name: section_list

security_id

Type: *cybox.common.properties.String*

XML Binding class name: Security_ID

Dictionary key name: security_id

security_type

Type: *cybox.common.properties.String*

XML Binding class name: Security_Type

Dictionary key name: security_type

startup_info

Type: *cybox.objects.win_process_object.StartupInfo*

XML Binding class name: Startup_Info

Dictionary key name: startup_info

thread

(List of values permitted)

Type: *cybox.objects.win_thread_object.WinThread*

XML Binding class name: Thread

Dictionary key name: thread

window_title

Type: *cybox.common.properties.String*

XML Binding class name: Window_Title

Dictionary key name: window_title

Version: 2.1.0.12.dev1

cybox.objects.win_registry_key_object module

class `cybox.objects.win_registry_key_object.RegistrySubkeys` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_registry_key_object.RegistrySubkeysType`

class `cybox.objects.win_registry_key_object.RegistryValue`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_registry_key_object.RegistryValueType`

byte_runs

Type: *cybox.common.byterun.ByteRuns*

XML Binding class name: Byte_Runs

Dictionary key name: byte_runs

data

Type: *cybox.common.properties.String*

XML Binding class name: Data

Dictionary key name: data

datatype

Type: *cybox.common.properties.String*

XML Binding class name: Datatype

Dictionary key name: datatype

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

class `cybox.objects.win_registry_key_object.RegistryValues` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_registry_key_object.RegistryValuesType`

class `cybox.objects.win_registry_key_object.WinRegistryKey`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

`cybox.bindings.win_registry_key_object.WindowsRegistryKeyObjectType`

byte_runs

Type: *cybox.common.byterun.ByteRuns*

XML Binding class name: Byte_Runs

Dictionary key name: byte_runs

creator_username

Type: *cybox.common.properties.String*

XML Binding class name: Creator_Username

Dictionary key name: creator_username

handle_list

Type: *cybox.objects.win_handle_object.WinHandleList*

XML Binding class name: Handle_List

Dictionary key name: handle_list

hive

Type: *cybox.common.properties.String*

XML Binding class name: Hive

Dictionary key name: hive

key

Type: *cybox.common.properties.String*

XML Binding class name: Key

Dictionary key name: key

modified_time

Type: *cybox.common.properties.DateTime*

XML Binding class name: Modified_Time

Dictionary key name: modified_time

number_subkeys

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Number_Subkeys

Dictionary key name: number_subkeys

number_values

Type: *cybox.common.properties.UnsignedInteger*

XML Binding class name: Number_Values

Dictionary key name: number_values

subkeys

Type: *cybox.objects.win_registry_key_object.RegistrySubkeys*

XML Binding class name: Subkeys

Dictionary key name: subkeys

values

Type: *cybox.objects.win_registry_key_object.RegistryValues*

XML Binding class name: Values

Dictionary key name: values

Version: 2.1.0.12.dev1

cybox.objects.win_semaphore_object module**class** `cybox.objects.win_semaphore_object.WinSemaphore`Bases: `cybox.objects.semaphore_object.Semaphore`

XML binding class:

`cybox.bindings.win_semaphore_object.WindowsSemaphoreObjectType`**handle**Type: `cybox.objects.win_handle_object.WinHandle`

XML Binding class name: Handle

Dictionary key name: handle

security_attributesType: `cybox.common.properties.String`

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

Version: 2.1.0.12.dev1

cybox.objects.win_service_object module**class** `cybox.objects.win_service_object.ServiceDescriptionList` (*args)Bases: `mixbox.entities.EntityList`XML binding class: `cybox.bindings.win_service_object.ServiceDescriptionListType`**class** `cybox.objects.win_service_object.WinService`Bases: `cybox.objects.win_process_object.WinProcess`XML binding class: `cybox.bindings.win_service_object.WindowsServiceObjectType`**description_list**Type: `cybox.objects.win_service_object.ServiceDescriptionList`

XML Binding class name: Description_List

Dictionary key name: description_list

display_nameType: `cybox.common.properties.String`

XML Binding class name: Display_Name

Dictionary key name: display_name

group_name

Type: *cybox.common.properties.String*

XML Binding class name: Group_Name

Dictionary key name: group_name

service_dll

Type: *cybox.common.properties.String*

XML Binding class name: Service_DLL

Dictionary key name: service_dll

service_dll_certificate_issuer

Type: *cybox.common.properties.String*

XML Binding class name: Service_DLL_Certificate_Issuer

Dictionary key name: service_dll_certificate_issuer

service_dll_certificate_subject

Type: *cybox.common.properties.String*

XML Binding class name: Service_DLL_Certificate_Subject

Dictionary key name: service_dll_certificate_subject

service_dll_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Service_DLL_Hashes

Dictionary key name: service_dll_hashes

service_dll_signature_description

Type: *cybox.common.properties.String*

XML Binding class name: Service_DLL_Signature_Description

Dictionary key name: service_dll_signature_description

service_dll_signature_exists

XML Binding class name: service_dll_signature_exists

Dictionary key name: service_dll_signature_exists

service_dll_signature_verified

XML Binding class name: service_dll_signature_verified

Dictionary key name: service_dll_signature_verified

service_name

Type: *cybox.common.properties.String*

XML Binding class name: Service_Name

Dictionary key name: service_name

service_status

Type: *cybox.common.properties.String*

XML Binding class name: Service_Status

Dictionary key name: service_status

service_type

Type: *cybox.common.properties.String*

XML Binding class name: Service_Type

Dictionary key name: service_type

started_as

Type: *cybox.common.properties.String*

XML Binding class name: Started_As

Dictionary key name: started_as

startup_command_line

Type: *cybox.common.properties.String*

XML Binding class name: Startup_Command_Line

Dictionary key name: startup_command_line

startup_type

Type: *cybox.common.properties.String*

XML Binding class name: Startup_Type

Dictionary key name: startup_type

Version: 2.1.0.12.dev1

cybox.objects.win_system_object module

class `cybox.objects.win_system_object.GlobalFlag`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_system_object.GlobalFlagType`

abbreviation

Type: *cybox.common.properties.String*

XML Binding class name: Abbreviation

Dictionary key name: abbreviation

destination

Type: *cybox.common.properties.String*

XML Binding class name: Destination

Dictionary key name: destination

hexadecimal_value

Type: *cybox.common.properties.HexBinary*

XML Binding class name: Hexadecimal_Value

Dictionary key name: hexadecimal_value

symbolic_name

Type: *cybox.common.properties.String*

XML Binding class name: Symbolic_Name

Dictionary key name: symbolic_name

class *cybox.objects.win_system_object.GlobalFlagList* (*args)

Bases: *mixbox.entities.EntityList*

XML binding class: *cybox.bindings.win_system_object.GlobalFlagListType*

class *cybox.objects.win_system_object.WinSystem*

Bases: *cybox.objects.system_object.System*

XML binding class: *cybox.bindings.win_system_object.WindowsSystemObjectType*

domain

(List of values permitted)

Type: *cybox.common.properties.String*

XML Binding class name: Domain

Dictionary key name: domain

global_flag_list

Type: *cybox.objects.win_system_object.GlobalFlagList*

XML Binding class name: Global_Flag_List

Dictionary key name: global_flag_list

netbios_name

Type: *cybox.common.properties.String*

XML Binding class name: NetBIOS_Name

Dictionary key name: netbios_name

open_handle_list

Type: *cybox.objects.win_handle_object.WinHandleList*

XML Binding class name: Open_Handle_List

Dictionary key name: open_handle_list

product_id

Type: *cybox.common.properties.String*

XML Binding class name: Product_ID

Dictionary key name: product_id

product_name

Type: *cybox.common.properties.String*

XML Binding class name: Product_Name

Dictionary key name: product_name

registered_organization

Type: *cybox.common.properties.String*

XML Binding class name: Registered_Organization

Dictionary key name: registered_organization

registered_owner

Type: *cybox.common.properties.String*

XML Binding class name: Registered_Owner

Dictionary key name: registered_owner

windows_directory

Type: *cybox.common.properties.String*

XML Binding class name: Windows_Directory

Dictionary key name: windows_directory

windows_system_directory

Type: *cybox.common.properties.String*

XML Binding class name: Windows_System_Directory

Dictionary key name: windows_system_directory

windows_temp_directory

Type: *cybox.common.properties.String*

XML Binding class name: Windows_Temp_Directory

Dictionary key name: windows_temp_directory

Version: 2.1.0.12.dev1

cybox.objects.win_system_restore_object module

class `cybox.objects.win_system_restore_object.HiveList` (*args)

Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_system_restore_object.HiveListType`

class `cybox.objects.win_system_restore_object.WinSystemRestore`
Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.win_system_restore_object.WindowsSystemRestoreObjectType`

acl_change_sid

Type: `cybox.common.properties.String`

XML Binding class name: `ACL_Change_SID`

Dictionary key name: `acl_change_sid`

acl_change_username

Type: `cybox.common.properties.String`

XML Binding class name: `ACL_Change_Username`

Dictionary key name: `acl_change_username`

backup_file_name

Type: `cybox.common.properties.String`

XML Binding class name: `Backup_File_Name`

Dictionary key name: `backup_file_name`

change_event

Type: `cybox.common.properties.String`

XML Binding class name: `Change_Event`

Dictionary key name: `change_event`

changelog_entry_flags

Type: `cybox.common.properties.String`

XML Binding class name: `ChangeLog_Entry_Flags`

Dictionary key name: `changelog_entry_flags`

changelog_entry_sequence_number

Type: `cybox.common.properties.Long`

XML Binding class name: `ChangeLog_Entry_Sequence_Number`

Dictionary key name: `changelog_entry_sequence_number`

changelog_entry_type

Type: `cybox.common.properties.String`

XML Binding class name: `ChangeLog_Entry_Type`

Dictionary key name: `changelog_entry_type`

created

Type: *cybox.common.properties.DateTime*
XML Binding class name: Created
Dictionary key name: created

file_attributes

Type: *cybox.common.properties.String*
XML Binding class name: File_Attributes
Dictionary key name: file_attributes

new_file_name

Type: *cybox.common.properties.String*
XML Binding class name: New_File_Name
Dictionary key name: new_file_name

original_file_name

Type: *cybox.common.properties.String*
XML Binding class name: Original_File_Name
Dictionary key name: original_file_name

original_short_file_name

Type: *cybox.common.properties.String*
XML Binding class name: Original_Short_File_Name
Dictionary key name: original_short_file_name

process_name

Type: *cybox.common.properties.String*
XML Binding class name: Process_Name
Dictionary key name: process_name

registry_hive_list

Type: *cybox.objects.win_system_restore_object.HiveList*
XML Binding class name: Registry_Hive_List
Dictionary key name: registry_hive_list

restore_point_description

Type: *cybox.common.properties.String*
XML Binding class name: Restore_Point_Description
Dictionary key name: restore_point_description

restore_point_full_path

Type: *cybox.common.properties.String*
XML Binding class name: Restore_Point_Full_Path
Dictionary key name: restore_point_full_path

restore_point_name

Type: *cybox.common.properties.String*
XML Binding class name: Restore_Point_Name
Dictionary key name: restore_point_name

restore_point_type

Type: *cybox.common.properties.String*
XML Binding class name: Restore_Point_Type
Dictionary key name: restore_point_type

Version: 2.1.0.12.dev1

cybox.objects.win_task_object module

class cybox.objects.win_task_object.**IComHandlerAction**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_task_object.IComHandlerActionType

com_class_id

Type: *cybox.common.properties.String*
XML Binding class name: COM_Class_ID
Dictionary key name: com_class_id

com_data

Type: *cybox.common.properties.String*
XML Binding class name: COM_Data
Dictionary key name: com_data

class cybox.objects.win_task_object.**IExecAction**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_task_object.IExecActionType

exec_arguments

Type: *cybox.common.properties.String*
XML Binding class name: Exec_Arguments
Dictionary key name: exec_arguments

exec_program_hashes

Type: *cybox.common.hashes.HashList*

XML Binding class name: Exec_Program_Hashes

Dictionary key name: exec_program_hashes

exec_program_path

Type: *cybox.common.properties.String*

XML Binding class name: Exec_Program_Path

Dictionary key name: exec_program_path

exec_working_directory

Type: *cybox.common.properties.String*

XML Binding class name: Exec_Working_Directory

Dictionary key name: exec_working_directory

class cybox.objects.win_task_object.**IShowMessageAction**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_task_object.IShowMessageActionType

show_message_body

Type: *cybox.common.properties.String*

XML Binding class name: Show_Message_Body

Dictionary key name: show_message_body

show_message_title

Type: *cybox.common.properties.String*

XML Binding class name: Show_Message_Title

Dictionary key name: show_message_title

class cybox.objects.win_task_object.**TaskAction**

Bases: mixbox.entities.Entity

XML binding class: cybox.bindings.win_task_object.TaskActionType

action_id

Type: *cybox.common.properties.String*

XML Binding class name: Action_ID

Dictionary key name: action_id

action_type

Type: *cybox.common.properties.String*

XML Binding class name: Action_Type

Dictionary key name: action_type

icomhandleraction

Type: *cybox.objects.win_task_object.IComHandlerAction*

XML Binding class name: IComHandlerAction

Dictionary key name: icomhandleraction

iemailaction

Type: *cybox.objects.email_message_object.EmailMessage*

XML Binding class name: IEmailAction

Dictionary key name: iemailaction

iexecaction

Type: *cybox.objects.win_task_object.IExecAction*

XML Binding class name: IExecAction

Dictionary key name: iexecaction

ishowmessageaction

Type: *cybox.objects.win_task_object.IShowMessageAction*

XML Binding class name: IShowMessageAction

Dictionary key name: ishowmessageaction

class *cybox.objects.win_task_object.TaskActionList* (*args)

Bases: *mixbox.entities.EntityList*

XML binding class: *cybox.bindings.win_task_object.TaskActionListType*

class *cybox.objects.win_task_object.Trigger*

Bases: *mixbox.entities.Entity*

XML binding class: *cybox.bindings.win_task_object.TriggerType*

trigger_begin

Type: *cybox.common.properties.DateTime*

XML Binding class name: Trigger_Begin

Dictionary key name: trigger_begin

trigger_delay

Type: *cybox.common.properties.Duration*

XML Binding class name: Trigger_Delay

Dictionary key name: trigger_delay

trigger_end

Type: *cybox.common.properties.DateTime*
 XML Binding class name: Trigger_End
 Dictionary key name: trigger_end

trigger_frequency

Type: *cybox.common.properties.String*
 XML Binding class name: Trigger_Frequency
 Dictionary key name: trigger_frequency

trigger_max_run_time

Type: *cybox.common.properties.Duration*
 XML Binding class name: Trigger_Max_Run_Time
 Dictionary key name: trigger_max_run_time

trigger_session_change_type

Type: *cybox.common.properties.String*
 XML Binding class name: Trigger_Session_Change_Type
 Dictionary key name: trigger_session_change_type

trigger_type

Type: *cybox.common.properties.String*
 XML Binding class name: Trigger_Type
 Dictionary key name: trigger_type

class `cybox.objects.win_task_object.TriggerList` (*args)
 Bases: `mixbox.entities.EntityList`

XML binding class: `cybox.bindings.win_task_object.TriggerListType`

class `cybox.objects.win_task_object.WinTask`
 Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_task_object.WindowsTaskObjectType`

account_logon_type

Type: *cybox.common.properties.String*
 XML Binding class name: Account_Logon_Type
 Dictionary key name: account_logon_type

account_name

Type: *cybox.common.properties.String*
 XML Binding class name: Account_Name

Dictionary key name: account_name

account_run_level

Type: *cybox.common.properties.String*

XML Binding class name: Account_Run_Level

Dictionary key name: account_run_level

action_list

Type: *cybox.objects.win_task_object.TaskActionList*

XML Binding class name: Action_List

Dictionary key name: action_list

application_name

Type: *cybox.common.properties.String*

XML Binding class name: Application_Name

Dictionary key name: application_name

comment

Type: *cybox.common.properties.String*

XML Binding class name: Comment

Dictionary key name: comment

creation_date

Type: *cybox.common.properties.DateTime*

XML Binding class name: Creation_Date

Dictionary key name: creation_date

creator

Type: *cybox.common.properties.String*

XML Binding class name: Creator

Dictionary key name: creator

exit_code

Type: *cybox.common.properties.Long*

XML Binding class name: Exit_Code

Dictionary key name: exit_code

flags

Type: *cybox.common.properties.String*

XML Binding class name: Flags

Dictionary key name: flags

max_run_time

Type: *cybox.common.properties.UnsignedLong*
XML Binding class name: Max_Run_Time
Dictionary key name: max_run_time

most_recent_run_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Most_Recent_Run_Time
Dictionary key name: most_recent_run_time

name

Type: *cybox.common.properties.String*
XML Binding class name: Name
Dictionary key name: name

next_run_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Next_Run_Time
Dictionary key name: next_run_time

parameters

Type: *cybox.common.properties.String*
XML Binding class name: Parameters
Dictionary key name: parameters

priority

Type: *cybox.common.properties.String*
XML Binding class name: Priority
Dictionary key name: priority

status

Type: *cybox.common.properties.String*
XML Binding class name: Status
Dictionary key name: status

trigger_list

Type: *cybox.objects.win_task_object.TriggerList*
XML Binding class name: Trigger_List
Dictionary key name: trigger_list

work_item_data

Type: *cybox.common.properties.Base64Binary*
XML Binding class name: Work_Item_Data
Dictionary key name: work_item_data

working_directory

Type: *cybox.common.properties.String*
XML Binding class name: Working_Directory
Dictionary key name: working_directory

Version: 2.1.0.12.dev1

cybox.objects.win_thread_object module

class `cybox.objects.win_thread_object.WinThread`

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class: `cybox.bindings.win_thread_object.WindowsThreadObjectType`

context

Type: *cybox.common.properties.String*
XML Binding class name: Context
Dictionary key name: context

creation_flags

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Creation_Flags
Dictionary key name: creation_flags

creation_time

Type: *cybox.common.properties.DateTime*
XML Binding class name: Creation_Time
Dictionary key name: creation_time

handle

Type: *cybox.objects.win_handle_object.WinHandle*
XML Binding class name: Handle
Dictionary key name: handle

parameter_address

Type: *cybox.common.properties.HexBinary*
XML Binding class name: Parameter_Address
Dictionary key name: parameter_address

priority

Type: *cybox.common.properties.UnsignedInteger*
XML Binding class name: Priority

Dictionary key name: `priority`

running_status

Type: `cybox.common.properties.String`

XML Binding class name: `Running_Status`

Dictionary key name: `running_status`

security_attributes

Type: `cybox.common.properties.String`

XML Binding class name: `Security_Attributes`

Dictionary key name: `security_attributes`

stack_size

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: `Stack_Size`

Dictionary key name: `stack_size`

start_address

Type: `cybox.common.properties.HexBinary`

XML Binding class name: `Start_Address`

Dictionary key name: `start_address`

thread_id

Type: `cybox.common.properties.NonNegativeInteger`

XML Binding class name: `Thread_ID`

Dictionary key name: `thread_id`

Version: 2.1.0.12.dev1

cybox.objects.win_user_object module

class `cybox.objects.win_user_object.WinGroup`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_user_account_object.WindowsGroupType`

name

Type: `cybox.common.properties.String`

XML Binding class name: `Name`

Dictionary key name: `name`

class `cybox.objects.win_user_object.WinGroupList` (*args)

Bases: `cybox.objects.user_account_object.GroupList`

XML binding class: `cybox.bindings.user_account_object.GroupListType`

class `cybox.objects.win_user_object.WinPrivilege`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.win_user_account_object.WindowsPrivilegeType`

user_right

Type: `cybox.common.properties.String`

XML Binding class name: `User_Right`

Dictionary key name: `user_right`

class `cybox.objects.win_user_object.WinPrivilegeList` (*args)

Bases: `cybox.objects.user_account_object.PrivilegeList`

XML binding class: `cybox.bindings.user_account_object.PrivilegeListType`

class `cybox.objects.win_user_object.WinUser`

Bases: `cybox.objects.user_account_object.UserAccount`

XML binding class:

`cybox.bindings.win_user_account_object.WindowsUserAccountObjectType`

group_list

Type: `cybox.objects.win_user_object.WinGroupList`

XML Binding class name: `Group_List`

Dictionary key name: `group_list`

privilege_list

Type: `cybox.objects.win_user_object.WinPrivilegeList`

XML Binding class name: `Privilege_List`

Dictionary key name: `privilege_list`

security_id

Type: `cybox.common.properties.String`

XML Binding class name: `Security_ID`

Dictionary key name: `security_id`

security_type

Type: `cybox.common.properties.String`

XML Binding class name: Security_Type

Dictionary key name: security_type

Version: 2.1.0.12.dev1

cybox.objects.win_volume_object module

class cybox.objects.win_volume_object.**WinVolume**

Bases: *cybox.objects.volume_object.Volume*

XML binding class: cybox.bindings.win_volume_object.WindowsVolumeObjectType

attributes_list

Type: *cybox.objects.win_volume_object.WindowsVolumeAttributesList*

XML Binding class name: Attributes_List

Dictionary key name: attributes_list

drive_Type

Type: *cybox.common.properties.String*

XML Binding class name: Drive_Type

Dictionary key name: drive_type

drive_letter

Type: *cybox.common.properties.String*

XML Binding class name: Drive_Letter

Dictionary key name: drive_letter

class cybox.objects.win_volume_object.**WindowsVolumeAttributesList** (*args)

Bases: mixbox.entities.EntityList

XML binding class:

cybox.bindings.win_volume_object.WindowsVolumeAttributesListType

Version: 2.1.0.12.dev1

cybox.objects.win_waitable_timer_object module

class cybox.objects.win_waitable_timer_object.**WinWaitableTimer**

Bases: *cybox.common.object_properties.ObjectProperties*

XML binding class:

cybox.bindings.win_waitable_timer_object.WindowsWaitableTimerObjectType

name

Type: *cybox.common.properties.String*

XML Binding class name: Name

Dictionary key name: name

security_attributes

Type: *cybox.common.properties.String*

XML Binding class name: Security_Attributes

Dictionary key name: security_attributes

type_

Type: *cybox.common.properties.String*

XML Binding class name: Type

Dictionary key name: type

Version: 2.1.0.12.dev1

cybox.objects.x509_certificate_object module

class `cybox.objects.x509_certificate_object.RSAPublicKey`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.RSAPublicKeyType`

exponent

Type: *cybox.common.properties.Integer*

XML Binding class name: Exponent

Dictionary key name: exponent

modulus

Type: *cybox.common.properties.String*

XML Binding class name: Modulus

Dictionary key name: modulus

class `cybox.objects.x509_certificate_object.SubjectPublicKey`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.SubjectPublicKeyType`

public_key_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: `Public_Key_Algorithm`

Dictionary key name: `public_key_algorithm`

rsa_public_key

Type: `cybox.objects.x509_certificate_object.RSAPublicKey`

XML Binding class name: `RSA_Public_Key`

Dictionary key name: `rsa_public_key`

class `cybox.objects.x509_certificate_object.Validity`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.ValidityType`

not_after

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Not_After`

Dictionary key name: `not_after`

not_before

Type: `cybox.common.properties.DateTime`

XML Binding class name: `Not_Before`

Dictionary key name: `not_before`

class `cybox.objects.x509_certificate_object.X509Cert`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.x509_certificate_object.X509CertificateContentsType`

issuer

Type: `cybox.common.properties.String`

XML Binding class name: `Issuer`

Dictionary key name: `issuer`

non_standard_extensions

Type: `cybox.objects.x509_certificate_object.X509NonStandardExtensions`

XML Binding class name: `Non_Standard_Extensions`

Dictionary key name: `non_standard_extensions`

serial_number

Type: `cybox.common.properties.String`

XML Binding class name: `Serial_Number`

Dictionary key name: `serial_number`

signature_algorithm

Type: `cybox.common.properties.String`

XML Binding class name: `Signature_Algorithm`

Dictionary key name: `signature_algorithm`

standard_extensions

Type: `cybox.objects.x509_certificate_object.X509V3Extensions`

XML Binding class name: `Standard_Extensions`

Dictionary key name: `standard_extensions`

subject

Type: `cybox.common.properties.String`

XML Binding class name: `Subject`

Dictionary key name: `subject`

subject_public_key

Type: `cybox.objects.x509_certificate_object.SubjectPublicKey`

XML Binding class name: `Subject_Public_Key`

Dictionary key name: `subject_public_key`

validity

Type: `cybox.objects.x509_certificate_object.Validity`

XML Binding class name: `Validity`

Dictionary key name: `validity`

version

Type: `cybox.common.properties.Integer`

XML Binding class name: `Version`

Dictionary key name: `version`

class `cybox.objects.x509_certificate_object.X509Certificate`

Bases: `cybox.common.object_properties.ObjectProperties`

XML binding class:

`cybox.bindings.x509_certificate_object.X509CertificateObjectType`

certificate

Type: `cybox.objects.x509_certificate_object.X509Cert`

XML Binding class name: `Certificate`

Dictionary key name: `certificate`

certificate_signature

Type: *cybox.objects.x509_certificate_object.X509CertificateSignature*

XML Binding class name: Certificate_Signature

Dictionary key name: certificate_signature

raw_certificate

Type: *cybox.common.properties.String*

XML Binding class name: Raw_Certificate

Dictionary key name: raw_certificate

class `cybox.objects.x509_certificate_object.X509CertificateSignature`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.x509_certificate_object.X509CertificateSignatureType`

signature

Type: *cybox.common.properties.String*

XML Binding class name: Signature

Dictionary key name: signature

signature_algorithm

Type: *cybox.common.properties.String*

XML Binding class name: Signature_Algorithm

Dictionary key name: signature_algorithm

class `cybox.objects.x509_certificate_object.X509NonStandardExtensions`

Bases: `mixbox.entities.Entity`

XML binding class:

`cybox.bindings.x509_certificate_object.X509NonStandardExtensionsType`

netscape_certificate_type

Type: *cybox.common.properties.String*

XML Binding class name: Netscape_Certificate_Type

Dictionary key name: netscape_certificate_type

netscape_comment

Type: *cybox.common.properties.String*

XML Binding class name: Netscape_Comment

Dictionary key name: netscape_comment

old_authority_key_identifier

Type: *cybox.common.properties.String*
XML Binding class name: Old_Authority_Key_Identifier
Dictionary key name: old_authority_key_identifier

old_primary_key_attributes

Type: *cybox.common.properties.String*
XML Binding class name: Old_Primary_Key_Attributes
Dictionary key name: old_primary_key_attributes

class `cybox.objects.x509_certificate_object.X509V3Extensions`

Bases: `mixbox.entities.Entity`

XML binding class: `cybox.bindings.x509_certificate_object.X509V3ExtensionsType`

authority_key_identifier

Type: *cybox.common.properties.String*
XML Binding class name: Authority_Key_Identifier
Dictionary key name: authority_key_identifier

basic_constraints

Type: *cybox.common.properties.String*
XML Binding class name: Basic_Constraints
Dictionary key name: basic_constraints

certificate_policies

Type: *cybox.common.properties.String*
XML Binding class name: Certificate_Policies
Dictionary key name: certificate_policies

crl_distribution_points

Type: *cybox.common.properties.String*
XML Binding class name: CRL_Distribution_Points
Dictionary key name: crl_distribution_points

extended_key_usage

Type: *cybox.common.properties.String*
XML Binding class name: Extended_Key_Usage
Dictionary key name: extended_key_usage

inhibit_any_policy

Type: *cybox.common.properties.NonNegativeInteger*
XML Binding class name: `Inhibit_Any_Policy`
Dictionary key name: `inhibit_any_policy`

issuer_alternative_name

Type: *cybox.common.properties.String*
XML Binding class name: `Issuer_Alternative_Name`
Dictionary key name: `issuer_alternative_name`

key_usage

Type: *cybox.common.properties.String*
XML Binding class name: `Key_Usage`
Dictionary key name: `key_usage`

name_constraints

Type: *cybox.common.properties.String*
XML Binding class name: `Name_Constraints`
Dictionary key name: `name_constraints`

policy_constraints

Type: *cybox.common.properties.String*
XML Binding class name: `Policy_Constraints`
Dictionary key name: `policy_constraints`

policy_mappings

Type: *cybox.common.properties.String*
XML Binding class name: `Policy_Mappings`
Dictionary key name: `policy_mappings`

private_key_usage_period

Type: *cybox.objects.x509_certificate_object.Validity*
XML Binding class name: `Private_Key_Usage_Period`
Dictionary key name: `private_key_usage_period`

subject_alternative_name

Type: *cybox.common.properties.String*
XML Binding class name: `Subject_Alternative_Name`
Dictionary key name: `subject_alternative_name`

subject_directory_attributes

Type: *cybox.common.properties.String*
XML Binding class name: `Subject_Directory_Attributes`
Dictionary key name: `subject_directory_attributes`

subject_key_identifier

Type: `cybox.common.properties.String`
XML Binding class name: `Subject_Key_Identifier`
Dictionary key name: `subject_key_identifier`

3.1.4 Utility Classes and Functions

Version: 2.1.0.12.dev1

cybox.utils package

Submodules

Version: 2.1.0.12.dev1

cybox.utils.autoentity module

`cybox.utils.autoentity.make_class_ref(cls)`
`cybox.utils.autoentity.setup(app)`

Version: 2.1.0.12.dev1

cybox.utils.caches module

exception `cybox.utils.caches.CacheMiss`

Bases: `exceptions.Exception`

Item was not found in a cache.

`cybox.utils.caches.cache_clear()`
Clear the global cache

`cybox.utils.caches.cache_count()`
Get the number of items in the global cache

`cybox.utils.caches.cache_get(id_)`
Retrieve a value from the global cache

`cybox.utils.caches.cache_put(value, id_=None)`
Save a value in the global cache

Version: 2.1.0.12.dev1

cybox.utils.nsparser module

Module contents

Common utility methods

`cybox.utils.denormalize_from_xml(value, delimiter)`

`cybox.utils.normalize_to_xml(value, delimiter)`

`cybox.utils.unwrap_cdata(value)`
Remove CDATA wrapping from *value* if present

`cybox.utils.wrap_cdata` (*value*)

Version: 2.1.0.12.dev1

cybox.utils.autoentity module

`cybox.utils.autoentity.make_class_ref` (*cls*)

`cybox.utils.autoentity.setup` (*app*)

Version: 2.1.0.12.dev1

cybox.utils.caches module

exception `cybox.utils.caches.CacheMiss`

Bases: `exceptions.Exception`

Item was not found in a cache.

`cybox.utils.caches.cache_clear` ()

Clear the global cache

`cybox.utils.caches.cache_count` ()

Get the number of items in the global cache

`cybox.utils.caches.cache_get` (*id_*)

Retrieve a value from the global cache

`cybox.utils.caches.cache_put` (*value*, *id_=None*)

Save a value in the global cache

Version: 2.1.0.12.dev1

cybox.utils.nsparser module

3.1.5 CybOX Helper module

Version: 2.1.0.12.dev1

cybox.helper module

CybOX Common Indicator API

An api for creating observables for common indicators: ipv4 addresses, domain names, file hashes, and urls.

`cybox.helper.create_domain_name_observable` (*domain_name*)

Create a CybOX Observable representing a domain name.

`cybox.helper.create_email_address_observable` (*email_address*)

Create a CybOX Observable representing an IPv4 address

`cybox.helper.create_file_hash_observable` (*fn*, *hash_value*)

Create a CybOX Observable representing a file hash.

`cybox.helper.create_ipv4_list_observables` (*list_ipv4_addresses*)

Create a list of CybOX Observables, each representing an IPv4 address

`cybox.helper.create_ipv4_observable` (*ipv4_address*)
 Create a CyBOX Observable representing an IPv4 address

`cybox.helper.create_url_observable` (*url*)

Version: 2.1.0.12.dev1

3.2 API Coverage

The *python-cybox* APIs currently provide partial coverage of all CyBOX-defined constructs. Development is ongoing toward the goal of providing full CyBOX language support in the APIs. Until such time that full coverage is provided, an overview of which constructs are available in these APIs will be maintained below.

3.2.1 CyBOX Features

CyBOX Construct	API Coverage	Documentation
Composite Observable	Full	<code>cybox.core.observable.ObservableComposition</code>
Event	Partial	<code>cybox.core.event.Event</code>
Object	Partial	<code>cybox.core.object.Object</code>
Observables	Partial	<code>cybox.core.observable.Observables</code>
Observable	Partial	<code>cybox.core.observable.Observable</code>
Relationships	Partial	

3.2.2 CyBOX Objects

CyBOX Construct	API Coverage	Documentation
Account Object	Full	<code>cybox.objects.account_object.Account</code>
Address Object	Full	<code>cybox.objects.address_object.Address</code>
API Object	Full	<code>cybox.objects.api_object.API</code>
Archive File Object	Full	<code>cybox.objects.archive_file_object.ArchiveFile</code>
ARP Cache Object	Full	<code>cybox.objects.arp_cache_object.ARPCache</code>
Artifact Object	Full	<code>cybox.objects.artifact_object.Artifact</code>
AS Object	Full	<code>cybox.objects.as_object.AutonomousSystem</code>
Code Object	Full	<code>cybox.objects.code_object.Code</code>
Custom Object	× None	
Device Object	Full	<code>cybox.objects.device_object.Device</code>
Disk Object	Full	<code>cybox.objects.disk_object.Disk</code>
Disk Partition Object	Full	<code>cybox.objects.disk_partition_object.DiskPartition</code>
DNS Cache Object	Full	<code>cybox.objects.dns_cache_object.DNSCache</code>
DNS Query Object	Full	<code>cybox.objects.dns_query_object.DNSQuery</code>
DNS Record Object	Full	<code>cybox.objects.dns_record_object.DNSRecord</code>
Domain Name Object	Full	<code>cybox.objects.domain_name_object.DomainName</code>
Email Message Object	Full	<code>cybox.objects.email_message_object.EmailMessage</code>
File Object	Full	<code>cybox.objects.file_object.File</code>
GUI Dialogbox Object	Full	<code>cybox.objects.gui_dialogbox_object.GUIDialogbox</code>
GUI Object	Full	<code>cybox.objects.gui_object.GUI</code>
GUI Window Object	Full	<code>cybox.objects.gui_window_object.GUIWindow</code>
HTTP Session Object	Full	<code>cybox.objects.http_session_object.HTTPSession</code>

Conti

Table 3.1 – continued from previous page

CybOX Construct	API Coverage	Documentation
Hostname Object	Full	<code>cybox.objects.hostname_object.Hostname</code>
Image File Object	Full	<code>cybox.objects.image_file_object.ImageFile</code>
Library Object	Full	<code>cybox.objects.library_object.Library</code>
Link Object	Full	<code>cybox.objects.link_object.Link</code>
Linux Package Object	Full	<code>cybox.objects.linux_package_object.LinuxPackage</code>
Memory Object	Full	<code>cybox.objects.memory_object.Memory</code>
Mutex Object	Full	<code>cybox.objects.mutex_object.Mutex</code>
Network Connection Object	Full	<code>cybox.objects.network_connection_object.NetworkConnec</code>
Network Flow Object	× None	
Network Packet Object	Full	<code>cybox.objects.network_packet_object.NetworkPacket</code>
Network Route Entry Object	Full	<code>cybox.objects.network_route_entry_object.NetworkRoute</code>
Network Route Object	Full	<code>cybox.objects.network_route_object.NetRoute</code>
Network Socket Object	Full	<code>cybox.objects.network_socket_object.NetworkSocket</code>
Network Subnet Object	Full	<code>cybox.objects.network_subnet_object.NetworkSubnet</code>
PDF File Object	Partial	<code>cybox.objects.pdf_file_object.PDFFile</code>
Pipe Object	Full	<code>cybox.objects.pipe_object.Pipe</code>
Port Object	Full	<code>cybox.objects.port_object.Port</code>
Process Object	Full	<code>cybox.objects.process_object.Process</code>
Product Object	Full	<code>cybox.objects.product_object.Product</code>
Semaphore Object	Full	<code>cybox.objects.semaphore_object.Semaphore</code>
SMS Message Object	Full	<code>cybox.objects.sms_message_object.SMSMessage</code>
Socket Address Object	Full	<code>cybox.objects.socket_address_object.SocketAddress</code>
System Object	Partial	<code>cybox.objects.system_object.System</code>
URI Object	Full	<code>cybox.objects.uri_object.URI</code>
URL History Object	× None	
Unix File Object	× None	
Unix Network Route Entry Object	× None	
Unix Pipe Object	× None	
Unix Process Object	× None	
Unix User Account Object	× None	
Unix Volume Object	× None	
User Account Object	Full	<code>cybox.objects.user_account_object.UserAccount</code>
User Session Object	× None	
Volume Object	Full	<code>cybox.objects.volume_object.Volume</code>
Whois Object	Full	<code>cybox.objects.whois_object.WhoisEntry</code>
Win Computer Account Object	Full	<code>cybox.objects.win_computer_account_object.WinComput</code>
Win Critical Section Object	Full	<code>cybox.objects.win_critical_section_object.WinCritica</code>
Win Driver Object	Full	<code>cybox.objects.win_driver_object.WinDriver</code>
Win Event Log Object	Full	<code>cybox.objects.win_event_log_object.WinEventLog</code>
Win Event Object	Full	<code>cybox.objects.win_event_object.WinEvent</code>
Win Executable File Object	Full	<code>cybox.objects.win_executable_file_object.WinExecutab</code>
Win File Object	Full	<code>cybox.objects.win_file_object.WinFile</code>
Win Filemapping Object	Full	<code>cybox.objects.win_filemapping_object.WinFilemapping</code>
Win Handle Object	Full	<code>cybox.objects.win_handle_object.WinHandle</code>
Win Hook Object	Full	<code>cybox.objects.win_hook_object.WinHook</code>
Win Kernel Hook Object	Full	<code>cybox.objects.win_kernel_hook_object.WinKernelHook</code>
Win Kernel Object	Full	<code>cybox.objects.win_kernel_object.WinKernel</code>
Win Mailslot Object	Full	<code>cybox.objects.win_mailslot_object.WinMailslot</code>
Win Memory Page Region Object	Full	<code>cybox.objects.win_memory_page_region_object.WinMemor</code>

Conti

Table 3.1 – continued from previous page

Cybox Construct	API Coverage	Documentation
Win Mutex Object	Full	<code>cybox.objects.win_mutex_object.WinMutex</code>
Win Network Route Entry Object	Full	<code>cybox.objects.win_network_route_entry_object.WinNetworkRouteEntry</code>
Win Network Share Object	Full	<code>cybox.objects.win_network_share_object.WinNetworkShare</code>
Win Pipe Object	Full	<code>cybox.objects.win_pipe_object.WinPipe</code>
Win Prefetch Object	Full	<code>cybox.objects.win_prefetch_object.WinPrefetch</code>
Win Process Object	Full	<code>cybox.objects.win_process_object.WinProcess</code>
Win Registry Key Object	Full	<code>cybox.objects.win_registry_key_object.WinRegistryKey</code>
Win Semaphore Object	Full	<code>cybox.objects.win_semaphore_object.WinSemaphore</code>
Win Service Object	Full	<code>cybox.objects.win_service_object.WinService</code>
Win System Object	Full	<code>cybox.objects.win_system_object.WinSystem</code>
Win System Restore Object	Full	<code>cybox.objects.win_system_restore_object.WinSystemRestore</code>
Win Task Object	Full	<code>cybox.objects.win_task_object.WinTask</code>
Win Thread Object	Full	<code>cybox.objects.win_thread_object.WinThread</code>
Win User Account Object	Full	<code>cybox.objects.win_user_object.WinUser</code>
Win Volume Object	Full	<code>cybox.objects.win_volume_object.WinVolume</code>
Win Waitable Timer Object	Full	<code>cybox.objects.win_waitable_timer_object.WinWaitableTimer</code>
X509 Certificate Object	Full	<code>cybox.objects.x509_certificate_object.X509Certificate</code>

3.2.3 Cybox Vocabularies

Cybox Construct	API Coverage	Documentation
ActionArgumentNameVocab-1.0	Full	<code>cybox.common.vocabs.ActionArgumentName</code>
ActionNameVocab-1.0	× None (replaced by version 1.1)	
ActionNameVocab-1.1	Full	<code>cybox.common.vocabs.ActionName</code>
ActionObjectAssociationTypeVocab-1.0	Full	<code>cybox.common.vocabs.AssociationType</code>
ActionRelationshipTypeVocab-1.0	× None	
ActionTypeVocab-1.0	Full	<code>cybox.common.vocabs.ActionType</code>
CharacterEncodingVocab-1.0	Full	<code>cybox.common.vocabs.CharacterEncoding</code>
EventTypeVocab-1.0	× None (replaced by version 1.0.1)	
EventTypeVocab-1.0.1	Full	<code>cybox.common.vocabs.EventType</code>
HashNameVocab-1.0	Full	<code>cybox.common.vocabs.HashName</code>
InformationSourceTypeVocab-1.0	Full	<code>cybox.common.vocabs.InformationSourceType</code>
ObjectRelationshipVocab-1.0	× None (replaced by version 1.1)	
ObjectRelationshipVocab-1.1	Full	<code>cybox.common.vocabs.ObjectRelationship</code>
ObjectStateVocab-1.0	× None	
ToolTypeVocab-1.0	× None (replaced by version 1.1)	
ToolTypeVocab-1.1	Full	<code>cybox.common.vocabs.ToolType</code>

Indices and tables

- `genindex`
- `modindex`
- `search`

C

cybox.common, 17
cybox.common.attribute_groups, 35
cybox.common.byterun, 35
cybox.common.contributor, 36
cybox.common.data_segment, 37
cybox.common.daterange, 38
cybox.common.datetimewithprecision, 39
cybox.common.digitalsignature, 39
cybox.common.environment_variable, 40
cybox.common.extracted_features, 40
cybox.common.extracted_string, 42
cybox.common.hashses, 43
cybox.common.measuresource, 44
cybox.common.object_properties, 46
cybox.common.platform_specification, 47
cybox.common.structured_text, 49
cybox.common.time, 49
cybox.common.tools, 50
cybox.common.vocabs, 50
cybox.core, 53
cybox.core.action, 61
cybox.core.action_reference, 64
cybox.core.associated_object, 64
cybox.core.event, 65
cybox.core.frequency, 66
cybox.core.object, 67
cybox.core.observable, 68
cybox.helper, 485
cybox.objects, 275
cybox.objects.account_object, 276
cybox.objects.address_object, 278
cybox.objects.api_object, 279
cybox.objects.archive_file_object, 280
cybox.objects.arp_cache_object, 281
cybox.objects.artifact_object, 282
cybox.objects.as_object, 284
cybox.objects.code_object, 285
cybox.objects.device_object, 287
cybox.objects.disk_object, 288
cybox.objects.disk_partition_object, 289
cybox.objects.dns_cache_object, 290
cybox.objects.dns_query_object, 291
cybox.objects.dns_record_object, 293
cybox.objects.domain_name_object, 294
cybox.objects.email_message_object, 295
cybox.objects.file_object, 300
cybox.objects.gui_dialogbox_object, 306
cybox.objects.gui_object, 306
cybox.objects.gui_window_object, 307
cybox.objects.hostname_object, 307
cybox.objects.http_session_object, 308
cybox.objects.image_file_object, 321
cybox.objects.library_object, 322
cybox.objects.link_object, 323
cybox.objects.linux_package_object, 323
cybox.objects.memory_object, 325
cybox.objects.mutex_object, 326
cybox.objects.network_connection_object,
327
cybox.objects.network_packet_object, 329
cybox.objects.network_route_entry_object,
369
cybox.objects.network_route_object, 371
cybox.objects.network_socket_object, 372
cybox.objects.network_subnet_object, 376
cybox.objects.pdf_file_object, 377
cybox.objects.pipe_object, 382
cybox.objects.port_object, 382
cybox.objects.process_object, 383
cybox.objects.product_object, 386
cybox.objects.semaphore_object, 387
cybox.objects.sms_message_object, 388
cybox.objects.socket_address_object, 389
cybox.objects.system_object, 390
cybox.objects.uri_object, 395
cybox.objects.user_account_object, 395
cybox.objects.volume_object, 397
cybox.objects.whois_object, 399
cybox.objects.win_computer_account_object,
404

cybox.objects.win_critical_section_object,
407

cybox.objects.win_driver_object, 407

cybox.objects.win_event_log_object, 413

cybox.objects.win_event_object, 415

cybox.objects.win_executable_file_object,
416

cybox.objects.win_file_object, 438

cybox.objects.win_filemapping_object,
440

cybox.objects.win_handle_object, 442

cybox.objects.win_hook_object, 443

cybox.objects.win_kernel_hook_object,
443

cybox.objects.win_kernel_object, 445

cybox.objects.win_mailslot_object, 447

cybox.objects.win_memory_page_region_object,
447

cybox.objects.win_mutex_object, 450

cybox.objects.win_network_route_entry_object,
450

cybox.objects.win_network_share_object,
450

cybox.objects.win_pipe_object, 452

cybox.objects.win_prefetch_object, 453

cybox.objects.win_process_object, 455

cybox.objects.win_registry_key_object,
458

cybox.objects.win_semaphore_object, 461

cybox.objects.win_service_object, 461

cybox.objects.win_system_object, 463

cybox.objects.win_system_restore_object,
465

cybox.objects.win_task_object, 468

cybox.objects.win_thread_object, 474

cybox.objects.win_user_object, 475

cybox.objects.win_volume_object, 477

cybox.objects.win_waitable_timer_object,
477

cybox.objects.x509_certificate_object,
478

cybox.utils, 484

cybox.utils.autoentity, 485

cybox.utils.caches, 485

cybox.utils.nsparser, 485

A

- aa_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 172, 380
- abbreviation (cybox.objects.win_system_object.GlobalFlag attribute), 255, 463
- accept (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 102, 309
- accept_charset (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 102, 309
- accept_datetime (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 102, 310
- accept_encoding (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 310
- accept_language (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 310
- accept_ranges (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 108, 315
- access_all (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_atrib (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_control_allow_origin (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 108, 315
- access_create (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_delete (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_exec (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_mask (cybox.objects.win_handle_object.WinHandle attribute), 234, 442
- access_perm (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_read (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- access_write (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- accessed_directory_list (cybox.objects.win_prefetch_object.WinPrefetch attribute), 246, 454
- accessed_file_list (cybox.objects.win_prefetch_object.WinPrefetch attribute), 246, 454
- accessed_time (cybox.objects.file_object.File attribute), 94, 301
- AccessedDirectoryList (class in cybox.objects.win_prefetch_object), 245, 453
- AccessedFileList (class in cybox.objects.win_prefetch_object), 245, 453
- Account (class in cybox.objects.account_object), 69, 276
- account_logon_type (cybox.objects.win_task_object.WinTask attribute), 263, 471
- account_name (cybox.objects.win_task_object.WinTask attribute), 263, 471
- account_run_level (cybox.objects.win_task_object.WinTask attribute), 263, 472
- ack (cybox.objects.network_packet_object.TCPFlags attribute), 158, 365
- ack_num (cybox.objects.network_packet_object.TCPHeader attribute), 159, 366
- acl_change_sid (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 257, 466
- acl_change_username (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 466
- Action (class in cybox.core.action), 53, 61
- action_aliases (cybox.core.action.Action attribute), 53, 61
- action_arguments (cybox.core.action.Action attribute), 53, 61
- action_id (cybox.core.action_reference.ActionReference attribute), 56, 64
- action_id (cybox.objects.win_task_object.TaskAction attribute), 261, 469
- action_list (cybox.objects.win_task_object.WinTask attribute), 263, 472
- action_status (cybox.core.action.Action attribute), 53, 61
- action_type (cybox.objects.win_task_object.TaskAction attribute), 261, 469
- ActionAliases (class in cybox.core.action), 55, 63
- ActionArgument (class in cybox.core.action), 55, 63

- ActionArgumentName (class in cybox.common.vocabs), 33, 50
- ActionArguments (class in cybox.core.action), 55, 63
- ActionName (class in cybox.common.vocabs), 33, 51
- ActionObjectAssociationType (class in cybox.common.vocabs), 33, 51
- ActionReference (class in cybox.core.action_reference), 56, 64
- ActionRelationship (class in cybox.core.action), 55, 63
- ActionRelationships (class in cybox.core.action), 55, 63
- ActionRelationshipType (class in cybox.common.vocabs), 33, 51
- Actions (class in cybox.core.action), 56, 64
- actions (cybox.core.event.Event attribute), 57, 65
- ActionType (class in cybox.common.vocabs), 33, 51
- actual_available_allocation_units (cybox.objects.volume_object.Volume attribute), 190, 397
- actual_size (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 440
- adapter (cybox.objects.system_object.NetworkInterface attribute), 184, 391
- add() (cybox.core.observable.ObservableComposition method), 60, 68
- add() (cybox.core.observable.Observables method), 60, 69
- add_external_class() (in module cybox.core.object), 59, 67
- add_hash() (cybox.objects.file_object.File method), 94, 301
- add_keyword() (cybox.core.observable.Observable method), 60, 68
- add_related() (cybox.common.object_properties.ObjectProperties method), 28, 46
- add_related() (cybox.core.object.Object method), 59, 67
- additional_records (cybox.objects.dns_query_object.DNSQuery attribute), 84, 291
- addr_config_flag (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
- Address (class in cybox.objects.address_object), 71, 278
- address (cybox.common.extracted_string.ExtractedString attribute), 24, 42
- address (cybox.objects.api_object.API attribute), 72, 279
- address (cybox.objects.whois_object.WhoisContact attribute), 191, 399
- address (cybox.objects.whois_object.WhoisRegistrar attribute), 195, 403
- address (cybox.objects.win_critical_section_object.WinCriticalSection attribute), 199, 407
- address_class (cybox.objects.dns_record_object.DNSRecord attribute), 86, 293
- address_family (cybox.objects.network_socket_object.NetworkSocket attribute), 165, 372
- address_mask (cybox.objects.network_packet_object.ICMPv4AddressMask attribute), 127, 334
- address_mask (cybox.objects.network_packet_object.ICMPv4AddressMask attribute), 127, 334
- address_mask_reply (cybox.objects.network_packet_object.ICMPv4AddressMaskReply attribute), 127, 334
- address_mask_reply (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 338
- address_mask_request (cybox.objects.network_packet_object.ICMPv4AddressMaskRequest attribute), 127, 334
- address_mask_request (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 338
- address_of_entry_point (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 220, 427
- address_unreachable (cybox.objects.network_packet_object.ICMPv6DestinationUnreachable attribute), 135, 343
- address_value (cybox.objects.address_object.Address attribute), 71, 278
- age (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 108, 315
- allocation_base_address (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
- allocation_protect (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
- answer_resource_records (cybox.objects.dns_query_object.DNSQuery attribute), 84, 291
- AnyURI (class in cybox.common.properties), 30, 47
- API (class in cybox.objects.api_object), 72, 279
- application_file_name (cybox.objects.win_prefetch_object.WinPrefetch attribute), 246, 454
- application_name (cybox.objects.win_task_object.WinTask attribute), 264, 472
- architecture (cybox.objects.linux_package_object.LinuxPackage attribute), 116, 324
- architecture (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 418
- archive_format (cybox.objects.archive_file_object.ArchiveFile attribute), 73, 280
- archive_section (cybox.objects.archive_file_object.ArchiveFile attribute), 73, 280
- ArchiveFile (class in cybox.objects.archive_file_object), 73, 280
- args (cybox.objects.process_object.Process attribute), 177, 384

- argument_name (cybox.core.action.ActionArgument attribute), 55, 63
- argument_table_base (cybox.objects.win_kernel_object.SSDTEntry attribute), 237, 445
- argument_value (cybox.core.action.ActionArgument attribute), 55, 63
- ArgumentList (class in cybox.objects.process_object), 176, 383
- ARP (class in cybox.objects.network_packet_object), 121, 329
- arp_cache_entry (cybox.objects.arp_cache_object.ARPCache attribute), 77, 281
- arp_rarp (cybox.objects.network_packet_object.LogicalProtocol attribute), 147, 354
- ARPCache (class in cybox.objects.arp_cache_object), 77, 281
- ARPCacheEntry (class in cybox.objects.arp_cache_object), 78, 281
- Artifact (class in cybox.objects.artifact_object), 74, 282
- AS (in module cybox.objects.as_object), 77, 284
- ascii85decode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 380
- asciihexdecode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 380
- aslr_enabled (cybox.objects.win_process_object.WinProcess attribute), 249, 457
- associated_objects (cybox.core.action.Action attribute), 53, 61
- AssociatedObject (class in cybox.core.associated_object), 56, 64
- AssociatedObjects (class in cybox.core.action), 56, 64
- attached_device_name (cybox.objects.win_driver_object.DeviceObjectStructure attribute), 200, 407
- attached_device_object (cybox.objects.win_driver_object.DeviceObjectStructure attribute), 200, 407
- attached_to_device_name (cybox.objects.win_driver_object.DeviceObjectStructure attribute), 200, 408
- attached_to_device_object (cybox.objects.win_driver_object.DeviceObjectStructure attribute), 200, 408
- attached_to_driver_name (cybox.objects.win_driver_object.DeviceObjectStructure attribute), 200, 408
- attached_to_driver_object (cybox.objects.win_driver_object.DeviceObjectStructure attribute), 200, 408
- AttachmentReference (class in cybox.objects.email_message_object), 88,
- Attachments (class in cybox.objects.email_message_object), 88, 295
- attachments (cybox.objects.email_message_object.EmailMessage attribute), 91, 298
- attributes_list (cybox.objects.win_volume_object.WinVolume attribute), 269, 477
- Authentication (class in cybox.objects.account_object), 70, 277
- authentication (cybox.objects.account_object.Account attribute), 69, 276
- authentication_data (cybox.objects.account_object.Authentication attribute), 70, 277
- AuthenticationData (class in cybox.objects.network_packet_object.AuthenticationHeader attribute), 123, 330
- authentication_data (cybox.objects.network_packet_object.EncapsulatingSecurityPayload attribute), 124, 331
- authentication_header (cybox.objects.network_packet_object.IPv6ExtHeader attribute), 143, 350
- authentication_token_protection_mechanism (cybox.objects.account_object.Authentication attribute), 70, 277
- authentication_type (cybox.objects.account_object.Authentication attribute), 71, 277
- AuthenticationHeader (class in cybox.objects.network_packet_object), 123, 330
- author (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 377
- authority_key_identifier (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 274, 482
- authority_resource_records (cybox.objects.dns_query_object.DNSQuery attribute), 84, 291
- authorization (cybox.objects.http_session_object.HTTPRequestHeaderField attribute), 103, 310
- AutonomousSystem (class in cybox.objects.as_object), 77, 284
- available_physical_memory (cybox.objects.system_object.System attribute), 186, 393

B

backup_file_name (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 466

Base64Binary (class in cybox.common.properties), 30, 47

- Base64Encoding (class in cybox.objects.artifact_object), 74, 282
- base_address (cybox.objects.library_object.Library attribute), 115, 322
- base_of_code (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 220, 427
- base_of_data (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 220, 428
- base_relocation_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 418
- BaseProperty (class in cybox.common.properties), 30, 47
- basic_constraints (cybox.objects.x509_certificate_object.X509Certificate attribute), 274, 482
- bcc (cybox.objects.email_message_object.EmailHeader attribute), 88, 295
- beyond_scope (cybox.objects.network_packet_object.ICMPHeader attribute), 136, 343
- bios_date (cybox.objects.system_object.BIOSInfo attribute), 182, 390
- bios_info (cybox.objects.system_object.System attribute), 186, 393
- bios_manufacturer (cybox.objects.system_object.BIOSInfo attribute), 182, 390
- bios_release_date (cybox.objects.system_object.BIOSInfo attribute), 183, 390
- bios_serial_number (cybox.objects.system_object.BIOSInfo attribute), 183, 390
- bios_version (cybox.objects.system_object.BIOSInfo attribute), 183, 390
- BIOSInfo (class in cybox.objects.system_object), 182, 390
- bitmask (cybox.objects.win_computer_account_object.KerberosDelegation attribute), 197, 405
- bitness (cybox.objects.system_object.OS attribute), 185, 392
- bits_per_character (cybox.objects.sms_message_object.SMSMessage attribute), 181, 388
- bits_per_pixel (cybox.objects.image_file_object.ImageFile attribute), 114, 321
- blob (cybox.objects.win_event_log_object.WinEventLog attribute), 205, 413
- block_type (cybox.objects.memory_object.Memory attribute), 118, 325
- block_type (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
- body (cybox.objects.sms_message_object.SMSMessage attribute), 181, 388
- bound (cybox.objects.win_executable_file_object.PEImportedFunction attribute), 219, 427
- bound_import (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 419
- boundary (cybox.objects.email_message_object.EmailHeader attribute), 88, 295
- box_caption (cybox.objects.gui_dialogbox_object.GUIDialogbox attribute), 99, 306
- box_title (cybox.objects.gui_dialogbox_object.GUIDialogbox attribute), 99, 306
- build_number (cybox.objects.system_object.OS attribute), 185, 393
- by (cybox.objects.email_message_object.ReceivedLine attribute), 92, 299
- Byte3Extension (class in cybox.common.byterun.ByteRun attribute), 18, 35
- byte_order (cybox.common.data_segment.DataSegment attribute), 20, 37
- by_destination (cybox.objects.artifact_object.RawArtifact attribute), 76, 284
- byte_run_data (cybox.common.byterun.ByteRun attribute), 18, 35
- byte_runs (cybox.objects.file_object.File attribute), 94, 301
- byte_runs (cybox.objects.win_registry_key_object.RegistryValue attribute), 250, 458
- byte_runs (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 251, 459
- byte_string_value (cybox.common.extracted_string.ExtractedString attribute), 25, 42
- ByteRun (class in cybox.common.byterun), 18, 35
- ByteRuns (class in cybox.common.byterun), 18, 36
- bytes_per_sector (cybox.objects.volume_object.Volume attribute), 190, 398
- Bz2Compression (class in cybox.objects.artifact_object), 75, 282
- ## C
- cache_clear() (in module cybox.utils.caches), 484, 485
- cache_control (cybox.objects.http_session_object.HTTPRequestHeaderField attribute), 103, 310
- cache_control (cybox.objects.http_session_object.HTTPResponseHeaderField attribute), 108, 315
- cache_count() (in module cybox.utils.caches), 484, 485
- cache_get() (in module cybox.utils.caches), 484, 485
- cache_put() (in module cybox.utils.caches), 484, 485
- CacheMiss, 484, 485
- category (cybox.objects.address_object.Address attribute), 117, 324
- category (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324
- category (cybox.objects.win_event_log_object.WinEventLog attribute), 205, 413
- category_num (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 413

- cc (cybox.objects.email_message_object.EmailHeader attribute), 88, 295
- ccittfaxdecode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 380
- certificate (cybox.objects.x509_certificate_object.X509Certificate attribute), 272, 480
- certificate_issuer (cybox.common.digitalsignature.DigitalSignature attribute), 22, 40
- certificate_policies (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 274, 482
- certificate_signature (cybox.objects.x509_certificate_object.X509Certificate attribute), 272, 480
- certificate_subject (cybox.common.digitalsignature.DigitalSignature attribute), 22, 40
- certificate_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 419
- change_event (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 466
- changelog_entry_flags (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 466
- changelog_entry_sequence_number (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 466
- changelog_entry_type (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 466
- CharacterEncoding (class in cybox.common.vocabs), 33, 51
- characteristics (cybox.objects.win_executable_file_object.PEFileHeader attribute), 216, 424
- characteristics (cybox.objects.win_executable_file_object.PESectionHeader attribute), 225, 433
- checksum (cybox.objects.network_packet_object.EthernetHeader attribute), 125, 332
- checksum (cybox.objects.network_packet_object.IPv4Header attribute), 140, 347
- checksum (cybox.objects.network_packet_object.TCPHeader attribute), 159, 366
- checksum (cybox.objects.network_packet_object.UDPHeader attribute), 161, 368
- checksum (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 220, 428
- child_pid_list (cybox.objects.process_object.Process attribute), 177, 384
- ChildPIDList (class in cybox.objects.process_object), 176, 383
- class_ (cybox.common.measuresource.MeasureSource attribute), 26, 44
- class_ (cybox.objects.network_packet_object.IPv4Option attribute), 142, 349
- clr_runtime_header (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 419
- Code (class in cybox.objects.code_object), 78, 285
- code_language (cybox.objects.code_object.Code attribute), 78, 285
- code_segment (cybox.objects.code_object.Code attribute), 79, 285
- code_segment_xor (cybox.objects.code_object.Code attribute), 79, 285
- code_snippets (cybox.common.extracted_features.ExtractedFeatures attribute), 23, 41
- CodeSegmentXOR (class in cybox.objects.code_object), 80, 286
- CodeSnippets (class in cybox.common.extracted_features), 23, 41
- com_class_id (cybox.objects.win_task_object.IComHandlerAction attribute), 260, 468
- com_data (cybox.objects.win_task_object.IComHandlerAction attribute), 260, 468
- comm_prohibited (cybox.objects.network_packet_object.ICMPv6DestinationUnreachable attribute), 136, 343
- compression_line (cybox.objects.process_object.ImageInfo attribute), 176, 383
- comment (cybox.objects.archive_file_object.ArchiveFile attribute), 73, 280
- comment (cybox.objects.win_task_object.WinTask attribute), 264, 472
- Compression (class in cybox.objects.win_executable_file_object.PEVersionInfoResource), 227, 435
- communication_administratively_prohibited (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- companyname (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 227, 435
- compiler_name (cybox.objects.win_executable_file_object.PEBuildInformation attribute), 213, 421
- compiler_version (cybox.objects.win_executable_file_object.PEBuildInformation attribute), 213, 421
- Compression (class in cybox.objects.artifact_object), 75, 282
- compression_algorithm (cybox.objects.image_file_object.ImageFile attribute), 114, 321
- compression_comment (cybox.objects.file_object.File attribute), 94, 301
- compression_method (cybox.objects.file_object.File attribute), 94, 301
- compression_version (cybox.objects.file_object.File attribute), 94, 301
- computer (cybox.objects.win_computer_account_object.KerberosService attribute), 198, 405
- connection (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 310

- connection (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 108, 316
- contact_id (cybox.objects.whois_object.WhoisContact attribute), 192, 399
- contact_info (cybox.objects.whois_object.WhoisEntry attribute), 193, 400
- contact_type (cybox.objects.whois_object.WhoisContact attribute), 192, 399
- contacts (cybox.objects.whois_object.WhoisRegistrar attribute), 195, 403
- content_disposition (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_encoding (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_language (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_length (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 310
- content_length (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_location (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_md5 (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 310
- content_md5 (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_range (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- content_type (cybox.objects.email_message_object.EmailHeader attribute), 89, 295
- content_type (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 310
- content_type (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 109, 316
- context (cybox.core.action.Action attribute), 53, 61
- context (cybox.objects.win_thread_object.WinThread attribute), 266, 474
- contribution_location (cybox.common.contributor.Contributor attribute), 19, 36
- Contributor (class in cybox.common.contributor), 19, 36
- contributors (cybox.common.measuresource.MeasureSource attribute), 27, 44
- cookie (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 103, 311
- copy_flag (cybox.objects.network_packet_object.IPv4Option attribute), 142, 349
- correlation_activity_id (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 413
- correlation_related_activity_id (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 413
- create_email_address_observable() (in module cybox.helper), 485
- create_email_address_observable() (in module cybox.helper), 485
- create_file_hash_observable() (in module cybox.helper), 485
- create_ipv4_list_observables() (in module cybox.helper), 485
- create_ipv4_observable() (in module cybox.helper), 485
- create_url_observable() (in module cybox.helper), 486
- created (cybox.objects.disk_partition_object.DiskPartition attribute), 82, 289
- created (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 128, 466
- created_time (cybox.objects.file_object.File attribute), 128, 466
- created_time (cybox.objects.file_object.File attribute), 128, 466
- creation_date (cybox.objects.account_object.Account attribute), 169, 276
- creation_date (cybox.objects.whois_object.WhoisEntry attribute), 193, 400
- creation_date (cybox.objects.win_task_object.WinTask attribute), 264, 472
- creation_flags (cybox.objects.win_thread_object.WinThread attribute), 266, 474
- creation_time (cybox.objects.network_connection_object.NetworkConnection attribute), 120, 327
- creation_time (cybox.objects.process_object.Process attribute), 177, 384
- creation_time (cybox.objects.volume_object.Volume attribute), 190, 398
- creation_time (cybox.objects.win_thread_object.WinThread attribute), 266, 474
- creationdate (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 377
- creator (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 377
- creator (cybox.objects.win_task_object.WinTask attribute), 264, 472
- creator_username (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 251, 459
- crl_distribution_points (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 274, 482
- cur_hop_limit (cybox.objects.network_packet_object.RouterAdvertisement attribute), 155, 362
- current_count (cybox.objects.semaphore_object.Semaphore attribute), 180, 387
- current_directory (cybox.objects.process_object.ImageInfo attribute), 176, 383
- current_uses (cybox.objects.win_network_share_object.WinNetworkShare attribute), 243, 451
- custom_properties (cybox.common.object_properties.ObjectProperties attribute), 28, 46

- CustomProperties (class in cybox.common.object_properties), 28, 46
- cwr (cybox.objects.network_packet_object.TCPFlags attribute), 158, 365
- cybox.common (module), 17
- cybox.common.attribute_groups (module), 17, 35
- cybox.common.byterun (module), 18, 35
- cybox.common.contributor (module), 19, 36
- cybox.common.data_segment (module), 20, 37
- cybox.common.daterange (module), 21, 38
- cybox.common.datetimewithprecision (module), 21, 39
- cybox.common.digitalsignature (module), 22, 39
- cybox.common.environment_variable (module), 23, 40
- cybox.common.extracted_features (module), 23, 41
- cybox.common.extracted_string (module), 24, 42
- cybox.common.hashes (module), 26, 43
- cybox.common.measuresource (module), 26, 44
- cybox.common.object_properties (module), 28, 46
- cybox.common.platform_specification (module), 29, 47
- cybox.common.structured_text (module), 31, 49
- cybox.common.time (module), 32, 49
- cybox.common.tools (module), 32, 50
- cybox.common.vocabs (module), 33, 50
- cybox.core (module), 53
- cybox.core.action (module), 53, 61
- cybox.core.action_reference (module), 56, 64
- cybox.core.associated_object (module), 56, 64
- cybox.core.event (module), 57, 65
- cybox.core.frequency (module), 58, 66
- cybox.core.object (module), 58, 67
- cybox.core.observable (module), 60, 68
- cybox.helper (module), 485
- cybox.objects (module), 275
- cybox.objects.account_object (module), 69, 276
- cybox.objects.address_object (module), 71, 278
- cybox.objects.api_object (module), 72, 279
- cybox.objects.archive_file_object (module), 73, 280
- cybox.objects.arp_cache_object (module), 77, 281
- cybox.objects.artifact_object (module), 74, 282
- cybox.objects.as_object (module), 77, 284
- cybox.objects.code_object (module), 78, 285
- cybox.objects.device_object (module), 80, 287
- cybox.objects.disk_object (module), 81, 288
- cybox.objects.disk_partition_object (module), 82, 289
- cybox.objects.dns_cache_object (module), 83, 290
- cybox.objects.dns_query_object (module), 84, 291
- cybox.objects.dns_record_object (module), 86, 293
- cybox.objects.domain_name_object (module), 87, 294
- cybox.objects.email_message_object (module), 88, 295
- cybox.objects.file_object (module), 93, 300
- cybox.objects.gui_dialogbox_object (module), 99, 306
- cybox.objects.gui_object (module), 99, 306
- cybox.objects.gui_window_object (module), 100, 307
- cybox.objects.hostname_object (module), 100, 307
- cybox.objects.http_session_object (module), 101, 308
- cybox.objects.image_file_object (module), 114, 321
- cybox.objects.library_object (module), 115, 322
- cybox.objects.link_object (module), 116, 323
- cybox.objects.linux_package_object (module), 116, 323
- cybox.objects.memory_object (module), 118, 325
- cybox.objects.mutex_object (module), 119, 326
- cybox.objects.network_connection_object (module), 120, 327
- cybox.objects.network_packet_object (module), 121, 329
- cybox.objects.network_route_entry_object (module), 162, 369
- cybox.objects.network_route_object (module), 164, 371
- cybox.objects.network_socket_object (module), 165, 372
- cybox.objects.network_subnet_object (module), 169, 376
- cybox.objects.pdf_file_object (module), 170, 377
- cybox.objects.pipe_object (module), 175, 382
- cybox.objects.port_object (module), 175, 382
- cybox.objects.process_object (module), 176, 383
- cybox.objects.product_object (module), 179, 386
- cybox.objects.semaphore_object (module), 180, 387
- cybox.objects.sms_message_object (module), 181, 388
- cybox.objects.socket_address_object (module), 180, 389
- cybox.objects.system_object (module), 182, 390
- cybox.objects.uri_object (module), 188, 395
- cybox.objects.user_account_object (module), 188, 395
- cybox.objects.volume_object (module), 190, 397
- cybox.objects.whois_object (module), 191, 399
- cybox.objects.win_computer_account_object (module), 197, 404
- cybox.objects.win_critical_section_object (module), 199, 407
- cybox.objects.win_driver_object (module), 199, 407
- cybox.objects.win_event_log_object (module), 205, 413
- cybox.objects.win_event_object (module), 208, 415
- cybox.objects.win_executable_file_object (module), 208, 416
- cybox.objects.win_file_object (module), 230, 438
- cybox.objects.win_filemapping_object (module), 233, 440
- cybox.objects.win_handle_object (module), 234, 442
- cybox.objects.win_hook_object (module), 235, 443
- cybox.objects.win_kernel_hook_object (module), 238, 443
- cybox.objects.win_kernel_object (module), 236, 445
- cybox.objects.win_mailslot_object (module), 239, 447
- cybox.objects.win_memory_page_region_object (module), 240, 447
- cybox.objects.win_mutex_object (module), 242, 450
- cybox.objects.win_network_route_entry_object (module), 242, 450
- cybox.objects.win_network_share_object (module), 243, 450
- cybox.objects.win_pipe_object (module), 244, 452

- cybox.objects.win_prefetch_object (module), 245, 453
 - cybox.objects.win_process_object (module), 247, 455
 - cybox.objects.win_registry_key_object (module), 250, 458
 - cybox.objects.win_semaphore_object (module), 255, 461
 - cybox.objects.win_service_object (module), 252, 461
 - cybox.objects.win_system_object (module), 255, 463
 - cybox.objects.win_system_restore_object (module), 257, 465
 - cybox.objects.win_task_object (module), 260, 468
 - cybox.objects.win_thread_object (module), 266, 474
 - cybox.objects.win_user_object (module), 267, 475
 - cybox.objects.win_volume_object (module), 268, 477
 - cybox.objects.win_waitable_timer_object (module), 269, 477
 - cybox.objects.x509_certificate_object (module), 270, 478
 - cybox.utils (module), 484
 - cybox.utils.autoentity (module), 484, 485
 - cybox.utils.caches (module), 484, 485
 - cybox.utils.nsparser (module), 484, 485
- ## D
- data (cybox.objects.network_packet_object.IPv4Packet attribute), 142, 350
 - data (cybox.objects.network_packet_object.IPv6Packet attribute), 145, 352
 - data (cybox.objects.network_packet_object.TCP attribute), 157, 365
 - data (cybox.objects.network_packet_object.UDP attribute), 161, 368
 - data (cybox.objects.win_executable_file_object.PEResource attribute), 224, 431
 - data (cybox.objects.win_registry_key_object.RegistryValue attribute), 251, 459
 - data_directory (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 220, 428
 - data_format (cybox.common.data_segment.DataSegment attribute), 20, 37
 - data_hashes (cybox.objects.win_executable_file_object.PESection attribute), 225, 432
 - data_length (cybox.objects.dns_record_object.DNSRecord attribute), 86, 293
 - data_offset (cybox.objects.network_packet_object.TCPHeader attribute), 159, 366
 - data_segment (cybox.common.data_segment.DataSegment attribute), 20, 37
 - data_size (cybox.common.data_segment.DataSegment attribute), 20, 37
 - DataDirectory (class in cybox.objects.win_executable_file_object), 211, 418
 - DataSegment (class in cybox.common.data_segment), 20, 37
 - DataSize (class in cybox.common.data_segment), 21, 38
 - datatype (cybox.objects.win_registry_key_object.RegistryValue attribute), 251, 459
 - Date (class in cybox.common.properties), 30, 48
 - date (cybox.common.contributor.Contributor attribute), 19, 36
 - date (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
 - date (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 104, 311
 - date (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
 - date (cybox.objects.system_object.System attribute), 186, 394
 - date_ran (cybox.objects.dns_query_object.DNSQuery attribute), 85, 291
 - DateTimeRange (class in cybox.common.daterange), 21, 38
 - DateTime (class in cybox.common.properties), 30, 48
 - DateTimeWithPrecision (class in cybox.common.datetimewithprecision), 21, 39
 - DateWithPrecision (class in cybox.common.datetimewithprecision), 22, 39
 - dctdecode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 380
 - debug (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 419
 - decryption_key (cybox.objects.archive_file_object.ArchiveFile attribute), 74, 280
 - decryption_key (cybox.objects.file_object.File attribute), 95, 302
 - default_time_out (cybox.objects.win_pipe_object.WinPipe attribute), 244, 452
 - delay_import_descriptor (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 419
 - delay_load (cybox.objects.win_executable_file_object.PEImportTable attribute), 218, 426
 - delegation (cybox.objects.win_computer_account_object.Kerberos attribute), 197, 405
 - denormalize_from_xml() (in module cybox.utils), 484
 - dep_enabled (cybox.objects.win_process_object.WinProcess attribute), 249, 457
 - depth (cybox.objects.file_object.EPJumpCode attribute), 93, 300
 - description (cybox.common.measureresource.MeasureSource attribute), 27, 44
 - description (cybox.core.action.Action attribute), 53, 61
 - description (cybox.core.event.Event attribute), 57, 65
 - description (cybox.objects.account_object.Account attribute), 70, 276
 - description (cybox.objects.account_object.StructuredAuthenticationMechanism attribute), 71, 277

- description (cybox.objects.api_object.API attribute), 73, 279
- description (cybox.objects.code_object.Code attribute), 79, 285
- description (cybox.objects.device_object.Device attribute), 80, 287
- description (cybox.objects.dns_record_object.DNSRecord attribute), 86, 293
- description (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324
- description (cybox.objects.network_route_object.NetRoute attribute), 164, 371
- description (cybox.objects.network_subnet_object.NetworkSubnet attribute), 169, 376
- description (cybox.objects.system_object.NetworkInterface attribute), 184, 391
- description_list (cybox.objects.win_service_object.WinService attribute), 253, 461
- dest_ipv4_addr (cybox.objects.network_packet_object.IPv4Header attribute), 140, 347
- dest_ipv6_addr (cybox.objects.network_packet_object.IPv6Header attribute), 144, 351
- dest_ipv6_addr (cybox.objects.network_packet_object.Redirection attribute), 154, 361
- dest_port (cybox.objects.network_packet_object.TCPHeader attribute), 159, 366
- destination (cybox.objects.win_system_object.GlobalFlag attribute), 255, 463
- destination_address (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 369
- destination_host_unknown (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- destination_host_unreachable (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- destination_mac_addr (cybox.objects.network_packet_object.EthernetHeader attribute), 125, 332
- destination_network_unknown (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- destination_network_unreachable (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- destination_options (cybox.objects.network_packet_object.IPv6ExtHeader attribute), 143, 350
- destination_port_unreachable (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- destination_protocol_unreachable (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- destination_socket_address (cybox.objects.network_connection_object.NetworkConnection attribute), 120, 327
- destination_tcp_state (cybox.objects.network_connection_object.NetworkConnection attribute), 120, 328
- destination_unreachable (cybox.objects.network_packet_object.ICMPv4ErrorMessage attribute), 129, 337
- destination_unreachable (cybox.objects.network_packet_object.ICMPv6ErrorMessage attribute), 136, 344
- DestinationOptions (class in cybox.objects.network_packet_object), 123, 330
- dst_port (cybox.objects.network_packet_object.UDPHeader attribute), 161, 368
- dst_endpoint_signatures (cybox.objects.file_object.Packer attribute), 98, 305
- Device (class in cybox.objects.device_object), 80, 287
- device_details (cybox.objects.product_object.Product attribute), 179, 386
- device_name (cybox.objects.disk_partition_object.DiskPartition attribute), 82, 289
- device_name (cybox.objects.win_driver_object.DeviceObjectStruct attribute), 200, 408
- device_object (cybox.objects.win_driver_object.DeviceObjectStruct attribute), 201, 408
- device_object_list (cybox.objects.win_driver_object.WinDriver attribute), 201, 408
- device_path (cybox.objects.volume_object.Volume attribute), 95, 302
- device_path (cybox.objects.volume_object.Volume attribute), 190, 398
- device_type (cybox.objects.device_object.Device attribute), 80, 287
- deviceitem (cybox.objects.win_prefetch_object.Volume attribute), 246, 454
- DeviceObjectList (class in cybox.objects.win_driver_object), 199, 407
- DeviceObjectStruct (class in cybox.objects.win_driver_object), 200, 407
- dhcp_lease_obtained (cybox.objects.system_object.NetworkInterface attribute), 184, 391
- dhcp_lease_obtained (cybox.objects.system_object.NetworkInterface attribute), 184, 392
- dhcp_lease_obtained (cybox.objects.system_object.NetworkInterface attribute), 184, 392
- DHCPServerList (class in cybox.objects.system_object), 184, 392

- digital_signature (cybox.objects.win_executable_file_object.WindowsExecutableFile attribute), 229, 436
- digital_signature_hooked (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 238, 444
- digital_signature_hooking (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 238, 444
- digital_signatures (cybox.objects.code_object.Code attribute), 79, 286
- digital_signatures (cybox.objects.file_object.File attribute), 95, 302
- DigitalSignature (class in cybox.common.digitalsignature), 22, 39
- DigitalSignatureList (class in cybox.common.digitalsignature), 23, 40
- disabled (cybox.objects.account_object.Account attribute), 70, 276
- discovery_method (cybox.core.action.Action attribute), 53, 61
- discovery_method (cybox.objects.code_object.Code attribute), 79, 286
- Disk (class in cybox.objects.disk_object), 81, 288
- disk_name (cybox.objects.disk_object.Disk attribute), 81, 288
- disk_size (cybox.objects.disk_object.Disk attribute), 81, 288
- DiskPartition (class in cybox.objects.disk_partition_object), 82, 289
- display_name (cybox.objects.win_service_object.WinService attribute), 253, 461
- dll_characteristics (cybox.objects.win_executable_file_object.PEOptionalDataObject attribute), 220, 428
- dns_cache_entry (cybox.objects.dns_cache_object.DNSCacheEntry attribute), 84, 290
- dns_entry (cybox.objects.dns_cache_object.DNSCacheEntry attribute), 84, 291
- dns_query (cybox.objects.network_connection_object.Layer7Connection attribute), 120, 327
- DNSCache (class in cybox.objects.dns_cache_object), 83, 290
- DNSCacheEntry (class in cybox.objects.dns_cache_object), 84, 290
- DNSQuery (class in cybox.objects.dns_query_object), 84, 291
- DNSQuestion (class in cybox.objects.dns_query_object), 85, 292
- DNSRecord (class in cybox.objects.dns_record_object), 86, 293
- DNSResourceRecords (class in cybox.objects.dns_query_object), 86, 292
- dnssec (cybox.objects.whois_object.WhoisEntry attribute), 193, 400
- do_not_fragment (cybox.objects.network_packet_object.IPv4Flags attribute), 140, 347
- do_not_recogn_action (cybox.objects.network_packet_object.IPv6Option attribute), 145, 352
- document_information_dictionary (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 171, 379
- domain (cybox.objects.account_object.Account attribute), 70, 276
- domain (cybox.objects.network_socket_object.NetworkSocket attribute), 165, 373
- domain (cybox.objects.win_system_object.WinSystem attribute), 256, 464
- domain_id (cybox.objects.whois_object.WhoisEntry attribute), 193, 400
- domain_name (cybox.objects.dns_record_object.DNSRecord attribute), 86, 293
- domain_name (cybox.objects.http_session_object.HostField attribute), 114, 321
- domain_name (cybox.objects.whois_object.WhoisEntry attribute), 193, 401
- DomainName (class in cybox.objects.domain_name_object), 87, 294
- DomainSpecificObjectProperties (class in cybox.core.object), 58, 67
- dos_header (cybox.objects.win_executable_file_object.PEHeaders attribute), 217, 425
- DOSHeader (class in cybox.objects.win_executable_file_object), 208, 416
- Double (class in cybox.common.properties), 30, 48
- drive (cybox.objects.win_file_object.WinFile attribute), 231, 438
- drive_letter (cybox.objects.win_volume_object.WinVolume attribute), 269, 477
- drive_Type (cybox.objects.win_volume_object.WinVolume attribute), 269, 477
- driver_init (cybox.objects.win_driver_object.WinDriver attribute), 201, 408
- driver_name (cybox.objects.win_driver_object.WinDriver attribute), 201, 409
- driver_object_address (cybox.objects.win_driver_object.WinDriver attribute), 201, 409
- driver_start_io (cybox.objects.win_driver_object.WinDriver attribute), 201, 409
- driver_unload (cybox.objects.win_driver_object.WinDriver attribute), 201, 409
- dscp (cybox.objects.network_packet_object.IPv4Header attribute), 140, 348
- Duration (class in cybox.common.properties), 30, 48

- dwfillattribute (cybox.objects.win_process_object.StartupInfo attribute), 247, 455
- dwflags (cybox.objects.win_process_object.StartupInfo attribute), 247, 455
- dwx (cybox.objects.win_process_object.StartupInfo attribute), 247, 455
- dwxcntchars (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
- dwysize (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
- dwy (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
- dwycountchars (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
- dwysize (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
- E**
- e_cblp (cybox.objects.win_executable_file_object.DOSHeader attribute), 208, 416
- e_cp (cybox.objects.win_executable_file_object.DOSHeader attribute), 208, 416
- e_cparhdr (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 416
- e_crlc (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 416
- e_cs (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 416
- e_csum (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 417
- e_ip (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 417
- e_lfanew (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 417
- e_lfarlc (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 417
- e_magic (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 417
- e_maxalloc (cybox.objects.win_executable_file_object.DOSHeader attribute), 209, 417
- e_minalloc (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 417
- e_oemid (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 417
- e_oeminfo (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 417
- e_ovro (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 418
- e_sp (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 418
- e_ss (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 418
- ece (cybox.objects.network_packet_object.TCPFlags attribute), 158, 365
- echo_reply (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 338
- echo_reply (cybox.objects.network_packet_object.ICMPv6InfoMessage attribute), 137, 345
- echo_request (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 338
- echo_request (cybox.objects.network_packet_object.ICMPv6InfoMessage attribute), 137, 345
- ecn (cybox.objects.network_packet_object.IPv4Header attribute), 140, 348
- edition (cybox.objects.product_object.Product attribute), 179, 386
- event (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 414
- email (cybox.common.contributor.Contributor attribute), 19, 36
- email_address (cybox.objects.whois_object.WhoisContact attribute), 192, 399
- email_address (cybox.objects.whois_object.WhoisRegistrar attribute), 195, 403
- email_server (cybox.objects.email_message_object.EmailMessage attribute), 91, 298
- EmailAddress (class in cybox.objects.address_object), 72, 278
- EmailHeader (class in cybox.objects.email_message_object), 88, 295
- EmailMessage (class in cybox.objects.email_message_object), 90, 297
- EmailRecipients (class in cybox.objects.email_message_object), 91, 298
- encapsulating_security_payload (cybox.objects.network_packet_object.IPv6ExtHeader attribute), 143, 350
- EncapsulatingSecurityPayload (class in cybox.objects.network_packet_object), 123, 331
- Encoding (class in cybox.objects.artifact_object), 75, 283
- encoding (cybox.common.extracted_string.ExtractedString attribute), 25, 42
- encoding (cybox.objects.sms_message_object.SMSMessage attribute), 181, 388
- keyword_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 380
- encrypted (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 171, 379
- Encryption (class in cybox.objects.artifact_object), 75, 283
- encryption_algorithm (cybox.objects.archive_file_object.ArchiveFile attribute), 74, 280

- encryption_algorithm (cybox.objects.file_object.File attribute), 95, 302
 end_date (cybox.common.daterange.DateRange attribute), 21, 38
 end_time (cybox.common.time.Time attribute), 32, 49
 english_translation (cybox.common.extracted_string.ExtractedString attribute), 25, 42
 Entropy (class in cybox.objects.win_executable_file_object), 213, 420
 entropy (cybox.objects.win_executable_file_object.PEHeaders attribute), 217, 425
 entropy (cybox.objects.win_executable_file_object.PESection attribute), 225, 433
 entry_point (cybox.objects.file_object.Packer attribute), 98, 305
 entry_point (cybox.objects.win_executable_file_object.PEExportedFunction attribute), 215, 422
 entry_type (cybox.objects.dns_record_object.DNSRecord attribute), 86, 293
 EntryPointSignature (class in cybox.objects.file_object), 93, 300
 EntryPointSignatureList (class in cybox.objects.file_object), 94, 301
 environment_variable_list (cybox.objects.process_object.Process attribute), 177, 384
 environment_variable_list (cybox.objects.system_object.OS attribute), 185, 393
 EnvironmentVariable (class in cybox.common.environment_variable), 23, 40
 EnvironmentVariableList (class in cybox.common.environment_variable), 23, 40
 ep_jump_codes (cybox.objects.file_object.Packer attribute), 98, 305
 EPJumpCode (class in cybox.objects.file_object), 93, 300
 epoch (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324
 erroneous_header_field (cybox.objects.network_packet_object.ICMPv6ParameterProblem attribute), 139, 346
 error_msg (cybox.objects.network_packet_object.ICMPv4Packet attribute), 132, 339
 error_msg (cybox.objects.network_packet_object.ICMPv6Packet attribute), 138, 345
 error_msg_content (cybox.objects.network_packet_object.ICMPv4ErrorMessage attribute), 130, 337
 errors_to (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
 etag (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
 ethernet (cybox.objects.network_packet_object.PhysicalInterface attribute), 153, 360
 ethernet_header (cybox.objects.network_packet_object.EthernetInterface attribute), 125, 332
 EthernetHeader (class in cybox.objects.network_packet_object), 124, 332
 EthernetInterface (class in cybox.objects.network_packet_object), 125, 332
 Event (class in cybox.core.event), 57, 65
 event (cybox.core.event.Event attribute), 57, 65
 EventType (class in cybox.common.vocabs), 33, 51
 evr (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324
 exported_functions (cybox.objects.win_executable_file_object.DataDirectory attribute), 211, 419
 exec_arguments (cybox.objects.win_task_object.IExecAction attribute), 260, 468
 exec_program_hashes (cybox.objects.win_task_object.IExecAction attribute), 260, 468
 exec_program_path (cybox.objects.win_task_object.IExecAction attribute), 260, 469
 exec_working_directory (cybox.objects.win_task_object.IExecAction attribute), 260, 469
 execution_process_id (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 414
 execution_thread_id (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 414
 exit_code (cybox.objects.win_task_object.WinTask attribute), 264, 472
 expect (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 104, 311
 expiration_date (cybox.objects.whois_object.WhoisEntry attribute), 193, 401
 expires (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
 exponent (cybox.objects.x509_certificate_object.RSAPublicKey attribute), 270, 478
 export_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 419
 exported_functions (cybox.objects.win_executable_file_object.PEExports attribute), 215, 423
 exports (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 229, 436

exports_time_stamp (cybox.objects.win_executable_file_object.PEExports attribute), 215, 423
 ext_headers (cybox.objects.network_packet_object.IPv6Packet attribute), 145, 352
 extended_key_usage (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 274, 482
 extracted_features (cybox.objects.code_object.Code attribute), 79, 286
 extracted_features (cybox.objects.file_object.File attribute), 95, 302
 extracted_features (cybox.objects.library_object.Library attribute), 115, 322
 extracted_features (cybox.objects.memory_object.Memory attribute), 118, 325
 extracted_features (cybox.objects.process_object.Process attribute), 177, 385
 extracted_features (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
 ExtractedFeatures (class in cybox.common.extracted_features), 23, 41
 ExtractedString (class in cybox.common.extracted_string), 24, 42
 ExtractedStrings (class in cybox.common.extracted_string), 25, 43
 extraneous_bytes (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 229, 437

F

fax_number (cybox.objects.whois_object.WhoisContact attribute), 192, 399
 File (class in cybox.objects.file_object), 94, 301
 file_alignment (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 220, 428
 file_attributes (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 467
 file_attributes_list (cybox.objects.file_object.File attribute), 95, 302
 file_attributes_list (cybox.objects.win_file_object.WinFile attribute), 231, 438
 file_count (cybox.objects.archive_file_object.ArchiveFile attribute), 74, 280
 file_extension (cybox.objects.file_object.File attribute), 95, 302
 file_format (cybox.objects.file_object.File attribute), 95, 302
 file_handle (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 441
 file_header (cybox.objects.win_executable_file_object.PEHeaders attribute), 217, 425
 file_name (cybox.objects.file_object.File attribute), 95, 302
 file_name (cybox.objects.process_object.ImageInfo attribute), 176, 383
 file_name (cybox.objects.win_executable_file_object.PEImport attribute), 218, 426
 file_path (cybox.objects.file_object.File attribute), 96, 303
 file_system_flag_list (cybox.objects.volume_object.Volume attribute), 190, 398
 file_system_offset (cybox.common.byterun.ByteRun attribute), 18, 35
 file_system_type (cybox.objects.volume_object.Volume attribute), 191, 398
 FileAttribute (class in cybox.objects.file_object), 97, 304
 filedescription (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 227, 435
 filename_accessed_time (cybox.objects.win_file_object.WinFile attribute), 231, 439
 filename_created_time (cybox.objects.win_file_object.WinFile attribute), 231, 439
 filename_modified_time (cybox.objects.win_file_object.WinFile attribute), 231, 439
 FilePath (class in cybox.objects.file_object), 97, 304
 FileExecutableFile (class in cybox.objects.file_object), 97, 304
 FileSystemFlagList (class in cybox.objects.volume_object), 190, 397
 fileversion (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 227, 435
 fin (cybox.objects.network_packet_object.TCPFlags attribute), 158, 365
 firmware_version (cybox.objects.device_object.Device attribute), 81, 287
 first_eight_bytes (cybox.objects.network_packet_object.ICMPv4ErrorMessage attribute), 130, 337
 first_run (cybox.objects.win_prefetch_object.WinPrefetch attribute), 246, 454
 flags (cybox.objects.dns_record_object.DNSRecord attribute), 86, 293
 flags (cybox.objects.network_packet_object.IPv4Header attribute), 141, 348
 flags (cybox.objects.win_task_object.WinTask attribute), 264, 472
 flatedecode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 380
 Float (class in cybox.common.properties), 30, 48
 flow_label (cybox.objects.network_packet_object.IPv6Header attribute), 144, 351
 for_ (cybox.objects.email_message_object.ReceivedLine attribute), 92, 299

frag_reassembly_time_exceeded (cybox.objects.network_packet_object.ICMPv4TimeExceeded attribute), 133, 340

Fragment (class in cybox.objects.network_packet_object), 125, 332

fragment (cybox.objects.network_packet_object.Fragment attribute), 125, 332

fragment (cybox.objects.network_packet_object.IPv6ExtHeader attribute), 143, 350

fragment_header (cybox.objects.network_packet_object.FragmentHeader attribute), 125, 333

fragment_offset (cybox.objects.network_packet_object.FragmentHeader attribute), 126, 333

fragment_offset (cybox.objects.network_packet_object.IPv4Header attribute), 141, 348

fragment_reassem_time_exceeded (cybox.objects.network_packet_object.ICMPv6TimeExceeded attribute), 139, 347

fragmentation_required (cybox.objects.network_packet_object.FragmentationRequired attribute), 126, 333

fragmentation_required (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335

FragmentationRequired (class in cybox.objects.network_packet_object), 126, 333

FragmentHeader (class in cybox.objects.network_packet_object), 126, 333

free_space (cybox.objects.disk_object.Disk attribute), 81, 288

Frequency (class in cybox.core.frequency), 58, 66

frequency (cybox.core.action.Action attribute), 54, 62

frequency (cybox.core.event.Event attribute), 57, 65

from_ (cybox.objects.email_message_object.EmailHeader attribute), 89, 296

from_ (cybox.objects.email_message_object.ReceivedLine attribute), 92, 299

from_ (cybox.objects.http_session_object.HTTPRequestHeaderField attribute), 104, 311

from_dict() (cybox.common.data_segment.DataSize static method), 21, 38

from_dict() (cybox.common.datetimewithprecision.DateTimeWithPrecision class method), 22, 39

from_dict() (cybox.common.datetimewithprecision.DateWithPrecision class method), 22, 39

from_dict() (cybox.common.environment_variable.EnvironmentVariable static method), 23, 40

from_dict() (cybox.common.environment_variable.EnvironmentVariable class method), 23, 40

from_dict() (cybox.common.object_properties.ObjectProperties static method), 23, 40

from_dict() (cybox.common.object_properties.ObjectProperties class method), 28, 46

from_dict() (cybox.common.object_properties.Property static method), 29, 46

from_dict() (cybox.common.object_properties.Property static method), 29, 46

from_dict() (cybox.common.platform_specification.PlatformIdentifier static method), 29, 47

from_dict() (cybox.common.platform_specification.PlatformIdentifier static method), 29, 47

from_dict() (cybox.common.platform_specification.PlatformSpecification static method), 29, 47

from_dict() (cybox.common.structured_text.StructuredText class method), 31, 49

from_dict() (cybox.common.tools.ToolInformation static method), 32, 50

from_dict() (cybox.common.vocabs.VocabString class method), 34, 52

from_dict() (cybox.core.action.Action class method), 54, 62

from_dict() (cybox.core.action.ActionRelationship static method), 55, 63

from_dict() (cybox.core.associated_object.AssociatedObject static method), 56, 65

from_dict() (cybox.core.object.DomainSpecificObjectProperties static method), 59, 67

from_dict() (cybox.core.object.Object static method), 59, 67

from_dict() (cybox.core.object.RelatedObject static method), 59, 67

from_dict() (cybox.core.observable.Observable static method), 60, 68

from_dict() (cybox.core.observable.ObservableComposition static method), 60, 68

from_dict() (cybox.core.observable.Observables static method), 60, 69

from_dict() (cybox.objects.artifact_object.Artifact static method), 74, 282

from_dict() (cybox.objects.artifact_object.Compression static method), 75, 282

from_dict() (cybox.objects.artifact_object.Encoding static method), 75, 283

from_dict() (cybox.objects.artifact_object.Encryption static method), 76, 283

from_dict() (cybox.objects.file_object.FilePath static method), 97, 304

from_list() (cybox.objects.win_executable_file_object.PERResourceList static method), 225, 432

from_obj() (cybox.common.data_segment.DataSize static method), 21, 38

from_obj() (cybox.common.datetimewithprecision.DateTimeWithPrecision class method), 22, 39

from_obj() (cybox.common.datetimewithprecision.DateWithPrecision class method), 22, 39

from_obj() (cybox.common.environment_variable.EnvironmentVariable static method), 23, 40

from_obj() (cybox.common.environment_variable.EnvironmentVariable class method), 23, 40

from_obj() (cybox.common.object_properties.ObjectProperties static method), 28, 46

from_obj() (cybox.common.object_properties.Property static method), 29, 46

from_obj() (cybox.common.platform_specification.PlatformIdentifier static method), 29, 47

- from_obj() (cybox.common.platform_specification.PlatformSpecification class in cybox.common.extracted_features), static method), 29, 47
- from_obj() (cybox.common.structured_text.StructuredText class method), 31, 49
- from_obj() (cybox.common.tools.ToolInformation static method), 32, 50
- from_obj() (cybox.common.vocabs.VocabString class method), 34, 52
- from_obj() (cybox.core.action.ActionRelationship static method), 55, 63
- from_obj() (cybox.core.associated_object.AssociatedObject static method), 56, 65
- from_obj() (cybox.core.object.DomainSpecificObjectProperties static method), 59, 67
- from_obj() (cybox.core.object.Object static method), 59, 67
- from_obj() (cybox.core.object.RelatedObject static method), 59, 67
- from_obj() (cybox.core.observable.Observable static method), 60, 68
- from_obj() (cybox.core.observable.ObservableComposition static method), 60, 68
- from_obj() (cybox.core.observable.Observables static method), 60, 69
- from_obj() (cybox.objects.artifact_object.Artifact static method), 74, 282
- from_obj() (cybox.objects.artifact_object.Compression static method), 75, 282
- from_obj() (cybox.objects.artifact_object.Encoding static method), 75, 283
- from_obj() (cybox.objects.artifact_object.Encryption static method), 76, 283
- from_obj() (cybox.objects.file_object.FilePath static method), 97, 304
- full_control (cybox.objects.win_file_object.WindowsFilePermissions attribute), 232, 440
- full_name (cybox.objects.user_account_object.UserAccount attribute), 189, 396
- full_name (cybox.objects.win_computer_account_object.FullyQualifiedName attribute), 197, 404
- full_path (cybox.objects.file_object.File attribute), 96, 303
- fully_qualified_name (cybox.objects.win_computer_account_object.WinComputerAccount attribute), 198, 406
- FullyQualifiedName (class in cybox.objects.win_computer_account_object), 197, 404
- function_name (cybox.objects.api_object.API attribute), 73, 279
- function_name (cybox.objects.win_executable_file_object.PEExportedFunction attribute), 215, 422
- function_name (cybox.objects.win_executable_file_object.PEImportedFunction attribute), 219, 427
- from_obj() (class in cybox.common.extracted_features), 24, 41
- functions (cybox.common.extracted_features.ExtractedFeatures attribute), 24, 41
- fuzzy_hash_value (cybox.common.hashes.Hash attribute), 26, 43
- ## G
- gateway_address (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 369
- generation_time (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 414
- get_class_for_object_type() (in module cybox.objects), 275
- get_object() (cybox.objects.artifact_object.Compression static method), 75, 282
- get_object() (cybox.objects.artifact_object.Encryption static method), 76, 283
- get_properties() (cybox.core.object.RelatedObject method), 59, 67
- global_flag_list (cybox.objects.win_system_object.WinSystem attribute), 256, 464
- global_ptr (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 419
- GlobalFlag (class in cybox.objects.win_system_object), 255, 463
- GlobalFlagList (class in cybox.objects.win_system_object), 256, 464
- Group (class in cybox.objects.user_account_object), 188, 395
- group_list (cybox.objects.user_account_object.UserAccount attribute), 189, 396
- group_list (cybox.objects.win_user_object.WinUser attribute), 268, 476
- group_name (cybox.objects.win_service_object.WinService attribute), 253, 461
- GroupList (class in cybox.objects.user_account_object), 188, 396
- GUIDialogbox (class in cybox.objects.gui_object), 99, 306
- GUIDialogbox (class in cybox.objects.gui_dialogbox_object), 99, 306
- GUIWindow (class in cybox.objects.gui_window_object), 100, 307
- ## H
- handle (cybox.objects.as_object.AutonomousSystem attribute), 77, 284
- handle (cybox.objects.win_event_object.WinEvent attribute), 208, 415
- handle (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 441
- handle (cybox.objects.win_hook_object.WinHook attribute), 235, 443

- handle (cybox.objects.win_mailslot_object.WinMailslot attribute), 239, 447
- handle (cybox.objects.win_mutex_object.WinMutex attribute), 242, 450
- handle (cybox.objects.win_pipe_object.WinPipe attribute), 244, 452
- handle (cybox.objects.win_semaphore_object.WinSemaphore attribute), 255, 461
- handle (cybox.objects.win_thread_object.WinThread attribute), 266, 474
- handle_list (cybox.objects.win_process_object.WinProcess attribute), 249, 457
- handle_list (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 251, 459
- hardware_addr_size (cybox.objects.network_packet_object.ARP attribute), 121, 329
- hardware_addr_type (cybox.objects.network_packet_object.ARP attribute), 122, 329
- Hash (class in cybox.common.hashes), 26, 43
- hashes (cybox.common.byterun.ByteRun attribute), 18, 35
- hashes (cybox.common.extracted_string.ExtractedString attribute), 25, 42
- hashes (cybox.objects.file_object.File attribute), 96, 303
- hashes (cybox.objects.memory_object.Memory attribute), 118, 325
- hashes (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 418
- hashes (cybox.objects.win_executable_file_object.PEFileHeader attribute), 216, 424
- hashes (cybox.objects.win_executable_file_object.PEHeaders attribute), 218, 425
- hashes (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 428
- hashes (cybox.objects.win_executable_file_object.PEResource attribute), 224, 431
- hashes (cybox.objects.win_file_object.Stream attribute), 230, 438
- hashes (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
- HashList (class in cybox.common.hashes), 26, 44
- HashName (class in cybox.common.vocabs), 34, 51
- header (cybox.objects.email_message_object.EmailMessage attribute), 91, 298
- header_ext_len (cybox.objects.network_packet_object.AuthenticationHeader attribute), 123, 330
- header_ext_len (cybox.objects.network_packet_object.RoutingHeader attribute), 157, 364
- header_hashes (cybox.objects.win_executable_file_object.PESection attribute), 225, 433
- header_length (cybox.objects.network_packet_object.IPv4Header attribute), 141, 348
- headers (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 229, 437
- height (cybox.objects.gui_object.GUI attribute), 99, 307
- hexadecimal_value (cybox.objects.win_system_object.GlobalFlag attribute), 255, 464
- HexBinary (class in cybox.common.properties), 30, 48
- hint (cybox.objects.win_executable_file_object.PEImportedFunction attribute), 219, 427
- hive (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
- HiveList (class in cybox.objects.win_system_restore_object), 257, 465
- home_directory (cybox.objects.user_account_object.UserAccount attribute), 189, 396
- hook_description (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 238, 444
- hooked (cybox.objects.win_kernel_object.SSDTEntry attribute), 237, 446
- hooked_function (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 238, 444
- hooked_module (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 238, 444
- hooking_address (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 238, 444
- hooking_function_name (cybox.objects.win_hook_object.WinHook attribute), 235, 443
- hooking_module (cybox.objects.win_hook_object.WinHook attribute), 235, 443
- hooking_module (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 239, 444
- hop_by_hop_options (cybox.objects.network_packet_object.IPv6ExtHeader attribute), 143, 350
- hop_limit_exceeded (cybox.objects.network_packet_object.ICMPv6TimeExceeded attribute), 139, 347
- HopByHopOptions (class in cybox.objects.network_packet_object), 127, 334
- host (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 104, 311
- host_administratively_prohibited (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335
- host_precedence_violation (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 336
- HostRedirect (cybox.objects.network_packet_object.ICMPv4RedirectMessage attribute), 132, 340
- HostUnreachableForTos (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 128, 335

attribute), 128, 336
 HostField (class in cybox.objects.http_session_object), 114, 321
 Hostname (class in cybox.objects.hostname_object), 100, 307
 hostname (cybox.objects.socket_address_object.SocketAddress attribute), 180, 389
 hostname (cybox.objects.system_object.System attribute), 186, 394
 hostname_value (cybox.objects.hostname_object.Hostname attribute), 100, 308
 hstdderror (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
 hstdinput (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
 hstdoutput (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
 http_client_request (cybox.objects.http_session_object.HTTPRequestResponse attribute), 107, 314
 http_message_body (cybox.objects.http_session_object.HTTPClientRequest attribute), 101, 308
 http_message_body (cybox.objects.http_session_object.HTTPServerResponse attribute), 113, 320
 http_method (cybox.objects.http_session_object.HTTPRequestLine attribute), 107, 314
 http_provisional_server_response (cybox.objects.http_session_object.HTTPRequestResponse attribute), 107, 314
 http_request_header (cybox.objects.http_session_object.HTTPClientRequest attribute), 101, 308
 http_request_line (cybox.objects.http_session_object.HTTPClientRequest attribute), 101, 308
 http_request_response (cybox.objects.http_session_object.HTTPSession attribute), 113, 320
 http_response_header (cybox.objects.http_session_object.HTTPServerResponse attribute), 113, 320
 http_server_response (cybox.objects.http_session_object.HTTPRequestResponse attribute), 107, 314
 http_session (cybox.objects.network_connection_object.Layer7Connection attribute), 120, 327
 http_status_line (cybox.objects.http_session_object.HTTPServerResponse attribute), 113, 320
 HTTPClientRequest (class in cybox.objects.http_session_object), 101, 308
 HTTPMessage (class in cybox.objects.http_session_object), 101, 308
 HTTPRequestHeader (class in cybox.objects.http_session_object), 102, 309
 HTTPRequestHeaderFields (class in cybox.objects.http_session_object), 102, 309
 HTTPRequestLine (class in cybox.objects.http_session_object), 106, 313
 HTTPRequestResponse (class in cybox.objects.http_session_object), 107, 314
 HTTPResponseHeader (class in cybox.objects.http_session_object), 107, 315
 HTTPResponseHeaderFields (class in cybox.objects.http_session_object), 108, 315
 HTTPServerResponse (class in cybox.objects.http_session_object), 112, 319
 HTTPSession (class in cybox.objects.http_session_object), 113, 320
 HTTPStatusLine (class in cybox.objects.http_session_object), 113, 320
 icmpv4 (cybox.objects.network_packet_object.InternetLayer attribute), 146, 353
 icmpv4_header (cybox.objects.network_packet_object.ICMPv4Packet attribute), 132, 339
 ICMPv4AddressMaskReply (class in cybox.objects.network_packet_object), 127, 334
 ICMPv4AddressMaskRequest (class in cybox.objects.network_packet_object), 127, 334
 ICMPv4DestinationUnreachable (class in cybox.objects.network_packet_object), 127, 335
 ICMPv4EchoReply (class in cybox.objects.network_packet_object), 129, 336
 ICMPv4EchoRequest (class in cybox.objects.network_packet_object), 129, 336
 ICMPv4ErrorMessage (class in cybox.objects.network_packet_object), 129, 337
 ICMPv4ErrorMessageContent (class in cybox.objects.network_packet_object), 130, 337
 ICMPv4Header (class in cybox.objects.network_packet_object), 130, 338
 ICMPv4InfoMessage (class in cybox.objects.network_packet_object), 131, 338
 ICMPv4InfoMessageContent (class in cybox.objects.network_packet_object), 131, 339

ICMPv4Packet (class in box.objects.network_packet_object), 339	cy- 132,	ICMPv6ParameterProblem (class in box.objects.network_packet_object), 139, 346	cy- 139,
ICMPv4RedirectMessage (class in box.objects.network_packet_object), 339	cy- 132,	ICMPv6TimeExceeded (class in box.objects.network_packet_object), 139, 346	cy- 139,
ICMPv4SourceQuench (class in box.objects.network_packet_object), 340	cy- 133,	IComHandlerAction (class in box.objects.win_task_object), 260, 468	cy-
ICMPv4TimeExceeded (class in box.objects.network_packet_object), 340	cy- 133,	icomhandleraction (cybox.objects.win_task_object.TaskAction attribute), 261, 469	
ICMPv4TimestampReply (class in box.objects.network_packet_object), 341	cy- 133,	id_ (cybox.common.data_segment.DataSegment attribute), 20, 37	
ICMPv4TimestampRequest (class in box.objects.network_packet_object), 341	cy- 134,	id_ (cybox.core.action.Action attribute), 54, 62	
ICMPv4Traceroute (class in box.objects.network_packet_object), 342	cy- 134,	id_ (cybox.core.event.Event attribute), 57, 65	
icmpv6 (cybox.objects.network_packet_object.InternetLayer attribute), 146, 353		id_ (cybox.objects.email_message_object.ReceivedLine attribute), 92, 299	
icmpv6_header (cybox.objects.network_packet_object.ICMPv6Packetattribute), 138, 345		id_ (cybox.objects.win_handle_object.WinHandle attribute), 234, 442	
icmpv6_header (cybox.objects.network_packet_object.NDPidref attribute), 147, 354		identification (cybox.objects.network_packet_object.FragmentHeader attribute), 126, 333	
ICMPv6DestinationUnreachable (class in box.objects.network_packet_object), 342	cy- 135,	identification (cybox.objects.network_packet_object.IPv4Header attribute), 141, 348	
ICMPv6EchoReply (class in box.objects.network_packet_object), 343	cy- 136,	identifier (cybox.objects.network_packet_object.ICMPv4Traceroute attribute), 134, 342	
ICMPv6EchoRequest (class in box.objects.network_packet_object), 343	cy- 136,	idref (cybox.core.action.Action attribute), 54, 62	
ICMPv6ErrorMessage (class in box.objects.network_packet_object), 344	cy- 136,	idref (cybox.core.event.Event attribute), 57, 65	
ICMPv6Header (class in box.objects.network_packet_object), 344	cy- 137,	idt (cybox.objects.win_kernel_object.WinKernel attribute), 237, 446	
ICMPv6InfoMessage (class in box.objects.network_packet_object), 344	cy- 137,	IDTEntry (class in cybox.objects.win_kernel_object), 236, 445	
ICMPv6InfoMessageContent (class in box.objects.network_packet_object), 345	cy- 138,	IDTEntryList (class in cybox.objects.win_kernel_object), 236, 445	
ICMPv6Packet (class in box.objects.network_packet_object), 345	cy- 138,	iemailaction (cybox.objects.win_task_object.TaskAction attribute), 261, 470	
ICMPv6PacketTooBig (class in box.objects.network_packet_object), 345	cy- 138,	IExecAction (class in cybox.objects.win_task_object), 260, 468	
		iexecaction (cybox.objects.win_task_object.TaskAction attribute), 262, 470	
		if_match (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 104, 311	
		if_modified_since (cybox.objects.http_session_object.HTTPRequestHeader attribute), 104, 311	
		if_none_match (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 104, 311	
		if_range (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312	
		if_unmodified_since (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312	
		image_base (cybox.objects.win_driver_object.WinDriver attribute), 202, 409	
		image_base (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 428	

- image_file_format (cybox.objects.image_file_object.ImageFile attribute), 115, 322
- image_height (cybox.objects.image_file_object.ImageFile attribute), 115, 322
- image_info (cybox.objects.process_object.Process attribute), 177, 385
- image_is_compressed (cybox.objects.image_file_object.ImageFile attribute), 115, 322
- image_offset (cybox.common.byterun.ByteRun attribute), 18, 35
- image_size (cybox.objects.win_driver_object.WinDriver attribute), 202, 409
- image_width (cybox.objects.image_file_object.ImageFile attribute), 115, 322
- ImageFile (class in cybox.objects.image_file_object), 114, 321
- ImageInfo (class in cybox.objects.process_object), 176, 383
- import_address_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 419
- import_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 420
- imported_functions (cybox.objects.win_executable_file_object.PEImport attribute), 218, 426
- Imports (class in cybox.common.extracted_features), 24, 42
- imports (cybox.common.extracted_features.ExtractedFeatures attribute), 24, 41
- imports (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 229, 437
- in_buffer_size (cybox.objects.win_pipe_object.WinPipe attribute), 244, 452
- in_reply_to (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
- index (cybox.objects.win_event_log_object.WinEventLog attribute), 206, 414
- info_msg (cybox.objects.network_packet_object.ICMPv4Packet attribute), 132, 339
- info_msg (cybox.objects.network_packet_object.ICMPv6Packet attribute), 138, 345
- info_msg_content (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 338
- info_msg_content (cybox.objects.network_packet_object.ICMPv6InfoMessage attribute), 138, 345
- information_source_type (cybox.common.measureresource.MeasureSource attribute), 27, 44
- InformationSourceType (class in cybox.common.vocabs), 34, 51
- inhibit_any_policy (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 274, 482
- initially_visible (cybox.objects.win_executable_file_object.PEImport attribute), 218, 426
- install_date (cybox.objects.system_object.OS attribute), 185, 393
- instance (cybox.common.measureresource.MeasureSource attribute), 27, 45
- Integer (class in cybox.common.properties), 30, 48
- interface (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 369
- internalname (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 227, 435
- internet_layer (cybox.objects.network_packet_object.NetworkPacket attribute), 151, 359
- internet_layer_type (cybox.objects.network_packet_object.TypeLength attribute), 160, 368
- InternetLayer (class in cybox.objects.network_packet_object), 146, 353
- internet_working_packet (cybox.objects.network_packet_object.ICMPv6ErrorMessage attribute), 137, 344
- InternetWorkingPacket (class in cybox.objects.network_packet_object), 146, 353
- ip_address (cybox.objects.arp_cache_object.ARPCacheEntry attribute), 78, 281
- ip_address (cybox.objects.dns_record_object.DNSRecord attribute), 87, 293
- ip_address (cybox.objects.network_packet_object.ICMPv4RedirectMessage attribute), 132, 340
- ip_address (cybox.objects.socket_address_object.SocketAddress attribute), 181, 389
- ip_address (cybox.objects.system_object.IPInfo attribute), 183, 391
- ip_address (cybox.objects.whois_object.WhoisEntry attribute), 193, 401
- ip_gateway_list (cybox.objects.system_object.NetworkInterface attribute), 184, 392
- ip_header (cybox.objects.network_packet_object.ICMPv4ErrorMessageCorrupt attribute), 130, 337
- ip_list (cybox.objects.system_object.NetworkInterface attribute), 184, 392
- ip_multicast_if (cybox.objects.network_socket_object.SocketOptions attribute), 166, 374
- ip_multicast_if2 (cybox.objects.network_socket_object.SocketOptions attribute), 166, 374
- ip_multicast_loop (cybox.objects.network_socket_object.SocketOptions attribute), 167, 374
- ip_tos (cybox.objects.network_socket_object.SocketOptions attribute), 167, 374
- ip_version (cybox.objects.network_packet_object.IPv4Header attribute), 141, 348
- ip_version (cybox.objects.network_packet_object.IPv6Header attribute), 144, 351

IPGatewayList (class in cybox.objects.system_object), 183, 390	irp_mj_device_change (cy-box.objects.win_driver_object.WinDriver attribute), 202, 410
ipheader_and_data (cy-box.objects.network_packet_object.NDPRedirectedIPHeader attribute), 149, 357	irp_mj_device_control (cy-box.objects.win_driver_object.WinDriver attribute), 202, 410
IPInfo (class in cybox.objects.system_object), 183, 391	irp_mj_directory_control (cy-box.objects.win_driver_object.WinDriver attribute), 203, 410
IPInfoList (class in cybox.objects.system_object), 183, 391	irp_mj_file_system_control (cy-box.objects.win_driver_object.WinDriver attribute), 203, 410
ipv4 (cybox.objects.network_packet_object.InternetLayer attribute), 146, 353	irp_mj_flush_buffers (cy-box.objects.win_driver_object.WinDriver attribute), 203, 410
ipv4_header (cybox.objects.network_packet_object.IPv4Packet attribute), 143, 350	irp_mj_internal_device_control (cy-box.objects.win_driver_object.WinDriver attribute), 203, 410
IPv4Flags (class in cy-box.objects.network_packet_object), 140, 347	irp_mj_lock_control (cy-box.objects.win_driver_object.WinDriver attribute), 203, 411
IPv4Header (class in cy-box.objects.network_packet_object), 140, 347	irp_mj_pnp (cybox.objects.win_driver_object.WinDriver attribute), 203, 411
IPv4Option (class in cy-box.objects.network_packet_object), 142, 349	irp_mj_power (cybox.objects.win_driver_object.WinDriver attribute), 203, 411
IPv4Packet (class in cy-box.objects.network_packet_object), 142, 349	irp_mj_query_ea (cybox.objects.win_driver_object.WinDriver attribute), 203, 411
ipv6 (cybox.objects.network_packet_object.InternetLayer attribute), 146, 353	irp_mj_query_information (cy-box.objects.win_driver_object.WinDriver attribute), 203, 411
ipv6_addr (cybox.objects.network_packet_object.Prefix attribute), 154, 361	irp_mj_query_quota (cy-box.objects.win_driver_object.WinDriver attribute), 204, 411
ipv6_header (cybox.objects.network_packet_object.IPv6Packet attribute), 145, 353	irp_mj_query_security (cy-box.objects.win_driver_object.WinDriver attribute), 204, 411
IPv6ExtHeader (class in cy-box.objects.network_packet_object), 143, 350	irp_mj_query_volume_information (cy-box.objects.win_driver_object.WinDriver attribute), 204, 411
IPv6Header (class in cy-box.objects.network_packet_object), 143, 351	irp_mj_read (cybox.objects.win_driver_object.WinDriver attribute), 204, 412
IPv6Option (class in cy-box.objects.network_packet_object), 145, 352	irp_mj_set_ea (cybox.objects.win_driver_object.WinDriver attribute), 204, 412
IPv6Packet (class in cy-box.objects.network_packet_object), 145, 352	irp_mj_set_information (cy-box.objects.win_driver_object.WinDriver attribute), 204, 412
irp_mj_cleanup (cybox.objects.win_driver_object.WinDriver attribute), 202, 409	irp_mj_set_quota (cybox.objects.win_driver_object.WinDriver attribute), 204, 412
irp_mj_close (cybox.objects.win_driver_object.WinDriver attribute), 202, 409	irp_mj_set_security (cy-box.objects.win_driver_object.WinDriver attribute), 204, 412
irp_mj_create (cybox.objects.win_driver_object.WinDriver attribute), 202, 410	irp_mj_set_volume_information (cy-box.objects.win_driver_object.WinDriver attribute), 205, 412
irp_mj_create_mailslot (cy-box.objects.win_driver_object.WinDriver attribute), 202, 410	
irp_mj_create_named_pipe (cy-box.objects.win_driver_object.WinDriver attribute), 202, 410	

- irp_mj_shutdown (cybox.objects.win_driver_object.WinDriver attribute), 205, 412
 irp_mj_system_control (cybox.objects.win_driver_object.WinDriver attribute), 205, 412
 irp_mj_write (cybox.objects.win_driver_object.WinDriver attribute), 205, 412
 is_autoconfigure_address (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 369
 is_autoconfigure_address (cybox.objects.network_route_object.NetRoute attribute), 164, 371
 is_blocking (cybox.objects.network_socket_object.NetworkSocket attribute), 165, 373
 is_destination (cybox.objects.address_object.Address attribute), 72, 278
 is_domain_name (cybox.objects.hostname_object.Hostname attribute), 101, 308
 is_hidden (cybox.objects.process_object.Process attribute), 177, 385
 is_immortal (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 370
 is_immortal (cybox.objects.network_route_object.NetRoute attribute), 164, 371
 is_injected (cybox.objects.memory_object.Memory attribute), 118, 325
 is_injected (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
 is_ipv6 (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 370
 is_ipv6 (cybox.objects.network_route_object.NetRoute attribute), 164, 371
 is_listening (cybox.objects.network_socket_object.NetworkSocket attribute), 165, 373
 is_loopback (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 162, 370
 is_loopback (cybox.objects.network_route_object.NetRoute attribute), 164, 371
 is_mapped (cybox.objects.memory_object.Memory attribute), 118, 325
 is_mapped (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
 is_masqueraded (cybox.objects.file_object.File attribute), 96, 303
 is_mounted (cybox.objects.volume_object.Volume attribute), 191, 398
 is_packed (cybox.objects.file_object.File attribute), 96, 303
 is_plain() (cybox.common.data_segment.DataSize method), 21, 38
 is_plain() (cybox.common.object_properties.Property method), 29, 46
 is_plain() (cybox.common.properties.BaseProperty method), 30, 47
 is_plain() (cybox.common.structured_text.StructuredText method), 31, 49
 is_plain() (cybox.common.vocabs.VocabString method), 34, 52
 is_plain() (cybox.objects.file_object.FilePath method), 97, 304
 is_protected (cybox.objects.sms_message_object.SMSMessage attribute), 181, 388
 is_protected (cybox.objects.memory_object.Memory attribute), 118, 326
 is_protected (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 240, 448
 is_publish (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370
 is_publish (cybox.objects.network_route_object.NetRoute attribute), 164, 372
 is_source (cybox.objects.address_object.Address attribute), 72, 278
 is_spoofed (cybox.objects.address_object.Address attribute), 72, 278
 is_volatile (cybox.objects.memory_object.Memory attribute), 118, 326
 is_volatile (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 448
 IShowMessageAction (class in cybox.objects.win_task_object.TaskAction), 261, 469
 ishowmessageaction (cybox.objects.win_task_object.TaskAction attribute), 262, 470
 issuer (cybox.objects.x509_certificate_object.X509Certificate attribute), 271, 479
 socket_alternative_name (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 274, 483
 istypeof() (cybox.objects.address_object.EmailAddress class method), 72, 279
- ## J
- javascript_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 381
 jbig2decode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 173, 381
 js_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 381
- ## K
- Kerberos (class in cybox.objects.win_computer_account_object), 197, 405
 kerberos (cybox.objects.win_computer_account_object.WinComputerAccount attribute), 199, 406

KerberosDelegation (class in cybox.objects.win_computer_account_object), 197, 405
 KerberosService (class in cybox.objects.win_computer_account_object), 198, 405
 kernel_time (cybox.objects.process_object.Process attribute), 178, 385
 key (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
 key_usage (cybox.objects.x509_certificate_object.X509V3Extension attribute), 274, 483
 keyword_counts (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 171, 379
 keyword_test() (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute static method), 228, 435
 Keywords (class in cybox.core.observable), 60, 68
 keywords (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 377

L

langid (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 228, 435
 language (cybox.common.extracted_string.ExtractedString attribute), 25, 43
 language (cybox.objects.product_object.Product attribute), 179, 386
 language (cybox.objects.win_executable_file_object.PEResource attribute), 224, 431
 last_accessed_time (cybox.objects.account_object.Account attribute), 70, 276
 last_login (cybox.objects.user_account_object.UserAccount attribute), 189, 396
 last_modified (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
 last_run (cybox.objects.win_prefetch_object.WinPrefetch attribute), 246, 454
 launch_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 381
 layer3_protocol (cybox.objects.network_connection_object.NetworkConnection attribute), 121, 328
 layer4_protocol (cybox.objects.network_connection_object.NetworkConnection attribute), 121, 328
 layer4_protocol (cybox.objects.port_object.Port attribute), 175, 383
 layer7_connections (cybox.objects.network_connection_object.NetworkConnection attribute), 121, 328
 layer7_protocol (cybox.objects.network_connection_object.NetworkConnection attribute), 121, 328
 Layer7Connections (class in cybox.objects.network_connection_object), 120, 327
 legalcopyright (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 228, 435
 legaltrademarks (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 228, 435
 length (cybox.common.byterun.ByteRun attribute), 18, 35
 length (cybox.common.extracted_string.ExtractedString attribute), 25, 43
 length (cybox.objects.http_session_object.HTTPMessage attribute), 101, 309
 length (cybox.objects.network_packet_object.NDPLinkAddress attribute), 148, 355
 length (cybox.objects.network_packet_object.NDPMTU attribute), 148, 355
 length (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
 length (cybox.objects.network_packet_object.NDPRedirectedHeader attribute), 150, 357
 length (cybox.objects.network_packet_object.TypeLength attribute), 160, 368
 length (cybox.objects.network_packet_object.UDPHeader attribute), 161, 369
 length (cybox.objects.sms_message_object.SMSMessage attribute), 181, 388
 Library (class in cybox.objects.library_object), 115, 322
 Link (class in cybox.objects.link_object), 116, 323
 link (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
 link_flag (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
 link_layer (cybox.objects.network_packet_object.NetworkPacket attribute), 151, 359
 link_layer_mac_addr (cybox.objects.network_packet_object.NDPLinkAddress attribute), 148, 355
 linker_name (cybox.objects.win_executable_file_object.PEBuildInformation attribute), 213, 421
 linker_version (cybox.objects.win_executable_file_object.PEBuildInformation attribute), 214, 421
 LinkLayer (class in cybox.objects.network_packet_object), 146, 353
 LinkReference (class in cybox.objects.email_message_object), 91, 298
 Links (class in cybox.objects.email_message_object), 92, 299
 links (cybox.objects.email_message_object.EmailMessage attribute), 91, 298
 LinuxPackage (class in cybox.objects.linux_package_object), 116, 323
 LinuxPackageArchitecture (class in cybox.objects.linux_package_object), 118, 323

- 325
- load_config_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 221, 429
- loader_flags (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 428
- local_address (cybox.objects.network_socket_object.NetworkSocket class_ref() (in module cybox.utils.autoentity), 484, attribute), 166, 373
- local_path (cybox.objects.win_network_share_object.WinNetworkShare address_config_flag (cybox.objects.network_packet_object.RouterAdvertisement attribute), 244, 451
- local_time (cybox.objects.system_object.System attribute), 186, 394
- location (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
- locked_out (cybox.objects.account_object.Account attribute), 70, 276
- log (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 414
- logical_protocols (cybox.objects.network_packet_object.LinkLayer attribute), 146, 353
- LogicalProtocol (class in cybox.objects.network_packet_object), 146, 354
- Long (class in cybox.common.properties), 30, 48
- lookup_class() (cybox.common.vocabs.VocabString static method), 34, 52
- lookup_date (cybox.objects.whois_object.WhoisEntry attribute), 193, 401
- lpdesktop (cybox.objects.win_process_object.StartupInfo attribute), 248, 456
- lptitle (cybox.objects.win_process_object.StartupInfo attribute), 249, 457
- lzwdecode_count (cybox.objects.pdf_file_object.PDFKeywords attribute), 174, 381
- major_os_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 429
- major_subsystem_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 429
- major_version (class_ref() (in module cybox.utils.autoentity), 484, attribute), 485
- major_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 429
- manufacturer (cybox.objects.device_object.Device attribute), 81, 287
- max (cybox.objects.win_executable_file_object.Entropy attribute), 213, 420
- max_forwards (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312
- max_instances (cybox.objects.win_pipe_object.WinPipe attribute), 245, 452
- max_message_size (cybox.objects.win_mailslot_object.WinMailslot attribute), 239, 447
- max_run_time (cybox.objects.win_task_object.WinTask attribute), 264, 472
- max_uses (cybox.objects.win_network_share_object.WinNetworkShare attribute), 244, 452
- maximum_count (cybox.objects.semaphore_object.Semaphore attribute), 180, 387
- maximum_size (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 441
- MeasureSource (class in cybox.common.measuresource), 26, 44
- MemoryCount (class in cybox.objects.memory_object), 118, 325
- memory_source (cybox.objects.memory_object.Memory attribute), 119, 326
- memory_source (cybox.objects.win_memory_page_region_object.WinMemory attribute), 241, 449
- MemorySectionList (class in cybox.objects.win_process_object), 247, 455
- message (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 414
- message_body (cybox.objects.http_session_object.HTTPMessage attribute), 102, 309
- message_id (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
- metadata (cybox.objects.pdf_file_object.PDFFile attribute), 171, 378
- metric (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370
- mime_version (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
- min (cybox.objects.win_executable_file_object.Entropy attribute), 213, 420

- minor_image_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 221, 429
- minor_linker_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 429
- minor_os_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 429
- minor_subsystem_version (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 429
- moddate (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 377
- model (cybox.objects.device_object.Device attribute), 81, 288
- modified_date (cybox.objects.account_object.Account attribute), 70, 276
- modified_time (cybox.objects.file_object.File attribute), 96, 303
- modified_time (cybox.objects.win_registry_key_object.WindowsRegistryKey attribute), 252, 460
- modify (cybox.objects.win_file_object.WindowsFilePermissions attribute), 232, 440
- modulus (cybox.objects.x509_certificate_object.RSAPublicKey attribute), 270, 478
- more_fragments (cybox.objects.network_packet_object.IPv4Header attribute), 140, 347
- most_recent_run_time (cybox.objects.win_task_object.WinTask attribute), 264, 473
- mount_point (cybox.objects.disk_partition_object.DiskPartition attribute), 82, 289
- mtu (cybox.objects.network_packet_object.ICMPv6PacketTooBig attribute), 138, 346
- mtu (cybox.objects.network_packet_object.NDPMTU attribute), 148, 355
- mtu (cybox.objects.network_packet_object.RouterAdvertisementOptions attribute), 156, 363
- Mutex (class in cybox.objects.mutex_object), 119, 326
- N**
- Name (class in cybox.common.properties), 30, 48
- name (cybox.common.contributor.Contributor attribute), 19, 36
- name (cybox.common.measuresource.MeasureSource attribute), 27, 45
- name (cybox.core.action.Action attribute), 54, 62
- name (cybox.objects.as_object.AutonomousSystem attribute), 77, 284
- name (cybox.objects.file_object.EntryPointSignature attribute), 93, 300
- name (cybox.objects.file_object.Packer attribute), 98, 305
- name (cybox.objects.library_object.Library attribute), 115, 322
- name (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324
- name (cybox.objects.memory_object.Memory attribute), 119, 326
- name (cybox.objects.mutex_object.Mutex attribute), 119, 327
- name (cybox.objects.network_subnet_object.NetworkSubnet attribute), 169, 376
- name (cybox.objects.pipe_object.Pipe attribute), 175, 382
- name (cybox.objects.process_object.Process attribute), 178, 385
- name (cybox.objects.semaphore_object.Semaphore attribute), 180, 387
- name (cybox.objects.volume_object.Volume attribute), 191, 398
- name (cybox.objects.whois_object.WhoisContact attribute), 192, 400
- name (cybox.objects.whois_object.WhoisRegistrar attribute), 196, 403
- name (cybox.objects.win_computer_account_object.KerberosService attribute), 198, 406
- name (cybox.objects.win_event_object.WinEvent attribute), 208, 416
- name (cybox.objects.win_executable_file_object.PEExports attribute), 215, 423
- name (cybox.objects.win_executable_file_object.PEResource attribute), 224, 432
- name (cybox.objects.win_executable_file_object.PESectionHeaderStruct attribute), 226, 433
- name (cybox.objects.win_file_object.Stream attribute), 230, 438
- name (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 441
- name (cybox.objects.win_handle_object.WinHandle attribute), 234, 442
- name (cybox.objects.win_mailslot_object.WinMailslot attribute), 239, 447
- name (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 449
- name (cybox.objects.win_registry_key_object.RegistryValue attribute), 251, 459
- name (cybox.objects.win_task_object.WinTask attribute), 264, 473
- name (cybox.objects.win_user_object.WinGroup attribute), 267, 475
- name (cybox.objects.win_waitable_timer_object.WinWaitableTimer attribute), 269, 477
- name_constraints (cybox.objects.x509_certificate_object.X509V3Extension attribute), 274, 483
- named (cybox.objects.mutex_object.Mutex attribute), 119, 327
- named (cybox.objects.pipe_object.Pipe attribute), 175, 382

named (cybox.objects.semaphore_object.Semaphore attribute), 180, 388
 nameservers (cybox.objects.whois_object.WhoisEntry attribute), 194, 401
 naming_system (cybox.objects.hostname_object.Hostname attribute), 101, 308
 NDP (class in cybox.objects.network_packet_object), 147, 354
 ndp (cybox.objects.network_packet_object.LogicalProtocol attribute), 147, 354
 NDPLinkAddr (class in cybox.objects.network_packet_object), 148, 355
 NDPMTU (class in cybox.objects.network_packet_object), 148, 355
 NDPPrefixInfo (class in cybox.objects.network_packet_object), 148, 356
 NDPRedirectedHeader (class in cybox.objects.network_packet_object), 149, 357
 neighbor_advertisement (cybox.objects.network_packet_object.NDP attribute), 147, 354
 neighbor_solicitation (cybox.objects.network_packet_object.NDP attribute), 147, 354
 NeighborAdvertisement (class in cybox.objects.network_packet_object), 150, 357
 NeighborOptions (class in cybox.objects.network_packet_object), 150, 358
 NeighborSolicitation (class in cybox.objects.network_packet_object), 151, 358
 NeighborSolicitationOptions (class in cybox.objects.network_packet_object), 151, 358
 netbeui_name (cybox.objects.win_computer_account_object.NTLM attribute), 197, 404
 netbios_name (cybox.objects.win_system_object.WinSystem attribute), 256, 464
 netmask (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370
 netname (cybox.objects.win_network_share_object.WinNetworkShare attribute), 244, 452
 NetRoute (class in cybox.objects.network_route_object), 164, 371
 netscape_certificate_type (cybox.objects.x509_certificate_object.X509NonStandardExtensions attribute), 273, 481
 netscape_comment (cybox.objects.x509_certificate_object.X509NonStandardExtensions attribute), 273, 481
 network_administratively_prohibited (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 129, 336
 network_connection_list (cybox.objects.process_object.Process attribute), 178, 385
 network_interface (cybox.objects.arp_cache_object.ARPCacheEntry attribute), 78, 281
 network_interface_list (cybox.objects.system_object.System attribute), 186, 394
 network_redirect (cybox.objects.network_packet_object.ICMPv4RedirectM attribute), 133, 340
 network_route_entries (cybox.objects.network_route_object.NetRoute attribute), 164, 372
 network_unreachable_for_tos (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 129, 336
 NetworkConnection (class in cybox.objects.network_connection_object), 120, 327
 NetworkConnectionList (class in cybox.objects.process_object), 176, 384
 NetworkInterface (class in cybox.objects.system_object), 184, 391
 NetworkInterfaceList (class in cybox.objects.system_object), 185, 392
 NetworkPacket (class in cybox.objects.network_packet_object), 151, 358
 NetworkRouteEntries (class in cybox.objects.network_route_object), 165, 372
 NetworkRouteEntry (class in cybox.objects.network_route_entry_object), 162, 369
 NewlyQualifiedName (class in cybox.objects.network_socket_object), 165, 372
 NetworkSubnet (class in cybox.objects.network_subnet_object), 169, 376
 NetworkShareName (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 258, 467
 next_header (cybox.objects.network_packet_object.AuthenticationHeader attribute), 123, 330
 next_header (cybox.objects.network_packet_object.EncapsulatingSecurityProtocol attribute), 124, 331
 next_header (cybox.objects.network_packet_object.FragmentHeader attribute), 126, 333

- next_header (cybox.objects.network_packet_object.Ipv6Header attribute), 144, 351
- next_header (cybox.objects.network_packet_object.Routing attribute), 157, 364
- next_hop_mtu (cybox.objects.network_packet_object.Fragmentation attribute), 126, 334
- next_run_time (cybox.objects.win_task_object.WinTask attribute), 265, 473
- nl_route_origin (cybox.objects.win_network_route_entry_object.WinNetworkRouteEntry attribute), 242, 450
- nl_route_protocol (cybox.objects.win_network_route_entry_object.WinNetworkRouteEntry attribute), 242, 450
- no_route (cybox.objects.network_packet_object.ICMPv6DestinationUnreachable attribute), 136, 343
- non_obfuscated_count (cybox.objects.pdf_file_object.PDFKeywordCount attribute), 172, 379
- non_standard_extensions (cybox.objects.x509_certificate_object.X509Certificate attribute), 271, 479
- NonNegativeInteger (class in cybox.common.properties), 31, 48
- normalize_to_xml() (in module cybox.utils), 484
- normalized_function_name (cybox.objects.api_object.API attribute), 73, 279
- not_after (cybox.objects.x509_certificate_object.Validity attribute), 271, 479
- not_before (cybox.objects.x509_certificate_object.Validity attribute), 271, 479
- ns (cybox.objects.network_packet_object.TCPFlags attribute), 158, 365
- number (cybox.objects.as_object.AutonomousSystem attribute), 77, 285
- number_of_addresses (cybox.objects.win_executable_file_object.PEExportTable attribute), 216, 423
- number_of_cross_reference_tables (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 172, 379
- number_of_functions (cybox.objects.win_executable_file_object.PEExportTable attribute), 216, 423
- number_of_indirect_objects (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 172, 379
- number_of_ip_addresses (cybox.objects.network_subnet_object.NetworkSubnet attribute), 169, 376
- number_of_linenumbers (cybox.objects.win_executable_file_object.PESectionHeaderStruct attribute), 226, 433
- number_of_names (cybox.objects.win_executable_file_object.PEExportTable attribute), 216, 424
- number_of_relocations (cybox.objects.win_executable_file_object.PESectionHeaderStruct attribute), 226, 433
- number_of_rva_and_sizes (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 430
- number_of_sections (cybox.objects.win_executable_file_object.PEFileHeader attribute), 216, 424
- number_of_services (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
- number_of_symbols (cybox.objects.win_kernel_object.SSDTEntry attribute), 237, 446
- number_of_trailers (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 172, 379
- number_subkeys (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
- number_values (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
- ## O
- obfuscated_count (cybox.objects.pdf_file_object.PDFKeywordCount attribute), 172, 380
- Object (class in cybox.core.object), 59, 67
- object_address (cybox.objects.win_handle_object.WinHandle attribute), 234, 442
- object_reference (cybox.common.object_properties.ObjectProperties attribute), 28, 46
- ObjectProperties (class in cybox.common.object_properties), 28, 46
- ObjectRelationship (class in cybox.common.vocabs), 34, 52
- ObjectState (class in cybox.common.vocabs), 34, 52
- objstm_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 381
- Observable (class in cybox.core.observable), 60, 68
- ObservableComposition (class in cybox.core.observable), 60, 68
- Observables (class in cybox.core.observable), 60, 69
- observation_method (cybox.core.event.Event attribute), 57, 66
- octet (cybox.objects.network_packet_object.Pad1 attribute), 152, 360
- octet (cybox.objects.network_packet_object.PadN attribute), 153, 360
- offset (cybox.common.byterun.ByteRun attribute), 18, 36
- offset (cybox.common.data_segment.DataSegment attribute), 20, 38
- offset_high (cybox.objects.win_kernel_object.IDTEntry attribute), 236, 445

- offset_low (cybox.objects.win_kernel_object.IDTEntry attribute), 236, 445
- offset_middle (cybox.objects.win_kernel_object.IDTEntry attribute), 236, 445
- old_authority_key_identifier (cybox.objects.x509_certificate_object.X509NonStandardExtension attribute), 273, 481
- old_primary_key_attributes (cybox.objects.x509_certificate_object.X509NonStandardExtension attribute), 273, 482
- op_type (cybox.objects.network_packet_object.ARP attribute), 122, 329
- opcodes (cybox.objects.file_object.EPJumpCode attribute), 93, 300
- open_handle_list (cybox.objects.win_system_object.WinSystemObject attribute), 256, 464
- open_mode (cybox.objects.win_pipe_object.WinPipe attribute), 245, 453
- openaction_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 381
- optimized (cybox.objects.pdf_file_object.PDFFileMetadata attribute), 172, 379
- option (cybox.objects.network_packet_object.IPv4Header attribute), 141, 348
- option (cybox.objects.network_packet_object.IPv4Option attribute), 142, 349
- option_byte (cybox.objects.network_packet_object.IPv6Option attribute), 145, 352
- option_data (cybox.objects.network_packet_object.PadN attribute), 153, 360
- option_data_len (cybox.objects.network_packet_object.OptionData attribute), 152, 359
- option_data_length (cybox.objects.network_packet_object.PadN attribute), 153, 360
- option_type (cybox.objects.network_packet_object.OptionData attribute), 152, 359
- optional_header (cybox.objects.win_executable_file_object.BinaryHeader attribute), 218, 425
- OptionData (class in cybox.objects.network_packet_object), 152, 359
- options (cybox.objects.network_packet_object.NeighborAdvertisement attribute), 150, 357
- options (cybox.objects.network_packet_object.NeighborSolicitation attribute), 151, 358
- options (cybox.objects.network_packet_object.Redirect attribute), 154, 361
- options (cybox.objects.network_packet_object.RouterAdvertisement attribute), 155, 362
- options (cybox.objects.network_packet_object.RouterSolicitation attribute), 156, 363
- options (cybox.objects.network_packet_object.TCP attribute), 157, 365
- options (cybox.objects.network_socket_object.NetworkSocket attribute), 166, 373
- ordinal (cybox.objects.win_executable_file_object.PEEExportedFunction attribute), 215, 423
- ordinal (cybox.objects.win_executable_file_object.PEImportedFunction attribute), 219, 427
- ordinal_position (cybox.core.action.Action attribute), 54, 62
- original_file_name (cybox.objects.http_session_object.HTTPRequestResponse attribute), 107, 314
- organization (cybox.common.contributor.Contributor attribute), 19, 36
- organization (cybox.objects.whois_object.WhoisContact attribute), 192, 400
- origin (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370
- original_file_name (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467
- original_short_file_name (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467
- originalfilename (cybox.objects.win_executable_file_object.PEVersionInfo attribute), 228, 436
- originate_timestamp (cybox.objects.network_packet_object.ICMPv4TimestampReply attribute), 134, 341
- originate_timestamp (cybox.objects.network_packet_object.ICMPv4TimestampRequest attribute), 134, 341
- OSData (class in cybox.objects.system_object), 185, 392
- os (cybox.objects.system_object.System attribute), 186, 394
- other_config_flag (cybox.objects.network_packet_object.RouterAdvertisement attribute), 155, 362
- out_buffer_size (cybox.objects.win_pipe_object.WinPipe attribute), 245, 453
- OutHeader (class in cybox.objects.network_packet_object), 152, 359
- outbound_packet_forward_success (cybox.objects.network_packet_object.ICMPv4Traceroute attribute), 135, 342
- outbound_packet_no_route (cybox.objects.network_packet_object.ICMPv4Traceroute attribute), 135, 342
- output_link_mtu (cybox.objects.network_packet_object.ICMPv4Traceroute attribute), 135, 342
- output_link_speed (cybox.objects.network_packet_object.ICMPv4Traceroute attribute), 135, 342
- override_flag (cybox.objects.network_packet_object.NeighborAdvertisement attribute), 150, 357
- owner_window (cybox.objects.gui_window_object.GUIWindow attribute), 100, 307

P

- p3p (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
- pack() (cybox.objects.artifact_object.Base64Encoding method), 74, 282
- pack() (cybox.objects.artifact_object.Bz2Compression method), 75, 282
- pack() (cybox.objects.artifact_object.Packaging method), 76, 283
- pack() (cybox.objects.artifact_object.XOREncryption method), 76, 284
- pack() (cybox.objects.artifact_object.ZlibCompression method), 77, 284
- Packaging (class in cybox.objects.artifact_object), 76, 283
- Packer (class in cybox.objects.file_object), 98, 305
- packer_list (cybox.objects.file_object.File attribute), 96, 303
- PackerList (class in cybox.objects.file_object), 99, 306
- packet_change (cybox.objects.network_packet_object.IPv6Option attribute), 145, 352
- packet_too_big (cybox.objects.network_packet_object.ICMPv6ErrorMessage attribute), 137, 344
- packet_too_big (cybox.objects.network_packet_object.ICMPv6PacketTooBig attribute), 139, 346
- Pad1 (class in cybox.objects.network_packet_object), 152, 359
- pad1 (cybox.objects.network_packet_object.OptionData attribute), 152, 359
- padding (cybox.objects.network_packet_object.EncapsulatingSecurityPayload attribute), 124, 331
- padding_len (cybox.objects.network_packet_object.EncapsulatingSecurityPayload attribute), 124, 331
- PadN (class in cybox.objects.network_packet_object), 153, 360
- padn (cybox.objects.network_packet_object.OptionData attribute), 152, 359
- page_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 381
- page_protection_attribute (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 441
- page_protection_value (cybox.objects.win_filemapping_object.WinFilemapping attribute), 233, 441
- parameter_address (cybox.objects.win_thread_object.WinThread attribute), 266, 474
- parameter_problem (cybox.objects.network_packet_object.ICMPv6ErrorMessage attribute), 137, 344
- parameters (cybox.objects.win_task_object.WinTask attribute), 265, 473
- parent_pid (cybox.objects.process_object.Process attribute), 178, 385
- parent_window (cybox.objects.gui_window_object.GUIWindow attribute), 100, 307
- parse_value() (in module cybox.common.datetimewithprecision), 22, 39
- parsed_header (cybox.objects.http_session_object.HTTPRequestHeader attribute), 102, 309
- parsed_header (cybox.objects.http_session_object.HTTPResponseHeader attribute), 108, 315
- partition_id (cybox.objects.disk_partition_object.DiskPartition attribute), 83, 289
- partition_length (cybox.objects.disk_partition_object.DiskPartition attribute), 83, 289
- partition_list (cybox.objects.disk_object.Disk attribute), 82, 288
- partition_offset (cybox.objects.disk_partition_object.DiskPartition attribute), 83, 289
- PartitionList (class in cybox.objects.disk_object), 82, 289
- password_required (cybox.objects.user_account_object.UserAccount attribute), 189, 397
- PasswordProtectedZipEncryption (class in cybox.objects.artifact_object), 76, 283
- patch_level (cybox.objects.system_object.OS attribute), 185, 393
- path (cybox.objects.library_object.Library attribute), 115, 323
- path (cybox.objects.process_object.ImageInfo attribute), 176, 384
- payload_data (cybox.objects.network_packet_object.EncapsulatingSecurityPayload attribute), 124, 331
- payload_length (cybox.objects.network_packet_object.IPv6Header attribute), 144, 351
- PDFDocumentInformationDictionary (class in cybox.objects.pdf_file_object), 170, 377
- PDFFile (class in cybox.objects.pdf_file_object), 171, 378
- PDFFileMetadata (class in cybox.objects.pdf_file_object), 171, 378
- PDFKeywordCount (class in cybox.objects.pdf_file_object), 172, 379
- PDFKeywordCounts (class in cybox.objects.pdf_file_object), 172, 380
- pe_checksum (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 229, 437
- pe_computed_api (cybox.objects.win_executable_file_object.PEChecksum attribute), 214, 421
- pe_file_api (cybox.objects.win_executable_file_object.PEChecksum attribute), 214, 422
- pe_file_raw (cybox.objects.win_executable_file_object.PEChecksum attribute), 214, 422

- peak_entropy (cybox.objects.file_object.File attribute), 96, 303
- PEBuildInformation (class in cybox.objects.win_executable_file_object), 213, 421
- PEChecksum (class in cybox.objects.win_executable_file_object), 214, 421
- PEDataDirectoryStruct (class in cybox.objects.win_executable_file_object), 214, 422
- PEExportedFunction (class in cybox.objects.win_executable_file_object), 214, 422
- PEExportedFunctions (class in cybox.objects.win_executable_file_object), 215, 423
- PEExports (class in cybox.objects.win_executable_file_object), 215, 423
- PEFileHeader (class in cybox.objects.win_executable_file_object), 216, 424
- PEHeaders (class in cybox.objects.win_executable_file_object), 217, 425
- PEImport (class in cybox.objects.win_executable_file_object), 218, 426
- PEImportedFunction (class in cybox.objects.win_executable_file_object), 219, 426
- PEImportedFunctions (class in cybox.objects.win_executable_file_object), 219, 427
- PEImportList (class in cybox.objects.win_executable_file_object), 219, 426
- PEOptionalHeader (class in cybox.objects.win_executable_file_object), 220, 427
- PEResource (class in cybox.objects.win_executable_file_object), 223, 431
- PEResourceList (class in cybox.objects.win_executable_file_object), 225, 432
- permissions (cybox.objects.file_object.File attribute), 97, 304
- Personnel (class in cybox.common.contributor), 19, 37
- PESection (class in cybox.objects.win_executable_file_object), 225, 432
- PESectionHeaderStruct (class in cybox.objects.win_executable_file_object), 225, 433
- PESectionList (class in cybox.objects.win_executable_file_object), 227, 434
- PEVersionInfoResource (class in cybox.objects.win_executable_file_object), 227, 434
- phone (cybox.common.contributor.Contributor attribute), 19, 37
- phone_number (cybox.objects.whois_object.WhoisContact attribute), 192, 400
- phone_number (cybox.objects.whois_object.WhoisRegistrar attribute), 196, 403
- physical_address (cybox.objects.arp_cache_object.ARPCacheEntry attribute), 78, 281
- physical_interface (cybox.objects.network_packet_object.LinkLayer attribute), 146, 354
- PhysicalInterface (class in cybox.objects.network_packet_object), 153, 360
- pid (cybox.objects.process_object.Process attribute), 178, 385
- Pipe (class in cybox.objects.pipe_object), 175, 382
- pipe_mode (cybox.objects.win_pipe_object.WinPipe attribute), 245, 453
- platform (cybox.common.measureresource.MeasureSource attribute), 27, 45
- platform (cybox.objects.api_object.API attribute), 73, 279
- platform (cybox.objects.system_object.OS attribute), 186, 393
- PlatformIdentifier (class in cybox.common.platform_specification), 29, 47
- PlatformSpecification (class in cybox.common.platform_specification), 29, 47
- pointer (cybox.objects.network_packet_object.ICMPv6ParameterProblem attribute), 139, 346
- pointer_count (cybox.objects.win_handle_object.WinHandle attribute), 234, 442
- pointer_to_linenumbers (cybox.objects.win_executable_file_object.PESectionHeaderStruct attribute), 226, 434
- pointer_to_raw_data (cybox.objects.win_executable_file_object.PESectionHeaderStruct attribute), 226, 434
- pointer_to_relocations (cybox.objects.win_executable_file_object.PESectionHeaderStruct attribute), 226, 434
- pointer_to_symbol_table (cybox.objects.win_executable_file_object.PEFileHeader

- attribute), 217, 424
- policy_constraints (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 275, 483
- policy_mappings (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 275, 483
- Port (class in cybox.objects.port_object), 175, 382
- port (cybox.objects.http_session_object.HostField attribute), 114, 321
- port (cybox.objects.socket_address_object.SocketAddress attribute), 181, 389
- port (cybox.objects.win_computer_account_object.KerberosService attribute), 198, 406
- port_list (cybox.objects.process_object.Process attribute), 178, 385
- port_unreachable (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 136, 343
- port_value (cybox.objects.port_object.Port attribute), 175, 383
- PortList (class in cybox.objects.process_object), 176, 384
- PositiveInteger (class in cybox.common.properties), 31, 48
- pragma (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312
- pragma (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
- precedence (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
- precedence_cutoff_in_effect (cybox.objects.network_packet_object.ICMPv4DestinationUnreachable attribute), 129, 336
- preferred_lifetime (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
- preferred_lifetime (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370
- preferred_lifetime (cybox.objects.network_route_object.NetRoute attribute), 164, 372
- prefetch_hash (cybox.objects.win_prefetch_object.WinPrefetch attribute), 246, 454
- Prefix (class in cybox.objects.network_packet_object), 153, 360
- prefix (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
- prefix_info (cybox.objects.network_packet_object.RouterAdvertisement attribute), 156, 363
- prefix_length (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
- priority (cybox.objects.win_process_object.WinProcess attribute), 249, 457
- priority (cybox.objects.win_task_object.WinTask attribute), 265, 473
- priority (cybox.objects.win_thread_object.WinThread attribute), 266, 474
- private_key_usage_period (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 275, 483
- privilege_list (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 228, 436
- PrivilegeList (class in cybox.objects.user_account_object), 188, 396
- privilege_list (cybox.objects.user_account_object.UserAccount attribute), 189, 397
- privilege_list (cybox.objects.win_file_object.WinFile attribute), 231, 439
- privilege_list (cybox.objects.win_user_object.WinUser attribute), 268, 476
- PrivilegeList (class in cybox.objects.user_account_object), 188, 396
- Process (class in cybox.objects.process_object), 177, 384
- ProcessDestinationUnreachable (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467
- processor (cybox.objects.system_object.System attribute), 187, 394
- processor_family (cybox.objects.code_object.Code attribute), 79, 286
- produced_time (cybox.common.time.Time attribute), 32, 50
- producer (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 378
- Product (class in cybox.objects.product_object), 179, 386
- product (cybox.objects.product_object.Product attribute), 179, 386
- product_id (cybox.objects.win_system_object.WinSystem attribute), 256, 464
- product_name (cybox.objects.win_system_object.WinSystem attribute), 256, 465
- productname (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 228, 436
- productversion (cybox.objects.win_executable_file_object.PEVersionInfoResource attribute), 228, 436
- Property (class in cybox.common.object_properties), 29, 46
- protect (cybox.objects.win_memory_page_region_object.WinMemoryPage attribute), 241, 449
- proto_addr_size (cybox.objects.network_packet_object.ARP attribute), 122, 329
- proto_addr_type (cybox.objects.network_packet_object.ARP attribute), 122, 329
- protocol (cybox.objects.network_packet_object.Ipv4Header attribute), 141, 348
- protocol (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370
- protocol (cybox.objects.network_socket_object.NetworkSocket attribute), 166, 373
- proxy_authenticate (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 110, 317
- proxy_authorization (cybox.objects.http_session_object.HTTPRequestHeaderFields

- attribute), 105, 312
- psh (cybox.objects.network_packet_object.TCPFlags attribute), 158, 365
- public_key_algorithm (cybox.objects.x509_certificate_object.SubjectPublicKey attribute), 270, 478
- purpose (cybox.objects.code_object.Code attribute), 79, 286
- ## Q
- qclass (cybox.objects.dns_query_object.DNSQuestion attribute), 85, 292
- qname (cybox.objects.dns_query_object.DNSQuestion attribute), 85, 292
- qtype (cybox.objects.dns_query_object.DNSQuestion attribute), 85, 292
- queried_date (cybox.objects.dns_record_object.DNSRecord attribute), 87, 294
- question (cybox.objects.dns_query_object.DNSQuery attribute), 85, 291
- ## R
- range_ (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312
- rate (cybox.core.frequency.Frequency attribute), 58, 66
- raw_body (cybox.objects.email_message_object.EmailMessage attribute), 91, 298
- raw_certificate (cybox.objects.x509_certificate_object.X509Certificate attribute), 272, 481
- raw_header (cybox.objects.email_message_object.EmailMessage attribute), 91, 298
- raw_header (cybox.objects.http_session_object.HTTPRequestHeader attribute), 102, 309
- raw_header (cybox.objects.http_session_object.HTTPResponseHeader attribute), 108, 315
- RawArtifact (class in cybox.objects.artifact_object), 76, 284
- reachable_time (cybox.objects.network_packet_object.RouterAdvertisement attribute), 155, 362
- read (cybox.objects.win_file_object.WindowsFilePermissions attribute), 232, 440
- read_and_execute (cybox.objects.win_file_object.WindowsFilePermissions attribute), 232, 440
- read_timeout (cybox.objects.win_mailslot_object.WinMailslot attribute), 239, 447
- reason_phrase (cybox.objects.http_session_object.HTTPStatusLine attribute), 113, 320
- receive_timestamp (cybox.objects.network_packet_object.ICMPv4Timestamp attribute), 134, 341
- received_lines (cybox.objects.email_message_object.EmailHeader attribute), 89, 296
- received_time (cybox.common.time.Time attribute), 32, 50
- ReceivedLine (class in cybox.objects.email_message_object), 299
- ReceivedLineList (class in cybox.objects.email_message_object), 300
- recip_hardware_addr (cybox.objects.network_packet_object.ARP attribute), 122, 329
- recip_protocol_addr (cybox.objects.network_packet_object.ARP attribute), 122, 329
- recipient_phone_number (cybox.objects.sms_message_object.SMSMessage attribute), 182, 388
- record_data (cybox.objects.dns_record_object.DNSRecord attribute), 87, 294
- record_name (cybox.objects.dns_record_object.DNSRecord attribute), 87, 294
- record_type (cybox.objects.dns_record_object.DNSRecord attribute), 87, 294
- Redirect (class in cybox.objects.network_packet_object), 154, 361
- redirect (cybox.objects.network_packet_object.NDP attribute), 147, 354
- redirect_message (cybox.objects.network_packet_object.ICMPv4ErrorMessage attribute), 130, 337
- redirected_header (cybox.objects.network_packet_object.RedirectOptions attribute), 154, 361
- RedirectOptions (class in cybox.objects.network_packet_object), 154, 361
- referrer (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312
- referral_url (cybox.objects.whois_object.WhoisRegistrar attribute), 196, 403
- refresh (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 111, 318
- region_end_address (cybox.objects.memory_object.Memory attribute), 119, 326
- region_end_address (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 449
- region_size (cybox.objects.memory_object.Memory attribute), 119, 326
- region_size (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 449
- region_start_address (cybox.objects.memory_object.Memory attribute), 119, 326
- region_start_address (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 449

regional_internet_registry (cybox.objects.as_object.AutonomousSystem attribute), 77, 285

regional_internet_registry (cybox.objects.whois_object.WhoisEntry attribute), 194, 401

register_vocab() (in module cybox.common.vocabs), 34, 52

registered_organization (cybox.objects.win_system_object.WinSystem attribute), 257, 465

registered_owner (cybox.objects.win_system_object.WinSystem attribute), 257, 465

registrant_id (cybox.objects.whois_object.WhoisRegistrant attribute), 195, 402

registrants (cybox.objects.whois_object.WhoisEntry attribute), 194, 401

registrar_guid (cybox.objects.whois_object.WhoisRegistrar attribute), 196, 403

registrar_id (cybox.objects.whois_object.WhoisRegistrar attribute), 196, 404

registrar_info (cybox.objects.whois_object.WhoisEntry attribute), 194, 401

registry_hive_list (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467

RegistrySubkeys (class in cybox.objects.win_registry_key_object), 250, 458

RegistryValue (class in cybox.objects.win_registry_key_object), 250, 458

RegistryValues (class in cybox.objects.win_registry_key_object), 251, 459

reject_route (cybox.objects.network_packet_object.ICMPv6DestinationUnreachable attribute), 136, 343

RelatedObject (class in cybox.core.object), 59, 67

relationships (cybox.core.action.Action attribute), 54, 62

release (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324

remarks (cybox.objects.whois_object.WhoisEntry attribute), 194, 402

remote_address (cybox.objects.network_socket_object.NetworkSocket attribute), 166, 373

reply_to (cybox.objects.email_message_object.EmailHeader attribute), 90, 296

reserved (cybox.objects.network_packet_object.IPv4Flags attribute), 140, 347

reserved (cybox.objects.network_packet_object.TCPHeader attribute), 159, 366

reserved (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 414

reserved (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 420

reserved2 (cybox.objects.win_executable_file_object.DOSHeader attribute), 210, 418

resource_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 420

resources (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 229, 437

restore_point_description (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467

restore_point_full_path (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467

restore_point_name (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 467

restore_point_type (cybox.objects.win_system_restore_object.WinSystemRestore attribute), 259, 468

retrans_timer (cybox.objects.network_packet_object.RouterAdvertisement attribute), 155, 362

retry_after (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 111, 318

return_hop_count (cybox.objects.network_packet_object.ICMPv4Traceroute attribute), 135, 342

richmedia_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 382

role (cybox.common.contributor.Contributor attribute), 19, 37

route_age (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 370

route_age (cybox.objects.network_route_object.NetRoute attribute), 165, 372

router_advertisement (cybox.objects.network_packet_object.NDP attribute), 148, 355

router_flag (cybox.objects.network_packet_object.NeighborAdvertisement attribute), 150, 357

router_lifetime (cybox.objects.network_packet_object.RouterAdvertisement attribute), 155, 363

router_solicitation (cybox.objects.network_packet_object.NDP attribute), 148, 355

RouterAdvertisement (class in cybox.objects.network_packet_object), 154, 362

RouterAdvertisementOptions (class in cybox.objects.network_packet_object), 155, 363

RouterSolicitation (class in cybox.objects.network_packet_object), 156, 363

RouterSolicitationOptions (class in cybox.objects.network_packet_object), 156, 363

Routes (class in cybox.objects.network_subnet_object), 169, 377

routes (cybox.objects.network_subnet_object.NetworkSubnet attribute), 169, 376

Routing (class in cybox.objects.network_packet_object), 156, 364

routing (cybox.objects.network_packet_object.IPv6ExtHeader attribute), 143, 351

routing_type (cybox.objects.network_packet_object.Routing attribute), 157, 364

rsa_public_key (cybox.objects.x509_certificate_object.SubjectPublicKey attribute), 270, 479

RSAPublicKey (class in cybox.objects.x509_certificate_object), 270, 478

rst (cybox.objects.network_packet_object.TCPFlags attribute), 158, 366

runlengthdecode_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), 174, 382

running_status (cybox.objects.win_thread_object.WinThread attribute), 266, 475

S

scale (cybox.core.frequency.Frequency attribute), 58, 66

script_path (cybox.objects.user_account_object.UserAccount attribute), 189, 397

search_distance (cybox.common.data_segment.DataSegment attribute), 20, 38

search_within (cybox.common.data_segment.DataSegment attribute), 21, 38

section_alignment (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 430

section_header (cybox.objects.win_executable_file_object.PESection attribute), 225, 433

section_list (cybox.objects.win_process_object.WinProcess attribute), 249, 457

sections (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 230, 437

sectors_per_allocation_unit (cybox.objects.volume_object.Volume attribute), 191, 398

security_attributes (cybox.objects.win_filemapping_object.WinFilemapping attribute), 234, 441

security_attributes (cybox.objects.win_mailslot_object.WinMailslot attribute), 239, 447

security_attributes (cybox.objects.win_mutex_object.WinMutex attribute), 242, 450

security_attributes (cybox.objects.win_pipe_object.WinPipe attribute), 245, 453

security_attributes (cybox.objects.win_semaphore_object.WinSemaphore attribute), 255, 461

security_attributes (cybox.objects.win_thread_object.WinThread attribute), 266, 475

security_attributes (cybox.objects.win_waitable_timer_object.WinWaitableTimer attribute), 269, 478

security_id (cybox.objects.win_computer_account_object.WinComputerAccount attribute), 199, 406

security_id (cybox.objects.win_file_object.WinFile attribute), 231, 439

security_id (cybox.objects.win_process_object.WinProcess attribute), 249, 458

security_id (cybox.objects.win_user_object.WinUser attribute), 268, 476

security_parameters_index (cybox.objects.network_packet_object.AuthenticationHeader attribute), 123, 330

security_parameters_index (cybox.objects.network_packet_object.EncapsulatingSecurityPayload attribute), 124, 331

security_type (cybox.objects.win_file_object.WinFile attribute), 231, 439

security_type (cybox.objects.win_process_object.WinProcess attribute), 250, 458

security_type (cybox.objects.win_user_object.WinUser attribute), 268, 476

segments_left (cybox.objects.network_packet_object.Routing attribute), 157, 364

selector (cybox.objects.win_kernel_object.IDTEntry attribute), 236, 445

Semaphore (class in cybox.objects.semaphore_object), 180, 387

sender (cybox.objects.email_message_object.EmailHeader attribute), 90, 297

sender_hardware_addr (cybox.objects.network_packet_object.ARP attribute), 122, 329

sender_phone_number (cybox.objects.sms_message_object.SMSMessage attribute), 182, 389

sender_protocol_addr (cybox.objects.network_packet_object.ARP attribute), 122, 330

sent_datetime (cybox.objects.sms_message_object.SMSMessage attribute), 182, 389

seq_num (cybox.objects.network_packet_object.TCPHeader attribute), 159, 367

sequence_number (cybox.objects.network_packet_object.AuthenticationHeader attribute), 123, 330

sequence_number (cybox.objects.network_packet_object.EncapsulatingSecurityPayload attribute), 124, 331

serial_number (cybox.objects.device_object.Device attribute), 81, 288

serial_number (cybox.objects.volume_object.Volume attribute), 191, 399

serial_number (cybox.objects.x509_certificate_object.X509Certificate attribute), 271, 479

serialize_value() (in module cybox.common.datetimewithprecision), 39
 server (cybox.objects.http_session_object.HTTPResponseHeaderField attribute), 111, 318
 server_name (cybox.objects.whois_object.WhoisEntry attribute), 194, 402
 service (cybox.objects.win_computer_account_object.KerberosDelegation attribute), 198, 405
 service_counter_table_base (cybox.objects.win_kernel_object.SSDTEntry attribute), 237, 446
 service_dll (cybox.objects.win_service_object.WinService attribute), 253, 462
 service_dll_certificate_issuer (cybox.objects.win_service_object.WinService attribute), 253, 462
 service_dll_certificate_subject (cybox.objects.win_service_object.WinService attribute), 253, 462
 service_dll_hashes (cybox.objects.win_service_object.WinService attribute), 253, 462
 service_dll_signature_description (cybox.objects.win_service_object.WinService attribute), 253, 462
 service_dll_signature_exists (cybox.objects.win_service_object.WinService attribute), 254, 462
 service_dll_signature_verified (cybox.objects.win_service_object.WinService attribute), 254, 462
 service_name (cybox.objects.win_service_object.WinService attribute), 254, 462
 service_status (cybox.objects.win_service_object.WinService attribute), 254, 462
 service_table_base (cybox.objects.win_kernel_object.SSDTEntry attribute), 237, 446
 service_type (cybox.objects.win_service_object.WinServicesize_of_heap_commit attribute), 254, 463
 service_used (cybox.objects.dns_query_object.DNSQuery attribute), 85, 292
 ServiceDescriptionList (class in cybox.objects.win_service_object), 252, 461
 set_cookie (cybox.objects.http_session_object.HTTPResponseHeaderField attribute), 111, 318
 setup() (in module cybox.utils.autoentity), 484, 485
 show_message_body (cybox.objects.win_task_object.IShowMessageAction attribute), 261, 469
 show_message_title (cybox.objects.win_task_object.IShowMessageAction attribute), 261, 469
 sighting_count (cybox.common.measuresource.MeasureSource attribute), 27, 45
 signature (cybox.objects.file_object.Packer attribute), 98, 305
 signature (cybox.objects.win_executable_file_object.PEHeaders attribute), 218, 425
 signature (cybox.objects.x509_certificate_object.X509CertificateSignature attribute), 273, 481
 signature_algorithm (cybox.objects.x509_certificate_object.X509Certificate attribute), 271, 480
 signature_algorithm (cybox.objects.x509_certificate_object.X509Certificate attribute), 273, 481
 signature_description (cybox.common.digitalsignature.DigitalSignature attribute), 22, 40
 signature_exists (cybox.common.digitalsignature.DigitalSignature attribute), 22, 40
 signature_verified (cybox.common.digitalsignature.DigitalSignature attribute), 23, 40
 simple_hash_value (cybox.common.hashes.Hash attribute), 26, 43
 size (cybox.objects.library_object.Library attribute), 116, 323
 size (cybox.objects.sms_message_object.SMSMessage attribute), 182, 389
 size (cybox.objects.win_executable_file_object.PEDataDirectoryStruct attribute), 214, 422
 size (cybox.objects.win_executable_file_object.PEResource attribute), 224, 432
 size_in_bytes (cybox.objects.file_object.File attribute), 97, 304
 size_in_bytes (cybox.objects.win_file_object.Stream attribute), 230, 438
 size_of_code (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 430
 size_of_headers (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 430
 size_of_heap_commit (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 222, 430
 size_of_heap_reserve (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 223, 430
 size_of_initialized_data (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 223, 430
 size_of_optional_header (cybox.objects.win_executable_file_object.PEFileHeader attribute), 217, 424

size_of_raw_data (cybox.objects.win_executable_file_object.SPESectionHeaderStruct (class in cy-
 attribute), 226, 434 box.objects.network_socket_object), 166,

size_of_stack_commit (cy- 374
 box.objects.win_executable_file_object.PEOptionalHeader flag (cybox.objects.network_packet_object.NeighborAdvertisem
 attribute), 223, 431 attribute), 150, 357

size_of_stack_reserve (cy- source (cybox.objects.win_event_log_object.WinEventLog
 box.objects.win_executable_file_object.PEOptionalHeader attribute), 207, 415
 attribute), 223, 431 source_host_isolated (cy-

size_of_uninitialized_data (cy- box.objects.network_packet_object.ICMPv4DestinationUnreacha
 box.objects.win_executable_file_object.PEOptionalHeader attribute), 129, 336
 attribute), 223, 431 source_mac_addr (cybox.objects.network_packet_object.EthernetHeader

SMSMessage (class in cy- attribute), 125, 332
 box.objects.sms_message_object), 181, source_quench (cybox.objects.network_packet_object.ICMPv4ErrorMessag
 388 attribute), 130, 337

so_broadcast (cybox.objects.network_socket_object.SocketOptions source_quench (cybox.objects.network_packet_object.ICMPv4SourceQuen
 attribute), 167, 374 attribute), 133, 340

so_conditional_accept (cy- source_route_failed (cy-
 box.objects.network_socket_object.SocketOptions box.objects.network_packet_object.ICMPv4DestinationUnreacha
 attribute), 167, 374 attribute), 129, 336

so_debug (cybox.objects.network_socket_object.SocketOptions source_socket_address (cy-
 attribute), 167, 374 box.objects.network_connection_object.NetworkConnection

so_dontlinger (cybox.objects.network_socket_object.SocketOptions attribute), 121, 328
 attribute), 167, 374 source_tcp_state (cybox.objects.network_connection_object.NetworkConne

so_dontroute (cybox.objects.network_socket_object.SocketOptions attribute), 121, 328
 attribute), 167, 375 source_type (cybox.common.measuresource.MeasureSource

so_group_priority (cybox.objects.network_socket_object.SocketOptions attribute), 27, 45
 attribute), 167, 375 space_left (cybox.objects.disk_partition_object.DiskPartition

so_keepalive (cybox.objects.network_socket_object.SocketOptions attribute), 83, 290
 attribute), 167, 375 space_used (cybox.objects.disk_partition_object.DiskPartition

so_linger (cybox.objects.network_socket_object.SocketOptions attribute), 83, 290
 attribute), 168, 375 specialbuild (cybox.objects.win_executable_file_object.PEVersionInfoReso

so_oobinline (cybox.objects.network_socket_object.SocketOptions attribute), 228, 436
 attribute), 168, 375 spin_count (cybox.objects.win_critical_section_object.WinCriticalSection

so_rcvbuf (cybox.objects.network_socket_object.SocketOptions attribute), 199, 407
 attribute), 168, 375 sponsoring_registrar (cy-

so_rcvtimeo (cybox.objects.network_socket_object.SocketOptions box.objects.whois_object.WhoisEntry at-
 attribute), 168, 375 tribute), 194, 402

so_reuseaddr (cybox.objects.network_socket_object.SocketOptions src_addr_failed_policy (cy-
 attribute), 168, 375 box.objects.network_packet_object.ICMPv6DestinationUnreacha

so_sndbuf (cybox.objects.network_socket_object.SocketOptions attribute), 136, 343
 attribute), 168, 375 src_ipv4_addr (cybox.objects.network_packet_object.IPv4Header

so_sndtimeo (cybox.objects.network_socket_object.SocketOptions attribute), 141, 349
 attribute), 168, 375 src_ipv6_addr (cybox.objects.network_packet_object.IPv6Header

so_timeout (cybox.objects.network_socket_object.SocketOptions attribute), 144, 351
 attribute), 168, 376 src_link_addr (cybox.objects.network_packet_object.NeighborSolicitationC

so_update_accept_context (cy- attribute), 151, 358
 box.objects.network_socket_object.SocketOptions src_link_addr (cybox.objects.network_packet_object.RouterAdvertisementC
 attribute), 168, 376 attribute), 156, 363

socket_descriptor (cybox.objects.network_socket_object.NetworkSocket src_link_addr (cybox.objects.network_packet_object.RouterSolicitationOpt
 attribute), 166, 373 attribute), 156, 364

SocketAddress (class in cy- src_port (cybox.objects.network_packet_object.TCPHeader
 box.objects.socket_address_object), 180, attribute), 159, 367
 389 srcport (cybox.objects.network_packet_object.UDPHeader
 attribute), 161, 369

- ssdt (cybox.objects.win_kernel_object.WinKernel attribute), 237, 446
- SSDTEEntry (class in cybox.objects.win_kernel_object), 236, 445
- SSDTEEntryList (class in cybox.objects.win_kernel_object), 237, 446
- stack_size (cybox.objects.win_thread_object.WinThread attribute), 267, 475
- standard_extensions (cybox.objects.x509_certificate_object.X509Cert attribute), 271, 480
- start_address (cybox.objects.code_object.Code attribute), 79, 286
- start_address (cybox.objects.win_thread_object.WinThread attribute), 267, 475
- start_date (cybox.common.daterange.DateRange attribute), 21, 39
- start_time (cybox.common.time.Time attribute), 32, 50
- start_time (cybox.objects.process_object.Process attribute), 178, 386
- started_as (cybox.objects.win_service_object.WinService attribute), 254, 463
- startup_command_line (cybox.objects.win_service_object.WinService attribute), 254, 463
- startup_info (cybox.objects.win_process_object.WinProcessSubjectPublicKey attribute), 250, 458
- startup_type (cybox.objects.win_service_object.WinService attribute), 254, 463
- StartupInfo (class in cybox.objects.win_process_object), 247, 455
- state (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 449
- status (cybox.objects.whois_object.WhoisEntry attribute), 194, 402
- status (cybox.objects.win_task_object.WinTask attribute), 265, 473
- status_code (cybox.objects.http_session_object.HTTPStatusLine attribute), 113, 320
- Stream (class in cybox.objects.win_file_object), 230, 438
- stream_list (cybox.objects.win_file_object.WinFile attribute), 232, 439
- StreamList (class in cybox.objects.win_file_object), 230, 438
- strict_transport_security (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 111, 318
- String (class in cybox.common.properties), 31, 48
- string_value (cybox.common.extracted_string.ExtractedString attribute), 25, 43
- strings (cybox.common.extracted_features.ExtractedFeatures attribute), 24, 41
- structured_authentication_mechanism (cybox.objects.account_object.Authentication attribute), 71, 277
- StructuredAuthenticationMechanism (class in cybox.objects.account_object), 71, 277
- StructuredText (class in cybox.common.structured_text), 31, 49
- sub_language (cybox.objects.win_executable_file_object.PEResource attribute), 224, 432
- subject (cybox.objects.email_message_object.EmailHeader attribute), 90, 297
- subject (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 378
- subject (cybox.objects.x509_certificate_object.X509Cert attribute), 271, 480
- subject_alternative_name (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 275, 483
- subject_directory_attributes (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 275, 483
- subject_key_identifier (cybox.objects.x509_certificate_object.X509V3Extensions attribute), 275, 483
- subject_public_key (cybox.objects.x509_certificate_object.X509Cert attribute), 272, 480
- SubjectPublicKey (class in cybox.objects.x509_certificate_object), 270, 478
- subkeys (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
- subnet_mask (cybox.objects.system_object.IPInfo attribute), 183, 391
- subsystem (cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 223, 431
- successful (cybox.objects.dns_query_object.DNSQuery attribute), 85, 292
- superclass (cybox.core.associated_object.AssociatedObject attribute), 57, 65
- sym_links (cybox.objects.file_object.File attribute), 97, 304
- symbolic_name (cybox.objects.win_system_object.GlobalFlag attribute), 255, 464
- SymLinksList (class in cybox.objects.file_object), 99, 306
- syn (cybox.objects.network_packet_object.TCPFlags attribute), 158, 366
- System (class in cybox.objects.system_object), 186, 393
- system (cybox.common.measuresource.MeasureSource attribute), 27, 45
- system_time (cybox.objects.system_object.System attribute), 187, 394

T

- target_ipv6_addr (cybox.objects.network_packet_object.NeighborAdvertisement attribute), 150, 357
- target_ipv6_addr (cybox.objects.network_packet_object.NeighborSolicitation attribute), 151, 358
- target_ipv6_addr (cybox.objects.network_packet_object.Redirect attribute), 154, 361
- target_link_addr (cybox.objects.network_packet_object.NeighborOptions attribute), 150, 358
- target_link_addr (cybox.objects.network_packet_object.RedirectOptions attribute), 154, 362
- targeted_platforms (cybox.objects.code_object.Code attribute), 80, 286
- TargetedPlatforms (class in cybox.objects.code_object), 80, 287
- TaskAction (class in cybox.objects.win_task_object), 261, 469
- TaskActionList (class in cybox.objects.win_task_object), 262, 470
- TCP (class in cybox.objects.network_packet_object), 157, 364
- tcp (cybox.objects.network_packet_object.TransportLayer attribute), 160, 367
- tcp_flags (cybox.objects.network_packet_object.TCPHeader attribute), 160, 367
- tcp_header (cybox.objects.network_packet_object.TCP attribute), 157, 365
- tcp_nodelay (cybox.objects.network_socket_object.SocketOptions attribute), 169, 376
- TCPFlags (class in cybox.objects.network_packet_object), 158, 365
- TCPHeader (class in cybox.objects.network_packet_object), 159, 366
- te (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 312
- thread (cybox.objects.win_process_object.WinProcess attribute), 250, 458
- thread_id (cybox.objects.win_hook_object.WinHook attribute), 235, 443
- thread_id (cybox.objects.win_thread_object.WinThread attribute), 267, 475
- ticket (cybox.objects.win_computer_account_object.Kerberos attribute), 197, 405
- Time (class in cybox.common.properties), 31, 48
- Time (class in cybox.common.time), 32, 49
- time (cybox.common.measuresource.MeasureSource attribute), 28, 45
- time_date_stamp (cybox.objects.win_executable_file_object.PEFileHeader attribute), 217, 425
- time_exceeded (cybox.objects.network_packet_object.ICMPv4ErrorMessage attribute), 130, 337
- time_exceeded (cybox.objects.network_packet_object.ICMPv6ErrorMessage attribute), 137, 344
- times_executed (cybox.objects.win_prefetch_object.WinPrefetch attribute), 247, 455
- timestamp (cybox.core.action.Action attribute), 54, 62
- timestamp (cybox.objects.email_message_object.ReceivedLine attribute), 92, 299
- timestamp (cybox.objects.network_packet_object.ICMPv4TimestampRequest attribute), 134, 341
- timestamp_reply (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 338
- timestamp_reply (cybox.objects.network_packet_object.ICMPv4TimestampRequest attribute), 134, 341
- timestamp_request (cybox.objects.network_packet_object.ICMPv4InfoMessage attribute), 131, 339
- timezone_dst (cybox.objects.system_object.System attribute), 187, 394
- timezone_standard (cybox.objects.system_object.System attribute), 187, 394
- title (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 170, 378
- tls_table (cybox.objects.win_executable_file_object.DataDirectory attribute), 212, 420
- tls_used (cybox.objects.network_connection_object.NetworkConnection attribute), 121, 328
- to (cybox.objects.email_message_object.EmailHeader attribute), 90, 297
- to_dict() (cybox.common.data_segment.DataSize method), 21, 38
- to_dict() (cybox.common.datetimewithprecision.DateTimeWithPrecision method), 22, 39
- to_dict() (cybox.common.datetimewithprecision.DateWithPrecision method), 22, 39
- to_dict() (cybox.common.environment_variable.EnvironmentVariable method), 23, 40
- to_dict() (cybox.common.object_properties.ObjectProperties method), 29, 46
- to_dict() (cybox.common.object_properties.Property method), 29, 46
- to_dict() (cybox.common.platform_specification.PlatformIdentifier method), 29, 47
- to_dict() (cybox.common.platform_specification.PlatformSpecification method), 29, 47
- to_dict() (cybox.common.structured_text.StructuredText method), 31, 49
- to_dict() (cybox.common.tools.ToolInformation method), 32, 50
- to_dict() (cybox.common.vocabs.VocabString method), 34, 52
- to_dict() (cybox.core.action.Action method), 54, 62
- to_dict() (cybox.core.action.ActionRelationship method), 55, 63

- to_dict() (cybox.core.associated_object.AssociatedObject method), 57, 65
- to_dict() (cybox.core.object.DomainSpecificObjectProperties method), 59, 67
- to_dict() (cybox.core.object.Object method), 59, 67
- to_dict() (cybox.core.object.RelatedObject method), 59, 67
- to_dict() (cybox.core.observable.Observable method), 60, 68
- to_dict() (cybox.core.observable.ObservableComposition method), 60, 68
- to_dict() (cybox.core.observable.Observables method), 61, 69
- to_dict() (cybox.objects.artifact_object.Artifact method), 74, 282
- to_dict() (cybox.objects.artifact_object.Compression method), 75, 282
- to_dict() (cybox.objects.artifact_object.Encoding method), 75, 283
- to_dict() (cybox.objects.artifact_object.Encryption method), 76, 283
- to_dict() (cybox.objects.file_object.FilePath method), 97, 304
- to_obj() (cybox.common.data_segment.DataSize method), 21, 38
- to_obj() (cybox.common.datetimewithprecision.DateTimeWithPrecision method), 22, 39
- to_obj() (cybox.common.datetimewithprecision.DateWithPrecision method), 22, 39
- to_obj() (cybox.common.environment_variable.EnvironmentVariable method), 23, 40
- to_obj() (cybox.common.object_properties.ObjectProperties method), 29, 46
- to_obj() (cybox.common.object_properties.Property method), 29, 47
- to_obj() (cybox.common.platform_specification.PlatformIdentifier method), 29, 47
- to_obj() (cybox.common.platform_specification.PlatformSpecification method), 29, 47
- to_obj() (cybox.common.structured_text.StructuredText method), 31, 49
- to_obj() (cybox.common.tools.ToolInformation method), 32, 50
- to_obj() (cybox.common.vocabs.VocabString method), 34, 52
- to_obj() (cybox.core.action.ActionRelationship method), 55, 63
- to_obj() (cybox.core.associated_object.AssociatedObject method), 57, 65
- to_obj() (cybox.core.object.DomainSpecificObjectProperties method), 59, 67
- to_obj() (cybox.core.object.Object method), 59, 67
- to_obj() (cybox.core.object.RelatedObject method), 59, 67
- to_obj() (cybox.core.observable.Observable method), 60, 68
- to_obj() (cybox.core.observable.ObservableComposition method), 60, 68
- to_obj() (cybox.core.observable.Observables method), 61, 69
- to_obj() (cybox.objects.artifact_object.Artifact method), 74, 282
- to_obj() (cybox.objects.artifact_object.Compression method), 75, 282
- to_obj() (cybox.objects.artifact_object.Encoding method), 75, 283
- to_obj() (cybox.objects.artifact_object.Encryption method), 76, 283
- to_obj() (cybox.objects.file_object.FilePath method), 97, 304
- tool_type (cybox.common.measureresource.MeasureSource attribute), 28, 45
- ToolInformation (class in cybox.common.tools), 32, 50
- ToolInformationList (class in cybox.common.tools), 32, 50
- tools (cybox.common.measureresource.MeasureSource attribute), 28, 45
- ToolType (class in cybox.common.vocabs), 34, 52
- tos_host_redirect (cybox.objects.network_packet_object.ICMPv4RedirectMessage attribute), 133, 340
- tos_network_redirect (cybox.objects.network_packet_object.ICMPv4RedirectMessage attribute), 133, 340
- total_allocation_units (cybox.objects.volume_object.Volume attribute), 191, 399
- total_length (cybox.objects.network_packet_object.IPv4Header attribute), 142, 349
- total_physical_memory (cybox.objects.system_object.System attribute), 187, 395
- total_space (cybox.objects.disk_partition_object.DiskPartition attribute), 83, 290
- traceroute (cybox.objects.network_packet_object.ICMPv4Packet attribute), 132, 339
- traffic_class (cybox.objects.network_packet_object.IPv6Header attribute), 144, 351
- trailer (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 111, 318
- transaction_id (cybox.objects.dns_query_object.DNSQuery attribute), 85, 292
- transfer_encoding (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 111, 318
- transmit_timestamp (cybox.objects.network_packet_object.ICMPv4TimestampReply attribute), 134, 341
- transport_layer (cybox.objects.network_packet_object.NetworkPacket attribute), 152, 359

- TransportLayer (class in cybox.objects.network_packet_object), 160, 367
- trapped (cybox.objects.pdf_file_object.PDFDocumentInformationDictionary attribute), 171, 378
- trend (cybox.core.frequency.Frequency attribute), 58, 66
- Trigger (class in cybox.objects.win_task_object), 262, 470
- trigger_begin (cybox.objects.win_task_object.Trigger attribute), 262, 470
- trigger_delay (cybox.objects.win_task_object.Trigger attribute), 262, 470
- trigger_end (cybox.objects.win_task_object.Trigger attribute), 262, 470
- trigger_frequency (cybox.objects.win_task_object.Trigger attribute), 262, 471
- trigger_list (cybox.objects.win_task_object.WinTask attribute), 265, 473
- trigger_max_run_time (cybox.objects.win_task_object.Trigger attribute), 262, 471
- trigger_session_change_type (cybox.objects.win_task_object.Trigger attribute), 263, 471
- trigger_type (cybox.objects.win_task_object.Trigger attribute), 263, 471
- TriggerList (class in cybox.objects.win_task_object), 263, 471
- ttl (cybox.objects.dns_cache_object.DNSCacheEntry attribute), 84, 291
- ttl (cybox.objects.dns_record_object.DNSRecord attribute), 87, 294
- ttl (cybox.objects.network_packet_object.IPv4Header attribute), 142, 349
- ttl (cybox.objects.network_packet_object.IPv6Header attribute), 144, 352
- ttl_exceeded_in_transit (cybox.objects.network_packet_object.ICMPv4TimeExceeded attribute), 133, 341
- type (cybox.objects.disk_object.Disk attribute), 82, 288
- type (cybox.objects.disk_partition_object.DiskPartition attribute), 83, 290
- type (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 415
- type (cybox.objects.win_network_share_object.WinNetworkShare attribute), 244, 452
- type_ (cybox.common.hashes.Hash attribute), 26, 43
- type_ (cybox.core.action.Action attribute), 54, 62
- type_ (cybox.core.event.Event attribute), 58, 66
- type_ (cybox.objects.arp_cache_object.ARPCacheEntry attribute), 78, 281
- type_ (cybox.objects.code_object.Code attribute), 80, 286
- type_ (cybox.objects.domain_name_object.DomainName attribute), 87, 294
- type_ (cybox.objects.file_object.EntryPointSignature attribute), 93, 300
- type_ (cybox.objects.file_object.Packer attribute), 98, 305
- type_ (cybox.objects.library_object.Library attribute), 116, 323
- type_ (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 371
- type_ (cybox.objects.network_socket_object.NetworkSocket attribute), 166, 373
- type_ (cybox.objects.uri_object.URI attribute), 188, 395
- type_ (cybox.objects.win_computer_account_object.WinComputerAccount attribute), 199, 406
- type_ (cybox.objects.win_event_object.WinEvent attribute), 208, 416
- type_ (cybox.objects.win_executable_file_object.PERResource attribute), 224, 432
- type_ (cybox.objects.win_executable_file_object.WinExecutableFile attribute), 230, 437
- type_ (cybox.objects.win_handle_object.WinHandle attribute), 234, 442
- type_ (cybox.objects.win_hook_object.WinHook attribute), 235, 443
- type_ (cybox.objects.win_kernel_hook_object.WinKernelHook attribute), 239, 444
- type_ (cybox.objects.win_memory_page_region_object.WinMemoryPageRegion attribute), 241, 449
- type_ (cybox.objects.win_waitable_timer_object.WinWaitableTimer attribute), 269, 478
- type_attr (cybox.objects.win_kernel_object.IDTEntry attribute), 236, 445
- type_or_length (cybox.objects.network_packet_object.EthernetHeader attribute), 125, 332
- type_specific_data (cybox.objects.network_packet_object.Routing attribute), 157, 364
- TypeLength (class in cybox.objects.network_packet_object), 160, 367
- UDP (class in cybox.objects.network_packet_object), 161, 368
- udp (cybox.objects.network_packet_object.TransportLayer attribute), 160, 367
- udp_header (cybox.objects.network_packet_object.UDP attribute), 161, 368
- UDPHeader (class in cybox.objects.network_packet_object), 161, 368
- unformatted_message_list (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 415
- UnformattedMessageList (class in cybox.objects.win_event_log_object), 205, 413

- units (cybox.core.frequency.Frequency attribute), 58, 66
- UnknownObjectType, 275
- unpack() (cybox.objects.artifact_object.Base64Encoding method), 75, 282
- unpack() (cybox.objects.artifact_object.Bz2Compression method), 75, 282
- unpack() (cybox.objects.artifact_object.Packaging method), 76, 283
- unpack() (cybox.objects.artifact_object.PasswordProtectedZipEncryption method), 76, 284
- unpack() (cybox.objects.artifact_object.XOREncryption method), 76, 284
- unpack() (cybox.objects.artifact_object.ZlibCompression method), 77, 284
- unrecognized_ipv6_option (cybox.objects.network_packet_object.ICMPv6ParameterProblem attribute), 139, 346
- unrecognized_next_header_type (cybox.objects.network_packet_object.ICMPv6ParameterProblem attribute), 139, 346
- UnsignedInteger (class in cybox.common.properties), 31, 49
- UnsignedLong (class in cybox.common.properties), 31, 49
- unwrap_cdata() (in module cybox.utils), 484
- update (cybox.objects.product_object.Product attribute), 179, 387
- updated_date (cybox.objects.whois_object.WhoisEntry attribute), 194, 402
- uptime (cybox.objects.system_object.System attribute), 187, 395
- urg (cybox.objects.network_packet_object.TCPFlags attribute), 158, 366
- urg_ptr (cybox.objects.network_packet_object.TCPHeader attribute), 160, 367
- URI (class in cybox.objects.uri_object), 188, 395
- url_label (cybox.objects.link_object.Link attribute), 116, 323
- user (cybox.objects.win_computer_account_object.KerberosService attribute), 198, 406
- user (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 415
- user_agent (cybox.objects.email_message_object.EmailHeader attribute), 90, 297
- user_agent (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 105, 313
- user_data_header (cybox.objects.sms_message_object.SMSMessage attribute), 182, 389
- user_owner (cybox.objects.file_object.File attribute), 97, 304
- user_password_age (cybox.objects.user_account_object.UserAccount attribute), 189, 397
- user_right (cybox.objects.win_user_object.WinPrivilege attribute), 267, 476
- user_time (cybox.objects.process_object.Process attribute), 178, 386
- UserAccount (class in cybox.objects.user_account_object), 188, 396
- username (cybox.objects.process_object.Process attribute), 178, 386
- username (cybox.objects.user_account_object.UserAccount attribute), 190, 397
- ZipEncryption (cybox.objects.system_object.System attribute), 187, 395
- ## V
- valid_lifetime (cybox.objects.network_packet_object.NDPPrefixInfo attribute), 149, 356
- valid_lifetime (cybox.objects.network_route_entry_object.NetworkRouteEntry attribute), 163, 371
- valid_lifetime (cybox.objects.network_route_object.NetRoute attribute), 165, 372
- Validity (class in cybox.objects.x509_certificate_object), 270, 479
- validity (cybox.objects.x509_certificate_object.X509Cert attribute), 272, 480
- value (cybox.objects.domain_name_object.DomainName attribute), 88, 294
- value (cybox.objects.http_session_object.HTTPRequestLine attribute), 107, 314
- value (cybox.objects.uri_object.URI attribute), 188, 395
- value (cybox.objects.win_executable_file_object.Entropy attribute), 213, 421
- values (cybox.objects.win_registry_key_object.WinRegistryKey attribute), 252, 460
- vary (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 111, 318
- vendor (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 324
- vendor (cybox.objects.product_object.Product attribute), 179, 387
- version (cybox.objects.archive_file_object.ArchiveFile attribute), 74, 280
- version (cybox.objects.file_object.Packer attribute), 98, 305
- version (cybox.objects.http_session_object.HTTPRequestLine attribute), 107, 314
- version (cybox.objects.http_session_object.HTTPStatusLine attribute), 114, 321
- version (cybox.objects.library_object.Library attribute), 116, 323
- version (cybox.objects.linux_package_object.LinuxPackage attribute), 117, 325
- version (cybox.objects.pdf_file_object.PDFFile attribute), 171, 378

- version (cybox.objects.product_object.Product attribute), 180, 387
- version (cybox.objects.x509_certificate_object.X509Cert attribute), 272, 480
- via (cybox.objects.email_message_object.ReceivedLine attribute), 92, 299
- via (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 106, 313
- via (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 112, 319
- virtual_address (cybox.objects.win_executable_file_object.PEDataDirectoryAttribute), 214, 422
- virtual_address (cybox.objects.win_executable_file_object.PEImport attribute), 218, 426
- virtual_address (cybox.objects.win_executable_file_object.PEImportedFileNames attribute), 219, 427
- virtual_address (cybox.objects.win_executable_file_object.PEResource attribute), 224, 432
- virtual_address (cybox.objects.win_executable_file_object.PESectionHeader attribute), 226, 434
- virtual_size (cybox.objects.win_executable_file_object.PESectionHeader attribute), 227, 434
- vlan_name (cybox.objects.address_object.Address attribute), 72, 278
- vlan_num (cybox.objects.address_object.Address attribute), 72, 278
- VocabString (class in cybox.common.vocabs), 34, 52
- Volume (class in cybox.objects.volume_object), 190, 397
- Volume (class in cybox.objects.win_prefetch_object), 245, 453
- volume (cybox.objects.win_prefetch_object.WinPrefetch attribute), 247, 455
- volumeitem (cybox.objects.win_prefetch_object.Volume attribute), 246, 454
- W**
- warning (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 106, 313
- warning (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 112, 319
- whois_server (cybox.objects.whois_object.WhoisRegistrar attribute), 196, 404
- WhoisContact (class in cybox.objects.whois_object), 191, 399
- WhoisContacts (class in cybox.objects.whois_object), 192, 400
- WhoisEntry (class in cybox.objects.whois_object), 192, 400
- WhoisNameservers (class in cybox.objects.whois_object), 195, 402
- WhoisRegistrant (class in cybox.objects.whois_object), 195, 402
- WhoisRegistrants (class in cybox.objects.whois_object), 195, 402
- WhoisRegistrar (class in cybox.objects.whois_object), 195, 403
- WhoisStatus (class in cybox.objects.whois_object), 196, 404
- WhoisStatuses (class in cybox.objects.whois_object), 196, 404
- win32_version_value (cybox.objects.gui_object.GUI attribute), 100, 307
- win_executable_file_object.PEOptionalHeaderFields (class in cybox.objects.win_executable_file_object.PEOptionalHeader attribute), 223, 431
- WinComputerAccount (class in cybox.objects.win_computer_account_object), 198, 406
- WinCriticalSection (class in cybox.objects.win_critical_section_object), 199, 407
- WinCriticalSectionHeader (class in cybox.objects.network_packet_object.TCPHeader attribute), 160, 367
- WinCriticalSectionName (class in cybox.objects.gui_window_object.GUIWindow attribute), 100, 307
- window_title (cybox.objects.win_process_object.WinProcess attribute), 250, 458
- windows_directory (cybox.objects.win_system_object.WinSystem attribute), 257, 465
- windows_system_directory (cybox.objects.win_system_object.WinSystem attribute), 257, 465
- windows_temp_directory (cybox.objects.win_system_object.WinSystem attribute), 257, 465
- WindowsFileAttribute (class in cybox.objects.win_file_object), 232, 439
- WindowsFileAttributes (class in cybox.objects.win_file_object), 232, 439
- WindowsFilePermissions (class in cybox.objects.win_file_object), 232, 440
- WindowsVolumeAttributesList (class in cybox.objects.win_volume_object), 269, 477
- WinDriver (class in cybox.objects.win_driver_object), 201, 408
- WinEvent (class in cybox.objects.win_event_object), 208, 415
- WinEventLog (class in cybox.objects.win_event_log_object), 205, 413
- WinExecutableFile (class in cybox.objects.win_executable_file_object), 228, 436
- WinFile (class in cybox.objects.win_file_object), 230, 438
- WinFilemapping (class in cybox.objects.win_filemapping_object), 233,

- 440
- WinGroup (class in cybox.objects.win_user_object), 267, 475
- WinGroupList (class in cybox.objects.win_user_object), 267, 475
- WinHandle (class in cybox.objects.win_handle_object), 234, 442
- WinHandleList (class in cybox.objects.win_handle_object), 235, 442
- WinHook (class in cybox.objects.win_hook_object), 235, 443
- WinKernel (class in cybox.objects.win_kernel_object), 237, 446
- WinKernelHook (class in cybox.objects.win_kernel_hook_object), 238, 443
- WinMailslot (class in cybox.objects.win_mailslot_object), 239, 447
- WinMemoryPageRegion (class in cybox.objects.win_memory_page_region_object), 240, 447
- WinMutex (class in cybox.objects.win_mutex_object), 242, 450
- WinNetworkRouteEntry (class in cybox.objects.win_network_route_entry_object), 242, 450
- WinNetworkShare (class in cybox.objects.win_network_share_object), 243, 450
- WinPipe (class in cybox.objects.win_pipe_object), 244, 452
- WinPrefetch (class in cybox.objects.win_prefetch_object), 246, 454
- WinPrivilege (class in cybox.objects.win_user_object), 267, 476
- WinPrivilegeList (class in cybox.objects.win_user_object), 268, 476
- WinProcess (class in cybox.objects.win_process_object), 249, 457
- WinRegistryKey (class in cybox.objects.win_registry_key_object), 251, 459
- WinSemaphore (class in cybox.objects.win_semaphore_object), 255, 461
- WinService (class in cybox.objects.win_service_object), 253, 461
- WinSystem (class in cybox.objects.win_system_object), 256, 464
- WinSystemRestore (class in cybox.objects.win_system_restore_object), 257, 466
- WinTask (class in cybox.objects.win_task_object), 263, 471
- WinThread (class in cybox.objects.win_thread_object), 266, 474
- WinUser (class in cybox.objects.win_user_object), 268, 476
- WinVolume (class in cybox.objects.win_volume_object), 268, 477
- WinWaitableTimer (class in cybox.objects.win_waitable_timer_object), 269, 477
- with_ (cybox.objects.email_message_object.ReceivedLine attribute), 93, 299
- work_item_data (cybox.objects.win_task_object.WinTask attribute), 265, 473
- working_directory (cybox.objects.win_task_object.WinTask attribute), 265, 473
- wrap_cdata() (in module cybox.utils), 484
- write (cybox.objects.win_file_object.WindowsFilePermissions attribute), 232, 440
- write_time (cybox.objects.win_event_log_object.WinEventLog attribute), 207, 415
- wshowwindow (cybox.objects.win_process_object.StartupInfo attribute), 249, 457
- www_authenticate (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 112, 319
- ## X
- X509Cert (class in cybox.objects.x509_certificate_object), 271, 479
- X509Certificate (class in cybox.objects.x509_certificate_object), 272, 480
- X509CertificateSignature (class in cybox.objects.x509_certificate_object), 272, 481
- X509NonStandardExtensions (class in cybox.objects.x509_certificate_object), 273, 481
- X509V3Extensions (class in cybox.objects.x509_certificate_object), 273, 482
- x_att_deviceid (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 106, 313
- x_content_type_options (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 112, 319
- x_forwarded_for (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 106, 313
- x_forwarded_proto (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), 106, 313
- x_frame_options (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), 112, 319

x_mailer (cybox.objects.email_message_object.EmailHeader attribute), [90](#), [297](#)

x_originating_ip (cybox.objects.email_message_object.EmailHeader attribute), [90](#), [297](#)

x_powered_by (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), [112](#), [319](#)

x_priority (cybox.objects.email_message_object.EmailHeader attribute), [90](#), [297](#)

x_requested_with (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), [106](#), [313](#)

x_ua_compatible (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), [112](#), [319](#)

x_wap_profile (cybox.objects.http_session_object.HTTPRequestHeaderFields attribute), [106](#), [313](#)

x_xss_protection (cybox.objects.http_session_object.HTTPResponseHeaderFields attribute), [112](#), [319](#)

xfa_count (cybox.objects.pdf_file_object.PDFKeywordCounts attribute), [174](#), [382](#)

xor_pattern (cybox.objects.code_object.CodeSegmentXOR attribute), [80](#), [287](#)

XOREncryption (class in cybox.objects.artifact_object), [76](#), [284](#)

Z

ZlibCompression (class in cybox.objects.artifact_object), [76](#), [284](#)