
domogik-plugin-geoloc

Release 1.0

September 23, 2016

1	Plugin geoloc	1
1.1	Purpose	1
1.2	Dependencies	1
1.3	Plugin configuration	1
1.4	Create the domogik devices	1
1.5	Start the plugin	1
1.6	Plugin dedicated user interface	2
1.7	Set up your widgets on the user interface	2
2	Use directly the url from... what you want :)	3
2.1	Purpose	3
3	Set up Domogik Butler android application	5
3.1	Domogik butler android application	5
3.2	Set up	5
4	Set up tasker for this plugin	7
5	Set up Trip Tracker for this plugin	9
5.1	Trip Tracker	9
5.2	Set up Trip Tracker	9
6	Development informations	11
6.1	Tests	11
6.2	Timeout on sensors	11
6.3	xPL messages	11
7	Changelog	13
7.1	1.2	13
7.2	1.1	13
7.3	1.0	13

Plugin geoloc

1.1 Purpose

The geoloc plugin is used to follow people or object. This plugin implements a webservice which can be called on various url by a smartphone or any device connected to internet.

1.2 Dependencies

There is no dependency.

1.3 Plugin configuration

You have to configure the webservice parameters for this plugin:

Key	Type	Description
host	ipv4	Ip or hostname of the service which will make the url available.
port	integer	Port of the service which will make the url available.

You will surely need to configure you internet box (or whatever else) to add port forwarding in order the webservice to be available from anywhere in the world.

1.4 Create the domogik devices

1.4.1 Domogik device type : geoloc.position

1 parameter is needed for a domogik device creation:

Key	Type	Description
device	string	The geolocated device id. This device id will be used in the urls.

1.5 Start the plugin

You can now start the plugin (start button) and use the created domogik devices.

1.6 Plugin dedicated user interface

In order to show the API and test the plugin easily, the plugin included also a HTML interface. It is available on <http://127.0.0.1:40445> from your Domogik server with the default configuration.

1.7 Set up your widgets on the user interface

You can now place the widgets of your devices features on the user interface.

Use directly the url from... what you want :)

2.1 Purpose

If you plan to use your own scripts (for an embedded project) or create your own application (Android, iOS, HTML5, ...), you just need to call an url like this to use the plugin:

```
http://<ip>:<port>/position/<device id set during the device creation>/<longitude>,<latitude>
```

Example:

```
http://192.168.1.10:40445/position/foobar/-1.6781616210925,46.790657811998
```

If all is OK, you will get a HTTP CODE 200 and this response as text:

```
Position successfully processed (degrees): -1.6781616210925,46.790657811998
```

Else, you will get a HTTP CODE 500 and this kind of response as text:

```
No device 'foobar' exists.
```

or:

```
Unrecognize position type!
```

Set up Domogik Butler android application

3.1 Domogik butler android application

This android application is part of the Domogik project. It is an interface to Domogik's butler. It is mainly used to speak with the butler but it also have the feature to send GPS location each X minute(s).

You can find this application on Domogik website : <http://www.domogik.org>

3.2 Set up

Launch the application and go in settings. In the menu **GPS configuration** :

- enable **GPS tracking**
- set the **Geoloc plugin url** with the public url (see examples below)
- set the **Delay** to a value in minutes. The shorter the delay will be, the more the battery of your device will be used!

Url:

```
http://<ip>:<port>/position/<device id>/
```

Example:

```
http://192.168.1.10:40405/position/foobar/
```

Restart the application.

Set up tasker for this plugin

Set up Trip Tracker for this plugin

5.1 Trip Tracker

Trip Tracker is an Android application which can send your position on an url with the POST method. The interval can be set from 5 min to 2 hours.

This is quite a basic application and 5 minutes can be too long for some usages, but it works :)

Sources are available on GitHub : <https://github.com/jcs/triptracker>

The APK can be found also on GitHub : <https://github.com/jcs/triptracker/downloads>

5.2 Set up Trip Tracker

Launch Trip Tracker and set the url like this:

```
http://<ip>:<port>/position/<device id>/
```

Example:

```
http://192.168.1.10:40405/position/foobar/
```

Click on **Enable Tracking** and check on the screen that no error occurs. If this is ok, you should be able to see your current position with one of Domoweb map widgets.

Development informations

6.1 Tests

There is no automated tests for this plugin.

6.2 Timeout on sensors

The timeout is set to 0 for all sensors : the tracking of a person or an object may be shut for several hours/days (at people convenience)

6.3 xPL messages

6.3.1 xpl-stat

The **sensor.basic** message is used:

```
xpl-stat
{
  ...
}
sensor.basic
{
  type=position_degrees
  device=<device id>
  current=<value : longitude,latitude>
}
```

6.3.2 xpl-trig

n/a

6.3.3 xpl-cmnd

n/a

Changelog

7.1 1.2

- Add tests (they work only in local for now, not on travis)
- Upgrade json : devices MUST BE recreated
- Add travis-ci

7.2 1.1

- Logs improvment

7.3 1.0

- Plugin creation
- Supported urls : GET for tasker and test page, POST for Trip Tracker Android app