
FSCrawler Documentation

Release 2.7-SNAPSHOT

David Pilato

Apr 17, 2019

1	Download FSCrawler	3
2	Running as a Service on Windows	5
3	Upgrade FSCrawler	7
3.1	Upgrade to 2.2	7
3.2	Upgrade to 2.3	7
3.3	Upgrade to 2.4	9
3.4	Upgrade to 2.5	9
3.5	Upgrade to 2.6	10
3.6	Upgrade to 2.7	10
4	Getting Started	13
4.1	Start FSCrawler	13
4.2	Searching for docs	14
4.3	Ignoring folders	14
5	Crawler options	15
6	OCR integration	17
6.1	OCR settings	17
6.2	Disable/Enable OCR	17
6.3	OCR Language	18
6.4	OCR Path	18
6.5	OCR Data Path	18
6.6	OCR Output Type	19
6.7	OCR PDF Strategy	19
7	Starting with a REST gateway	21
8	Supported formats	23
9	Tips and tricks	25
9.1	Moving files to a “watched” directory	25
9.2	Indexing from HDFS drive	25
9.3	Using docker	25
10	Status files	27

11 CLI options	29
11.1 Upgrade	29
11.2 Loop	29
11.3 Restart	30
11.4 Rest	30
12 JVM Settings	31
13 Configuring an external logger configuration file	33
14 Job file specification	35
15 The most simple crawler	37
16 Local FS settings	39
16.1 Root directory	39
16.2 Update rate	40
16.3 Includes and excludes	40
16.4 Filter content	41
16.5 Indexing JSon docs	41
16.6 Indexing XML docs	42
16.7 Add as Inner Object	42
16.8 Index folders	42
16.9 Dealing with multiple types and multiple dirs	43
16.10 Dealing with multiple types within the same dir	43
16.11 Using filename as elasticsearch <code>_id</code>	44
16.12 Adding file attributes	44
16.13 Disabling raw metadata	44
16.14 Disabling file size field	46
16.15 Ignore deleted files	47
16.16 Ignore content	47
16.17 Continue on Error	47
16.18 Language detection	47
16.19 Storing binary source document	48
16.20 Extracted characters	49
16.21 Ignore Above	49
16.22 File checksum	49
17 SSH settings	51
17.1 Username / Password	51
17.2 Using Username / PEM file	52
18 Elasticsearch settings	53
18.1 Index settings	53
18.2 Bulk settings	59
18.3 Using Ingest Node Pipeline	60
18.4 Node settings	60
18.5 Using Credentials (X-Pack)	61
18.6 SSL Configuration	61
18.7 Generated fields	62
18.8 Search examples	64
19 REST service	65
19.1 FSCrawler status	65
19.2 Uploading a binary document	66

19.3	Simulate Upload	68
19.4	Document ID	68
19.5	Additional tags	68
19.6	Enabling CORS	69
19.7	REST settings	69
20	Building the project	71
20.1	Clone the project	71
20.2	Build the artifact	72
20.3	Integration tests	72
20.4	Check for vulnerabilities (CVE)	74
21	Writing documentation	75
22	Release the project	77
23	License	79
24	Incompatible 3rd party library licenses	81
25	Special thanks	83

Warning: This documentation is for the version of FSCrawler currently under development. Were you looking for the [documentation of the latest stable version](#)?

Welcome to the FS Crawler for [Elasticsearch](#).

This crawler helps to index binary documents such as PDF, Open Office, MS Office.

Main features:

- Local file system (or a mounted drive) crawling and index new files, update existing ones and removes old ones.
- Remote file system over SSH crawling.
- REST interface to let you “upload” your binary documents to [elasticsearch](#).

Note: FS Crawler 2.7-SNAPSHOT is using [Tika 1.20](#) and:

- [Elasticsearch Rest Client 7.0.0-rc1](#) for [Elasticsearch V7](#).
 - [Elasticsearch Rest Client 6.7.1](#) for [Elasticsearch V6](#).
 - [Elasticsearch Rest Client 5.6.15](#) for [Elasticsearch V5](#).
-

Download FSCrawler

Depending on your Elasticsearch cluster version, you can download FSCrawler 2.7 using the following links:

- [fscrawler-es7-2.7-SNAPSHOT](#) for Elasticsearch V7.
- [fscrawler-es6-2.7-SNAPSHOT](#) for Elasticsearch V6.
- [fscrawler-es5-2.7-SNAPSHOT](#) for Elasticsearch V5.

The filename ends with `.zip`.

Warning: This is a **SNAPSHOT** version. You can also download a **stable** version from Maven Central:

- [fscrawler-es7-*](#) for Elasticsearch V7.
- [fscrawler-es6-*](#) for Elasticsearch V6.
- [fscrawler-es5-*](#) for Elasticsearch V5.

The distribution contains:

```
$ tree
.
├── LICENSE
├── NOTICE
├── README.md
├── bin
│   ├── fscrawler
│   └── fscrawler.bat
└── lib
    └── ... All needed jars
```

Running as a Service on Windows

Create a `fscrawlerRunner.bat` as:

```
set JAVA_HOME=c:\Program Files\Java\jdk1.8.0_144
set FS_JAVA_OPTS=-Xmx2g -Xms2g
/Elastic/fscrawler/bin/fscrawler.bat --config_dir /Elastic/fscrawler data >> /Elastic/
↪logs/fscrawler.log 2>&1
```

Then use `fscrawlerRunner.bat` to create your windows service.

Upgrade FSCrawler

It can happen that you need to upgrade a mapping or reindex an entire index before starting fscrawler after a version upgrade. Read carefully the following update instructions.

To update fscrawler, just download the new version, unzip it in another directory and launch it as usual. It will still pick up settings from the configuration directory. Of course, you need to stop first the existing running instances.

3.1 Upgrade to 2.2

- fscrawler comes with new default mappings for files. They have better defaults as they consume less disk space and CPU at index time. You should remove existing files in `~/.fscrawler/_default/_mappings` before starting the new version so default mappings will be updated. If you modified manually mapping files, apply the modification you made on sample files.
- `excludes` is now set by default for new jobs to `["~*"]`. In previous versions, any file or directory containing a `~` was excluded. Which means that if in your jobs, you are defining any exclusion rule, you need to add `*~*` if you want to get back the exact previous behavior.
- If you were indexing `json` or `xml` documents with the `filename_as_id` option set, we were previously removing the suffix of the file name, like indexing `1.json` was indexed as `1`. With this new version, we don't remove anymore the suffix. So the `_id` for your document will be now `1.json`.

3.2 Upgrade to 2.3

- fscrawler comes with new mapping for folders. The change is really tiny so you can skip this step if you wish. We basically removed `name` field in the folder mapping as it was unused.
- The way FSCrawler computes now `path.virtual` for docs has changed. It now includes the filename. Instead of `/path/to` you will now get `/path/to/file.txt`.
- The way FSCrawler computes now `virtual` for folders is now consistent with what you can see for folders.

- `path.encoded` in documents and `encoded` in folders have been removed as not needed by FSCrawler after all.
- *OCR integration* is now properly activated for PDF documents. This can be time, cpu and memory consuming though. You can disable explicitly it by setting `fs.pdf_ocr` to `false`.
- All dates are now indexed in elasticsearch in UTC instead of without any time zone. For example, we were indexing previously a date like `2017-05-19T13:24:47.000`. Which was producing bad results when you were located in a time zone other than UTC. It's now indexed as `2017-05-19T13:24:47.000+0000`.
- In order to be compatible with the coming 6.0 elasticsearch version, we need to get rid of types as only one type per index is still supported. Which means that we now create index named `job_name` and `job_name_folder` instead of one index `job_name` with two types `doc` and `folder`. If you are upgrading from FSCrawler 2.2, it requires that you reindex your existing data either by deleting the old index and running again FSCrawler or by using the [reindex API](#) as follows:

```
# Create folder index job_name_folder based on existing folder data
POST _reindex
{
  "source": {
    "index": "job_name",
    "type": "folder"
  },
  "dest": {
    "index": "job_name_folder"
  }
}
# Remove old folder data from job_name index
POST job_name/folder/_delete_by_query
{
  "query": {
    "match_all": {}
  }
}
```

Note that you will need first to create the right settings and mappings so you can then run the reindex job. You can do that by launching `bin/fscrawler job_name --loop 0`.

Better, you can run `bin/fscrawler job_name --upgrade` and let FSCrawler do all that for you. Note that this can take a loooong time.

Also please be aware that some APIs used by the upgrade action are only available from elasticsearch 2.3 (reindex) or elasticsearch 5.0 (delete by query). If you are running an older version than 5.0 you need first to upgrade elasticsearch.

This procedure only applies if you did not set previously `elasticsearch.type` setting (default value was `doc`). If you did, then you also need to reindex the existing documents to the default `_doc` type as per elasticsearch 6.x (or `doc` for 5.x series):

```
# Copy old type doc to the default doc type
POST _reindex
{
  "source": {
    "index": "job_name",
    "type": "your_type_here"
  },
  "dest": {
    "index": "job_name",
    "type": "_doc"
  }
}
```

(continues on next page)

(continued from previous page)

```

}
# Remove old type data from job_name index
POST job_name/your_type_here/_delete_by_query
{
  "query": {
    "match_all": {}
  }
}
}

```

But note that this last step can take a very loooong time and will generate a lot of IO on your disk. It might be easier in such case to restart fscrawler from scratch.

- As seen in the previous point, we now have 2 indices instead of a single one. Which means that `elasticsearch.index` setting has been split to `elasticsearch.index` and `elasticsearch.index_folder`. By default, it's set to the crawler name and the crawler name plus `_folder`. Note that the upgrade feature performs that change for you.
- fscrawler has removed now mapping files `doc.json` and `folder.json`. Mapping for doc is merged within `_settings.json` file and folder mapping is now part of `_settings_folder.json`. Which means you can remove old files to avoid confusion. You can simply remove existing files in `~/ .fscrawler/_default` before starting the new version so default files will be created again.

3.3 Upgrade to 2.4

- No specific step needed. Just note that mapping changed as we support more metadata. Might be useful to run similar steps as for 2.2 upgrade.

3.4 Upgrade to 2.5

- A bug was causing a lot of data going over the wire each time FSCrawler was running. To fix this issue, we changed the default mapping and we set `store: true` on field `file.filename`. If this field is not stored and `remove_deleted` is `true` (default), FSCrawler will fail while crawling your documents. You need to create the new mapping accordingly and reindex your existing data either by deleting the old index and running again FSCrawler or by using the `reindex` API as follows:

```

# Backup old index data
POST _reindex
{
  "source": {
    "index": "job_name"
  },
  "dest": {
    "index": "job_name_backup"
  }
}
# Remove job_name index
DELETE job_name

```

Restart FSCrawler with the following command. It will just create the right mapping again.

```
$ bin/fscrawler job_name --loop 0
```

Then restore old data:

```
POST _reindex
{
  "source": {
    "index": "job_name_backup"
  },
  "dest": {
    "index": "job_name"
  }
}
# Remove backup index
DELETE job_name_backup
```

The default mapping changed for FSCrawler for `meta.raw.*` fields. Might be better to reindex your data.

- The `excludes` parameter is also used for directory names. But this new implementation also brings a breaking change if you were using `excludes` previously. In the previous implementation, the regular expression was only applied to the filename. It's now applied to the full virtual path name.

For example if you have a `/tmp` dir as follows:

```
/tmp
├─ folder
│   └─ foo.txt
│   └─ bar.txt
```

Previously excluding `foo.txt` was excluding the virtual file `/folder/foo.txt`. If you still want to exclude any file named `foo.txt` whatever its directory you now need to specify `*/foo.txt`:

```
{
  "name" : "test",
  "fs": {
    "excludes": [
      "*/foo.txt"
    ]
  }
}
```

For more information, read *Includes and excludes*.

- For new indices, FSCrawler now uses `_doc` as the default type name for clusters running elasticsearch 6.x or superior.

3.5 Upgrade to 2.6

- FSCrawler comes now with multiple distributions, depending on the elasticsearch cluster you're targeting to run.
- `elasticsearch.nodes` settings using `host`, `port` or `scheme` have been replaced by an easier notation using `url` setting like `http://127.0.0.1:9200`. You will need to modify your existing settings and use the new notation if warned.

3.6 Upgrade to 2.7

- FSCrawler comes now with an elasticsearch 7.x implementation.

- FSCrawler also supports YAML format for jobs (default).

CHAPTER 4

Getting Started

You need to have at least **Java 1.8**, and have properly configured `JAVA_HOME` to point to your Java installation directory. For example on MacOS you can define in your `~/.bash_profile` file:

```
export JAVA_HOME=`/usr/libexec/java_home -v 1.8`
```

4.1 Start FSCrawler

Start FSCrawler with:

```
bin/fscrawler job_name
```

FSCrawler will read a local file (default to `~/.fscrawler/{job_name}/_settings.yaml`). If the file does not exist, FSCrawler will propose to create your first job.

```
$ bin/fscrawler job_name
18:28:58,174 WARN [f.p.e.c.f.FsCrawler] job [job_name] does not exist
18:28:58,177 INFO [f.p.e.c.f.FsCrawler] Do you want to create it (Y/N)?
Y
18:29:05,711 INFO [f.p.e.c.f.FsCrawler] Settings have been created in [~/.fscrawler/
↪job_name/_settings.yaml]. Please review and edit before relaunch
```

Create a directory named `/tmp/es` or `c:\tmp\es`, add some files you want to index in it and start again:

```
$ bin/fscrawler --config_dir ./test job_name
18:30:34,330 INFO [f.p.e.c.f.FsCrawlerImpl] Starting FS crawler
18:30:34,332 INFO [f.p.e.c.f.FsCrawlerImpl] FS crawler started in watch mode. It_
↪will run unless you stop it with CTRL+C.
18:30:34,682 INFO [f.p.e.c.f.FsCrawlerImpl] FS crawler started for [job_name] for [/
↪tmp/es] every [15m]
```

If you did not create the directory, FSCrawler will complain until you fix it:

```
18:30:34,683 WARN [f.p.e.c.f.FsCrawlerImpl] Error while indexing content from /tmp/
↳es: /tmp/es doesn't exists.
```

You can also run FSCrawler without arguments. It will give you the list of existing jobs and will allow you to choose one:

```
$ bin/fscrawler
18:33:00,624 INFO [f.p.e.c.f.FsCrawler] No job specified. Here is the list of
↳existing jobs:
18:33:00,629 INFO [f.p.e.c.f.FsCrawler] [1] - job_name
18:33:00,629 INFO [f.p.e.c.f.FsCrawler] Choose your job [1-1]...
1
18:33:06,151 INFO [f.p.e.c.f.FsCrawlerImpl] Starting FS crawler
```

4.2 Searching for docs

This is a common use case in elasticsearch, we want to search for something! ;-)

```
GET docs/doc/_search
{
  "query" : {
    "query_string": {
      "query": "I am searching for something !"
    }
  }
}
```

See *Search examples* for more examples.

4.3 Ignoring folders

If you would like to ignore some folders to be scanned, just add a `.fscrawlerignore` file in it. The folder content and all sub folders will be ignored.

For more information, read *Includes and excludes*.

Crawler options

By default, FSCrawler will read your file from `/tmp/es` every 15 minutes. You can change those settings by modifying `~/.fscrawler/{job_name}/_settings.yaml` file where `{job_name}` is the name of the job you just created.

```
name: "job_name"
fs:
  url: "/path/to/data/dir"
  update_rate: "15m"
```

You can change also `update_rate` to watch more or less frequently for changes.

If you just want FSCrawler to run once and exit, run it with `--loop` option:

```
$ bin/fscrawler job_name --loop 1
18:47:37,487 INFO [f.p.e.c.f.FsCrawlerImpl] Starting FS crawler
18:47:37,854 INFO [f.p.e.c.f.FsCrawlerImpl] FS crawler started for [job_name] for [/
↳tmp/es] every [15m]
...
18:47:37,855 INFO [f.p.e.c.f.FsCrawlerImpl] FS crawler is stopping after 1 run
18:47:37,959 INFO [f.p.e.c.f.FsCrawlerImpl] FS crawler [job_name] stopped
```

If you have already ran FSCrawler and want to restart (which means reindex existing documents), use the `--restart` option:

```
$ bin/fscrawler job_name --loop 1 --restart
```

You will find more information about settings in the following sections:

- *CLI options*
- *Local FS settings*
- *SSH settings*
- *Elasticsearch settings*

New in version 2.3.

To deal with images containing text, just [install Tesseract](#). Tesseract will be auto-detected by Tika or you can explicitly [set the path to tesseract binary](#). Then add an image (png, jpg, ...) into your Fscrawler *Root directory*. After the next index update, the text will be indexed and placed in “_source.content”.

6.1 OCR settings

Here is a list of OCR settings (under `fs.ocr` prefix):

Name	Default value	Documentation
<code>fs.ocr.enabled</code>	<code>true</code>	Disable/Enable OCR
<code>fs.ocr.language</code>	<code>"eng"</code>	OCR Language
<code>fs.ocr.path</code>	<code>null</code>	OCR Path
<code>fs.ocr.data_path</code>	<code>null</code>	OCR Data Path
<code>fs.ocr.output_type</code>	<code>txt</code>	OCR Output Type
<code>fs.ocr.pdf_strategy</code>	<code>ocr_and_text</code>	OCR PDF Strategy

6.2 Disable/Enable OCR

New in version 2.7.

You can completely disable using OCR by setting `fs.ocr.enabled` property in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  url: "/path/to/data/dir"
```

(continues on next page)

(continued from previous page)

```
ocr:
  enabled: false
```

By default, OCR is activated if tesseract can be found on your system.

6.3 OCR Language

If you have installed a [Tesseract Language pack](#), you can use it when parsing your documents by setting `fs.ocr.language` property in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  url: "/path/to/data/dir"
  ocr:
    language: "eng"
```

Note: You can define multiple languages by using + sign as a separator:

```
name: "test"
fs:
  url: "/path/to/data/dir"
  ocr:
    language: "eng+fas+fra"
```

6.4 OCR Path

If your Tesseract application is not available in default system PATH, you can define the path to use by setting `fs.ocr.path` property in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  url: "/path/to/data/dir"
  ocr:
    path: "/path/to/tesseract/executable"
```

When you set it, it's highly recommended to set the *OCR Data Path*.

6.5 OCR Data Path

Set the path to the 'tessdata' folder, which contains language files and config files if Tesseract can not be automatically detected. You can define the path to use by setting `fs.ocr.data_path` property in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  url: "/path/to/data/dir"
  ocr:
```

(continues on next page)

(continued from previous page)

```
path: "/path/to/tesseract/executable"
data_path: "/path/to/tesseract/tessdata"
```

6.6 OCR Output Type

New in version 2.5.

Set the output type from ocr process. `fs.ocr.output_type` property can be defined to `txt` or `hocr` in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  url: "/path/to/data/dir"
  ocr:
    output_type: "hocr"
```

Note: When omitted, `txt` value is used.

6.7 OCR PDF Strategy

By default, FSCrawler will also try to extract also images from your PDF documents and run OCR on them. This can be a CPU intensive operation. If you don't mean to run OCR on PDF but only on images, you can set `fs.ocr.pdf_strategy` to `"no_ocr"`:

```
name: "test"
fs:
  ocr:
    pdf_strategy: "no_ocr"
```

Supported strategies are:

- `no_ocr`: No OCR is performed on PDF documents. OCR might be performed on images though if OCR is not disabled. See *Disable/Enable OCR*.
- `ocr_only`: Only OCR is performed.
- `ocr_and_text`: OCR and text extraction is performed.

Note: When omitted, `ocr_and_text` value is used.

Starting with a REST gateway

New in version 2.2.

FSCrawler can be a nice gateway to elasticsearch if you want to upload binary documents and index them into elasticsearch without writing by yourself all the code to extract data and communicate with elasticsearch.

To start FSCrawler with the REST service, use the `--rest` option. A good idea is also to combine it with `--loop 0` so you won't index local files but only listen to incoming REST requests:

```
$ bin/fscrawler job_name --loop 0 --rest
18:55:37,851 INFO [f.p.e.c.f.FsCrawlerImpl] Starting FS Crawler
18:55:39,237 INFO [f.p.e.c.f.FsCrawlerImpl] FS crawler Rest service started on
↪ [http://127.0.0.1:8080/fscrawler]
```

Check the service is working with:

```
curl http://127.0.0.1:8080/fscrawler/
```

It will give you back a JSON document.

The you can start uploading your binary files:

```
echo "This is my text" > test.txt
curl -F "file=@test.txt" "http://127.0.0.1:8080/fscrawler/_upload"
```

It will index the file into elasticsearch and will give you back the elasticsearch URL for the created document, like:

```
{
  "ok" : true,
  "filename" : "test.txt",
  "url" : "http://127.0.0.1:9200/fscrawler-rest-tests_doc/doc/
↪ dd18bf3a8ea2a3e53e2661c7fb53534"
}
```

To enable CORS (Cross-Origin Request Sharing) functionality you will need to set `enable_cors: true` in your job settings.

Read the *REST service* chapter for more information.

Supported formats

FSCrawler supports all formats [Tika](#) supports, like:

- HTML
- Microsoft Office
- Open Office
- PDF
- Images
- MP3
- ...

9.1 Moving files to a “watched” directory

When moving an existing file to the directory FSCrawler is watching, you need to explicitly touch all the files as when moved, the files are keeping their original date intact:

```
# single file
touch file_you_moved

# all files
find -type f -exec touch {} +

# all .txt files
find -type f -name "*.txt" -exec touch {} +
```

Or you need to *restart* from the beginning with the `--restart` option which will reindex everything.

9.2 Indexing from HDFS drive

There is no specific support for HDFS in FSCrawler. But you can [mount your HDFS on your machine](#) and run FS crawler on this mount point. You can also read details about [HDFS NFS Gateway](#).

9.3 Using docker

To use FSCrawler with [docker](#), check [docker-fscrawler](#) recipe.

CHAPTER 10

Status files

Once the crawler is running, it will write status information and statistics in:

- `~/fscrawler/{job_name}/_status.json`

It means that if you stop the job at some point, FSCrawler will restart it from where it stops.

- `--help` displays help
- `--silent` runs in silent mode. No output is generated.
- `--debug` runs in debug mode.
- `--trace` runs in trace mode (more verbose than debug).
- `--config_dir` defines directory where jobs are stored instead of default `~/fscrawler`.
- `--username` defines the username to use when using an secured version of elasticsearch cluster. Read *Using Credentials (X-Pack)*.
- `--upgrade` runs a reindex operation for indices created with an older version. See *Upgrade*.
- `--loop x` defines the number of runs we want before exiting. See *Loop*.
- `--restart` restart a job from scratch. See *Restart*.
- `--rest` starts the REST service. See *Rest*.

11.1 Upgrade

`--upgrade` runs a reindex operation for indices created with an older version which was using multiple types within the same index. More on this in *Upgrade to 2.3* section.

11.2 Loop

New in version 2.2.

`--loop x` defines the number of runs we want before exiting:

- `x` where `x` is a negative value means infinite, like `-1` (default)
- `0` means that we don't run any crawling job (useful when used with `rest`).

- X where X is a positive value is the number of runs before it stops.

If you want to scan your hard drive only once, run with `--loop 1`.

11.3 Restart

New in version 2.2.

You can tell FSCrawler that it must restart from the beginning by using `--restart` option:

```
bin/fscrawler job_name --restart
```

In that case, the `{job_name}/_status.json` file will be removed.

11.4 Rest

New in version 2.3.

If you want to run the *REST service* without scanning your hard drive, launch with:

```
bin/fscrawler --rest --loop 0
```

CHAPTER 12

JVM Settings

If you want to provide JVM settings, like defining memory allocated to FSCrawler, you can define a system property named `FS_JAVA_OPTS`:

```
FS_JAVA_OPTS="-Xmx521m -Xms521m" bin/fscrawler
```

Configuring an external logger configuration file

If you want to define an external `log4j2.xml` file, you can use the `log4j.configurationFile` JVM parameter which you can define in `FS_JAVA_OPTS` variable if you wish:

```
FS_JAVA_OPTS="-Dlog4j.configurationFile=path/to/log4j2.xml" bin/fscrawler
```

You can use [the default log4j2.xml file](#) as an example to start with.

CHAPTER 14

Job file specification

The job file must comply to the following `yaml` specifications:

```
name: "job_name"
fs:
  url: "/path/to/docs"
  update_rate: "5m"
  includes:
    - "*.doc"
    - "*.xls"
  excludes:
    - "resume.doc"
  json_support: false
  filename_as_id: true
  add_filesize: true
  remove_deleted: true
  add_as_inner_object: false
  store_source: true
  index_content: true
  indexed_chars: "10000.0"
  attributes_support: false
  raw_metadata: true
  xml_support: false
  index_folders: true
  lang_detect: false
  continue_on_error: false
  pdf_ocr: true
  ocr:
    language: "eng"
    path: "/path/to/tesseract/if/not/available/in/PATH"
    data_path: "/path/to/tesseract/tessdata/if/needed"
server:
  hostname: "localhost"
  port: 22
  username: "dadoonet"
```

(continues on next page)

(continued from previous page)

```

password: "password"
protocol: "SSH"
pem_path: "/path/to/pemfile"
elasticsearch:
  nodes:
    # With Cloud ID
    - cloud_id: "CLOUD_ID"
    # With URL
    - url: "http://127.0.0.1:9200"
  index: "docs"
  bulk_size: 1000
  flush_interval: "5s"
  byte_size: "10mb"
  username: "elastic"
  password: "password"
rest:
  url: "https://127.0.0.1:8080/fscrawler"

```

Here is a list of existing top level settings:

Name	Documentation
name (mandatory field)	<i>The most simple crawler</i>
fs	<i>Local FS settings</i>
elasticsearch	<i>Elasticsearch settings</i>
server	<i>SSH settings</i>
rest	<i>REST service</i>

New in version 2.7.

You can define your job settings either in yaml (using .yaml extension) or in json (using .json extension).

CHAPTER 15

The most simple crawler

You can define the most simple crawler job by writing a `~/ .fscrawler/test/_settings.yaml` file as follow:

```
name: "test"
```

This will scan every 15 minutes all documents available in `/tmp/es` dir and will index them into `test_doc` index. It will connect to an elasticsearch cluster running on `127.0.0.1`, port `9200`.

Note: `name` is a mandatory field.

Local FS settings

Here is a list of Local FS settings (under `fs.` prefix):

Name	Default value	Documentation
<code>fs.url</code>	<code>"/tmp/es"</code>	<i>Root directory</i>
<code>fs.update_rate</code>	<code>"15m"</code>	<i>Update Rate</i>
<code>fs.includes</code>	<code>null</code>	<i>Includes and excludes</i>
<code>fs.excludes</code>	<code>["*/~*"]</code>	<i>Includes and excludes</i>
<code>fs.filters</code>	<code>null</code>	<i>Filter content</i>
<code>fs.json_support</code>	<code>false</code>	<i>Indexing JSon docs</i>
<code>fs.xml_support</code>	<code>false</code>	<i>Indexing XML docs</i>
<code>fs.add_as_inner_object</code>	<code>false</code>	<i>Add as Inner Object</i>
<code>fs.index_folders</code>	<code>true</code>	<i>Index folders</i>
<code>fs.attributes_support</code>	<code>false</code>	<i>Adding file attributes</i>
<code>fs.raw_metadata</code>	<code>true</code>	<i>Disabling raw metadata</i>
<code>fs.filename_as_id</code>	<code>false</code>	<i>Using filename as elasticsearch_id</i>
<code>fs.add_filesize</code>	<code>true</code>	<i>Disabling file size field</i>
<code>fs.remove_deleted</code>	<code>true</code>	<i>Ignore deleted files</i>
<code>fs.store_source</code>	<code>false</code>	<i>Storing binary source document</i>
<code>fs.index_content</code>	<code>true</code>	<i>Ignore content</i>
<code>fs.lang_detect</code>	<code>false</code>	<i>Language detection</i>
<code>fs.continue_on_error</code>	<code>false</code>	<i>Continue on Error</i>
<code>fs.pdf_ocr</code>	<code>true</code>	<i>OCR integration</i>
<code>fs.indexed_chars</code>	<code>100000.0</code>	<i>Extracted characters</i>
<code>fs.ignore_above</code>	<code>null</code>	<i>Ignore above</i>
<code>fs.checksum</code>	<code>null</code>	<i>File Checksum</i>

16.1 Root directory

Define `fs.url` property in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  url: "/path/to/data/dir"
```

For Windows users, use a form like `c:/tmp` or `c:\\tmp`.

16.2 Update rate

By default, `update_rate` is set to 15m. You can modify this value using any compatible **time unit**.

For example, here is a 15 minutes update rate:

```
name: "test"
fs:
  update_rate: "15m"
```

Or a 3 hours update rate:

```
name: "test"
fs:
  update_rate: "3h"
```

`update_rate` is the pause duration between the last time we read the file system and another run. Which means that if you set it to 15m, the next scan will happen on 15 minutes after the end of the current scan, whatever its duration.

16.3 Includes and excludes

Let's say you want to index only docs like `*.doc` and `*.pdf` but `resume*`. So `resume_david.pdf` won't be indexed.

Define `fs.includes` and `fs.excludes` properties in your `~/fscrawler/test/_settings.yaml` file:

```
name: "test"
fs:
  includes:
    - "*/*.doc"
    - "*/*.pdf"
  excludes:
    - "*/resume*"
```

By default, FSCrawler will exclude files starting with `~`.

New in version 2.5.

It also applies to directory names. So if you want to ignore `.ignore dir`, just add `.ignore` as an excluded name. Note that `includes` and `excludes` apply to directory names as well.

Let's take the following example with the `root dir` as `/tmp`:

```
/tmp
├── folderA
│   ├── subfolderA
│   ├── subfolderB
│   └── subfolderC
```

(continues on next page)

(continued from previous page)



If you define the following `fs.excludes` property in your `~/ .fscrawler/test/_settings.yaml` file:

```

name: "test"
fs:
  excludes:
    - "/folderB/subfolder*"

```

Then all files but the ones in `/folderB/subfolderA`, `/folderB/subfolderB` and `/folderB/subfolderC` will be indexed.

Since the includes and excludes work on the entire *path of the file* you must consider that when using wildcards. Below are some includes and excludes pattern to help convey the idea better.

Pattern	Includes	Excludes
<code>*.jpg</code>	Include all jpg files	exclude all jpg files
<code>/images/*.jpg</code>	Include all jpg files in the images directory	Exclude all jpg files in the images directory
<code>*/old-*.jpg</code>	Include all jpg files that start with <code>old-</code>	Exclude all jpg files that start with <code>old-</code>

New in version 2.6.

If a folder contains a file named `.fscrawlerignore`, this folder and its subfolders will be entirely skipped.

16.4 Filter content

New in version 2.5.

You can filter out documents you would like to index by adding one or more regular expression that match the extracted content. Documents which are not matching will be simply ignored and not indexed.

If you define the following `fs.filters` property in your `~/ .fscrawler/test/_settings.yaml` file:

```

name: "test"
fs:
  filters:
    - ".*foo.*"
    - "^4\d{3}([\ \-]?)\d{4}\1\d{4}\1\d{4}$"

```

With this example, only documents which contains the word `foo` and a VISA credit card number with the form like `4012888888881881`, `4012 8888 8888 1881` or `4012-8888-8888-1881` will be indexed.

16.5 Indexing JSon docs

If you want to index JSon files directly without parsing with Tika, you can set `json_support` to `true`. JSon contents will be stored directly under `_source`. If you need to keep JSon documents synchronized to the index, set

option *Add as Inner Object* which stores additional metadata and the JSON contents under field `object`.

```
name: "test"
fs:
  json_support: true
```

Of course, if you did not define a mapping before launching the crawler, Elasticsearch will auto guess the mapping.

16.6 Indexing XML docs

New in version 2.2.

If you want to index XML files and convert them to JSON, you can set `xml_support` to `true`. The content of XML files will be added directly under `_source`. If you need to keep XML documents synchronized to the index, set option *Add as Inner Object* which stores additional metadata and the XML contents under field `object`.

```
name: "test"
fs:
  xml_support: true
```

Of course, if you did not define a mapping before launching the crawler, Elasticsearch will auto guess the mapping.

16.7 Add as Inner Object

The default settings store the contents of json and xml documents directly onto the `_source` element of elasticsearch documents. Thereby, there is no metadata about file and path settings, which are necessary to determine if a document is deleted or updated. New files will however be added to the index, (determined by the file timestamp).

If you need to keep json or xml documents synchronized to elasticsearch, you should set this option.

```
name: "test"
fs:
  add_as_inner_object: true
```

16.8 Index folders

New in version 2.2.

By default FSCrawler will index folder names in the folder index. If you don't want to index those folders, you can set `index_folders` to `false`.

Note that in that case, FSCrawler won't be able to detect removed folders so any document has been indexed in elasticsearch, it won't be removed when you remove or move the folder away.

```
name: "test"
fs:
  index_folders: false
```


16.9 Dealing with multiple types and multiple dirs

If you have more than one type, create as many crawlers as types:

~/fscrawler/test_type1/_settings.yaml:

```
name: "test_type1"
fs:
  url: "/tmp/type1"
  json_support: true
elasticsearch:
  index: "mydocs1"
  index_folder: "myfolders1"
```

~/fscrawler/test_type2/_settings.yaml:

```
name: "test_type2"
fs:
  url: "/tmp/type2"
  json_support: true
elasticsearch:
  index: "mydocs2"
  index_folder: "myfolders2"
```

~/fscrawler/test_type3/_settings.yaml:

```
name: "test_type3"
fs:
  url: "/tmp/type3"
  xml_support: true
elasticsearch:
  index: "mydocs3"
  index_folder: "myfolders3"
```

16.10 Dealing with multiple types within the same dir

You can also index many types from one single dir using two crawlers scanning the same dir and by setting `includes` parameter:

~/fscrawler/test_type1.yaml:

```
name: "test_type1"
fs:
  url: "/tmp"
  includes:
    - "type1*.json"
  json_support: true
elasticsearch:
  index: "mydocs1"
  index_folder: "myfolders1"
```

~/fscrawler/test_type2.yaml:

```
name: "test_type2"
fs:
```

(continues on next page)

(continued from previous page)

```
url: "/tmp"
includes:
- "type2*.json"
json_support: true
elasticsearch:
  index: "mydocs2"
  index_folder: "myfolders2"
```

~/fscrawler/test_type3.yaml:

```
name: "test_type3"
fs:
  url: "/tmp"
  includes:
  - "*.xml"
  xml_support: true
elasticsearch:
  index: "mydocs3"
  index_folder: "myfolders3"
```

16.11 Using filename as elasticsearch `_id`

Please note that the document `_id` is always generated (hash value) from the filename to avoid issues with special characters in filename. You can force to use the `_id` to be the filename using `filename_as_id` attribute:

```
name: "test"
fs:
  filename_as_id: true
```

16.12 Adding file attributes

If you want to add file attributes such as `attributes.owner`, `attributes.group` and `attributes.permissions`, you can set `attributes_support` to `true`.

```
name: "test"
fs:
  attributes_support: true
```

Note: On Windows systems, `attributes.group` and `attributes.permissions` are not generated.

16.13 Disabling raw metadata

FSCrawler can extract all found metadata within a `meta.raw` object in addition to the standard metadata fields. If you want to enable this feature, you can set `raw_metadata` to `true`.

```
name: "test"
fs:
  raw_metadata: true
```

Generated raw metadata depends on the file format itself.

For example, a PDF document could generate:

```
{
  "date" : "2016-07-07T08:37:42Z",
  "pdf:PDFVersion" : "1.5",
  "xmp:CreatorTool" : "Microsoft Word",
  "Keywords" : "keyword1, keyword2",
  "access_permission:modify_annotations" : "true",
  "access_permission:can_print_degraded" : "true",
  "subject" : "Test Tika Object",
  "dc:creator" : "David Pilato",
  "dcterms:created" : "2016-07-07T08:37:42Z",
  "Last-Modified" : "2016-07-07T08:37:42Z",
  "dcterms:modified" : "2016-07-07T08:37:42Z",
  "dc:format" : "application/pdf; version=1.5",
  "title" : "Test Tika title",
  "Last-Save-Date" : "2016-07-07T08:37:42Z",
  "access_permission:fill_in_form" : "true",
  "meta:save-date" : "2016-07-07T08:37:42Z",
  "pdf:encrypted" : "false",
  "dc:title" : "Test Tika title",
  "modified" : "2016-07-07T08:37:42Z",
  "cp:subject" : "Test Tika Object",
  "Content-Type" : "application/pdf",
  "X-Parsed-By" : "org.apache.tika.parser.DefaultParser",
  "creator" : "David Pilato",
  "meta:author" : "David Pilato",
  "dc:subject" : "keyword1, keyword2",
  "meta:creation-date" : "2016-07-07T08:37:42Z",
  "created" : "Thu Jul 07 10:37:42 CEST 2016",
  "access_permission:extract_for_accessibility" : "true",
  "access_permission:assemble_document" : "true",
  "xmpTPg:NPages" : "2",
  "Creation-Date" : "2016-07-07T08:37:42Z",
  "access_permission:extract_content" : "true",
  "access_permission:can_print" : "true",
  "meta:keyword" : "keyword1, keyword2",
  "Author" : "David Pilato",
  "access_permission:can_modify" : "true"
}
```

Where a MP3 file would generate:

```
{
  "xmpDM:genre" : "Vocal",
  "X-Parsed-By" : "org.apache.tika.parser.DefaultParser",
  "creator" : "David Pilato",
  "xmpDM:album" : "FS Crawler",
  "xmpDM:trackNumber" : "1",
  "xmpDM:releaseDate" : "2016",
  "meta:author" : "David Pilato",
  "xmpDM:artist" : "David Pilato",
```

(continues on next page)

(continued from previous page)

```
"dc:creator" : "David Pilato",
"xmpDM:audioCompressor" : "MP3",
"title" : "Test Tika",
"xmpDM:audioChannelType" : "Stereo",
"version" : "MPEG 3 Layer III Version 1",
"xmpDM:logComment" : "Hello but reverted",
"xmpDM:audioSampleRate" : "44100",
"channels" : "2",
"dc:title" : "Test Tika",
"Author" : "David Pilato",
"xmpDM:duration" : "1018.775146484375",
"Content-Type" : "audio/mpeg",
"samplerate" : "44100"
}
```

Note: All fields are generated as text even though they can be valid booleans or numbers.

The `meta.raw.*` fields have a default mapping applied:

```
{
  "type": "text",
  "fields": {
    "keyword": {
      "type": "keyword",
      "ignore_above": 256
    }
  }
}
```

If you want specifically tell elasticsearch to use a date type or a numeric type for some fields, you need to modify the default template provided by FSCrawler.

Note: Note that dots in metadata names will be replaced by a `:`. For example `PTEX.Fullbanner` will be indexed as `PTEX:Fullbanner`.

Note: Note that if you have a lot of different type of files, that can generate a lot of raw metadata which can make you hit the total number of field limit in elasticsearch mappings. In which case you will need to change the index settings `foo`.

See [elasticsearch documentation](#)

16.14 Disabling file size field

By default, FSCrawler will create a field to store the original file size in octets. You can disable it using `'add_filesize'` option:

```
name: "test"
fs:
  add_filesize: false
```

16.15 Ignore deleted files

If you don't want to remove indexed documents when you remove a file or a directory, you can set `remove_deleted` to `false` (default to `true`):

```
name: "test"
fs:
  remove_deleted: false
```

16.16 Ignore content

If you don't want to extract file content but only index filesystem metadata such as filename, date, size and path, you can set `index_content` to `false` (default to `true`):

```
name: "test"
fs:
  index_content: false
```

16.17 Continue on Error

New in version 2.3.

By default FSCrawler will immediately stop indexing if he hits a Permission denied exception. If you want to just skip this File and continue with the rest of the directory tree you can set `continue_on_error` to `true` (default to `false`):

```
name: "test"
fs:
  continue_on_error: true
```

16.18 Language detection

New in version 2.2.

You can ask for language detection using `lang_detect` option:

```
name: "test"
fs:
  lang_detect: true
```

In that case, a new field named `meta.language` is added to the generated JSON document.

If you are using elasticsearch 5.0 or superior, you can use this value to send your document to a specific index using a *Node Ingest pipeline*.

For example, you can define a pipeline named `langdetect` with:

```
PUT _ingest/pipeline/langdetect
{
  "description" : "langdetect pipeline",
```

(continues on next page)

(continued from previous page)

```

"processors" : [
  {
    "set": {
      "field": "_index",
      "value": "myindex-{{meta.language}}"
    }
  }
]
}

```

In FSCrawler settings, set both `fs.lang_detect` and `elasticsearch.pipeline` options:

```

name: "test"
fs:
  lang_detect: true
elasticsearch:
  pipeline: "langdetect"

```

And then, a document containing french text will be sent to `myindex-fr`. A document containing english text will be sent to `myindex-en`.

You can also imagine changing the field name from `content` to `content-fr` or `content-en`. That will help you to define the correct analyzer to use.

Language detection might detect more than one language in a given text but only the most accurate will be set. Which means that if you have a document containing 80% of french and 20% of english, the document will be marked as `fr`.

Note that language detection is CPU and time consuming.

16.19 Storing binary source document

You can store in elasticsearch itself the binary document (BASE64 encoded) using `store_source` option:

```

name: "test"
fs:
  store_source: true

```

In that case, a new field named `attachment` is added to the generated JSON document. This field is not indexed. Default mapping for `attachment` field is:

```

{
  "_doc" : {
    "properties" : {
      "attachment" : {
        "type" : "binary",
        "doc_values" : false
      }
      // ... Other properties here
    }
  }
}

```

16.20 Extracted characters

By default FSCrawler will extract only the first 100 000 characters. But, you can set `indexed_chars` to 5000 in FSCrawler settings in order to overwrite this default settings.

```
name: "test"
fs:
  indexed_chars: "5000"
```

This number can be either a fixed size, number of characters that is, or a percent using % sign. The percentage value will be applied to the filesize to determine the number of character the crawler needs to extract.

If you want to index only 80% of filesize, define `indexed_chars` to "80%". Of course, if you want to index the full document, you can set this property to "100%". Double values are also supported so "0.01%" is also a correct value.

Compressed files: If your file is compressed, you might need to increase `indexed_chars` to more than "100%". For example, "150%".

If you want to extract the full content, define `indexed_chars` to "-1".

Note: Tika requires to allocate in memory a data structure to extract text. Setting `indexed_chars` to a high number will require more memory!

16.21 Ignore Above

New in version 2.5.

By default FSCrawler will send to Tika every single file, whatever its size. But some files on your file system might be a way too big to be parsed.

Set `ignore_above` to the desired value of the limit.

```
name: "test"
fs:
  ignore_above: "5mb"
```

16.22 File checksum

If you want FSCrawler to generate a checksum for each file, set `checksum` to the algorithm you wish to use to compute the checksum, such as MD5 or SHA-1.

```
name: "test"
fs:
  checksum: "MD5"
```


You can index files remotely using SSH.

Here is a list of SSH settings (under `server.` prefix):

Name	Default value	Documentation
<code>server.hostname</code>	null	Hostname
<code>server.port</code>	22	Port
<code>server.username</code>	null	<i>Username / Password</i>
<code>server.password</code>	null	<i>Username / Password</i>
<code>server.protocol</code>	"local"	Set it to ssh
<code>server.pem_path</code>	null	<i>Using Username / PEM file</i>

17.1 Username / Password

Let's say you want to index from a remote server using SSH:

- FS URL: `/path/to/data/dir/on/server`
- Server: `mynode.mydomain.com`
- Username: `username`
- Password: `password`
- Protocol: `ssh` (default to `local`)
- Port: `22` (default to `22`)

```
name: "test"
fs:
  url: "/path/to/data/dir/on/server"
server:
  hostname: "mynode.mydomain.com"
```

(continues on next page)

(continued from previous page)

```
port: 22
username: "username"
password: "password"
protocol: "ssh"
```

17.2 Using Username / PEM file

Let's say you want to index from a remote server using SSH:

- FS URL: `/path/to/data/dir/on/server`
- Server: `mynode.mydomain.com`
- Username: `username`
- PEM File: `/path/to/private_key.pem`
- Protocol: `ssh` (default to `local`)
- Port: `22` (default to `22`)

```
name: "test"
fs:
  url: "/path/to/data/dir/on/server"
server:
  hostname: "mynode.mydomain.com"
  port: 22
  username: "username"
  password: "password"
  protocol: "ssh"
  pem_path: "/path/to/private_key.pem"
```

Elasticsearch settings

Here is a list of Elasticsearch settings (under `elasticsearch.` prefix):

Name	Default value	Documentation
<code>elasticsearch.index</code>	job name	<i>Index settings for documents</i>
<code>elasticsearch.index_folder</code>	job name + <code>_folder</code>	<i>Index settings for folders</i>
<code>elasticsearch.bulk_size</code>	100	<i>Bulk settings</i>
<code>elasticsearch.flush_interval</code>	"5s"	<i>Bulk settings</i>
<code>elasticsearch.byte_size</code>	"10mb"	<i>Bulk settings</i>
<code>elasticsearch.pipeline</code>	null	<i>Using Ingest Node Pipeline</i>
<code>elasticsearch.nodes</code>	<code>http://127.0.0.1:9200</code>	<i>Node settings</i>
<code>elasticsearch.username</code>	null	<i>Using Credentials (X-Pack)</i>
<code>elasticsearch.password</code>	null	<i>Using Credentials (X-Pack)</i>

18.1 Index settings

18.1.1 Index settings for documents

By default, FSCrawler will index your data in an index which name is the same as the crawler name (name property) plus `_doc` suffix, like `test_doc`. You can change it by setting `index` field:

```
name: "test"
elasticsearch:
  index: "docs"
```

18.1.2 Index settings for folders

FSCrawler will also index folders in an index which name is the same as the crawler name (name property) plus `_folder` suffix, like `test_folder`. You can change it by setting `index_folder` field:

```
name: "test"
elasticsearch:
  index_folder: "folders"
```

18.1.3 Mappings

When FSCrawler needs to create the doc index, it applies some default settings and mappings which are read from `~/.fscrawler/_default/7/_settings.json`. You can read its content from [the source](#).

Settings define an analyzer named `fscrawler_path` which uses a [path hierarchy tokenizer](#).

FSCrawler applies as well a mapping automatically for the folders which can also be read from [the source](#).

You can also display the index mapping being used with Kibana:

```
GET docs/_mapping
GET docs_folder/_mapping
```

Or fall back to the command line:

```
curl 'http://localhost:9200/docs/_mapping?pretty'
curl 'http://localhost:9200/docs_folder/_mapping?pretty'
```

Note: FSCrawler is actually applying default index settings depending on the elasticsearch version it is connected to. The default settings definitions are stored in `~/.fscrawler/_default/_mappings`:

- `2/_settings.json`: for elasticsearch 2.x series document index settings
- `2/_settings_folder.json`: for elasticsearch 2.x series folder index settings
- `5/_settings.json`: for elasticsearch 5.x series document index settings
- `5/_settings_folder.json`: for elasticsearch 5.x series folder index settings
- `6/_settings.json`: for elasticsearch 6.x series document index settings
- `6/_settings_folder.json`: for elasticsearch 6.x series folder index settings
- `7/_settings.json`: for elasticsearch 7.x series document index settings
- `7/_settings_folder.json`: for elasticsearch 7.x series folder index settings

Note: For versions before 6.x series, the type of the document is `doc`. From 6.x, the type of the document is `_doc`.

Creating your own mapping (analyzers)

If you want to define your own index settings and mapping to set analyzers for example, you can either create the index and push the mapping or define a `~/.fscrawler/_default/7/_settings.json` document which contains the index settings and mappings you wish **before starting the FSCrawler**.

The following example uses a `french` analyzer to index the `content` field.

```

{
  "settings": {
    "number_of_shards": 1,
    "index.mapping.total_fields.limit": 2000,
    "analysis": {
      "analyzer": {
        "fscrawler_path": {
          "tokenizer": "fscrawler_path"
        }
      },
      "tokenizer": {
        "fscrawler_path": {
          "type": "path_hierarchy"
        }
      }
    }
  },
  "mappings": {
    "_doc": {
      "dynamic_templates": [
        {
          "raw_as_text": {
            "path_match": "meta.raw.*",
            "mapping": {
              "type": "text",
              "fields": {
                "keyword": {
                  "type": "keyword",
                  "ignore_above": 256
                }
              }
            }
          }
        }
      ]
    },
    "properties": {
      "attachment": {
        "type": "binary",
        "doc_values": false
      },
      "attributes": {
        "properties": {
          "group": {
            "type": "keyword"
          },
          "owner": {
            "type": "keyword"
          }
        }
      },
      "content": {
        "type": "text",
        "analyzer": "french"
      },
      "file": {
        "properties": {
          "content_type": {

```

(continues on next page)

(continued from previous page)

```
    "type": "keyword"
  },
  "filename": {
    "type": "keyword",
    "store": true
  },
  "extension": {
    "type": "keyword"
  },
  "filesize": {
    "type": "long"
  },
  "indexed_chars": {
    "type": "long"
  },
  "indexing_date": {
    "type": "date",
    "format": "dateOptionalTime"
  },
  "created": {
    "type": "date",
    "format": "dateOptionalTime"
  },
  "last_modified": {
    "type": "date",
    "format": "dateOptionalTime"
  },
  "last_accessed": {
    "type": "date",
    "format": "dateOptionalTime"
  },
  "checksum": {
    "type": "keyword"
  },
  "url": {
    "type": "keyword",
    "index": false
  }
}
},
"meta": {
  "properties": {
    "author": {
      "type": "text"
    },
    "date": {
      "type": "date",
      "format": "dateOptionalTime"
    },
    "keywords": {
      "type": "text"
    },
    "title": {
      "type": "text"
    },
    "language": {
      "type": "keyword"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```
    },
    "format": {
      "type": "text"
    },
    "identifier": {
      "type": "text"
    },
    "contributor": {
      "type": "text"
    },
    "coverage": {
      "type": "text"
    },
    "modifier": {
      "type": "text"
    },
    "creator_tool": {
      "type": "keyword"
    },
    "publisher": {
      "type": "text"
    },
    "relation": {
      "type": "text"
    },
    "rights": {
      "type": "text"
    },
    "source": {
      "type": "text"
    },
    "type": {
      "type": "text"
    },
    "description": {
      "type": "text"
    },
    "created": {
      "type": "date",
      "format": "dateOptionalTime"
    },
    "print_date": {
      "type": "date",
      "format": "dateOptionalTime"
    },
    "metadata_date": {
      "type": "date",
      "format": "dateOptionalTime"
    },
    "latitude": {
      "type": "text"
    },
    "longitude": {
      "type": "text"
    },
    "altitude": {
      "type": "text"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```
    },
    "rating": {
      "type": "byte"
    },
    "comments": {
      "type": "text"
    }
  }
},
"path": {
  "properties": {
    "real": {
      "type": "keyword",
      "fields": {
        "tree": {
          "type": "text",
          "analyzer": "fscrawler_path",
          "fielddata": true
        },
        "fulltext": {
          "type": "text"
        }
      }
    },
    "root": {
      "type": "keyword"
    },
    "virtual": {
      "type": "keyword",
      "fields": {
        "tree": {
          "type": "text",
          "analyzer": "fscrawler_path",
          "fielddata": true
        },
        "fulltext": {
          "type": "text"
        }
      }
    }
  }
}
}
}
}
}
}
}
}
}
}
```

Note that if you want to push manually the mapping to elasticsearch you can use the classic REST calls:

```
# Create index (don't forget to add the fscrawler_path analyzer)
PUT docs
{
  // Same index settings as previously seen
}
```


Define explicit mapping/settings per job

Let's say you created a job named `job_name` and you are sending documents against an elasticsearch cluster running version `6.x`.

If you create the following files, they will be picked up at job start time instead of the *default ones*:

- `~/.fscrawler/{job_name}/_mappings/7/_settings.json`
- `~/.fscrawler/{job_name}/_mappings/7/_settings_folder.json`

Tip: You can do the same for other elasticsearch versions with:

- `~/.fscrawler/{job_name}/_mappings/2/_settings.json` for 2.x series (deprecated)
 - `~/.fscrawler/{job_name}/_mappings/2/_settings_folder.json` for 2.x series (deprecated)
 - `~/.fscrawler/{job_name}/_mappings/5/_settings.json` for 5.x series
 - `~/.fscrawler/{job_name}/_mappings/5/_settings_folder.json` for 5.x series
 - `~/.fscrawler/{job_name}/_mappings/6/_settings.json` for 6.x series
 - `~/.fscrawler/{job_name}/_mappings/6/_settings_folder.json` for 6.x series
-

Replace existing mapping

Unfortunately you can not change the mapping on existing data. Therefore, you'll need first to remove existing index, which means remove all existing data, and then restart FSCrawler with the new mapping.

You might to try [elasticsearch Reindex API](#) though.

18.2 Bulk settings

FSCrawler is using bulks to send data to elasticsearch. By default the bulk is executed every 100 operations or every 5 seconds or every 10 megabytes. You can change default settings using `bulk_size`, `byte_size` and `flush_interval`:

```
name: "test"
elasticsearch:
  bulk_size: 1000
  byte_size: "500kb"
  flush_interval: "2s"
```

Tip: Elasticsearch has a default limit of 100mb per HTTP request as per [elasticsearch HTTP Module](#) documentation.

Which means that if you are indexing a massive bulk of documents, you might hit that limit and FSCrawler will throw an error like `entity content is too long [xxx] for the configured buffer limit [104857600]`.

You can either change this limit on elasticsearch side by setting `http.max_content_length` to a higher value but please be aware that this will consume much more memory on elasticsearch side.

Or you can decrease the `bulk_size` or `byte_size` setting to a smaller value.

18.3 Using Ingest Node Pipeline

New in version 2.2.

If you are using an elasticsearch cluster running a 5.0 or superior version, you can use an Ingest Node pipeline to transform documents sent by FSCrawler before they are actually indexed.

For example, if you have the following pipeline:

```
PUT _ingest/pipeline/fscrawler
{
  "description" : "fscrawler pipeline",
  "processors" : [
    {
      "set" : {
        "field": "foo",
        "value": "bar"
      }
    }
  ]
}
```

In FSCrawler settings, set the `elasticsearch.pipeline` option:

```
name: "test"
elasticsearch:
  pipeline: "fscrawler"
```

Note: Folder objects are not sent through the pipeline as they are more internal objects.

18.4 Node settings

FSCrawler is using elasticsearch REST layer to send data to your running cluster. By default, it connects to `http://127.0.0.1:9200` which is the default when running a local node on your machine.

Of course, in production, you would probably change this and connect to a production cluster:

```
name: "test"
elasticsearch:
  nodes:
    - url: "http://mynode1.mycompany.com:9200"
```

If you are using [Elasticsearch service by Elastic](#), you can just use the `Cloud ID` which is available in the [Cloud Console](#) and paste it:

```
name: "test"
elasticsearch:
  nodes:
    - cloud_id:
      ↪ "fscrawler:ZXVyB3B1LXd1c3QxLmdjcC5jbG91ZC51cy5pbyQxZDF1YTtk5Njg4Nzc0NWE2YTJiN2NiNzkzMTUzNDhhMyQyOTk1
      ↪ "
```

This ID will be used to automatically generate the right host, port and scheme.

Hint: In the context of Elasticsearch service by Elastic, you will most likely need to provide as well the username and the password. See *Using Credentials (X-Pack)*.

You can define multiple nodes:

```
name: "test"
elasticsearch:
  nodes:
  - url: "http://mynode1.mycompany.com:9200"
  - url: "http://mynode2.mycompany.com:9200"
  - url: "http://mynode3.mycompany.com:9200"
```

Note: New in version 2.2: you can use HTTPS instead of default HTTP.

```
name: "test"
elasticsearch:
  nodes:
  - url: "https://CLUSTERID.eu-west-1.aws(found.io):9243"
```

For more information, read *SSL Configuration*.

18.5 Using Credentials (X-Pack)

New in version 2.2.

If you secured your elasticsearch cluster with X-Pack, you can provide username and password to FSCrawler:

```
name: "test"
elasticsearch:
  username: "elastic"
  password: "changeme"
```

Warning: For the current version, the elasticsearch password is stored in plain text in your job setting file.

A better practice is to only set the username or pass it with `--username elastic` option when starting FSCrawler.

If the password is not defined, you will be prompted when starting the job:

```
22:46:42,528 INFO [f.p.e.c.f.FsCrawler] Password for elastic:
```

18.6 SSL Configuration

In order to ingest documents to Elasticsearch over HTTPS based connection, you need to perform additional configuration steps:

Important: Prerequisite: you need to have root CA chain certificate or Elasticsearch server certificate in DER format.

DER format files have a `.cer` extension.

1. Logon to server (or client machine) where FSCrawler is running
2. Run:

```
keytool -import -alias <alias name> -keystore " <JAVA_HOME>\lib\security\cacerts" -
↳file <Path of Elasticsearch Server certificate or Root certificate>
```

It will prompt you for the password. Enter the certificate password like `changeit`.

3. Make changes to FSCrawler `_settings.json` file to connect to your Elasticsearch server over HTTPS:

```
name: "test"
elasticsearch:
  nodes:
    - url: "https://localhost:9243"
```

Tip: If you can not find `keytool`, it probably means that you did not add your `JAVA_HOME/bin` directory to your path.

18.7 Generated fields

FSCrawler may create the following fields depending on configuration and available data:

Field	Description	Example
<code>content</code>	Extracted content	"This is my text!"
<code>attachment</code>	BASE64 encoded binary file	BASE64 Encoded document
<code>meta.author</code>	Author if any in	"David Pilato"
<code>meta.title</code>	Title if any in document metadata	"My document title"
<code>meta.date</code>	Last modified date	"2013-04-04T15:21:35"
<code>meta.keywords</code>	Keywords if any in document metadata	["fs", "elasticsearch"]
<code>meta.language</code>	Language (can be detected)	"fr"
<code>meta.format</code>	Format of the media	"application/pdf; version=1.6"
<code>meta.identifier</code>	URL/DOI/ISBN for example	"FOOBAR"
<code>meta.contributor</code>	Contributor	"foo bar"
<code>meta.coverage</code>	Coverage	"FOOBAR"
<code>meta.modifier</code>	Last author	"David Pilato"
<code>meta.creator_tool</code>	Tool used to create the resource	"HTML2PDF- TCPDF"
<code>meta.publisher</code>	Publisher: person, organisation, service	"elastic"
<code>meta.relation</code>	Related resource	"FOOBAR"
<code>meta.rights</code>	Information about rights	"CC-BY-ND"
<code>meta.source</code>	Source for the current document (derivated)	"FOOBAR"
<code>meta.type</code>	Nature or genre of the content	"Image"
<code>meta.description</code>	An account of the content	"This is a description"
<code>meta.created</code>	Date of creation	"2013-04-04T15:21:35"
<code>meta.print_date</code>	When was the doc last printed?	"2013-04-04T15:21:35"
<code>meta.metadata_date</code>	Last modification of metadata	"2013-04-04T15:21:35"
<code>meta.latitude</code>	The WGS84 Latitude of the Point	"N 48° 51' 45.81''"
<code>meta.longitude</code>	The WGS84 Longitude of the Point	"E 2° 17'15.331''"

Table 1 – continued from previous page

Field	Description	Example
meta.altitude	The WGS84 Altitude of the Point	" "
meta.rating	A user-assigned rating -1, [0..5]	0
meta.comments	Comments	"Comments"
meta.raw	An object with all raw metadata	"meta.raw.channels": "2"
file.content_type	Content Type	"application/vnd.oasis.opendocument"
file.created	Creation date	"2018-07-30T11:19:23.000+0000"
file.last_modified	Last modification date	"2018-07-30T11:19:23.000+0000"
file.last_accessed	Last accessed date	"2018-07-30T11:19:23.000+0000"
file.indexing_date	Indexing date	"2018-07-30T11:19:30.703+0000"
file.filesize	File size in bytes	1256362
file.indexed_chars	Extracted chars	100000
file.filename	Original file name	"mydocument.pdf"
file.extension	Original file name extension	"pdf"
file.url	Original file url	"file:///tmp/otherdir/mydocument.pdf"
file.checksum	Checksum	"c32eafae2587bef4b3b32f73743c3c61"
path.virtual	Relative path from	"/otherdir/mydocument.pdf"
path.root	MD5 encoded parent path (internal use)	"112aed83738239dbfe4485f024cd4ce1"
path.real	Real path name	"/tmp/otherdir/mydocument.pdf"
attributes.owner	Owner name	"david"
attributes.group	Group name	"staff"
attributes.permissions	Permissions	764
external	Additional tags	{ "tenantId": 22, "projectId": 3

For more information about meta data, please read the [TikaCoreProperties](#).

Here is a typical JSON document generated by the crawler:

```
{
  "content": "This is a sample text available in page 1\n\nThis second part of the_
↵text is in Page 2\n\n",
  "meta": {
    "author": "David Pilato",
    "title": "Test Tika title",
    "date": "2016-07-07T16:37:00.000+0000",
    "keywords": [
      "keyword1",
      " keyword2"
    ],
    "language": "en",
    "description": "Comments",
    "created": "2016-07-07T16:37:00.000+0000"
  },
  "file": {
    "extension": "odt",
    "content_type": "application/vnd.oasis.opendocument.text",
    "created": "2018-07-30T11:35:08.000+0000",
    "last_modified": "2018-07-30T11:35:08.000+0000",
    "last_accessed": "2018-07-30T11:35:08.000+0000",
    "indexing_date": "2018-07-30T11:35:19.781+0000",
    "filesize": 6236,
    "filename": "test.odt",
    "url": "file:///tmp/test.odt"
  }
},
```

(continues on next page)

(continued from previous page)

```
"path":{
  "root":"7537e4fb47e553f110a1ec312c2537c0",
  "virtual":"/test.odt",
  "real":"/tmp/test.odt"
}
}
```

18.8 Search examples

You can use the content field to perform full-text search on

```
GET docs/_search
{
  "query" : {
    "match" : {
      "content" : "the quick brown fox"
    }
  }
}
```

You can use meta fields to perform search on.

```
GET docs/_search
{
  "query" : {
    "term" : {
      "file.filename" : "mydocument.pdf"
    }
  }
}
```

Or run some aggregations on top of them, like:

```
GET docs/_search
{
  "size": 0,
  "aggs": {
    "by_extension": {
      "terms": {
        "field": "file.extension"
      }
    }
  }
}
```

New in version 2.2.

FSCrawler can expose a REST service running at <http://127.0.0.1:8080/fscrawler>. To activate it, launch FSCrawler with `--rest` option.

19.1 FSCrawler status

To get an overview of the running service, you can call `GET /` endpoint:

```
curl http://127.0.0.1:8080/fscrawler/
```

It will give you a response similar to:

```
{
  "ok" : true,
  "version" : "2.2",
  "elasticsearch" : "5.1.1",
  "settings" : {
    "name" : "fscrawler-rest-tests",
    "fs" : {
      "url" : "/tmp/es",
      "update_rate" : "15m",
      "json_support" : false,
      "filename_as_id" : false,
      "add_filesize" : true,
      "remove_deleted" : true,
      "store_source" : false,
      "index_content" : true,
      "attributes_support" : false,
      "raw_metadata" : true,
      "xml_support" : false,
      "index_folders" : true,

```

(continues on next page)

(continued from previous page)

```

    "lang_detect" : false
  },
  "elasticsearch" : {
    "nodes" : [ {
      "url" : "http://127.0.0.1:9200"
    } ],
    "index" : "fscrawler-rest-tests_doc",
    "index_folder" : "fscrawler-rest-tests_folder",
    "bulk_size" : 100,
    "flush_interval" : "5s",
    "byte_size" : "10mb",
    "username" : "elastic"
  },
  "rest" : {
    "url" : "http://127.0.0.1:8080/fscrawler",
    "enable_cors": false
  }
}
}

```

19.2 Uploading a binary document

To upload a binary, you can call POST `/_upload` endpoint:

```

echo "This is my text" > test.txt
curl -F "file=@test.txt" "http://127.0.0.1:8080/fscrawler/_upload"

```

It will give you a response similar to:

```

{
  "ok" : true,
  "filename" : "test.txt",
  "url" : "http://127.0.0.1:9200/fscrawler-rest-tests_doc/doc/
↳ dd18bf3a8ea2a3e53e2661c7fb53534"
}

```

The url represents the elasticsearch address of the indexed document. If you call:

```

curl http://127.0.0.1:9200/fscrawler-rest-tests_doc/doc/
↳ dd18bf3a8ea2a3e53e2661c7fb53534?pretty

```

You will get back your document as it has been stored by elasticsearch:

```

{
  "_index" : "fscrawler-rest-tests_doc",
  "_type" : "_doc",
  "_id" : "dd18bf3a8ea2a3e53e2661c7fb53534",
  "_version" : 1,
  "found" : true,
  "_source" : {
    "content" : "This file contains some words.\n",
    "meta" : {
      "raw" : {
        "X-Parsed-By" : "org.apache.tika.parser.DefaultParser",

```

(continues on next page)

(continued from previous page)

```

    "Content-Encoding" : "ISO-8859-1",
    "Content-Type" : "text/plain; charset=ISO-8859-1"
  }
},
"file" : {
  "extension" : "txt",
  "content_type" : "text/plain; charset=ISO-8859-1",
  "indexing_date" : "2017-01-04T21:01:08.043",
  "filename" : "test.txt"
},
"path" : {
  "virtual" : "test.txt",
  "real" : "test.txt"
}
}
}

```

If you started FSCrawler in debug mode with `--debug` or if you pass `debug=true` query parameter, then the response will be much more complete:

```

echo "This is my text" > test.txt
curl -F "file=@test.txt" "http://127.0.0.1:8080/fscrawler/_upload?debug=true"

```

will give

```

{
  "ok" : true,
  "filename" : "test.txt",
  "url" : "http://127.0.0.1:9200/fscrawler-rest-tests_doc/doc/
→ddl8bf3a8ea2a3e53e2661c7fb53534",
  "doc" : {
    "content" : "This file contains some words.\n",
    "meta" : {
      "raw" : {
        "X-Parsed-By" : "org.apache.tika.parser.DefaultParser",
        "Content-Encoding" : "ISO-8859-1",
        "Content-Type" : "text/plain; charset=ISO-8859-1"
      }
    }
  },
  "file" : {
    "extension" : "txt",
    "content_type" : "text/plain; charset=ISO-8859-1",
    "indexing_date" : "2017-01-04T14:05:10.325",
    "filename" : "test.txt"
  },
  "path" : {
    "virtual" : "test.txt",
    "real" : "test.txt"
  }
}
}

```

19.3 Simulate Upload

If you want to get back the extracted content and its metadata but without indexing into elasticsearch you can use `simulate=true` query parameter:

```
echo "This is my text" > test.txt
curl -F "file=@test.txt" "http://127.0.0.1:8080/fscrawler/_upload?debug=true&
↵simulate=true"
```

19.4 Document ID

By default, FSCrawler encodes the filename to generate an id. Which means that if you send 2 files with the same filename `test.txt`, the second one will overwrite the first one because they will both share the same ID.

You can force any id you wish by adding `id=YOUR_ID` in the form data:

```
echo "This is my text" > test.txt
curl -F "file=@test.txt" -F "id=my-test" "http://127.0.0.1:8080/fscrawler/_upload"
```

There is a specific id named `_auto_` where the ID will be autogenerated by elasticsearch. It means that sending twice the same file will result in 2 different documents indexed.

19.5 Additional tags

Add custom tags to the document. In case you want to do filtering on those tags (examples are `projectId` or `tenantId`). These tags can be assigned to an `external` object field. As you can see in the json, you are able to overwrite the `content` field. `meta`, `file` and `path` fields can be overwritten as well. To upload a binary with additional tags, you can call `POST /_upload` endpoint:

```
{
  "content": "OVERWRITE CONTENT",
  "external": {
    "tenantId": 23,
    "projectId": 34,
    "description": "these are additional tags"
  }
}
```

```
echo "This is my text" > test.txt
echo "{\"content\": \"OVERWRITE CONTENT\", \"external\": {\"tenantId\": 23, \"projectId\"
↵: 34, \"description\": \"these are additional tags\"}}\" > tags.txt
curl -F "file=@test.txt" -F "tags=@tags.txt" "http://127.0.0.1:8080/fscrawler/_upload"
```

The field `external` doesn't necessarily be a flat structure. This is a more advanced example:

```
{
  "external": {
    "tenantId" : 23,
    "company": "shoe company",
    "projectId": 34,
    "project": "business development",
    "daysOpen": [
```

(continues on next page)

(continued from previous page)

```

    "Mon",
    "Tue",
    "Wed",
    "Thu",
    "Fri"
  ],
  "products": [
    {
      "brand": "nike",
      "size": 41,
      "sub": "Air MAX"
    },
    {
      "brand": "reebok",
      "size": 43,
      "sub": "Pump"
    }
  ]
}
}
}

```

Attention: Only standard *FSCrawler fields* can be set outside external field name.

19.6 Enabling CORS

To enable Cross-Origin Request Sharing you will need to set `enable_cors: true` under `rest` in your job settings. Doing so will enable the relevant access headers on all REST service resource responses (for example `/fscrawler` and `/fscrawler/_upload`).

You can check if CORS is enabled with:

```
curl -I http://127.0.0.1:8080/fscrawler/
```

The response header should contain `Access-Control-Allow-*` parameters like:

```

Access-Control-Allow-Origin: *
Access-Control-Allow-Headers: origin, content-type, accept, authorization
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: GET, POST, PUT, PATCH, DELETE, OPTIONS, HEAD

```

19.7 REST settings

Here is a list of REST service settings (under `rest.` prefix):

Name	Default value	Documentation
<code>rest.url</code>	<code>http://127.0.0.1:8080/fscrawler</code>	Rest Service URL
<code>rest.enable_cors</code>	<code>false</code>	Enables or disables Cross-Origin Resource Sharing globally for all resources

Tip: Most *Local FS settings* (under `fs.*` in the settings file) also affect the REST service, e.g. `fs.indexed_chars`. Local FS settings that do **not** affect the REST service are those such as `url`, `update_rate`, `includes`, `excludes`.

REST service is running at <http://127.0.0.1:8080/fscrawler> by default.

You can change it using `rest` settings:

```
name: "test"
rest:
  url: "http://192.168.0.1:8180/my_fscrawler"
```

It also means that if you are running more than one instance of FS crawler locally, you can (must) change the port as it will conflict.

CHAPTER 20

Building the project

This project is built with [Maven](#). Source code is available on [GitHub](#). Thanks to [JetBrains](#) for the IntelliJ IDEA License!



20.1 Clone the project

Use git to clone the project locally:

```
git clone git@github.com:dadoonet/fscrawler.git
cd fscrawler
```

20.2 Build the artifact

To build the project, run:

```
mvn clean package
```

The final artifacts are available in `distribution/esX/target` directory where `X` is the elasticsearch major version target.

Tip: To build it faster (without tests), run:

```
mvn clean package -DskipTests
```

20.3 Integration tests

When running from the command line with `mvn` integration tests are ran against all supported versions. This is done by running a Docker instance of elasticsearch using the expected version.

20.3.1 Run tests from your IDE

To run integration tests from your IDE, you need to start tests in `fscrawler-it-common` module. But you need first to specify the Maven profile to use and rebuild the project.

- `es-7x` for Elasticsearch 7.x
- `es-6x` for Elasticsearch 6.x
- `es-5x` for Elasticsearch 5.x

20.3.2 Run tests with an external cluster

To run the test suite against an elasticsearch instance running locally, just run:

```
mvn verify -pl fr.pilato.elasticsearch.crawler:fscrawler-it-v7
```

Tip: If you want to run against a version 5 or 6, run:

```
mvn verify -pl fr.pilato.elasticsearch.crawler:fscrawler-it-v5
mvn verify -pl fr.pilato.elasticsearch.crawler:fscrawler-it-v6
```

If elasticsearch is not running yet on `http://localhost:9200`, FSCrawler project will run a Docker instance before the tests start.

Hint: If you are using a secured instance, use `tests.cluster.user`, `tests.cluster.pass` and `tests.cluster.url`:

- `tests.locale` by default it's set to random but you can force the locale to use.
- `tests.timezone` by default it's set to random but you can force the timezone to use.

For example:

```
mvn install -rf :fscrawler-it -Dtests.output=always
```

20.4 Check for vulnerabilities (CVE)

The project is using [OSS Sonatype service](#) to check for known vulnerabilities. This is ran during the `verify` phase.

Sonatype provides this service but with a anonymous account, you might be limited by the number of tests you can run during a given period.

If you have an existing account, you can use it to bypass this limit for anonymous users by setting `sonatype.username` and `sonatype.password`:

```
mvn verify -DskipTests \  
  -Dsonatype.username=youremail@domain.com \  
  -Dsonatype.password=yourverysecuredpassword
```

If you want to skip the check, you can run with `-Dossindex.fail=false`:

```
mvn clean install -Dossindex.fail=false
```


CHAPTER 21

Writing documentation

This project uses [ReadTheDocs](#) to build and serve the documentation.

If you want to run the generation of documentation (recommended!), you need to have Python installed. Then install `sphinx` `$ pip install sphinx sphinx-autobuild`

Assuming you have [Python](#) already, install [Sphinx](#):

```
$ pip install sphinx sphinx-autobuild
```

Go to the `docs` directory and build the html documentation:

```
$ cd docs
$ make html
```

Just open then `target/html/index.html` page in your browser.

Hint: You can hot reload your changes by using `sphinx-autobuild`:

```
$ sphinx-autobuild source target/html
```

Then just edit the documentation and look for your changes at <http://127.0.0.1:8000>

To learn more about the reStructuredText format, please look at the [basic guide](#).

CHAPTER 22

Release the project

To release the project, run:

```
$ release.sh
```

And follow the instructions.

Note: Only developers with write rights to the sonatype repository under `fr.pilato` space can perform the release.

CHAPTER 23

License

Important: This software is licensed under the Apache 2 license, quoted below.

Copyright 2011-2019 David Pilato

Licensed under the Apache License, Version 2.0 (the “License”); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Incompatible 3rd party library licenses

Some libraries are not Apache2 compatible. Therefore they are not packaged with FSCrawler so you need to download and add manually them to the `lib` directory:

- for JBIG2 images, you need to add `levigo-jbig2-imageio:2.0` library
- for TIFF images, you need to add `jai-imageio-core:1.4.0` library
- for JPEG 2000 (JPX) images, you need to add `jai-imageio-jpeg2000:1.3.0` library

See [pdfbox documentation](#) for more details.

CHAPTER 25

Special thanks

Thanks to [JetBrains](#) for the IntelliJ IDEA License!

