

---

# **PreactBoot Documentation**

*Release 1.0.0-alpha3*

**Cromefire\_**

**Mar 22, 2019**



---

## Contents:

---

<b>1</b>	<b>Components</b>	<b>3</b>
1.1	Alerts . . . . .	3
<b>2</b>	<b>Misc</b>	<b>5</b>
2.1	Types . . . . .	5
<b>3</b>	<b>Index</b>	<b>7</b>



Simple, declarative [Bootstrap 4](#) components for use with [preact](#).



### 1.1 Alerts

Alerts are good to use for notifications for example:

```
1 <Alert color={"warning"}>
2   <Heading tag={"h4"}>Warning</Heading>
3   Your account information might have been stolen.
4   <Link href="#">More Information</Link>
5 </Alert>
```

#### 1.1.1 Props

**color** [[Color](#)] Bootstrap color schema (see [Color](#))

**dismissible** [`boolean | "animated"`] Whether the the alert has an button to allow the user dismissing it.

---

**Note:** You have to handle the dismiss action yourself through `onDismiss`.

---

**onDismiss** [`() => void`] Function called when the user clicks the dismiss button.





Misc stuff like types and additional information.

## 2.1 Types

Basic (TypeScript) types used in PreactBoot

### 2.1.1 Color

Containing file: util/bootstrap

```
"primary" | "secondary" | "success" | "danger" | "warning" | "info" | "dark"
```



## CHAPTER 3

---

### Index

---

- genindex