
SoftLayer API Python Client Documentation

Release latest

SoftLayer Technologies, Inc.

Oct 16, 2019

1	Installation	3
1.1	What's Included	3
1.2	Using Pip	3
1.3	Debian/Ubuntu	3
1.4	From Source	3
2	Configuration File	5
3	API Documentation	7
3.1	Getting Started	7
3.2	Managers	8
3.2.1	SoftLayer.account	8
3.2.2	SoftLayer.autoscale	9
3.2.3	SoftLayer.block	10
3.2.4	SoftLayer.cdn	15
3.2.5	SoftLayer.dedicatedhost	17
3.2.6	SoftLayer.dns	20
3.2.7	SoftLayer.event_log	22
3.2.8	SoftLayer.file	23
3.2.9	SoftLayer.firewall	28
3.2.10	SoftLayer.hardware	29
3.2.11	SoftLayer.image	34
3.2.12	SoftLayer.ipsec	36
3.2.13	SoftLayer.load_balancer	39
3.2.14	SoftLayer.metadata	42
3.2.15	SoftLayer.network	43
3.2.16	SoftLayer.ordering	47
3.2.17	SoftLayer.sshkey	53
3.2.18	SoftLayer.ssl	54
3.2.19	SoftLayer.ticket	55
3.2.20	SoftLayer.vs	57
3.2.21	SoftLayer.vs_capacity	65
3.2.22	SoftLayer.vs_placement	67
3.3	Making API Calls	68
3.4	Debugging	69
3.5	API Reference	70
3.5.1	SoftLayer Python API Client	70

4	Command-line Interface	73
4.1	Account Commands	73
4.1.1	account summary	73
4.1.2	account events	73
4.1.3	account event-detail	73
4.1.4	account invoices	74
4.1.5	account invoice-detail	74
4.2	Autoscale Commands	75
4.2.1	autoscale list	75
4.2.2	autoscale detail	75
4.2.3	autoscale scale	75
4.2.4	autoscale logs	76
4.2.5	autoscale tag	76
4.2.6	autoscale edit	76
4.3	Call API	77
4.3.1	call-api	77
4.4	Interacting with CDN	78
4.4.1	cdn detail	78
4.4.2	cdn list	78
4.4.3	cdn origin-add	79
4.4.4	cdn origin-list	79
4.4.5	cdn origin-remove	80
4.4.6	cdn purge	80
4.5	Config	80
4.5.1	config setup	80
4.5.2	config show	81
4.6	Event-Log Commands	81
4.6.1	event-log get	81
4.6.2	event-log types	81
4.7	Interacting with Hardware	82
4.7.1	hw bandwidth	82
4.7.2	hw cancel-reasons	83
4.7.3	hw cancel	83
4.7.4	hw create-options	83
4.7.5	hw create	83
4.7.6	hw credentials	84
4.7.7	hw detail	85
4.7.8	hw edit	85
4.7.9	hw list	86
4.7.10	hw power-cycle	86
4.7.11	hw power-off	87
4.7.12	hw power-on	87
4.7.13	hw reboot	87
4.7.14	hw reload	88
4.7.15	hw rescue	88
4.7.16	hw reflash-firmware	88
4.7.17	hw update-firmware	88
4.7.18	hw toggle-ipmi	89
4.7.19	hw ready	89
4.8	Interacting with IPSEC Tunnels	90
4.8.1	ipsec list	90
4.8.2	ipsec detail	90
4.8.3	ipsec update	91
4.8.4	ipsec configure	92

4.8.5	ipsec subnet-add	92
4.8.6	ipsec subnet-remove	93
4.8.7	ipsec translation-add	93
4.8.8	ipsec translation-remove	93
4.8.9	ipsec translation-update	94
4.9	LoadBalancers	94
4.9.1	LBaaS Commands	94
4.9.2	NetScaler Commands	100
4.10	Ordering	100
4.10.1	order package-list	101
4.10.2	order package-locations	101
4.10.3	order category-list	102
4.10.4	order item-list	102
4.10.5	order preset-list	103
4.10.6	order place	104
4.10.7	order place <preset>	105
4.10.8	order place <Virtual Server>	105
4.11	Quotes	105
4.11.1	order quote	105
4.11.2	order quote-list	106
4.11.3	order quote-detail	106
4.11.4	order place-quote	107
4.12	Reports	108
4.12.1	summary	108
4.12.2	report bandwidth	108
4.13	Users	108
4.13.1	user create	109
4.13.2	user list	109
4.13.3	user detail <user>	109
4.13.4	user edit-permissions	110
4.13.5	user edit-details	110
4.14	Working with Virtual Servers	110
4.14.1	vs bandwidth	114
4.14.2	vs cancel	115
4.14.3	vs capture	115
4.14.4	vs create	115
4.14.5	vs create-options	117
4.14.6	vs dns-sync	117
4.14.7	vs edit	118
4.14.8	vs list	118
4.14.9	vs pause	119
4.14.10	vs power-on	119
4.14.11	vs power-off	120
4.14.12	vs resume	120
4.14.13	vs rescue	120
4.14.14	vs reboot	121
4.14.15	vs ready	121
4.14.16	vs upgrade	121
4.14.17	vs usage	122
4.14.18	Reserved Capacity	122
4.14.19	Placement Groups	124
4.15	Configuration Setup	126
4.16	Usage Examples	127

5	Debugging	131
6	Contributing	133
6.1	Contribution Guide	133
6.1.1	Code Organization	133
6.1.2	Setting Up A Dev Environment	133
6.1.3	Testing	134
6.1.4	Documentation	135
6.1.5	Style	135
6.1.6	Contributing	135
6.1.7	Developer Resources	135
6.2	Command-Line Interface Developer Guide	135
6.2.1	First Example	135
6.2.2	Arguments	136
6.2.3	Accessing the API	137
6.2.4	Aborting execution	138
7	External Links	139
	Python Module Index	141
	Index	143

[API Docs](#) | [GitHub](#) | [Issues](#) | [Pull Requests](#) | [PyPI](#) |

This is the documentation to SoftLayer's Python API Bindings. These bindings use SoftLayer's [XML-RPC](#) interface in order to manage SoftLayer services.

1.1 What's Included

When you install `softlayer-python` you will get the following:

- a python package called 'SoftLayer' (casing is important) available in your python path.
- a command-line client placed in your system path named 'slcli'.

1.2 Using Pip

Install via pip:

```
$ pip install softlayer
```

1.3 Debian/Ubuntu

For Debian “jessie” (currently testing) and Ubuntu 14.04, official system packages are available. **These are typically a couple versions behind so it is recommended to install from pypi if problems are encountered.**

```
$ sudo apt-get install python-softlayer
```

1.4 From Source

The project is developed on GitHub, at <https://github.com/softlayer/softlayer-python>.

Install from source via pip (requires git):

```
$ pip install git+git://github.com/softlayer/softlayer-python.git
```

You can clone the public repository:

```
$ git clone git@github.com:softlayer/softlayer-python.git
```

Or, Download the [tarball](#):

```
$ curl -OL https://github.com/softlayer/softlayer-python/tarball/master
```

Or, download the [zipball](#):

```
$ curl -OL https://github.com/softlayer/softlayer-python/zipball/master
```

Once you have a copy of the source you can install it with one of the following commands:

```
$ python setup.py install
```

Or:

```
$ pip install .
```

For more information about working with the source, or contributing to the project, please see the [Contribution Guide](#).

Configuration File

The SoftLayer API bindings load your settings from a number of different locations.

- Input directly into `SoftLayer.create_client_from_env(...)`
- Environment variables (`SL_USERNAME`, `SL_API_KEY`)
- Config file locations (`~/.softlayer`, `/etc/softlayer.conf`)
- Or argument (`-C/path/to/config` or `-config=/path/to/config`)

The configuration file is INI-based and requires the `softlayer` section to be present. The only required fields are `username` and `api_key`. You can optionally supply the `endpoint_url` as well. This file is created automatically by the `slcli setup` command detailed here: [Configuration Setup](#).

Config Example

```
[softlayer]
username = username
api_key = oyVmeipYQCNrjVS4rF9bHWV7D75S6pa1fghF1384v7mwRCbHTfuJ8qRORIqoVnha
endpoint_url = https://api.softlayer.com/xmlrpc/v3/
timeout = 40
```

Cloud.ibm.com Config Example

```
[softlayer]
username = apikey
api_key = 123cNyhzg45Ab6789ADyzwR_2LAagNVbySgY73tAQOz1
endpoint_url = https://api.softlayer.com/rest/v3.1/
timeout = 40
```

API Documentation

This is the primary API client to make API calls. It deals with constructing and executing XML-RPC calls against the SoftLayer API. Below are some links that will help to use the SoftLayer API.

- [SoftLayer API Documentation](#)
- [Source on GitHub](#)

```
>>> import SoftLayer
>>> client = SoftLayer.create_client_from_env(username="username", api_key="api_key")
>>> resp = client.call('Account', 'getObject')
>>> resp['companyName']
'Your Company'
```

3.1 Getting Started

You can pass in your username and api_key when creating a SoftLayer client instance. However, you can also set these in the environmental variables 'SL_USERNAME' and 'SL_API_KEY'.

Creating a client instance by passing in the username/api_key:

```
import SoftLayer
client = SoftLayer.create_client_from_env(username='YOUR_USERNAME', api_key='YOUR_API_
↪KEY')
```

Creating a client instance with environmental variables set:

```
$ export SL_USERNAME=YOUR_USERNAME
$ export SL_API_KEY=YOUR_API_KEY
$ python
>>> import SoftLayer
>>> client = SoftLayer.create_client_from_env()
```

Below is an example of creating a client instance with more options. This will create a client with the private API endpoint (only accessible from the SoftLayer private network) and a timeout of 4 minutes.

```
client = SoftLayer.create_client_from_env(username='YOUR_USERNAME',
                                         api_key='YOUR_API_KEY',
                                         endpoint_url=SoftLayer.API_PRIVATE_ENDPOINT,
                                         timeout=240)
```

3.2 Managers

For day-to-day operation, most users will find the managers to be the most convenient means for interacting with the API. Managers abstract a lot of the complexities of using the API into classes that provide a simpler interface to various services. These are higher-level interfaces to the SoftLayer API.

```
from SoftLayer import VSManger, Client
client = Client(...)
vs = VSManger(client)
vs.list_instances()
[...]
```

Available managers:

3.2.1 SoftLayer.account

Account manager

license MIT, see License for more details.

class `SoftLayer.managers.account.AccountManager` (*client*)

Common functions for getting information from the Account service

Parameters *client* (`SoftLayer.API.BaseClient`) – the client instance

ack_event (*event_id*)

Acknowledge an event. This mostly prevents it from appearing as a notification in the control portal.

Parameters *event_id* (*int*) – Notification_Occurrence_Event ID you want to ack

Returns True on success, Exception otherwise.

get_billing_items (*identifier*)

Gets all topLevelBillingItems from a specific invoice

Parameters *identifier* (*int*) – Invoice Id

Returns Billing_Invoice_Item

get_event (*event_id*)

Gets details about a maintenance event

Parameters *event_id* (*int*) – Notification_Occurrence_Event ID

Returns Notification_Occurrence_Event

get_invoices (*limit=50, closed=False, get_all=False*)

Gets an accounts invoices.

Parameters

- **limit** (*int*) – Number of invoices to get back in a single call.

- **closed** (*bool*) – If True, will also get CLOSED invoices
- **get_all** (*bool*) – If True, will paginate through invoices until all have been retrieved.

Returns Billing_Invoice

get_summary ()

Gets some basic account information

Returns Account object

get_upcoming_events ()

Retrieves a list of Notification_Occurrence_Events that have not ended yet

Returns SoftLayer_Notification_Occurrence_Event

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

3.2.2 SoftLayer.autoscale

Autoscale manager

license MIT, see LICENSE for more details.

class SoftLayer.managers.autoscale.**AutoScaleManager** (*client*)

Manager for interacting with Autoscale instances.

details (*identifier, mask=None*)

Calls SoftLayer_Scale_Group::getObject()

Parameters

- **identifier** – SoftLayer_Scale_Group id
- **mask** – optional SoftLayer_Scale_Group objectMask

edit (*identifier, template*)

Calls SoftLayer_Scale_Group::editObject()

Parameters

- **identifier** – SoftLayer_Scale_Group id
- **template** – SoftLayer_Scale_Group

get_logs (*identifier, mask=None, object_filter=None*)

Calls SoftLayer_Scale_Group::getLogs()

Parameters

- **identifier** – SoftLayer_Scale_Group Id
- **mask** – optional SoftLayer_Scale_Group_Log objectMask
- **object_filter** – optional SoftLayer_Scale_Group_Log objectFilter

get_policy (*identifier, mask=None*)

Calls SoftLayer_Scale_Policy::getObject()

Parameters

- **identifier** – SoftLayer_Scale_Policy id
- **mask** – optional SoftLayer_Scale_Policy objectMask

get_virtual_guests (*identifier, mask=None*)
Calls `SoftLayer_Scale_Group::getVirtualGuestMembers()`

Parameters

- **identifier** – SoftLayer_Scale_Group Id
- **mask** – optional SoftLayer_Scale_Member objectMask

list (*mask=None*)
Calls `SoftLayer_Account::getScaleGroups()`

Parameters **mask** – optional SoftLayer_Scale_Group objectMask

scale (*identifier, amount*)
Calls `SoftLayer_Scale_Group::scale()`

Parameters

- **identifier** – SoftLayer_Scale_Group Id
- **amount** – positive or negative number to scale the group by

scale_to (*identifier, amount*)
Calls `SoftLayer_Scale_Group::scaleTo()`

Parameters

- **identifier** – SoftLayer_Scale_Group Id
- **amount** – number to scale the group to.

3.2.3 SoftLayer.block

Block Storage Manager

license MIT, see LICENSE for more details.

class `SoftLayer.managers.block.BlockStorageManager` (*client*)
Manages SoftLayer Block Storage volumes.

See product information here: <http://www.softlayer.com/block-storage>

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

authorize_host_to_volume (*volume_id, hardware_ids=None, virtual_guest_ids=None, ip_address_ids=None, **kwargs*)
Authorizes hosts to Block Storage Volumes

Parameters

- **volume_id** – The Block volume to authorize hosts to
- **hardware_ids** – A List of SoftLayer_Hardware ids
- **virtual_guest_ids** – A List of SoftLayer_Virtual_Guest ids
- **ip_address_ids** – A List of SoftLayer_Network_Subnet_IpAddress ids

Returns Returns an array of `SoftLayer_Network_Storage_Allowed_Host` objects which now have access to the given Block volume

cancel_block_volume (*volume_id*, *reason*='No longer needed', *immediate*=False)

Cancels the given block storage volume.

Parameters

- **volume_id** (*integer*) – The volume ID
- **reason** (*string*) – The reason for cancellation
- **immediate_flag** (*boolean*) – Cancel immediately or on anniversary date

cancel_snapshot_space (*volume_id*, *reason*='No longer needed', *immediate*=False)

Cancels snapshot space for a given volume.

Parameters

- **volume_id** (*integer*) – The volume ID
- **reason** (*string*) – The reason for cancellation
- **immediate_flag** (*boolean*) – Cancel immediately or on anniversary date

create_or_update_lun_id (*volume_id*, *lun_id*)

Set the LUN ID on a volume.

Parameters

- **volume_id** (*integer*) – The id of the volume
- **lun_id** (*integer*) – LUN ID to set on the volume

Returns a SoftLayer_Network_Storage_Property object

create_snapshot (*volume_id*, *notes*=", **kwargs)

Creates a snapshot on the given block volume.

Parameters

- **volume_id** (*integer*) – The id of the volume
- **notes** (*string*) – The notes or “name” to assign the snapshot

Returns Returns the id of the new snapshot

deauthorize_host_to_volume (*volume_id*, *hardware_ids*=None, *virtual_guest_ids*=None, *ip_address_ids*=None, **kwargs)

Revokes authorization of hosts to Block Storage Volumes

Parameters

- **volume_id** – The Block volume to deauthorize hosts to
- **hardware_ids** – A List of SoftLayer_Hardware ids
- **virtual_guest_ids** – A List of SoftLayer_Virtual_Guest ids
- **ip_address_ids** – A List of SoftLayer_Network_Subnet_IpAddress ids

Returns Returns an array of SoftLayer_Network_Storage_Allowed_Host objects which have access to the given Block volume

delete_snapshot (*snapshot_id*)

Deletes the specified snapshot object.

Parameters **snapshot_id** – The ID of the snapshot object to delete.

disable_snapshots (*volume_id*, *schedule_type*)

Disables snapshots for a specific block volume at a given schedule

Parameters

- **volume_id** (*integer*) – The id of the volume
- **schedule_type** (*string*) – ‘HOURLY’|‘DAILY’|‘WEEKLY’

Returns Returns whether successfully disabled or not

enable_snapshots (*volume_id, schedule_type, retention_count, minute, hour, day_of_week, **kwargs*)

Enables snapshots for a specific block volume at a given schedule

Parameters

- **volume_id** (*integer*) – The id of the volume
- **schedule_type** (*string*) – ‘HOURLY’|‘DAILY’|‘WEEKLY’
- **retention_count** (*integer*) – Number of snapshots to be kept
- **minute** (*integer*) – Minute when to take snapshot
- **hour** (*integer*) – Hour when to take snapshot
- **day_of_week** (*string*) – Day when to take snapshot

Returns Returns whether successfully scheduled or not

failback_from_replicant (*volume_id, replicant_id*)

Failback from a volume replicant.

Parameters

- **volume_id** (*integer*) – The id of the volume
- **replicant_id** (*integer*) – ID of replicant to failback from

Returns Returns whether failback was successful or not

failover_to_replicant (*volume_id, replicant_id, immediate=False*)

Failover to a volume replicant.

Parameters

- **volume_id** (*integer*) – The id of the volume
- **replicant_id** (*integer*) – ID of replicant to failover to
- **immediate** (*boolean*) – Flag indicating if failover is immediate

Returns Returns whether failover was successful or not

get_block_volume_access_list (*volume_id, **kwargs*)

Returns a list of authorized hosts for a specified volume.

Parameters

- **volume_id** – ID of volume.
- **kwargs** –

Returns Returns a list of authorized hosts for a specified volume.

get_block_volume_details (*volume_id, **kwargs*)

Returns details about the specified volume.

Parameters

- **volume_id** – ID of volume.

- **kwargs** –

Returns Returns details about the specified volume.

get_block_volume_snapshot_list (*volume_id*, ***kwargs*)

Returns a list of snapshots for the specified volume.

Parameters

- **volume_id** – ID of volume.
- **kwargs** –

Returns Returns a list of snapshots for the specified volume.

get_replication_locations (*volume_id*)

Acquires list of the datacenters to which a volume can be replicated.

Parameters **volume_id** – The ID of the primary volume to be replicated

Returns Returns an array of SoftLayer_Network_Storage objects

get_replication_partners (*volume_id*)

Acquires list of replicant volumes pertaining to the given volume.

Parameters **volume_id** – The ID of the primary volume to be replicated

Returns Returns an array of SoftLayer_Location objects

list_block_volumes (*datacenter=None*, *username=None*, *storage_type=None*, ***kwargs*)

Returns a list of block volumes.

Parameters

- **datacenter** – Datacenter short name (e.g.: dal09)
- **username** – Name of volume.
- **storage_type** – Type of volume: Endurance or Performance
- **kwargs** –

Returns Returns a list of block volumes.

list_volume_schedules (*volume_id*)

Lists schedules for a given volume

Parameters **volume_id** (*integer*) – The id of the volume

Returns Returns list of schedules assigned to a given volume

order_block_volume (*storage_type*, *location*, *size*, *os_type*, *iops=None*, *tier_level=None*,
snapshot_size=None, *service_offering='storage_as_a_service'*,
hourly_billing_flag=False)

Places an order for a block volume.

Parameters

- **storage_type** – ‘performance’ or ‘endurance’
- **location** – Datacenter in which to order iSCSI volume
- **size** – Size of the desired volume, in GB
- **os_type** – OS Type to use for volume alignment, see help for list
- **iops** – Number of IOPs for a “Performance” order
- **tier_level** – Tier level to use for an “Endurance” order

- **snapshot_size** – The size of optional snapshot space, if snapshot space should also be ordered (None if not ordered)
- **service_offering** – Requested offering package to use in the order ('storage_as_a_service', 'enterprise', or 'performance')
- **hourly_billing_flag** – Billing type, monthly (False) or hourly (True), default to monthly.

order_duplicate_volume (*origin_volume_id, origin_snapshot_id=None, duplicate_size=None, duplicate_iops=None, duplicate_tier_level=None, duplicate_snapshot_size=None, hourly_billing_flag=False*)

Places an order for a duplicate block volume.

Parameters

- **origin_volume_id** – The ID of the origin volume to be duplicated
- **origin_snapshot_id** – Origin snapshot ID to use for duplication
- **duplicate_size** – Size/capacity for the duplicate volume
- **duplicate_iops** – The IOPS per GB for the duplicate volume
- **duplicate_tier_level** – Tier level for the duplicate volume
- **duplicate_snapshot_size** – Snapshot space size for the duplicate
- **hourly_billing_flag** – Billing type, monthly (False) or hourly (True), default to monthly.

Returns Returns a SoftLayer_Container_Product_Order_Receipt

order_modified_volume (*volume_id, new_size=None, new_iops=None, new_tier_level=None*)

Places an order for modifying an existing block volume.

Parameters

- **volume_id** – The ID of the volume to be modified
- **new_size** – The new size/capacity for the volume
- **new_iops** – The new IOPS for the volume
- **new_tier_level** – The new tier level for the volume

Returns Returns a SoftLayer_Container_Product_Order_Receipt

order_replicant_volume (*volume_id, snapshot_schedule, location, tier=None, os_type=None*)

Places an order for a replicant block volume.

Parameters

- **volume_id** – The ID of the primary volume to be replicated
- **snapshot_schedule** – The primary volume's snapshot schedule to use for replication
- **location** – The location for the ordered replicant volume
- **tier** – The tier (IOPS per GB) of the primary volume
- **os_type** – The OS type of the primary volume

Returns Returns a SoftLayer_Container_Product_Order_Receipt

order_snapshot_space (*volume_id, capacity, tier, upgrade, **kwargs*)

Orders snapshot space for the given block volume.

Parameters

- **volume_id** (*integer*) – The id of the volume
- **capacity** (*integer*) – The capacity to order, in GB
- **tier** (*float*) – The tier level of the block volume, in IOPS per GB
- **upgrade** (*boolean*) – Flag to indicate if this order is an upgrade

Returns Returns a SoftLayer_Container_Product_Order_Receipt

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

restore_from_snapshot (*volume_id, snapshot_id*)

Restores a specific volume from a snapshot

Parameters

- **volume_id** (*integer*) – The id of the volume
- **snapshot_id** (*integer*) – The id of the restore point

Returns Returns whether successfully restored or not

set_credential_password (*access_id, password*)

Sets the password for an access host

Parameters

- **access_id** (*integer*) – id of the access host
- **password** (*string*) – password to set

3.2.4 SoftLayer.cdn

CDN Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.cdn.CDNManager` (*client*)

Manage Content Delivery Networks in the account.

See product information here: <https://www.ibm.com/cloud/cdn> <https://cloud.ibm.com/docs/infrastructure/CDN?topic=CDN-about-content-delivery-networks-cdn->

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

add_origin (*unique_id, origin, path, origin_type='server', header=None, port=80, protocol='http', bucket_name=None, file_extensions=None, optimize_for='web', cache_query='include all'*)

Creates an origin path for an existing CDN.

Parameters

- **unique_id** (*str*) – The unique ID associated with the CDN.
- **path** (*str*) – relative path to the domain provided, e.g. “/articles/video”
- **origin** (*str*) – ip address or hostname if origin_type=server, API endpoint for your S3 object storage if origin_type=storage

- **origin_type** (*str*) – it can be ‘server’ or ‘storage’ types.
- **header** (*str*) – the edge server uses the host header to communicate with the origin. It defaults to hostname. (optional)
- **port** (*int*) – the http port number (default: 80)
- **protocol** (*str*) – the protocol of the origin (default: HTTP)
- **bucket_name** (*str*) – name of the available resource
- **file_extensions** (*str*) – file extensions that can be stored in the CDN, e.g. “jpg,png”
- **optimize_for** (*str*) – performance configuration, available options: web, video, and file where:
 - ‘web’ = ‘General web delivery’
 - ‘video’ = ‘Video on demand optimization’
 - ‘file’ = ‘Large file optimization’
- **cache_query** (*str*) – rules with the following formats: ‘include-all’, ‘ignore-all’, ‘include: space separated query-names’, ‘ignore: space separated query-names.’

Returns a CDN origin path object

get_cdn (*unique_id*, ***kwargs*)

Retrieves the information about the CDN account object.

Parameters

- **unique_id** (*str*) – The unique ID associated with the CDN.
- ****kwargs** (*dict*) – header-level option (mask)

Returns The CDN object

get_origins (*unique_id*, ***kwargs*)

Retrieves list of origin pull mappings for a specified CDN account.

Parameters

- **unique_id** (*str*) – The unique ID associated with the CDN.
- ****kwargs** (*dict*) – header-level options (mask, limit, etc.)

Returns The list of origin paths in the CDN object.

get_usage_metrics (*unique_id*, *history=30*, *frequency='aggregate'*)

Retrieves the cdn usage metrics.

It uses the ‘days’ argument if start_date and end_date are None.

Parameters

- **unique_id** (*int*) – The CDN uniqueId from which the usage metrics will be obtained.
- **history** (*int*) – Last N days, default days is 30.
- **frequency** (*str*) – It can be day, week, month and aggregate. The default is “aggregate”.

Returns A Container_Network_CdnMarketplace_Metrics object

list_cdn (***kwargs*)

Lists Content Delivery Networks for the active user.

Parameters ****kwargs** (*dict*) – header-level options (mask, limit, etc.)

Returns The list of CDN objects in the account

purge_content (*unique_id, path*)

Purges a URL or path from the CDN.

Parameters

- **unique_id** (*str*) – The unique ID associated with the CDN.
- **path** (*str*) – A string of url or path that should be purged.

Returns A Container_Network_CdnMarketplace_Configuration_Cache_Purge array object

remove_origin (*unique_id, path*)

Removes an origin pull mapping with the given origin pull ID.

Parameters

- **unique_id** (*str*) – The unique ID associated with the CDN.
- **path** (*str*) – The origin path to delete.

Returns A string value

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

3.2.5 SoftLayer.dedicatedhost

DH Manager/helpers

license MIT, see License for more details.

class `SoftLayer.managers.dedicated_host.DedicatedHostManager` (*client*, *ordering_manager=None*)

Manages SoftLayer Dedicated Hosts.

See product information here <https://www.ibm.com/cloud/dedicated>

Parameters

- **client** (*SoftLayer.API.BaseClient*) – the client instance
- **ordering_manager** (*SoftLayer.managers.OrderingManager*) – an optional manager to handle ordering. If none is provided, one will be auto initialized.

cancel_guests (*host_id*)

Cancel all guests into the dedicated host immediately.

To cancel an specified guest use the method `VSMManager.cancel_instance()`

Parameters **host_id** – The ID of the dedicated host.

Returns The id, fqdn and status of all guests into a dictionary. The status could be ‘Cancelled’ or an exception message, The dictionary is empty if there isn’t any guest in the dedicated host.

Example:: # Cancel guests of dedicated host id 12345 result = mgr.cancel_guests(12345)

cancel_host (*host_id*)

Cancel a dedicated host immediately, it fails if there are still guests in the host.

Parameters *host_id* – The ID of the dedicated host to be cancelled.

Returns True on success or an exception

Example:: # Cancels dedicated host id 12345 result = mgr.cancel_host(12345)

get_create_options ()

Returns valid options for ordering a dedicated host.

get_host (*host_id*, ***kwargs*)

Get details about a dedicated host.

:param integer : the host ID :returns: A dictionary containing host information.

Example:

```
# Print out host ID 12345.
dh = mgr.get_host(12345)
print dh

# Print out only name and backendRouter for instance 12345
object_mask = "mask[name,backendRouter[id]]"
dh = mgr.get_host(12345, mask=mask)
print dh
```

get_router_options (*datacenter=None*, *flavor=None*)

Returns available backend routers for the dedicated host.

list_guests (*host_id*, *tags=None*, *cpus=None*, *memory=None*, *hostname=None*, *domain=None*, *local_disk=None*, *nic_speed=None*, *public_ip=None*, *private_ip=None*, ***kwargs*)

Retrieve a list of all virtual servers on the dedicated host.

Example:

```
# Print out a list of instances with 4 cpu cores in the host id 12345.

for vsi in mgr.list_guests(host_id=12345, cpus=4):
    print vsi['fullyQualifiedDomainName'], vsi['primaryIpAddress']

# Using a custom object-mask. Will get ONLY what is specified
object_mask = "mask[hostname,monitoringRobot[robotStatus]]"
for vsi in mgr.list_guests(mask=object_mask, cpus=4):
    print vsi
```

Parameters

- **host_id** (*integer*) – the identifier of dedicated host
- **tags** (*list*) – filter based on list of tags
- **cpus** (*integer*) – filter based on number of CPUS
- **memory** (*integer*) – filter based on amount of memory
- **hostname** (*string*) – filter based on hostname
- **domain** (*string*) – filter based on domain

- **local_disk** (*string*) – filter based on local_disk
- **nic_speed** (*integer*) – filter based on network speed (in MBPS)
- **public_ip** (*string*) – filter based on public ip address
- **private_ip** (*string*) – filter based on private ip address
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

Returns Returns a list of dictionaries representing the matching virtual servers

list_instances (*tags=None, cpus=None, memory=None, hostname=None, disk=None, datacenter=None, **kwargs*)

Retrieve a list of all dedicated hosts on the account

Parameters

- **tags** (*list*) – filter based on list of tags
- **cpus** (*integer*) – filter based on number of CPUS
- **memory** (*integer*) – filter based on amount of memory
- **hostname** (*string*) – filter based on hostname
- **disk** (*string*) – filter based on disk
- **datacenter** (*string*) – filter based on datacenter
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

Returns Returns a list of dictionaries representing the matching dedicated host.

place_order (*hostname, domain, location, flavor, hourly, router=None*)

Places an order for a dedicated host.

See `get_create_options()` for valid arguments.

Parameters

- **hostname** (*string*) – server hostname
- **domain** (*string*) – server domain name
- **location** (*string*) – location (datacenter) name
- **hourly** (*boolean*) – True if using hourly pricing (default). False for monthly.
- **router** (*int*) – an optional value for selecting a backend router

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

verify_order (*hostname, domain, location, hourly, flavor, router=None*)

Verifies an order for a dedicated host.

See `place_order()` for a list of available options.

3.2.6 SoftLayer.dns

DNS Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.dns.DNSManager` (*client*)

Manage SoftLayer DNS.

See product information here: <http://www.softlayer.com/DOMAIN-SERVICES>

Parameters `client` (*SoftLayer.API.BaseClient*) – the client instance

create_record (*zone_id, record, record_type, data, ttl=60*)

Create a resource record on a domain.

Parameters

- **id** (*integer*) – the zone’s ID
- **record** – the name of the record to add
- **record_type** – the type of record (A, AAAA, CNAME, TXT, etc.)
- **data** – the record’s value
- **ttl** (*integer*) – the TTL or time-to-live value (default: 60)

create_record_mx (*zone_id, record, data, ttl=60, priority=10*)

Create a mx resource record on a domain.

Parameters

- **id** (*integer*) – the zone’s ID
- **record** – the name of the record to add
- **data** – the record’s value
- **ttl** (*integer*) – the TTL or time-to-live value (default: 60)
- **priority** (*integer*) – the priority of the target host

create_record_ptr (*record, data, ttl=60*)

Create a reverse record.

Parameters

- **record** – the public ip address of device for which you would like to manage reverse DNS.
- **data** – the record’s value
- **ttl** (*integer*) – the TTL or time-to-live value (default: 60)

create_record_srv (*zone_id, record, data, protocol, port, service, ttl=60, priority=20, weight=10*)

Create a resource record on a domain.

Parameters

- **id** (*integer*) – the zone’s ID
- **record** – the name of the record to add
- **data** – the record’s value
- **protocol** (*string*) – the protocol of the service, usually either TCP or UDP.
- **port** (*integer*) – the TCP or UDP port on which the service is to be found.

- **service** (*string*) – the symbolic name of the desired service.
- **t11** (*integer*) – the TTL or time-to-live value (default: 60)
- **priority** (*integer*) – the priority of the target host (default: 20)
- **weight** (*integer*) – relative weight for records with same priority (default: 10)

create_zone (*zone*, *serial=None*)

Create a zone for the specified zone.

Parameters

- **zone** – the zone name to create
- **serial** – serial value on the zone (default: `strftime(“%Y%m%d01”)`)

delete_record (*record_id*)

Delete a resource record by its ID.

Parameters **id** (*integer*) – the record’s ID

delete_zone (*zone_id*)

Delete a zone by its ID.

Parameters **zone_id** (*integer*) – the zone ID to delete

dump_zone (*zone_id*)

Retrieve a zone dump in BIND format.

Parameters **id** (*integer*) – The zone ID to dump

edit_record (*record*)

Update an existing record with the options provided.

The provided dict must include an ‘id’ key and value corresponding to the record that should be updated.

Parameters **record** (*dict*) – the record to update

edit_zone (*zone*)

Update an existing zone with the options provided.

The provided dict must include an ‘id’ key and value corresponding to the zone that should be updated.

Parameters **zone** (*dict*) – the zone to update

get_record (*record_id*)

Get a DNS record.

Parameters **id** (*integer*) – the record’s ID

get_records (*zone_id*, *t11=None*, *data=None*, *host=None*, *record_type=None*)

List, and optionally filter, records within a zone.

Parameters

- **zone** – the zone name in which to search.
- **t11** (*int*) – time in seconds
- **data** (*str*) – the records data
- **host** (*str*) – record’s host
- **record_type** (*str*) – the type of record

Returns A list of dictionaries representing the matching records within the specified zone.

get_zone (*zone_id*, *records=True*)

Get a zone and its records.

Parameters **zone** – the zone name

Returns A dictionary containing a large amount of information about the specified zone.

list_zones (***kwargs*)

Retrieve a list of all DNS zones.

Parameters ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

Returns A list of dictionaries representing the matching zones.

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

3.2.7 SoftLayer.event_log

Network Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.event_log.EventLogManager` (*client*)

Provides an interface for the SoftLayer Event Log Service.

See product information here: http://sldn.softlayer.com/reference/services/SoftLayer_Event_Log

static build_filter (*date_min=None*, *date_max=None*, *obj_event=None*, *obj_id=None*,
obj_type=None, *utc_offset=None*)

Returns a query filter that can be passed into `EventLogManager.get_event_logs`

Parameters

- **date_min** (*string*) – Lower bound date in MM/DD/YYYY format
- **date_max** (*string*) – Upper bound date in MM/DD/YYYY format
- **obj_event** (*string*) – The name of the events we want to filter by
- **obj_id** (*int*) – The id of the event we want to filter by
- **obj_type** (*string*) – The type of event we want to filter by
- **utc_offset** (*string*) – The UTC offset we want to use when converting `date_min` and `date_max`. (default ‘+0000’)

Returns dict: The generated query filter

get_event_log_types ()

Returns a list of event log types

Returns List of event log types

get_event_logs (*request_filter=None*, *log_limit=20*, *iterator=True*)

Returns a list of event logs

Example:

```

event_mgr = SoftLayer.EventLogManager(env.client)
request_filter = event_mgr.build_filter(date_min="01/01/2019", date_max="02/
↪01/2019")
logs = event_mgr.get_event_logs(request_filter)
for log in logs:
    print("Event Name: {}".format(log['eventName']))

```

Parameters

- **request_filter** (*dict*) – filter dict
- **log_limit** (*int*) – number of results to get in one API call
- **iterator** (*bool*) – False will only make one API call for log_limit results. True will keep making API calls until all logs have been retrieved. There may be a lot of these.

Returns List of event logs. If iterator=True, will return a python generator object instead.

3.2.8 SoftLayer.file

File Storage Manager

license MIT, see LICENSE for more details.

class SoftLayer.managers.file.**FileStorageManager** (*client*)

Manages file Storage volumes.

authorize_host_to_volume (*volume_id*, *hardware_ids=None*, *virtual_guest_ids=None*,
ip_address_ids=None, *subnet_ids=None*, ***kwargs*)

Authorizes hosts to File Storage Volumes

Parameters

- **volume_id** – The File volume to authorize hosts to
- **hardware_ids** – A List of SoftLayer_Hardware ids
- **virtual_guest_ids** – A List of SoftLayer_Virtual_Guest ids
- **ip_address_ids** – A List of SoftLayer_Network_Subnet_IpAddress ids
- **subnet_ids** – A List of SoftLayer_Network_Subnet ids

Returns Returns an array of SoftLayer_Network_Storage_Allowed_Host objects which now have access to the given File volume

cancel_file_volume (*volume_id*, *reason='No longer needed'*, *immediate=False*)

Cancels the given file storage volume.

Parameters

- **volume_id** (*integer*) – The volume ID
- **reason** (*string*) – The reason for cancellation
- **immediate** (*boolean*) – Cancel immediately or on anniversary date

cancel_snapshot_space (*volume_id*, *reason='No longer needed'*, *immediate=False*)

Cancels snapshot space for a given volume.

Parameters

- **volume_id** (*integer*) – The volume ID

- **reason** (*string*) – The reason for cancellation
- **immediate** (*boolean*) – Cancel immediately or on anniversary date

create_snapshot (*volume_id*, *notes*=”, ***kwargs*)

Creates a snapshot on the given file volume.

Parameters

- **volume_id** (*integer*) – The id of the volume
- **notes** (*string*) – The notes or “name” to assign the snapshot

Returns Returns the id of the new snapshot

deauthorize_host_to_volume (*volume_id*, *hardware_ids*=None, *virtual_guest_ids*=None, *ip_address_ids*=None, *subnet_ids*=None, ***kwargs*)

Revokes authorization of hosts to File Storage Volumes

Parameters

- **volume_id** – The File volume to deauthorize hosts to
- **hardware_ids** – A List of SoftLayer_Hardware ids
- **virtual_guest_ids** – A List of SoftLayer_Virtual_Guest ids
- **ip_address_ids** – A List of SoftLayer_Network_Subnet_IpAddress ids
- **subnet_ids** – A List of SoftLayer_Network_Subnet ids

Returns Returns an array of SoftLayer_Network_Storage_Allowed_Host objects which have access to the given File volume

delete_snapshot (*snapshot_id*)

Deletes the specified snapshot object.

Parameters **snapshot_id** – The ID of the snapshot object to delete.

disable_snapshots (*volume_id*, *schedule_type*)

Disables snapshots for a specific file volume at a given schedule

Parameters

- **volume_id** (*integer*) – The id of the volume
- **schedule_type** (*string*) – ‘HOURLY’|‘DAILY’|‘WEEKLY’

Returns Returns whether successfully disabled or not

enable_snapshots (*volume_id*, *schedule_type*, *retention_count*, *minute*, *hour*, *day_of_week*, ***kwargs*)

Enables snapshots for a specific file volume at a given schedule

Parameters

- **volume_id** (*integer*) – The id of the volume
- **schedule_type** (*string*) – ‘HOURLY’|‘DAILY’|‘WEEKLY’
- **retention_count** (*integer*) – The number of snapshots to attempt to retain in this schedule
- **minute** (*integer*) – The minute of the hour at which HOURLY, DAILY, and WEEKLY snapshots should be taken
- **hour** (*integer*) – The hour of the day at which DAILY and WEEKLY snapshots should be taken

- **day_of_week** (*string/integer*) – The day of the week on which WEEKLY snapshots should be taken, either as a string ('SUNDAY') or integer ('0' is Sunday)

Returns Returns whether successfully scheduled or not

failback_from_replicant (*volume_id, replicant_id*)

Failback from a volume replicant.

Parameters

- **volume_id** (*integer*) – The ID of the volume
- **replicant_id** (*integer*) – ID of replicant to failback from

Returns Returns whether failback was successful or not

failover_to_replicant (*volume_id, replicant_id, immediate=False*)

Failover to a volume replicant.

Parameters

- **volume_id** (*integer*) – The ID of the volume
- **replicant_id** (*integer*) – ID of replicant to failover to
- **immediate** (*boolean*) – Flag indicating if failover is immediate

Returns Returns whether failover was successful or not

get_file_volume_access_list (*volume_id, **kwargs*)

Returns a list of authorized hosts for a specified volume.

Parameters

- **volume_id** – ID of volume.
- **kwargs** –

Returns Returns a list of authorized hosts for a specified volume.

get_file_volume_details (*volume_id, **kwargs*)

Returns details about the specified volume.

Parameters

- **volume_id** – ID of volume.
- **kwargs** –

Returns Returns details about the specified volume.

get_file_volume_snapshot_list (*volume_id, **kwargs*)

Returns a list of snapshots for the specified volume.

Parameters

- **volume_id** – ID of volume.
- **kwargs** –

Returns Returns a list of snapshots for the specified volume.

get_replication_locations (*volume_id*)

Acquires list of the datacenters to which a volume can be replicated.

Parameters **volume_id** – The ID of the primary volume to be replicated

Returns Returns an array of SoftLayer_Network_Storage objects

get_replication_partners (*volume_id*)

Acquires list of replicant volumes pertaining to the given volume.

Parameters **volume_id** – The ID of the primary volume to be replicated

Returns Returns an array of SoftLayer_Location objects

list_file_volumes (*datacenter=None, username=None, storage_type=None, **kwargs*)

Returns a list of file volumes.

Parameters

- **datacenter** – Datacenter short name (e.g.: dal09)
- **username** – Name of volume.
- **storage_type** – Type of volume: Endurance or Performance
- **kwargs** –

Returns Returns a list of file volumes.

list_volume_schedules (*volume_id*)

Lists schedules for a given volume

Parameters **volume_id** (*integer*) – The id of the volume

Returns Returns list of schedules assigned to a given volume

order_duplicate_volume (*origin_volume_id, origin_snapshot_id=None, duplicate_size=None, duplicate_iops=None, duplicate_tier_level=None, duplicate_snapshot_size=None, hourly_billing_flag=False*)

Places an order for a duplicate file volume.

Parameters

- **origin_volume_id** – The ID of the origin volume to be duplicated
- **origin_snapshot_id** – Origin snapshot ID to use for duplication
- **duplicate_size** – Size/capacity for the duplicate volume
- **duplicate_iops** – The IOPS per GB for the duplicate volume
- **duplicate_tier_level** – Tier level for the duplicate volume
- **duplicate_snapshot_size** – Snapshot space size for the duplicate
- **hourly_billing_flag** – Billing type, monthly (False) or hourly (True), default to monthly.

Returns Returns a SoftLayer_Container_Product_Order_Receipt

order_file_volume (*storage_type, location, size, iops=None, tier_level=None, snapshot_size=None, service_offering='storage_as_a_service', hourly_billing_flag=False*)

Places an order for a file volume.

Parameters

- **storage_type** – ‘performance’ or ‘endurance’
- **location** – Name of the datacenter in which to order the volume
- **size** – Size of the desired volume, in GB
- **iops** – Number of IOPs for a “Performance” order
- **tier_level** – Tier level to use for an “Endurance” order

- **snapshot_size** – The size of optional snapshot space, if snapshot space should also be ordered (None if not ordered)
- **service_offering** – Requested offering package to use in the order ('storage_as_a_service', 'enterprise', or 'performance')
- **hourly_billing_flag** – Billing type, monthly (False) or hourly (True), default to monthly.

order_modified_volume (*volume_id, new_size=None, new_iops=None, new_tier_level=None*)
Places an order for modifying an existing file volume.

Parameters

- **volume_id** – The ID of the volume to be modified
- **new_size** – The new size/capacity for the volume
- **new_iops** – The new IOPS for the volume
- **new_tier_level** – The new tier level for the volume

Returns Returns a SoftLayer_Container_Product_Order_Receipt

order_replicant_volume (*volume_id, snapshot_schedule, location, tier=None*)
Places an order for a replicant file volume.

Parameters

- **volume_id** – The ID of the primary volume to be replicated
- **snapshot_schedule** – The primary volume's snapshot schedule to use for replication
- **location** – The location for the ordered replicant volume
- **tier** – The tier (IOPS per GB) of the primary volume

Returns Returns a SoftLayer_Container_Product_Order_Receipt

order_snapshot_space (*volume_id, capacity, tier, upgrade, **kwargs*)
Orders snapshot space for the given file volume.

Parameters

- **volume_id** (*integer*) – The ID of the volume
- **capacity** (*integer*) – The capacity to order, in GB
- **tier** (*float*) – The tier level of the file volume, in IOPS per GB
- **upgrade** (*boolean*) – Flag to indicate if this order is an upgrade

Returns Returns a SoftLayer_Container_Product_Order_Receipt

resolve_ids (*identifier*)
Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

restore_from_snapshot (*volume_id, snapshot_id*)
Restores a specific volume from a snapshot

Parameters

- **volume_id** (*integer*) – The ID of the volume

- **snapshot_id** (*integer*) – The id of the restore point

Returns Returns whether successfully restored or not

3.2.9 SoftLayer.firewall

Firewall Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.firewall.FirewallManager` (*client*)
Manages SoftLayer firewalls

See product information here: <http://www.softlayer.com/firewalls>

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

add_standard_firewall (*server_id, is_virt=True*)

Creates a firewall for the specified virtual/hardware server.

Parameters

- **server_id** (*int*) – The ID of the server to create the firewall for
- **is_virt** (*bool*) – If true, will create the firewall for a virtual server, otherwise for a hardware server.

Returns A dictionary containing the standard virtual server firewall order

add_vlan_firewall (*vlan_id, ha_enabled=False*)

Creates a firewall for the specified vlan.

Parameters

- **vlan_id** (*int*) – The ID of the vlan to create the firewall for
- **ha_enabled** (*bool*) – If True, an HA firewall will be created

Returns A dictionary containing the VLAN firewall order

cancel_firewall (*firewall_id, dedicated=False*)

Cancels the specified firewall.

Parameters

- **firewall_id** (*int*) – Firewall ID to be cancelled.
- **dedicated** (*bool*) – If true, the firewall instance is dedicated, otherwise, the firewall instance is shared.

edit_dedicated_fw_rules (*firewall_id, rules*)

Edit the rules for dedicated firewall.

Parameters

- **firewall_id** (*integer*) – the instance ID of the dedicated firewall
- **rules** (*list*) – the rules to be pushed on the firewall as defined by `SoftLayer_Network_Firewall_Update_Request_Rule`

edit_standard_fw_rules (*firewall_id, rules*)

Edit the rules for standard firewall.

Parameters

- **firewall_id** (*integer*) – the instance ID of the standard firewall

- **rules** (*list*) – the rules to be pushed on the firewall as defined by SoftLayer_Network_Firewall_Update_Request_Rule

get_dedicated_fw_rules (*firewall_id*)

Get the rules of a dedicated firewall.

Parameters **firewall_id** (*integer*) – the instance ID of the dedicated firewall

Returns A list of the rules.

get_dedicated_package (*ha_enabled=False*)

Retrieves the dedicated firewall package.

Parameters **ha_enabled** (*bool*) – True if HA is to be enabled on the firewall False for No HA

Returns A dictionary containing the dedicated virtual server firewall package

get_firewalls ()

Returns a list of all firewalls on the account.

Returns A list of firewalls on the current account.

get_standard_fw_rules (*firewall_id*)

Get the rules of a standard firewall.

Parameters **firewall_id** (*integer*) – the instance ID of the standard firewall

Returns A list of the rules.

get_standard_package (*server_id, is_virt=True*)

Retrieves the standard firewall package for the virtual server.

Parameters

- **server_id** (*int*) – The ID of the server to create the firewall for
- **is_virt** (*bool*) – True if the ID provided is for a virtual server, False for a server

Returns A dictionary containing the standard virtual server firewall package

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

`SoftLayer.managers.firewall.has_firewall` (*vlan*)

Helper to determine whether or not a VLAN has a firewall.

Parameters **vlan** (*dict*) – A dictionary representing a VLAN

Returns True if the VLAN has a firewall, false if it doesn't.

3.2.10 SoftLayer.hardware

Hardware Manager/helpers

license MIT, see LICENSE for more details.

class SoftLayer.managers.hardware.**HardwareManager** (*client, ordering_manager=None*)
Manage SoftLayer hardware servers.

Example:

```
# Initialize the Manager.  
# env variables. These can also be specified in ~/.softlayer,  
# or passed directly to SoftLayer.Client()  
# SL_USERNAME = YOUR_USERNAME  
# SL_API_KEY = YOUR_API_KEY  
import SoftLayer  
client = SoftLayer.Client()  
mgr = SoftLayer.HardwareManager(client)
```

See product information here: <http://www.softlayer.com/bare-metal-servers>

Parameters

- **client** (*SoftLayer.API.BaseClient*) – the client instance
- **ordering_manager** (*SoftLayer.managers.OrderingManager*) – an optional manager to handle ordering. If none is provided, one will be auto initialized.

cancel_hardware (*hardware_id, reason='unneeded', comment='', immediate=False*)

Cancels the specified dedicated server.

Example:

```
# Cancels hardware id 1234  
result = mgr.cancel_hardware(hardware_id=1234)
```

Parameters

- **hardware_id** (*int*) – The ID of the hardware to be cancelled.
- **reason** (*string*) – The reason code for the cancellation. This should come from *get_cancellation_reasons()*.
- **comment** (*string*) – An optional comment to include with the cancellation.
- **immediate** (*bool*) – If set to True, will automatically update the cancelation ticket to request the resource be reclaimed asap. This request still has to be reviewed by a human

Returns True on success or an exception

change_port_speed (*hardware_id, public, speed*)

Allows you to change the port speed of a server's NICs.

Parameters

- **hardware_id** (*int*) – The ID of the server
- **public** (*bool*) – Flag to indicate which interface to change. True (default) means the public interface. False indicates the private interface.
- **speed** (*int*) – The port speed to set.

Warning: A port speed of 0 will disable the interface.

Example:

```
#change the Public interface to 10Mbps on instance 12345
result = mgr.change_port_speed(hardware_id=12345,
                               public=True, speed=10)
# result will be True or an Exception
```

edit (*hardware_id*, *userdata=None*, *hostname=None*, *domain=None*, *notes=None*, *tags=None*)

Edit hostname, domain name, notes, user data of the hardware.

Parameters set to None will be ignored and not attempted to be updated.

Parameters

- **hardware_id** (*integer*) – the instance ID to edit
- **userdata** (*string*) – user data on the hardware to edit. If none exist it will be created
- **hostname** (*string*) – valid hostname
- **domain** (*string*) – valid domain name
- **notes** (*string*) – notes about this particular hardware
- **tags** (*string*) – tags to set on the hardware as a comma separated list. Use the empty string to remove all tags.

Example:

```
# Change the hostname on instance 12345 to 'something'
result = mgr.edit(hardware_id=12345 , hostname="something")
#result will be True or an Exception
```

get_bandwidth_allocation (*instance_id*)

Combines `getBandwidthAllotmentDetail()` and `getBillingCycleBandwidthUsage()`

get_bandwidth_data (*instance_id*, *start_date=None*, *end_date=None*, *direction=None*,
rollup=3600)

Gets bandwidth data for a server

Will get averaged bandwidth data for a given time period. If you use a rollup over 3600 be aware that the API will bump your start/end date to align with how data is stored. For example if you have a rollup of 86400 your start_date will be bumped to 00:00. If you are not using a time in the start/end date fields, this won't really matter.

Parameters

- **instance_id** (*int*) – Hardware Id to get data for
- **start_date** (*date*) – Date to start pulling data for.
- **end_date** (*date*) – Date to finish pulling data for
- **direction** (*string*) – Can be either 'public', 'private', or None for both.
- **rollup** (*int*) – 300, 600, 1800, 3600, 43200 or 86400 seconds to average data over.

get_cancellation_reasons ()

Returns a dictionary of valid cancellation reasons.

These can be used when cancelling a dedicated server via `cancel_hardware()`.

get_create_options ()

Returns valid options for ordering hardware.

get_hardware (*hardware_id*, ***kwargs*)

Get details about a hardware device.

Parameters `id` (*integer*) – the hardware ID

Returns A dictionary containing a large amount of information about the specified server.

Example:

```
object_mask = "mask[id,networkVlans[vlanNumber]]"  
# Object masks are optional  
result = mgr.get_hardware(hardware_id=1234,mask=object_mask)
```

get_tracking_id (*instance_id*)

Returns the Metric Tracking Object Id for a hardware server

Parameters `instance_id` (*int*) – Id of the hardware server

list_hardware (*tags=None, cpus=None, memory=None, hostname=None, domain=None, datacenter=None, nic_speed=None, public_ip=None, private_ip=None, **kwargs*)

List all hardware (servers and bare metal computing instances).

param list tags filter based on tags

param integer cpus filter based on number of CPUS

param integer memory filter based on amount of memory in gigabytes

param string hostname filter based on hostname

param string domain filter based on domain

param string datacenter filter based on datacenter

param integer nic_speed filter based on network speed (in MBPS)

param string public_ip filter based on public ip address

param string private_ip filter based on private ip address

param dict **kwargs response-level options (mask, limit, etc.)

returns Returns a list of dictionaries representing the matching hardware. This list will contain both dedicated servers and bare metal computing instances

Example:

```
# Using a custom object-mask. Will get ONLY what is specified  
# These will stem from the SoftLayer_Hardware_Server datatype  
object_mask = "mask[hostname,monitoringRobot[robotStatus]]"  
result = mgr.list_hardware(mask=object_mask)
```

place_order (***kwargs*)

Places an order for a piece of hardware.

See `get_create_options()` for valid arguments.

Parameters

- **size** (*string*) – server size name or presetId
- **hostname** (*string*) – server hostname
- **domain** (*string*) – server domain name
- **location** (*string*) – location (datacenter) name
- **os** (*string*) – operating system name
- **port_speed** (*int*) – Port speed in Mbps

- **ssh_keys** (*list*) – list of ssh key ids
- **post_uri** (*string*) – The URI of the post-install script to run after reload
- **hourly** (*boolean*) – True if using hourly pricing (default). False for monthly.
- **no_public** (*boolean*) – True if this server should only have private interfaces
- **extras** (*list*) – List of extra feature names

reflash_firmware (*hardware_id, ipmi=True, raid_controller=True, bios=True*)

Reflash hardware firmware.

This will cause the server to be unavailable for ~60 minutes. The firmware will not be upgraded but rather reflashed to the version installed.

Parameters

- **hardware_id** (*int*) – The ID of the hardware to have its firmware reflashed.
- **ipmi** (*bool*) – Reflash the ipmi firmware.
- **raid_controller** (*bool*) – Reflash the raid controller firmware.
- **bios** (*bool*) – Reflash the bios firmware.

Example:

```
# Check the servers active transactions to see progress
result = mgr.reflash_firmware(hardware_id=1234)
```

reload (*hardware_id, post_uri=None, ssh_keys=None*)

Perform an OS reload of a server with its current configuration.

Parameters

- **hardware_id** (*integer*) – the instance ID to reload
- **post_uri** (*string*) – The URI of the post-install script to run after reload
- **ssh_keys** (*list*) – The SSH keys to add to the root user

rescue (*hardware_id*)

Reboot a server into the a rescue kernel.

Parameters **instance_id** (*integer*) – the server ID to rescue

Example:

```
result = mgr.rescue(1234)
```

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

update_firmware (*hardware_id, ipmi=True, raid_controller=True, bios=True, hard_drive=True*)

Update hardware firmware.

This will cause the server to be unavailable for ~20 minutes.

Parameters

- **hardware_id** (*int*) – The ID of the hardware to have its firmware updated.

- **ipmi** (*bool*) – Update the ipmi firmware.
- **raid_controller** (*bool*) – Update the raid controller firmware.
- **bios** (*bool*) – Update the bios firmware.
- **hard_drive** (*bool*) – Update the hard drive firmware.

Example:

```
# Check the servers active transactions to see progress
result = mgr.update_firmware(hardware_id=1234)
```

verify_order (***kwargs*)

Verifies an order for a piece of hardware.

See `place_order()` for a list of available options.

wait_for_ready (*instance_id, limit=14400, delay=10, pending=False*)

Determine if a Server is ready.

A server is ready when no transactions are running on it.

Parameters

- **instance_id** (*int*) – The instance ID with the pending transaction
- **limit** (*int*) – The maximum amount of seconds to wait.
- **delay** (*int*) – The number of seconds to sleep before checks. Defaults to 10.

3.2.11 SoftLayer.image

Image Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.image.ImageManager` (*client*)

Manages SoftLayer server images.

See product information here: https://console.bluemix.net/docs/infrastructure/image-templates/image_index.html

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

delete_image (*image_id*)

Deletes the specified image.

Parameters **image_id** (*int*) – The ID of the image.

edit (*image_id, name=None, note=None, tag=None*)

Edit image related details.

Parameters

- **image_id** (*int*) – The ID of the image
- **name** (*string*) – Name of the Image.
- **note** (*string*) – Note of the image.
- **tag** (*string*) – Tags of the image to be updated to.

export_image_to_uri (*image_id, uri, ibm_api_key=None*)

Export image into the given object storage

Parameters

- **image_id** (*int*) – The ID of the image
- **uri** (*string*) – The URI for object storage of the format `swift://<objectStorageAccount>@<cluster>/<container>/<objectPath>` or `cos://<regionName>/<bucketName>/<objectPath>` if using IBM Cloud Object Storage
- **ibm_api_key** (*string*) – Ibm Api Key needed to communicate with IBM Cloud Object Storage

get_image (*image_id*, ***kwargs*)

Get details about an image.

Parameters

- **image** (*int*) – The ID of the image.
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

import_image_from_uri (*name*, *uri*, *os_code=None*, *note=None*, *ibm_api_key=None*, *root_key_crn=None*, *wrapped_dek=None*, *cloud_init=False*, *byol=False*, *is_encrypted=False*)

Import a new image from object storage.

Parameters

- **name** (*string*) – Name of the new image
- **uri** (*string*) – The URI for an object storage object (.vhd/.iso file) of the format: `swift://<objectStorageAccount>@<cluster>/<container>/<objectPath>` or (.vhd/.iso/.raw file) of the format: `cos://<regionName>/<bucketName>/<objectPath>` if using IBM Cloud Object Storage
- **os_code** (*string*) – The reference code of the operating system
- **note** (*string*) – Note to add to the image
- **ibm_api_key** (*string*) – Ibm Api Key needed to communicate with ICOS and your KMS
- **root_key_crn** (*string*) – CRN of the root key in your KMS. Go to your KMS (Key Protect or Hyper Protect) provider to get the CRN for your root key. An example CRN: `crn:v1:bluemix:public:hs-crypto:us-south:acctID:serviceID:key:keyID` Used only when `is_encrypted` is True.
- **wrapped_dek** (*string*) – Wrapped Data Encryption Key provided by your KMS. Used only when `is_encrypted` is True.
- **cloud_init** (*boolean*) – Specifies if image is cloud-init
- **byol** (*boolean*) – Specifies if image is bring your own license
- **is_encrypted** (*boolean*) – Specifies if image is encrypted

list_private_images (*guid=None*, *name=None*, ***kwargs*)

List all private images.

Parameters

- **guid** (*string*) – filter based on GUID
- **name** (*string*) – filter based on name
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

list_public_images (*guid=None, name=None, **kwargs*)
List all public images.

Parameters

- **guid** (*string*) – filter based on GUID
- **name** (*string*) – filter based on name
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

resolve_ids (*identifier*)
Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

3.2.12 SoftLayer.ipsec

IPSec VPN Manager

license MIT, see LICENSE for more details.

class `SoftLayer.managers.ipsec.IPSECManager` (*client*)
Manage SoftLayer IPSEC VPN tunnel contexts.

This provides helpers to manage IPSEC contexts, private and remote subnets, and NAT translations.

Parameters

- **client** (*SoftLayer.API.BaseClient*) – the client instance
- **account** (*SoftLayer.API.BaseClient*) – account service client
- **context** (*SoftLayer.API.BaseClient*) – tunnel context client
- **customer_subnet** (*SoftLayer.API.BaseClient*) – remote subnet client

add_internal_subnet (*context_id, subnet_id*)
Add an internal subnet to a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **subnet_id** (*int*) – The id-value representing the internal subnet.

Return bool True if internal subnet addition was successful.

add_remote_subnet (*context_id, subnet_id*)
Adds a remote subnet to a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **subnet_id** (*int*) – The id-value representing the remote subnet.

Return bool True if remote subnet addition was successful.

add_service_subnet (*context_id, subnet_id*)
Adds a service subnet to a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **subnet_id** (*int*) – The id-value representing the service subnet.

Return bool True if service subnet addition was successful.

apply_configuration (*context_id*)

Requests network configuration for a tunnel context.

Parameters **context_id** (*int*) – The id-value representing the context instance.

Return bool True if the configuration request was successfully queued.

create_remote_subnet (*account_id, identifier, cidr*)

Creates a remote subnet on the given account.

Parameters

- **account_id** (*string*) – The account identifier.
- **identifier** (*string*) – The network identifier of the remote subnet.
- **cidr** (*string*) – The CIDR value of the remote subnet.

Return dict Mapping of properties for the new remote subnet.

create_translation (*context_id, static_ip, remote_ip, notes*)

Creates an address translation on a tunnel context/

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **static_ip** (*string*) – The IP address value representing the internal side of the translation entry,
- **remote_ip** (*string*) – The IP address value representing the remote side of the translation entry,
- **notes** (*string*) – The notes to supply with the translation entry,

Return dict Mapping of properties for the new translation entry.

delete_remote_subnet (*subnet_id*)

Deletes a remote subnet from the current account.

Parameters **subnet_id** (*string*) – The id-value representing the remote subnet.

Return bool True if subnet deletion was successful.

get_translation (*context_id, translation_id*)

Retrieves a translation entry for the given id values.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **translation_id** (*int*) – The id-value representing the translation instance.

Return dict Mapping of properties for the translation entry.

Raises *SoftLayerAPIError* – If a translation cannot be found.

get_translations (*context_id*)

Retrieves all translation entries for a tunnel context.

Parameters **context_id** (*int*) – The id-value representing the context instance.

Return list(dict) Translations associated with the given context

get_tunnel_context (*context_id*, ***kwargs*)

Retrieves the network tunnel context instance.

Parameters **context_id** (*int*) – The id-value representing the context instance.

Return dict Mapping of properties for the tunnel context.

Raises *SoftLayerAPIError* – If a context cannot be found.

get_tunnel_contexts (***kwargs*)

Retrieves network tunnel module context instances.

Return list(dict) Contexts associated with the current account.

remove_internal_subnet (*context_id*, *subnet_id*)

Remove an internal subnet from a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **subnet_id** (*int*) – The id-value representing the internal subnet.

Return bool True if internal subnet removal was successful.

remove_remote_subnet (*context_id*, *subnet_id*)

Removes a remote subnet from a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **subnet_id** (*int*) – The id-value representing the remote subnet.

Return bool True if remote subnet removal was successful.

remove_service_subnet (*context_id*, *subnet_id*)

Removes a service subnet from a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **subnet_id** (*int*) – The id-value representing the service subnet.

Return bool True if service subnet removal was successful.

remove_translation (*context_id*, *translation_id*)

Removes a translation entry from a tunnel context.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **translation_id** (*int*) – The id-value representing the translation.

Return bool True if translation entry removal was successful.

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

update_translation (*context_id*, *translation_id*, *static_ip=None*, *remote_ip=None*, *notes=None*)

Updates an address translation entry using the given values.

Parameters

- **context_id** (*int*) – The id-value representing the context instance.
- **template** (*dict*) – A key-value mapping of translation properties.
- **static_ip** (*string*) – The static IP address value to update.
- **remote_ip** (*string*) – The remote IP address value to update.
- **notes** (*string*) – The notes value to update.

Return bool True if the update was successful.

```
update_tunnel_context (context_id, friendly_name=None, remote_peer=None,
                        preshared_key=None, phase1_auth=None,
                        phase1_crypto=None, phase1_dh=None, phase1_key_ttl=None,
                        phase2_auth=None, phase2_crypto=None, phase2_dh=None,
                        phase2_forward_secrecy=None, phase2_key_ttl=None)
```

Updates a tunnel context using the given values.

Parameters

- **context_id** (*string*) – The id-value representing the context.
- **friendly_name** (*string*) – The friendly name value to update.
- **remote_peer** (*string*) – The remote peer IP address value to update.
- **preshared_key** (*string*) – The preshared key value to update.
- **phase1_auth** (*string*) – The phase 1 authentication value to update.
- **phase1_crypto** (*string*) – The phase 1 encryption value to update.
- **phase1_dh** (*string*) – The phase 1 diffie hellman group value to update.
- **phase1_key_ttl** (*string*) – The phase 1 key life value to update.
- **phase2_auth** (*string*) – The phase 2 authentication value to update.
- **phase2_crypto** (*string*) – The phase 2 encryption value to update.
- **phase2_df** (*string*) – The phase 2 diffie hellman group value to update.
- **phase2_forward_secriecy** (*string*) – The phase 2 perfect forward secrecy value to update.
- **phase2_key_ttl** (*string*) – The phase 2 key life value to update.

Return bool True if the update was successful.

3.2.13 SoftLayer.load_balancer

Load Balancer Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.load_balancer.LoadBalancerManager` (*client*)
Manages SoftLayer load balancers.

See product information here: <https://www.ibm.com/cloud/load-balancer>

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

add_lb_17_pool (*identifier, pool, members, health, session*)
Creates a new l7 pool for a LBaaS instance

- https://sldn.softlayer.com/reference/services/SoftLayer_Network_LBaaS_L7Pool/createL7Pool/
- <https://cloud.ibm.com/docs/infrastructure/loadbalancer-service?topic=loadbalancer-service-api-reference>

Parameters

- **identifier** – UUID of the LBaaS instance
- **SoftLayer_Network_LBaaS_L7Pool** (*pool*) – Description of the pool
- **SoftLayer_Network_LBaaS_L7Member** [] (*members*) – Array of servers with their address, port, weight
- **SoftLayer_Network_LBaaS_L7HealthMonitor** (*monitor*) – A health monitor
- **SoftLayer_Network_LBaaS_L7SessionAffinity** (*session*) – Whether to use affinity

add_lb_listener (*identifier, listener*)

Adds or update a listener to a LBaaS instance

When using this to update a listener, just include the 'listenerUuid' in the listener object See the following for listener configuration options https://sldn.softlayer.com/reference/datatypes/SoftLayer_Network_LBaaS_LoadBalancerProtocolConfiguration/

Parameters

- **identifier** – UUID of the LBaaS instance
- **listener** – Object with all listener configurations

add_lb_member (*identifier, service_info*)

Adds a member to a LBaaS instance

https://sldn.softlayer.com/reference/services/SoftLayer_Network_LBaaS_Member/deleteLoadBalancerMembers/ :param identifier: UUID of the LBaaS instance :param service_info: datatypes/SoftLayer_Network_LBaaS_LoadBalancerServerInstanceInfo

cancel_lbaas (*uuid*)

Cancels a LBaaS instance.

https://sldn.softlayer.com/reference/services/SoftLayer_Network_LBaaS_LoadBalancer/cancelLoadBalancer/ :param uuid string: UUID of the LBaaS instance to cancel

del_lb_l7_pool (*identifier*)

Deletes a l7 pool

Parameters **identifier** – Id of the L7Pool

delete_lb_member (*identifier, member_id*)

Removes a member from a LBaaS instance

https://sldn.softlayer.com/reference/services/SoftLayer_Network_LBaaS_Member/deleteLoadBalancerMembers/ :param identifier: UUID of the LBaaS instance :param member_id: Member UUID to remove.

get_adc (*identifier, mask=None*)

Returns a netscaler object.

Returns SoftLayer_Network_Application_Delivery_Controller.

get_adcs (*mask=None*)

Returns a list of all netscalers.

Returns SoftLayer_Network_Application_Delivery_Controller[].

get_lb (*identifier, mask=None*)

Returns a IBM Cloud LoadBalancer

Returns SoftLayer_Network_LBaaS_LoadBalancer

get_lbaas (*mask=None*)

Returns a list of IBM Cloud Loadbalancers

Returns SoftLayer_Network_LBaaS_LoadBalancer[]

get_lbaas_uuid_id (*identifier*)

Gets a LBaaS uuid, id. Since sometimes you need one or the other.

Parameters **identifier** – either the LB Id, or UUID, this function will return both.

Return (uuid, id)

lbaas_order_options ()

Gets the options to order a LBaaS instance.

order_lbaas (*datacenter, name, desc, protocols, subnet_id, public=False, verify=False*)

Allows to order a Load Balancer

Parameters

- **datacenter** – Shortname for the SoftLayer datacenter to order in.
- **name** – Identifier for the new LB.
- **desc** – Optional description for the lb.
- **protocols** – https://sldn.softlayer.com/reference/datatypes/SoftLayer_Network_LBaaS_Listener/
- **subnet_id** – Id of the subnet for this new LB to live on.
- **public** – Use Public side for the backend.
- **verify** – Don't actually order if True.

remove_lb_listener (*identifier, listener*)

Removes a listener to a LBaaS instance

Parameters

- **identifier** – UUID of the LBaaS instance
- **listener** – UUID of the Listner to be removed.

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

update_lb_health_monitors (*uuid, checks*)

calls SoftLayer_Network_LBaaS_HealthMonitor::updateLoadBalancerHealthMonitors()

- [updateLoadBalancerHealthMonitors](#)

- `SoftLayer_Network_LBaaS_LoadBalancerHealthMonitorConfiguration`

Parameters

- **uuid** – loadBalancerUuid
- **list** (*checks*) – `SoftLayer_Network_LBaaS_LoadBalancerHealthMonitorConfiguration[]`

3.2.14 SoftLayer.metadata

Metadata Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.metadata.MetadataManager` (*client=None, timeout=5*)

Provides an interface for the SoftLayer metadata service.

See product information here: http://sldn.softlayer.com/reference/services/SoftLayer_Resource_Metadata

This provides metadata about the resource it is called from. See `METADATA_ATTRIBUTES` for full list of attributes.

Usage:

```
>>> import SoftLayer
>>> client = SoftLayer.create_client_from_env()
>>> from SoftLayer import MetadataManager
>>> meta = MetadataManager(client)
>>> meta.get('datacenter')
'dal105'
>>> meta.get('fqdn')
'test.example.com'
```

Parameters **client** (`SoftLayer.API.BaseClient`) – the client instance

get (*name, param=None*)

Retrieve a metadata attribute.

Parameters

- **name** (*string*) – name of the attribute to retrieve. See *attrs*
- **param** – Required parameter for some attributes

private_network (***kwargs*)

Returns details about the private network.

Parameters

- **router** (*boolean*) – True to return router details
- **vlangs** (*boolean*) – True to return vlang details
- **vlan_ids** (*boolean*) – True to return vlan_ids

public_network (***kwargs*)

Returns details about the public network.

Parameters

- **router** (*boolean*) – True to return router details

- **vlan** (*boolean*) – True to return vlan details
- **vlan_ids** (*boolean*) – True to return vlan_ids

metadata.METADATA_ATTRIBUTES = dict_keys(['backend_mac', 'datacenter', 'datacenter_id', 'd

3.2.15 SoftLayer.network

Network Manager/helpers

license MIT, see LICENSE for more details.

class SoftLayer.managers.network.**NetworkManager** (*client*)

Manage SoftLayer network objects: VLANs, subnets, IPs and rwhois

See product information here: <http://www.softlayer.com/networking>

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

add_global_ip (*version=4, test_order=False*)

Adds a global IP address to the account.

Parameters

- **version** (*int*) – Specifies whether this is IPv4 or IPv6
- **test_order** (*bool*) – If true, this will only verify the order.

add_securitygroup_rule (*group_id, remote_ip=None, remote_group=None, direction=None, ethertype=None, port_max=None, port_min=None, protocol=None*)

Add a rule to a security group

Parameters

- **group_id** (*int*) – The ID of the security group to add this rule to
- **remote_ip** (*str*) – The remote IP or CIDR to enforce the rule on
- **remote_group** (*int*) – The remote security group ID to enforce the rule on
- **direction** (*str*) – The direction to enforce (egress or ingress)
- **ethertype** (*str*) – The ethertype to enforce (IPv4 or IPv6)
- **port_max** (*int*) – The upper port bound to enforce (icmp code if the protocol is icmp)
- **port_min** (*int*) – The lower port bound to enforce (icmp type if the protocol is icmp)
- **protocol** (*str*) – The protocol to enforce (icmp, udp, tcp)

add_securitygroup_rules (*group_id, rules*)

Add rules to a security group

Parameters

- **group_id** (*int*) – The ID of the security group to add the rules to
- **rules** (*list*) – The list of rule dictionaries to add

add_subnet (*subnet_type, quantity=None, endpoint_id=None, version=4, test_order=False*)

Orders a new subnet

Parameters

- **subnet_type** (*str*) – Type of subnet to add: private, public, global,static
- **quantity** (*int*) – Number of IPs in the subnet

- **endpoint_id** (*int*) – id for the subnet to be placed into
- **version** (*int*) – 4 for IPv4, 6 for IPv6
- **test_order** (*bool*) – If true, this will only verify the order.

assign_global_ip (*global_ip_id, target*)

Assigns a global IP address to a specified target.

Parameters

- **global_ip_id** (*int*) – The ID of the global IP being assigned
- **target** (*string*) – The IP address to assign

attach_securitygroup_component (*group_id, component_id*)

Attaches a network component to a security group.

Parameters

- **group_id** (*int*) – The ID of the security group
- **component_id** (*int*) – The ID of the network component to attach

attach_securitygroup_components (*group_id, component_ids*)

Attaches network components to a security group.

Parameters

- **group_id** (*int*) – The ID of the security group
- **component_ids** (*list*) – The IDs of the network components to attach

cancel_global_ip (*global_ip_id*)

Cancels the specified global IP address.

Parameters **id** (*int*) – The ID of the global IP to be cancelled.

cancel_subnet (*subnet_id*)

Cancels the specified subnet.

Parameters **subnet_id** (*int*) – The ID of the subnet to be cancelled.

create_securitygroup (*name=None, description=None*)

Creates a security group.

Parameters

- **name** (*string*) – The name of the security group
- **description** (*string*) – The description of the security group

delete_securitygroup (*group_id*)

Deletes the specified security group.

Parameters **group_id** (*int*) – The ID of the security group

detach_securitygroup_component (*group_id, component_id*)

Detaches a network component from a security group.

Parameters

- **group_id** (*int*) – The ID of the security group
- **component_id** (*int*) – The ID of the component to detach

detach_securitygroup_components (*group_id, component_ids*)

Detaches network components from a security group.

Parameters

- **group_id** (*int*) – The ID of the security group
- **component_ids** (*list*) – The IDs of the network components to detach

edit_rwhois (*abuse_email=None, address1=None, address2=None, city=None, company_name=None, country=None, first_name=None, last_name=None, postal_code=None, private_residence=None, state=None*)
Edit rwhois record.

edit_securitygroup (*group_id, name=None, description=None*)
Edit security group details.

Parameters

- **group_id** (*int*) – The ID of the security group
- **name** (*string*) – The name of the security group
- **description** (*string*) – The description of the security group

edit_securitygroup_rule (*group_id, rule_id, remote_ip=None, remote_group=None, direction=None, ethertype=None, port_max=None, port_min=None, protocol=None*)
Edit a security group rule.

Parameters

- **group_id** (*int*) – The ID of the security group the rule belongs to
- **rule_id** (*int*) – The ID of the rule to edit
- **remote_ip** (*str*) – The remote IP or CIDR to enforce the rule on
- **remote_group** (*int*) – The remote security group ID to enforce the rule on
- **direction** (*str*) – The direction to enforce (egress or ingress)
- **ethertype** (*str*) – The ethertype to enforce (IPv4 or IPv6)
- **port_max** (*str*) – The upper port bound to enforce
- **port_min** (*str*) – The lower port bound to enforce
- **protocol** (*str*) – The protocol to enforce (icmp, udp, tcp)

get_event_logs_by_request_id (*request_id*)
Gets all event logs by the given request id

Parameters **request_id** (*string*) – The request id we want to filter on

get_nas_credentials (*identifier, **kwargs*)
Returns a list of IDs of VLANs which match the given VLAN name.

Parameters **instance_id** (*integer*) – the instance ID

Returns A dictionary containing a large amount of information about the specified instance.

get_rwhois ()
Returns the RWhois information about the current account.

Returns A dictionary containing the account's RWhois information.

get_securitygroup (*group_id, **kwargs*)
Returns the information about the given security group.

Parameters **id** (*string*) – The ID for the security group

Returns A diction of information about the security group

get_subnet (*subnet_id*, ***kwargs*)

Returns information about a single subnet.

Parameters *id* (*string*) – Either the ID for the subnet or its network identifier

Returns A dictionary of information about the subnet

get_vlan (*vlan_id*)

Returns information about a single VLAN.

Parameters *id* (*int*) – The unique identifier for the VLAN

Returns A dictionary containing a large amount of information about the specified VLAN.

ip_lookup (*ip_address*)

Looks up an IP address and returns network information about it.

Parameters *ip_address* (*string*) – An IP address. Can be IPv4 or IPv6

Returns A dictionary of information about the IP

list_global_ips (*version=None*, *identifier=None*, ***kwargs*)

Returns a list of all global IP address records on the account.

Parameters

- **version** (*int*) – Only returns IPs of this version (4 or 6)
- **identifier** (*string*) – If specified, the list will only contain the global ips matching this network identifier.

list_securitygroup_rules (*group_id*)

List security group rules associated with a security group.

Parameters *group_id* (*int*) – The security group to list rules for

list_securitygroups (***kwargs*)

List security groups.

list_subnets (*identifier=None*, *datacenter=None*, *version=0*, *subnet_type=None*, *network_space=None*, ***kwargs*)

Display a list of all subnets on the account.

This provides a quick overview of all subnets including information about data center residence and the number of devices attached.

Parameters

- **identifier** (*string*) – If specified, the list will only contain the subnet matching this network identifier.
- **datacenter** (*string*) – If specified, the list will only contain subnets in the specified data center.
- **version** (*int*) – Only returns subnets of this version (4 or 6).
- **subnet_type** (*string*) – If specified, it will only returns subnets of this type.
- **network_space** (*string*) – If specified, it will only returns subnets with the given address space label.
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

list_vlans (*datacenter=None, vlan_number=None, name=None, **kwargs*)

Display a list of all VLANs on the account.

This provides a quick overview of all VLANs including information about data center residence and the number of devices attached.

Parameters

- **datacenter** (*string*) – If specified, the list will only contain VLANs in the specified data center.
- **vlan_number** (*int*) – If specified, the list will only contain the VLAN matching this VLAN number.
- **name** (*int*) – If specified, the list will only contain the VLAN matching this VLAN name.
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

remove_securitygroup_rule (*group_id, rule_id*)

Remove a rule from a security group.

Parameters

- **group_id** (*int*) – The ID of the security group
- **rule_id** (*int*) – The ID of the rule to remove

remove_securitygroup_rules (*group_id, rules*)

Remove rules from a security group.

Parameters

- **group_id** (*int*) – The ID of the security group
- **rules** (*list*) – The list of IDs to remove

resolve_global_ip_ids (*identifier*)

Resolve global ip ids.

resolve_subnet_ids (*identifier*)

Resolve subnet ids.

resolve_vlan_ids (*identifier*)

Resolve VLAN ids.

summary_by_datacenter ()

Summary of the networks on the account, grouped by data center.

The resultant dictionary is primarily useful for statistical purposes. It contains count information rather than raw data. If you want raw information, see the `list_vlans()` method instead.

Returns A dictionary keyed by data center with the data containing a set of counts for subnets, hardware, virtual servers, and other objects residing within that data center.

unassign_global_ip (*global_ip_id*)

Unassigns a global IP address from a target.

Parameters **id** (*int*) – The ID of the global IP being unassigned

3.2.16 SoftLayer.ordering

Ordering Manager

license MIT, see LICENSE for more details.

class `SoftLayer.managers.ordering.OrderingManager` (*client*)

Manager to help ordering via the SoftLayer API.

Parameters `client` (*SoftLayer.API.BaseClient*) – the client instance

static `filter_outlet_packages` (*packages*)

Remove packages designated as OUTLET.

Those type of packages must be handled in a different way, and they are not supported at the moment.

Parameters `packages` – Dictionary of packages. Name and description keys must be present in each of them.

generate_order (*package_keyname, location, item_keynames, complex_type=None, hourly=True, preset_keyname=None, extras=None, quantity=1*)

Generates an order with the given package and prices.

This function takes in parameters needed for an order and generates an order dictionary. This dictionary can then be used in either `verify` or `placeOrder()`.

Parameters

- **package_keyname** (*str*) – The keyname for the package being ordered
- **location** (*str*) – The datacenter location string for ordering (Ex: DALLAS13)
- **item_keynames** (*list*) – The list of item keyname strings to order. To see list of possible keynames for a package, use `list_items()` (or `slcli order item-list`)
- **complex_type** (*str*) – The complex type to send with the order. Typically begins with `SoftLayer_Container_Product_Order_.`
- **hourly** (*bool*) – If true, uses hourly billing, otherwise uses monthly billing
- **preset_keyname** (*string*) – If needed, specifies a preset to use for that package. To see a list of possible keynames for a package, use `list_preset()` (or `slcli order preset-list`)
- **extras** (*dict*) – The extra data for the order in dictionary format. Example: A VSI order requires hostname and domain to be set, so extras will look like the following: `{'virtualGuests': [{'hostname': 'test', 'domain': 'softlayer.com'}]}`
- **quantity** (*int*) – The number of resources to order

generate_order_template (*quote_id, extra, quantity=1*)

Generate a complete order template.

Parameters

- **quote_id** (*int*) – ID of target quote
- **extra** (*dictionary*) – Overrides for the defaults of `SoftLayer_Container_Product_Order`
- **quantity** (*int*) – Number of items to order.

static `get_item_price_id` (*core, prices*)

get item price id

get_item_prices (*package_id*)

Get item prices.

Retrieve a `SoftLayer_Product_Package` item prices record.

Parameters `package_id` (*int*) – package identifier.

Returns A list of price IDs associated with the given package.

get_location_id (*location*)

Finds the location ID of a given datacenter

This is mostly used so either a dc name, or regions keyname can be used when ordering :param str location: Region Keyname (DALLAS13) or datacenter name (dal13) :returns: integer id of the datacenter

static get_only_active_packages (*packages*)

Return only active packages.

If a package is active, it is eligible for ordering This will inspect the 'isActive' property on the provided packages

Parameters packages – Dictionary of packages, isActive key must be present

get_order_container (*quote_id*)

Generate an order container from a quote object.

Parameters quote_id – ID number of target quote

get_package_by_key (*package_keyname, mask=None*)

Get a single package with a given key.

If no packages are found, returns None

Parameters

- **package_keyname** – string representing the package key name we are interested in.
- **mask** (*string*) – Mask to specify the properties we want to retrieve

get_package_by_type (*package_type, mask=None*)

Get a single package of a given type.

Syntactic sugar to retrieve a single package of a given type. If multiple packages share the given type, this will return the first one returned by the API. If no packages are found, returns None

Parameters package_type (*string*) – representing the package type key name we are interested in

get_package_id_by_type (*package_type*)

Return the package ID of a Product Package with a given type.

Parameters package_type (*string*) – representing the package type key name we are interested in

Raises ValueError – when no package of the given type is found

get_packages_of_type (*package_types, mask=None*)

Get packages that match a certain type.

Each ordering package has a type, so return all packages that match the types we are looking for

Parameters

- **package_types** (*list*) – List of strings representing the package type keynames we are interested in.
- **mask** (*string*) – Mask to specify the properties we want to retrieve

get_preset_by_key (*package_keyname, preset_keyname, mask=None*)

Gets a single preset with the given key.

get_preset_prices (*preset*)

Get preset item prices.

Retrieve a SoftLayer_Product_Package_Preset record.

Parameters `preset` (*int*) – preset identifier.

Returns A list of price IDs associated with the given `preset_id`.

get_price_id_list (*package_keyname, item_keynames, core=None*)

Converts a list of item keynames to a list of price IDs.

This function is used to convert a list of item keynames into a list of price IDs that are used in the Product_Order `verifyOrder()` and `placeOrder()` functions.

Parameters

- **package_keyname** (*str*) – The package associated with the prices
- **item_keynames** (*list*) – A list of item keyname strings
- **core** (*str*) – preset guest core capacity.

Returns A list of price IDs associated with the given item keynames in the given package

get_quote_details (*quote_id*)

Retrieve quote details.

Parameters `quote_id` – ID number of target quote

get_quotes ()

Retrieve a list of active quotes.

Returns a list of `SoftLayer_Billing_Order_Quote`

list_categories (*package_keyname, **kwargs*)

List the categories for the given package.

Parameters `package_keyname` (*str*) – The package for which to get the categories.

Returns List of categories associated with the package

list_items (*package_keyname, **kwargs*)

List the items for the given package.

Parameters `package_keyname` (*str*) – The package for which to get the items.

Returns List of items in the package

list_packages (***kwargs*)

List active packages.

Returns List of active packages.

list_presets (*package_keyname, **kwargs*)

Gets active presets for the given package.

Parameters `package_keyname` (*str*) – The package for which to get presets

Returns A list of package presets that can be used for ordering

order_quote (*quote_id, extra*)

Places an order using a quote

```
extras = {
    'hardware': {'hostname': 'test', 'domain': 'testing.com'},
    'quantity': 2
}
manager = ordering.OrderingManager(env.client)
result = manager.order_quote(12345, extras)
```


Parameters

- **quote_id** (*int*) – ID for the target quote
- **extra** (*dictionary*) – Overrides for the defaults of SoftLayer_Container_Product_Order
- **quantity** (*int*) – Quantity to override default

package_locations (*package_keyname*)

List datacenter locations for a package keyname

Parameters **package_keyname** (*str*) – The package for which to get the items.

Returns List of locations a package is orderable in

place_order (*package_keyname, location, item_keynames, complex_type=None, hourly=True, preset_keyname=None, extras=None, quantity=1*)

Places an order with the given package and prices.

This function takes in parameters needed for an order and places the order.

Parameters

- **package_keyname** (*str*) – The keyname for the package being ordered
- **location** (*str*) – The datacenter location string for ordering (Ex: DALLAS13)
- **item_keynames** (*list*) – The list of item keyname strings to order. To see list of possible keynames for a package, use `list_items()` (or `slcli order item-list`)
- **complex_type** (*str*) – The complex type to send with the order. Typically begins with `SoftLayer_Container_Product_Order_`.
- **hourly** (*bool*) – If true, uses hourly billing, otherwise uses monthly billing
- **preset_keyname** (*string*) – If needed, specifies a preset to use for that package. To see a list of possible keynames for a package, use `list_preset()` (or `slcli order preset-list`)
- **extras** (*dict*) – The extra data for the order in dictionary format. Example: A VSI order requires hostname and domain to be set, so extras will look like the following: `{'virtualGuests': [{'hostname': 'test', 'domain': 'softlayer.com'}]}`
- **quantity** (*int*) – The number of resources to order

place_quote (*package_keyname, location, item_keynames, complex_type=None, preset_keyname=None, extras=None, quantity=1, quote_name=None, send_email=False*)

Place a quote with the given package and prices.

This function takes in parameters needed for an order and places the quote.

Parameters

- **package_keyname** (*str*) – The keyname for the package being ordered
- **location** (*str*) – The datacenter location string for ordering (Ex: DALLAS13)
- **item_keynames** (*list*) – The list of item keyname strings to order. To see list of possible keynames for a package, use `list_items()` (or `slcli order item-list`)
- **complex_type** (*str*) – The complex type to send with the order. Typically begins with `SoftLayer_Container_Product_Order_`.
- **preset_keyname** (*string*) – If needed, specifies a preset to use for that package. To see a list of possible keynames for a package, use `list_preset()` (or `slcli order preset-list`)

- **extras** (*dict*) – The extra data for the order in dictionary format. Example: A VSI order requires hostname and domain to be set, so extras will look like the following: `{'virtualGuests': [{'hostname': 'test', 'domain': 'softlayer.com'}]}`
- **quantity** (*int*) – The number of resources to order
- **quote_name** (*string*) – A custom name to be assigned to the quote (optional).
- **send_email** (*bool*) – This flag indicates that the quote should be sent to the email address associated with the account or order.

verify_order (*package_keyname, location, item_keynames, complex_type=None, hourly=True, preset_keyname=None, extras=None, quantity=1*)
Verifies an order with the given package and prices.

This function takes in parameters needed for an order and verifies the order to ensure the given items are compatible with the given package.

Parameters

- **package_keyname** (*str*) – The keyname for the package being ordered
- **location** (*str*) – The datacenter location string for ordering (Ex: DALLAS13)
- **item_keynames** (*list*) – The list of item keyname strings to order. To see list of possible keynames for a package, use `list_items()` (or `slcli order item-list`)
- **complex_type** (*str*) – The complex type to send with the order. Typically begins with `SoftLayer_Container_Product_Order_`.
- **hourly** (*bool*) – If true, uses hourly billing, otherwise uses monthly billing
- **preset_keyname** (*string*) – If needed, specifies a preset to use for that package. To see a list of possible keynames for a package, use `list_preset()` (or `slcli order preset-list`)
- **extras** (*dict*) – The extra data for the order in dictionary format. Example: A VSI order requires hostname and domain to be set, so extras will look like the following: `{'virtualGuests': [{'hostname': 'test', 'domain': 'softlayer.com'}]}`
- **quantity** (*int*) – The number of resources to order

verify_quote (*quote_id, extra*)
Verifies that a quote order is valid.

```
extras = {
    'hardware': {'hostname': 'test', 'domain': 'testing.com'},
    'quantity': 2
}
manager = ordering.OrderingManager(env.client)
result = manager.verify_quote(12345, extras)
```

Parameters

- **quote_id** (*int*) – ID for the target quote
- **extra** (*dictionary*) – Overrides for the defaults of `SoftLayer_Container_Product_Order`
- **quantity** (*int*) – Quantity to override default

3.2.17 SoftLayer.sshkey

SSH Key Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.sshkey.SshKeyManager` (*client*)

Manages account SSH keys in SoftLayer.

See product information here: <https://knowledge.softlayer.com/procedure/ssh-keys>

Parameters `client` (*SoftLayer.API.BaseClient*) – the client instance

add_key (*key, label, notes=None*)

Adds a new SSH key to the account.

Parameters

- **key** (*string*) – The SSH key to add
- **label** (*string*) – The label for the key
- **notes** (*string*) – Additional notes for the key

Returns A dictionary of the new key's information.

delete_key (*key_id*)

Permanently deletes an SSH key from the account.

Parameters `key_id` (*int*) – The ID of the key to delete

edit_key (*key_id, label=None, notes=None*)

Edits information about an SSH key.

Parameters

- **key_id** (*int*) – The ID of the key to edit
- **label** (*string*) – The new label for the key
- **notes** (*string*) – Notes to set or change on the key

Returns A Boolean indicating success or failure

get_key (*key_id*)

Returns full information about a single SSH key.

Parameters `key_id` (*int*) – The ID of the key to retrieve

Returns A dictionary of information about the key

list_keys (*label=None*)

Lists all SSH keys on the account.

Parameters `label` (*string*) – Filter list based on SSH key label

Returns A list of dictionaries with information about each key

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters `identifier` (*string*) – identifying string

Returns list

3.2.18 SoftLayer.ssl

SSL Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.ssl.SSLManager` (*client*)

Manages SSL certificates in SoftLayer.

See product information here: <http://www.softlayer.com/ssl-certificates>

Example:

```
# Initialize the Manager.
# env variables. These can also be specified in ~/.softlayer,
# or passed directly to SoftLayer.Client()
# SL_USERNAME = YOUR_USERNAME
# SL_API_KEY = YOUR_API_KEY
import SoftLayer
client = SoftLayer.Client()
mgr = SoftLayer.SSLManager(client)
```

Parameters `client` (*SoftLayer.API.BaseClient*) – the client instance

add_certificate (*certificate*)

Creates a new certificate.

Parameters `certificate` (*dict*) – A dictionary representing the parts of the certificate. See sldn.softlayer.com for more info.

Example:

```
cert = ??
result = mgr.add_certificate(certificate=cert)
```

edit_certificate (*certificate*)

Updates a certificate with the included options.

The provided dict must include an 'id' key and value corresponding to the certificate ID that should be updated.

Parameters `certificate` (*dict*) – the certificate to update.

Example:

```
# Updates the cert id 1234
cert['id'] = 1234
cert['certificate'] = ??
result = mgr.edit_certificate(certificate=cert)
```

get_certificate (*cert_id*)

Gets a certificate with the ID specified.

Parameters `cert_id` (*integer*) – the certificate ID to retrieve

Example:

```
cert = mgr.get_certificate(cert_id=1234)
print(cert)
```

list_certs (*method='all'*)

List all certificates.

Parameters **method** (*string*) – The type of certificates to list. Options are ‘all’, ‘expired’, and ‘valid’.

Returns A list of dictionaries representing the requested SSL certs.

Example:

```
# Get all valid SSL certs
certs = mgr.list_certs(method='valid')
print certs
```

remove_certificate (*cert_id*)

Removes a certificate.

Parameters **cert_id** (*integer*) – a certificate ID to remove

Example:

```
# Removes certificate with id 1234
result = mgr.remove_certificate(cert_id = 1234)
```

3.2.19 SoftLayer.ticket

Ticket Manager/helpers

license MIT, see LICENSE for more details.

class `SoftLayer.managers.ticket.TicketManager` (*client*)

Manages SoftLayer support tickets.

See product information here: <http://www.softlayer.com/support>

Parameters **client** (*SoftLayer.API.BaseClient*) – the client instance

attach_hardware (*ticket_id=None, hardware_id=None*)

Attach hardware to a ticket.

Parameters

- **ticket_id** (*integer*) – the id of the ticket to attach to
- **hardware_id** (*integer*) – the id of the hardware to attach

Returns dict – The new ticket attachment

attach_virtual_server (*ticket_id=None, virtual_id=None*)

Attach a virtual server to a ticket.

Parameters

- **ticket_id** (*integer*) – the id of the ticket to attach to
- **virtual_id** (*integer*) – the id of the virtual server to attach

Returns dict – The new ticket attachment

create_ticket (*title=None, body=None, subject=None, priority=None*)

Create a new ticket.

Parameters

- **title** (*string*) – title for the new ticket
- **body** (*string*) – body for the new ticket
- **subject** (*integer*) – id of the subject to be assigned to the ticket
- **priority** (*integer*) – Value from 1 (highest) to 4 (lowest)

detach_hardware (*ticket_id=None, hardware_id=None*)
Detach hardware from a ticket.

Parameters

- **ticket_id** – the id of the ticket to detach from
- **hardware_id** – the id of the hardware to detach

Returns bool – Whether the detachment was successful

detach_virtual_server (*ticket_id=None, virtual_id=None*)
Detach a virtual server from a ticket.

Parameters

- **ticket_id** – the id of the ticket to detach from
- **virtual_id** – the id of the virtual server to detach

Returns bool – Whether the detachment was successful

get_ticket (*ticket_id*)
Get details about a ticket.

Parameters **ticket_id** (*integer*) – the ticket ID

Returns dict – information about the specified ticket

list_subjects ()
List all ticket subjects.

list_tickets (*open_status=True, closed_status=True*)
List all tickets.

Parameters

- **open_status** (*boolean*) – include open tickets
- **closed_status** (*boolean*) – include closed tickets

resolve_ids (*identifier*)
Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

update_ticket (*ticket_id=None, body=None*)
Update a ticket.

Parameters

- **ticket_id** (*integer*) – the id of the ticket to update
- **body** (*string*) – entry to update in the ticket

upload_attachment (*ticket_id=None, file_path=None, file_name=None*)
Upload an attachment to a ticket.

Parameters

- **ticket_id** (*integer*) – the id of the ticket to upload the attachment to
- **file_path** (*string*) – The path of the attachment to be uploaded
- **file_name** (*string*) – The name of the attachment shown in the ticket

Returns dict – The uploaded attachment

3.2.20 SoftLayer.vs

VS Manager/helpers

license MIT, see LICENSE for more details.

class SoftLayer.managers.vs.VSManager (*client, ordering_manager=None*)
Manages SoftLayer Virtual Servers.

See product information here: <http://www.softlayer.com/virtual-servers>

Example:

```
# Initialize the VSManager.
# env variables. These can also be specified in ~/.softlayer,
# or passed directly to SoftLayer.Client()
# SL_USERNAME = YOUR_USERNAME
# SL_API_KEY = YOUR_API_KEY
import SoftLayer
client = SoftLayer.Client()
mgr = SoftLayer.VSManager(client)
```

Parameters

- **client** (*SoftLayer.API.BaseClient*) – the client instance
- **ordering_manager** (*SoftLayer.managers.OrderingManager*) – an optional manager to handle ordering. If none is provided, one will be auto initialized.

cancel_instance (*instance_id*)

Cancel an instance immediately, deleting all its data.

Parameters **instance_id** (*integer*) – the instance ID to cancel

Example:

```
# Cancels instance 12345
mgr.cancel_instance(12345)
```

capture (*instance_id, name, additional_disks=False, notes=None*)

Capture one or all disks from a VS to a SoftLayer image.

Parameters set to None will be ignored and not attempted to be updated.

Parameters

- **instance_id** (*integer*) – the instance ID to edit
- **name** (*string*) – name assigned to the image
- **additional_disks** (*bool*) – set to true to include all additional attached storage devices

- **notes** (*string*) – notes about this particular image

Returns dictionary – information about the capture transaction.

Example:: name = “Testing Images” notes = “Some notes about this image” result = mgr.capture(instance_id=12345, name=name, notes=notes)

change_port_speed (*instance_id, public, speed*)

Allows you to change the port speed of a virtual server’s NICs.

Example:

```
#change the Public interface to 10Mbps on instance 12345
result = mgr.change_port_speed(instance_id=12345,
                               public=True, speed=10)
# result will be True or an Exception
```

Parameters

- **instance_id** (*int*) – The ID of the VS
- **public** (*bool*) – Flag to indicate which interface to change. True (default) means the public interface. False indicates the private interface.
- **speed** (*int*) – The port speed to set.

Warning: A port speed of 0 will disable the interface.

create_instance (***kwargs*)

Creates a new virtual server instance.

Warning: This will add charges to your account

Example:

```
new_vsi = {
    'domain': u'test01.labs.sftlyr.ws',
    'hostname': u'minion05',
    'datacenter': u'hkg02',
    'flavor': 'BL1_1X2X100'
    'dedicated': False,
    'private': False,
    'os_code' : u'UBUNTU_LATEST',
    'hourly': True,
    'ssh_keys': [1234],
    'disks': ('100', '25'),
    'local_disk': True,
    'tags': 'test, pleaseCancel',
    'public_security_groups': [12, 15]
}

vsi = mgr.create_instance(**new_vsi)
# vsi will have the newly created vsi details if done properly.
print vsi
```


Parameters

- **cpus** (*int*) – The number of virtual CPUs to include in the instance.
- **memory** (*int*) – The amount of RAM to order.
- **hourly** (*bool*) – Flag to indicate if this server should be billed hourly (default) or monthly.
- **hostname** (*string*) – The hostname to use for the new server.
- **domain** (*string*) – The domain to use for the new server.
- **local_disk** (*bool*) – Flag to indicate if this should be a local disk (default) or a SAN disk.
- **datacenter** (*string*) – The short name of the data center in which the VS should reside.
- **os_code** (*string*) – The operating system to use. Cannot be specified if `image_id` is specified.
- **image_id** (*int*) – The GUID of the image to load onto the server. Cannot be specified if `os_code` is specified.
- **dedicated** (*bool*) – Flag to indicate if this should be housed on a dedicated or shared host (default). This will incur a fee on your account.
- **public_vlan** (*int*) – The ID of the public VLAN on which you want this VS placed.
- **public_security_groups** (*list*) – The list of security group IDs to apply to the public interface
- **private_security_groups** (*list*) – The list of security group IDs to apply to the private interface
- **private_vlan** (*int*) – The ID of the private VLAN on which you want this VS placed.
- **disks** (*list*) – A list of disk capacities for this server.
- **post_uri** (*string*) – The URI of the post-install script to run after reload
- **private** (*bool*) – If true, the VS will be provisioned only with access to the private network. Defaults to false
- **ssh_keys** (*list*) – The SSH keys to add to the root user
- **nic_speed** (*int*) – The port speed to set
- **tags** (*string*) – tags to set on the VS as a comma separated list
- **flavor** (*string*) – The key name of the public virtual server flavor being ordered.
- **host_id** (*int*) – The host id of a dedicated host to provision a dedicated host virtual server on.

create_instances (*config_list*)

Creates multiple virtual server instances.

This takes a list of dictionaries using the same arguments as `create_instance()`.

Warning: This will add charges to your account

Example:

```

# Define the instance we want to create.
new_vsi = {
    'domain': u'test01.labs.sftlyr.ws',
    'hostname': u'minion05',
    'datacenter': u'hkg02',
    'flavor': 'BL1_1X2X100'
    'dedicated': False,
    'private': False,
    'os_code' : u'UBUNTU_LATEST',
    'hourly': True,
    'ssh_keys': [1234],
    'disks': ('100','25'),
    'local_disk': True,
    'tags': 'test, pleaseCancel',
    'public_security_groups': [12, 15]
}

# using .copy() so we can make changes to individual nodes
instances = [new_vsi.copy(), new_vsi.copy(), new_vsi.copy()]

# give each its own hostname, not required.
instances[0]['hostname'] = "multi-test01"
instances[1]['hostname'] = "multi-test02"
instances[2]['hostname'] = "multi-test03"

vsi = mgr.create_instances(config_list=instances)
#vsi will be a dictionary of all the new virtual servers
print vsi

```

edit (*instance_id*, *userdata=None*, *hostname=None*, *domain=None*, *notes=None*, *tags=None*)
 Edit hostname, domain name, notes, and/or the user data of a VS.

Parameters set to None will be ignored and not attempted to be updated.

Parameters

- **instance_id** (*integer*) – the instance ID to edit
- **userdata** (*string*) – user data on VS to edit. If none exist it will be created
- **hostname** (*string*) – valid hostname
- **domain** (*string*) – valid domain name
- **notes** (*string*) – notes about this particular VS
- **tags** (*string*) – tags to set on the VS as a comma separated list. Use the empty string to remove all tags.

Returns bool – True or an Exception

Example:: # Change the hostname on instance 12345 to ‘something’ result = mgr.edit(instance_id=12345, hostname=”something”) #result will be True or an Exception

get_bandwidth_allocation (*instance_id*)

Combines getBandwidthAllotmentDetail() and getBillingCycleBandwidthUsage()

get_bandwidth_data (*instance_id*, *start_date=None*, *end_date=None*, *direction=None*, *rollup=3600*)

Gets bandwidth data for a server

Will get averaged bandwidth data for a given time period. If you use a rollup over 3600 be aware that the API will bump your start/end date to align with how data is stored. For example if you have a rollup of 86400 your start_date will be bumped to 00:00. If you are not using a time in the start/end date fields, this won't really matter.

Parameters

- **instance_id** (*int*) – Hardware Id to get data for
- **start_date** (*date*) – Date to start pulling data for.
- **end_date** (*date*) – Date to finish pulling data for
- **direction** (*string*) – Can be either 'public', 'private', or None for both.
- **rollup** (*int*) – 300, 600, 1800, 3600, 43200 or 86400 seconds to average data over.

`get_create_options()`

Retrieves the available options for creating a VS.

Returns A dictionary of creation options.

Example:

```
# Prints out the create option dictionary
options = mgr.get_create_options()
print(options)
```

`get_instance(instance_id, **kwargs)`

Get details about a virtual server instance.

Parameters **instance_id** (*integer*) – the instance ID

Returns A dictionary containing a large amount of information about the specified instance.

Example:

```
# Print out instance ID 12345.
vsi = mgr.get_instance(12345)
print vsi

# Print out only FQDN and primaryIP for instance 12345
object_mask = "mask[fullyQualifiedDomainName,primaryIpAddress]"
vsi = mgr.get_instance(12345, mask=mask)
print vsi
```

`get_summary_data_usage(instance_id, start_date=None, end_date=None, valid_type=None, summary_period=None)`

Retrieve the usage information of a virtual server.

Parameters

- **instance_id** (*string*) – a string identifier used to resolve ids
- **start_date** (*string*) – the start data to retrieve the vs usage information
- **end_date** (*string*) – the start data to retrieve the vs usage information
- **string valid_type** (*string*) – the Metric_Data_Type keyName.
- **summary_period** (*int*) – summary period.

`get_tracking_id(instance_id)`

Returns the Metric Tracking Object Id for a hardware server

Parameters `instance_id` (*int*) – Id of the hardware server

`list_instances` (*hourly=True, monthly=True, tags=None, cpus=None, memory=None, hostname=None, domain=None, local_disk=None, datacenter=None, nic_speed=None, public_ip=None, private_ip=None, transient=None, **kwargs*)

Retrieve a list of all virtual servers on the account.

Example:

```
# Print out a list of hourly instances in the DAL05 data center.

for vsi in mgr.list_instances(hourly=True, datacenter='dal05'):
    print vsi['fullyQualifiedDomainName'], vsi['primaryIpAddress']

# Using a custom object-mask. Will get ONLY what is specified
object_mask = "mask[hostname,monitoringRobot[robotStatus]]"
for vsi in mgr.list_instances(mask=object_mask, hourly=True):
    print vsi
```

Parameters

- **hourly** (*boolean*) – include hourly instances
- **monthly** (*boolean*) – include monthly instances
- **tags** (*list*) – filter based on list of tags
- **cpus** (*integer*) – filter based on number of CPUS
- **memory** (*integer*) – filter based on amount of memory
- **hostname** (*string*) – filter based on hostname
- **domain** (*string*) – filter based on domain
- **local_disk** (*string*) – filter based on local_disk
- **datacenter** (*string*) – filter based on datacenter
- **nic_speed** (*integer*) – filter based on network speed (in MBPS)
- **public_ip** (*string*) – filter based on public ip address
- **private_ip** (*string*) – filter based on private ip address
- **transient** (*boolean*) – filter on transient or non-transient instances
- ****kwargs** (*dict*) – response-level options (mask, limit, etc.)

Returns Returns a list of dictionaries representing the matching virtual servers

order_guest (*guest_object, test=False*)

Uses `Product_Order::placeOrder` to create a virtual guest.

Useful when creating a virtual guest with options not supported by `Virtual_Guest::createObject` specifically ipv6 support.

Parameters `guest_object` (*dictionary*) – See `SoftLayer.CLI.virt.create._parse_create_args`

Example:

```

new_vsi = {
    'domain': u'test01.labs.sftlyr.ws',
    'hostname': u'minion05',
    'datacenter': u'hkg02',
    'flavor': 'BL1_1X2X100'
    'dedicated': False,
    'private': False,
    'transient': False,
    'os_code' : u'UBUNTU_LATEST',
    'hourly': True,
    'ssh_keys': [1234],
    'disks': ('100', '25'),
    'local_disk': True,
    'tags': 'test, pleaseCancel',
    'public_security_groups': [12, 15],
    'ipv6': True
}

vsi = mgr.order_guest(new_vsi)
# vsi will have the newly created vsi receipt.
# vsi['orderDetails']['virtualGuests'] will be an array of created Guests
print vsi

```

reload_instance (*instance_id*, *post_uri=None*, *ssh_keys=None*, *image_id=None*)

Perform an OS reload of an instance.

Parameters

- **instance_id** (*integer*) – the instance ID to reload
- **post_url** (*string*) – The URI of the post-install script to run after reload
- **ssh_keys** (*list*) – The SSH keys to add to the root user
- **image_id** (*int*) – The GUID of the image to load onto the server

Warning: This will reformat the primary drive. Post-provision script MUST be HTTPS for it to be executed.

Example:

```

# Reload instance ID 12345 then run a custom post-provision script.
# Post-provision script MUST be HTTPS for it to be executed.
post_uri = 'https://somehost.com/bootstrap.sh'
vsi = mgr.reload_instance(12345, post_uri=post_url)

```

rescue (*instance_id*)

Reboot a VSI into the Xen rescue kernel.

Parameters **instance_id** (*integer*) – the instance ID to rescue

Returns bool – True or an Exception

Example:: # Puts instance 12345 into rescue mode result = mgr.rescue(instance_id=12345)

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly ‘identifier’ can be depends on the resolvers

Parameters `identifier` (*string*) – identifying string

Returns list

set_tags (*tags, guest_id*)

Sets tags on a guest with a retry decorator

Just calls `guest.setTags`, but if it fails from an `APIError` will retry

upgrade (*instance_id, cpus=None, memory=None, nic_speed=None, public=True, preset=None*)

Upgrades a VS instance.

Example:

```
# Upgrade instance 12345 to 4 CPUs and 4 GB of memory
import SoftLayer
client = SoftLayer.create_client_from_env()
mgr = SoftLayer.VSManager(client)
mgr.upgrade(12345, cpus=4, memory=4)
```

Parameters

- **instance_id** (*int*) – Instance id of the VS to be upgraded
- **cpus** (*int*) – The number of virtual CPUs to upgrade to of a VS instance.
- **preset** (*string*) – preset assigned to the vsi
- **memory** (*int*) – RAM of the VS to be upgraded to.
- **nic_speed** (*int*) – The port speed to set
- **public** (*bool*) – CPU will be in Private/Public Node.

Returns bool

verify_create_instance (***kwargs*)

Verifies an instance creation command.

Without actually placing an order. See `create_instance()` for a list of available options.

Example:

```
new_vsi = {
    'domain': u'test01.labs.sftlyr.ws',
    'hostname': u'minion05',
    'datacenter': u'hkg02',
    'flavor': 'BL1_1X2X100'
    'dedicated': False,
    'private': False,
    'transient': False,
    'os_code' : u'UBUNTU_LATEST',
    'hourly': True,
    'ssh_keys': [1234],
    'disks': ('100', '25'),
    'local_disk': True,
    'tags': 'test, pleaseCancel',
    'public_security_groups': [12, 15]
}

vsi = mgr.verify_create_instance(**new_vsi)
# vsi will be a SoftLayer_Container_Product_Order_Virtual_Guest
```

(continues on next page)

(continued from previous page)

```
# if your order is correct. Otherwise you will get an exception
print vsi
```

wait_for_ready (*instance_id*, *limit=3600*, *delay=10*, *pending=False*)

Determine if a VS is ready and available.

In some cases though, that can mean that no transactions are running. The default arguments imply a VS is operational and ready for use by having network connectivity and remote access is available. Setting `pending=True` will ensure future API calls against this instance will not error due to pending transactions such as OS Reloads and cancellations.

Parameters

- **instance_id** (*int*) – The instance ID with the pending transaction
- **limit** (*int*) – The maximum amount of seconds to wait.
- **delay** (*int*) – The number of seconds to sleep before checks. Defaults to 10.
- **pending** (*bool*) – Wait for pending transactions not related to provisioning or reloads such as monitoring.

Example:

```
# Will return once vsi 12345 is ready, or after 10 checks
ready = mgr.wait_for_ready(12345, 10)
```

wait_for_transaction (*instance_id*, *limit*, *delay=10*)

Waits on a VS transaction for the specified amount of time.

This is really just a wrapper for `wait_for_ready(pending=True)`. Provided for backwards compatibility.

Parameters

- **instance_id** (*int*) – The instance ID with the pending transaction
- **limit** (*int*) – The maximum amount of time to wait.
- **delay** (*int*) – The number of seconds to sleep before checks. Defaults to 10.

3.2.21 SoftLayer.vs_capacity

Reserved Capacity Manager and helpers

license MIT, see License for more details.

class `SoftLayer.managers.vs_capacity.CapacityManager` (*client*, *ordering_manager=None*)

Manages SoftLayer Reserved Capacity Groups.

Product Information

- https://console.bluemix.net/docs/vsi/vsi_about_reserved.html
- https://softlayer.github.io/reference/services/SoftLayer_Virtual_ReservedCapacityGroup/
- https://softlayer.github.io/reference/services/SoftLayer_Virtual_ReservedCapacityGroup_Instance/

Parameters

- **client** (*SoftLayer.API.BaseClient*) – the client instance

- **ordering_manager** (*SoftLayer.managers.OrderingManager*) – an optional manager to handle ordering. If none is provided, one will be auto initialized.

create (*name, backend_router_id, flavor, instances, test=False*)

Orders a Virtual_ReservedCapacityGroup

Parameters

- **name** (*string*) – Name for the new reserved capacity
- **backend_router_id** (*int*) – This selects the pod. See create_options for a list
- **flavor** (*string*) – Capacity KeyName, see create_options for a list
- **instances** (*int*) – Number of guest this capacity can support
- **test** (*bool*) – If True, don't actually order, just test.

create_guest (*capacity_id, test, guest_object*)

Turns an empty Reserve Capacity into a real Virtual Guest

Parameters

- **capacity_id** (*int*) – ID of the RESERVED_CAPACITY_GROUP to create this guest into
- **test** (*bool*) – True will use verifyOrder, False will use placeOrder
- **guest_object** (*dictionary*) – Below is the minimum info you need to send in guest_object = { 'domain': 'test.com', 'hostname': 'A1538172419', 'os_code': 'UBUNTU_LATEST_64', 'primary_disk': '25', }

get_available_routers (*dc=None*)

Pulls down all backendRouterIds that are available

Parameters **dc** (*string*) – A specific location to get routers for, like 'dal13'.

Returns list A list of locations where RESERVED_CAPACITY can be ordered.

get_create_options ()

List available reserved capacity plans

get_object (*identifier, mask=None*)

Get a Reserved Capacity Group

Parameters

- **identifier** (*int*) – Id of the SoftLayer_Virtual_ReservedCapacityGroup
- **mask** (*string*) – override default object Mask

list ()

List Reserved Capacities

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters **identifier** (*string*) – identifying string

Returns list

3.2.22 SoftLayer.vs_placement

Placement Group Manager

license MIT, see License for more details.

class `SoftLayer.managers.vs_placement.PlacementManager` (*client*)

Manages SoftLayer Reserved Capacity Groups.

Product Information

- https://console.test.cloud.ibm.com/docs/vsi/vsi_placegroup.html#placement-groups
- https://softlayer.github.io/reference/services/SoftLayer_Account/getPlacementGroups/
- https://softlayer.github.io/reference/services/SoftLayer_Virtual_PlacementGroup_Rule/

Existing instances cannot be added to a placement group. You can only add a virtual server instance to a placement group at provisioning. To remove an instance from a placement group, you must delete or reclaim the instance.

Parameters `client` (*SoftLayer.API.BaseClient*) – the client instance

create (*placement_object*)

Creates a placement group

A `placement_object` is defined as:

```
placement_object = {
    'backendRouterId': 12345,
    'name': 'Test Name',
    'ruleId': 12345
}
```

- https://softlayer.github.io/reference/datatypes/SoftLayer_Virtual_PlacementGroup/

Parameters `placement_object` (*dictionary*) –

delete (*group_id*)

Deletes a PlacementGroup

Placement group must be empty to be deleted. https://softlayer.github.io/reference/services/SoftLayer_Virtual_PlacementGroup/deleteObject

get_all_rules ()

Returns all available rules for creating a placement group

get_backend_router_id_from_hostname (*hostname*)

Finds the backend router Id that matches the hostname given

No way to use an objectFilter to find a backendRouter, so we have to search the hard way.

get_object (*group_id*, *mask=None*)

Returns a PlacementGroup Object

https://softlayer.github.io/reference/services/SoftLayer_Virtual_PlacementGroup/getObject

get_routers ()

Calls `SoftLayer_Virtual_PlacementGroup::getAvailableRouters()`

get_rule_id_from_name (*name*)

Finds the rule that matches name.

SoftLayer_Virtual_PlacementGroup_Rule.getAllObjects doesn't support objectFilters.

list (*mask=None*)

List existing placement groups

Calls SoftLayer_Account::getPlacementGroups

resolve_ids (*identifier*)

Takes a string and tries to resolve to a list of matching ids.

What exactly 'identifier' can be depends on the resolvers

Parameters *identifier* (*string*) – identifying string

Returns list

If you need more power or functionality than the managers provide, you can make direct API calls as well.

3.3 Making API Calls

For full control over your account and services, you can directly call the SoftLayer API. The SoftLayer API client for python leverages SoftLayer's XML-RPC API. It supports authentication, object masks, object filters, limits, offsets, and retrieving objects by id. The following section assumes you have an initialized client named 'client'.

The best way to test our setup is to call the `getObject` method on the `SoftLayer_Account` service.

```
client.call('Account', 'getObject')
```

For a more complex example we'll retrieve a support ticket with id 123456 along with the ticket's updates, the user it's assigned to, the servers attached to it, and the datacenter those servers are in. To retrieve our extra information using an `object mask`.

Retrieve a ticket using object masks.

```
ticket = client.call('Ticket', 'getObject',  
                    id=123456, mask="updates, assignedUser, attachedHardware.datacenter")
```

Now add an update to the ticket with `Ticket.addUpdate`. This uses a parameter, which translate to positional arguments in the order that they appear in the API docs.

```
update = client.call('Ticket', 'addUpdate', {'entry' : 'Hello!'}, id=123456)
```

Let's get a listing of virtual guests using the domain example.com

```
client.call('Account', 'getVirtualGuests',  
           filter={'virtualGuests': {'domain': {'operation': 'example.com'}}})
```

This call gets tickets created between the beginning of March 1, 2013 and March 15, 2013. More information on `Object Filters`.

NOTE The *value* field for `startDate` and `endDate` is in `[/]`, if you do not put the date in brackets the filter will not work.

```
client.call('Account', 'getTickets',  
           filter={  
             'tickets': {
```

(continues on next page)

(continued from previous page)

```

        'createDate': {
            'operation': 'betweenDate',
            'options': [
                {'name': 'startDate', 'value': ['03/01/2013 0:0:0']},
                {'name': 'endDate', 'value': ['03/15/2013 23:59:59']}
            ]
        }
    }
}
)

```

SoftLayer's XML-RPC API also allows for pagination.

```

from pprint import pprint

page1 = client.call('Account', 'getVirtualGuests', limit=10, offset=0) # Page 1
page2 = client.call('Account', 'getVirtualGuests', limit=10, offset=10) # Page 2

#Automatic Pagination (v5.5.3+), default limit is 100
result = client.call('Account', 'getVirtualGuests', iter=True, limit=10)
pprint(result)

# Using a python generator, default limit is 100
results = client.iter_call('Account', 'getVirtualGuests', limit=10)
for result in results:
    pprint(result)

```

NOTE `client.call(iter=True)` will pull all results, then return. `client.iter_call()` will return a generator, and only make API calls as you iterate over the results.

Here's how to create a new Cloud Compute Instance using `SoftLayer_Virtual_Guest.createObject`. Be warned, this call actually creates an hourly virtual server so this will have billing implications.

```

client.call('Virtual_Guest', 'createObject', {
    'hostname': 'myhostname',
    'domain': 'example.com',
    'startCpus': 1,
    'maxMemory': 1024,
    'hourlyBillingFlag': 'true',
    'operatingSystemReferenceCode': 'UBUNTU_LATEST',
    'localDiskFlag': 'false'
})

```

3.4 Debugging

If you ever need to figure out what exact API call the client is making, you can do the following:

NOTE the `print_reproducible` method produces different output for REST and XML-RPC endpoints. If you are using REST, this will produce a CURL call. IF you are using XML-RPC, it will produce some pure python code you can use outside of the SoftLayer library.

```

# Setup the client as usual
client = SoftLayer.Client()
# Create an instance of the DebugTransport, which logs API calls

```

(continues on next page)

(continued from previous page)

```

debugger = SoftLayer.DebugTransport(client.transport)
# Set that as the default client transport
client.transport = debugger
# Make your API call
client.call('Account', 'getObject')

# Print out the reproduceable call
for call in client.transport.get_last_calls():
    print(client.transport.print_reproduceable(call))

```

3.5 API Reference

3.5.1 SoftLayer Python API Client

SoftLayer API bindings

Usage:

```

>>> import SoftLayer
>>> client = SoftLayer.create_client_from_env(username="username",
                                             api_key="api_key")
>>> resp = client.call('Account', 'getObject')
>>> resp['companyName']
'Your Company'

```

license MIT, see LICENSE for more details.

class `SoftLayer.BaseClient` (*auth=None, transport=None*)
Base SoftLayer API client.

Parameters

- **auth** – auth driver that looks like `SoftLayer.auth.AuthenticationBase`
- **transport** – An object that's callable with this signature: `transport(SoftLayer.transports.Request)`

authenticate_with_password (*username, password, security_question_id=None, security_question_answer=None*)
Performs Username/Password Authentication

Parameters

- **username** (*string*) – your SoftLayer username
- **password** (*string*) – your SoftLayer password
- **security_question_id** (*int*) – The security question id to answer
- **security_question_answer** (*string*) – The answer to the security question

call (*service, method, *args, **kwargs*)
Make a SoftLayer API call.

Parameters

- **method** – the method to call on the service
- ***args** – (optional) arguments for the remote call

- **id** – (optional) id for the resource
- **mask** – (optional) object mask
- **filter** (*dict*) – (optional) filter dict
- **headers** (*dict*) – (optional) optional XML-RPC headers
- **compress** (*boolean*) – (optional) Enable/Disable HTTP compression
- **raw_headers** (*dict*) – (optional) HTTP transport headers
- **limit** (*int*) – (optional) return at most this many results
- **offset** (*int*) – (optional) offset results by this many
- **iter** (*boolean*) – (optional) if True, returns a generator with the results
- **verify** (*bool*) – verify SSL cert
- **cert** – client certificate path

Usage:

```
>>> import SoftLayer
>>> client = SoftLayer.create_client_from_env()
>>> client.call('Account', 'getVirtualGuests', mask="id", limit=10)
[...]
```

iter_call (*service, method, *args, **kwargs*)

A generator that deals with paginating through results.

Parameters

- **service** – the name of the SoftLayer API service
- **method** – the method to call on the service
- **limit** (*integer*) – result size for each API call (defaults to 100)
- ***args** – same optional arguments that `Service.call` takes
- ****kwargs** – same optional keyword arguments that `Service.call` takes

`SoftLayer.create_client_from_env` (*username=None, api_key=None, endpoint_url=None, timeout=None, auth=None, config_file=None, proxy=None, user_agent=None, transport=None, verify=True*)

Creates a SoftLayer API client using your environment.

Settings are loaded via keyword arguments, environemtal variables and config file.

Parameters

- **username** – an optional API username if you wish to bypass the package’s built-in username
- **api_key** – an optional API key if you wish to bypass the package’s built in API key
- **endpoint_url** – the API endpoint base URL you wish to connect to. Set this to `API_PRIVATE_ENDPOINT` to connect via SoftLayer’s private network.
- **proxy** – proxy to be used to make API calls
- **timeout** (*integer*) – timeout for API requests
- **auth** – an object which responds to `get_headers()` to be inserted into the xml-rpc headers. Example: `BasicAuthentication`

- **config_file** – A path to a configuration file used to load settings
- **user_agent** – an optional User Agent to report when making API calls if you wish to bypass the packages built in User Agent string
- **transport** – An object that's callable with this signature: `transport(SoftLayer.transports.Request)`
- **verify** (*bool*) – decide to verify the server's SSL/TLS cert. DO NOT SET TO FALSE WITHOUT UNDERSTANDING THE IMPLICATIONS.

Usage:

```
>>> import SoftLayer
>>> client = SoftLayer.create_client_from_env()
>>> resp = client.call('Account', 'getObject')
>>> resp['companyName']
'Your Company'
```

`SoftLayer.Client` (***kwargs*)

Get a SoftLayer API Client using environmental settings.

Deprecated in favor of `create_client_from_env()`

class `SoftLayer.BasicAuthentication` (*username, api_key*)

Token-based authentication class.

Parameters

- **str** (*api_key*) – a user's username
- **str** – a user's API key

get_request (*request*)

Sets token-based auth headers.

exception `SoftLayer.SoftLayerError`

The base SoftLayer error.

exception `SoftLayer.SoftLayerAPIError` (*fault_code, fault_string, *args*)

`SoftLayerAPIError` is an exception raised during API errors.

Provides `faultCode` and `faultString` properties.

class `SoftLayer.SoftLayerListResult` (*items=None, total_count=0*)

A SoftLayer API list result.

total_count = `None`

total count of items that exist on the server. This is useful when paginating through a large list of objects.

Command-line Interface

The SoftLayer command line interface is available via the *slcli* command available in your *PATH*. The *slcli* command is a reference implementation of SoftLayer API bindings for python and how to efficiently make API calls. See the *Usage Examples* section to see how to discover all of the functionality not fully documented here.

4.1 Account Commands

4.1.1 account summary

Prints some various bits of information about an account

```
account summary [OPTIONS]
```

4.1.2 account events

Summary and acknowledgement of upcoming and ongoing maintenance events

```
account events [OPTIONS]
```

Options

--ack-all

Acknowledge every upcoming event. Doing so will turn off the popup in the control portal

4.1.3 account event-detail

Details of a specific event, and ability to acknowledge event.

```
account event-detail [OPTIONS] IDENTIFIER
```

Options

--ack

Acknowledge Event. Doing so will turn off the popup in the control portal

Arguments

IDENTIFIER

Required argument

4.1.4 account invoices

List invoices

```
account invoices [OPTIONS]
```

Options

--limit <limit>

How many invoices to get back. [default: 50]

--closed

Include invoices with a CLOSED status. [default: False]

--all

Return ALL invoices. There may be a lot of these. [default: False]

4.1.5 account invoice-detail

Invoice details

```
account invoice-detail [OPTIONS] IDENTIFIER
```

Options

--details

Shows a very detailed list of charges [default: False]

Arguments

IDENTIFIER

Required argument

4.2 Autoscale Commands

These commands were added in version 5.8.1

For making changes to the triggers or the autoscale group itself, see the [Autoscale Portal](#)

- [Autoscale Product](#)
- [Autoscale Documentation](#)
- [Autoscale Portal](#)

4.2.1 autoscale list

List AutoScale Groups.

```
autoscale list [OPTIONS]
```

4.2.2 autoscale detail

Get details of an Autoscale groups.

```
autoscale detail [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.2.3 autoscale scale

Scales an Autoscale group. Bypasses a scale group's cooldown period.

```
autoscale scale [OPTIONS] IDENTIFIER
```

Options

--up, --down

'-up' adds guests, '-down' removes guests.

--by, --to

'-by' will add/remove the specified number of guests. '-to' will add/remove a number of guests to get the group's guest count to the specified number. [required]

--amount <amount>

Number of guests for the scale action. [required]

Arguments

IDENTIFIER

Required argument

4.2.4 autoscale logs

Retrieve logs for an autoscale group

```
autoscale logs [OPTIONS] IDENTIFIER
```

Options

-d, --date-min <date_min>
Earliest date to retrieve logs for.

Arguments

IDENTIFIER
Required argument

4.2.5 autoscale tag

Tags all guests in an autoscale group.

-tags "Use, quotes, if you, want whitespace"
-tags Otherwise,Just,commas

```
autoscale tag [OPTIONS] IDENTIFIER
```

Options

-g, --tags <tags>
Tags to set for each guest in this group. Existing tags are overwritten. An empty string will remove all tags

Arguments

IDENTIFIER
Required argument

4.2.6 autoscale edit

Edits an Autoscale group.

```
autoscale edit [OPTIONS] IDENTIFIER
```

Options

--name <name>
Scale group's name.

--min <minimum>
Set the minimum number of guests

- max** <maximum>
Set the maximum number of guests
- userdata** <userdata>
User defined metadata string
- F, --userfile** <userfile>
Read userdata from a file
- cpu** <cpu>
Number of CPUs for new guests (existing not effected)
- memory** <memory>
RAM in MB or GB for new guests (existing not effected)

Arguments

- IDENTIFIER**
Required argument

4.3 Call API

4.3.1 call-api

Call arbitrary API endpoints with the given SERVICE and METHOD.

Example:

```
slcli call-api Account getObject
slcli call-api Account getVirtualGuests --limit=10 --mask=id,hostname
slcli call-api Virtual_Guest getObject --id=12345
slcli call-api Metric_Tracking_Object getBandwidthData --id=1234 \
    "2015-01-01 00:00:00" "2015-01-1 12:00:00" public
slcli call-api Account getVirtualGuests \
    -f 'virtualGuests.datacenter.name=dal05' \
    -f 'virtualGuests.maxCpu=4' \
    --mask=id,hostname,datacenter.name,maxCpu
slcli call-api Account getVirtualGuests \
    -f 'virtualGuests.datacenter.name IN dal05,sng01'
```

```
call-api [OPTIONS] SERVICE METHOD [PARAMETERS]...
```

Options

- id** <_id>
Init parameter
- f, --filter** <_filters>
Object filters. This should be of the form: 'property=value' or 'nested.property=value'. Complex filters like betweenDate are not currently supported. (multiple occurrence permitted)
- mask** <mask>
String-based object mask

--limit <limit>
Result limit

--offset <offset>
Result offset

--output-python, --no-output-python
Show python example code instead of executing the call

Arguments

SERVICE
Required argument

METHOD
Required argument

PARAMETERS
Optional argument(s)

4.4 Interacting with CDN

4.4.1 cdn detail

Detail a CDN Account.

```
cdn detail [OPTIONS] UNIQUE_ID
```

Options

--history <history>
Bandwidth, Hits, Ratio counted over history number of days ago. 89 is the maximum.

Arguments

UNIQUE_ID
Required argument

4.4.2 cdn list

List all CDN accounts.

```
cdn list [OPTIONS]
```

Options

--sortby <sortby>
Column to sort by

Options unique_id|domain|origin|vendor|cname|status

4.4.3 cdn origin-add

Create an origin path for an existing CDN mapping.

For more information see the following documentation:

<https://cloud.ibm.com/docs/infrastructure/CDN?topic=CDN-manage-your-cdn#adding-origin-path-details>

```
cdn origin-add [OPTIONS] UNIQUE_ID ORIGIN PATH
```

Options

- t, --origin-type** <origin_type>
The origin type. [default: server]
Options server|storage
- H, --header** <header>
The host header to communicate with the origin.
- b, --bucket-name** <bucket_name>
The name of the available resource [required if --origin-type=storage]
- p, --port** <port>
The http port number. [default: 80]
- P, --protocol** <protocol>
The protocol used by the origin. [default: http]
- o, --optimize-for** <optimize_for>
Performance configuration [default: web]
Options web|video|file
- e, --extensions** <extensions>
File extensions that can be stored in the CDN, example: 'jpg, png, pdf'
- c, --cache-query** <cache_query>
Cache query rules with the following formats: 'ignore-all', 'include: <query-names>', 'ignore: <query-names>' [default: include-all]

Arguments

- UNIQUE_ID**
Required argument
- ORIGIN**
Required argument
- PATH**
Required argument

4.4.4 cdn origin-list

List origin path for an existing CDN mapping.

```
cdn origin-list [OPTIONS] UNIQUE_ID
```

Arguments

UNIQUE_ID

Required argument

4.4.5 cdn origin-remove

Removes an origin path for an existing CDN mapping.

```
cdn origin-remove [OPTIONS] UNIQUE_ID ORIGIN_PATH
```

Arguments

UNIQUE_ID

Required argument

ORIGIN_PATH

Required argument

4.4.6 cdn purge

Creates a purge record and also initiates the purge call.

Example: `slcli cdn purge 9779455 /article/file.txt`

For more information see the following documentation:

<https://cloud.ibm.com/docs/infrastructure/CDN?topic=CDN-manage-your-cdn#purging-cached-content>

```
cdn purge [OPTIONS] UNIQUE_ID PATH
```

Arguments

UNIQUE_ID

Required argument

PATH

Required argument

4.5 Config

Creating an IBMID apikey IBMId for services

Creating a SoftLayer apikey

4.5.1 config setup

Setup the `~/.softlayer` file with username and apikey.

Set the username to 'apikey' for cloud.ibm.com accounts.

```
config setup [OPTIONS]
```

4.5.2 config show

Show current configuration.

```
config show [OPTIONS]
```

4.6 Event-Log Commands

4.6.1 event-log get

Get Event Logs

Example: `slcli event-log get -d 01/01/2019 -D 02/01/2019 -t User -l 10`

```
event-log get [OPTIONS]
```

Options

- d, --date-min** <date_min>
The earliest date we want to search for event logs in mm/dd/yyyy format.
- D, --date-max** <date_max>
The latest date we want to search for event logs in mm/dd/yyyy format.
- e, --obj-event** <obj_event>
The event we want to get event logs for
- i, --obj-id** <obj_id>
The id of the object we want to get event logs for
- t, --obj-type** <obj_type>
The type of the object we want to get event logs for
- z, --utc-offset** <utc_offset>
UTC Offset for searching with dates. +/-HHMM format [default: -0000]
- metadata, --no-metadata**
Display metadata if present [default: False]
- l, --limit** <limit>
Total number of result to return. -1 to return ALL, there may be a LOT of these. [default: 50]

There are usually quite a few events on an account, so be careful when using the `-limit -1` option. The command will automatically break requests out into smaller sub-requests, but this command may take a very long time to complete. It will however print out data as it comes in.

4.6.2 event-log types

Get Event Log Types

```
event-log types [OPTIONS]
```

Currently the types are as follows, more may be added in the future.

```
.....:
:      types      :
:      Account    :
:      CDN        :
:      User       :
: Bare Metal Instance :
: API Authentication :
:      Server     :
:      CCI       :
:      Image      :
:      Bluemix LB  :
:      Facility   :
: Cloud Object Storage :
:      Security Group :
:.....:
```

4.7 Interacting with Hardware

4.7.1 hw bandwidth

Bandwidth data over date range. Bandwidth is listed in GB

Using just a date might get you times off by 1 hour, use T00:01 to get just the specific days data Timezones can also be included with the YYYY-MM-DDTHH:mm:ss.00000-HH:mm format.

Due to some rounding and date alignment details, results here might be slightly different than results in the control portal.

Example:

```
slcli hw bandwidth 1234 -s 2019-05-01T00:01 -e 2019-05-02T00:00:01.00000-12:00
```

```
hw bandwidth [OPTIONS] IDENTIFIER
```

Options

- s, --start_date** <start_date>
Start Date YYYY-MM-DD, YYYY-MM-DDTHH:mm:ss, [required]
- e, --end_date** <end_date>
End Date YYYY-MM-DD, YYYY-MM-DDTHH:mm:ss [required]
- p, --summary_period** <summary_period>
300, 600, 1800, 3600, 43200 or 86400 seconds [default: 3600]
- q, --quite_summary**
Only show the summary table [default: False]

Arguments

IDENTIFIER

Required argument

4.7.2 hw cancel-reasons

Display a list of cancellation reasons.

```
hw cancel-reasons [OPTIONS]
```

4.7.3 hw cancel

Cancel a dedicated server.

```
hw cancel [OPTIONS] IDENTIFIER
```

Options

--immediate

Cancels the server immediately (instead of on the billing anniversary)

--comment <comment>

An optional comment to add to the cancellation ticket

--reason <reason>

An optional cancellation reason. See cancel-reasons for a list of available options

Arguments

IDENTIFIER

Required argument

4.7.4 hw create-options

Server order options for a given chassis.

```
hw create-options [OPTIONS]
```

4.7.5 hw create

Order/create a dedicated server.

```
hw create [OPTIONS]
```

Options

- H, --hostname** <hostname>
Host portion of the FQDN [required]
- D, --domain** <domain>
Domain portion of the FQDN [required]
- s, --size** <size>
Hardware size [required]
- o, --os** <os>
OS install code [required]
- d, --datacenter** <datacenter>
Datacenter shortname [required]
- port-speed** <port_speed>
Port speeds [required]
- billing** <billing>
Billing rate [default: hourly]
Options hourly|monthly
- i, --postinstall** <postinstall>
Post-install script to download
- k, --key** <key>
SSH keys to add to the root user (multiple occurrence permitted)
- no-public**
Private network only
- e, --extra** <extra>
Extra options (multiple occurrence permitted)
- test**
Do not actually create the server
- t, --template** <template>
A template file that defaults the command-line options
- export** <export>
Exports options to a template file
- wait** <wait>
Wait until the server is finished provisioning for up to X seconds before returning

Provides some basic functionality to order a server. *slcli order* has a more full featured method of ordering servers. This command only supports the FAST_PROVISION type.

4.7.6 hw credentials

List server credentials.

```
hw credentials [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.7.7 hw detail

Get details for a hardware device.

```
hw detail [OPTIONS] IDENTIFIER
```

Options

--passwords

Show passwords (check over your shoulder!)

--price

Show associated prices

Arguments

IDENTIFIER

Required argument

4.7.8 hw edit

Edit hardware details.

```
hw edit [OPTIONS] IDENTIFIER
```

Options

-D, --domain <domain>

Domain portion of the FQDN

-F, --userfile <userfile>

Read userdata from file

-g, --tag <tag>

Tags to set or empty string to remove all

-H, --hostname <hostname>

Host portion of the FQDN

-u, --userdata <userdata>

User defined metadata string

--public-speed <public_speed>

Public port speed. -1 is best speed available

Options 0|10|100|1000|10000|-1

--private-speed <private_speed>

Private port speed. -1 is best speed available

Options 0|10|100|1000|10000|-1

Arguments

IDENTIFIER

Required argument

When setting port speed, use “-1” to indicate best possible configuration. Using 10/100/1000/10000 on a server with a redundant interface may result the interface entering a degraded state. See [setPublicNetworkInterfaceSpeed](#) for more information.

4.7.9 hw list

List hardware servers.

```
hw list [OPTIONS]
```

Options

- c, --cpu** <cpu>
Filter by number of CPU cores
- D, --domain** <domain>
Filter by domain
- d, --datacenter** <datacenter>
Filter by datacenter
- H, --hostname** <hostname>
Filter by hostname
- m, --memory** <memory>
Filter by memory in gigabytes
- n, --network** <network>
Filter by network port speed in Mbps
- tag** <tag>
Filter by tags (multiple occurrence permitted)
- sortby** <sortby>
Column to sort by [default: hostname]
- columns** <columns>
Columns to display. [options: guid, primary_ip, backend_ip, datacenter, action, created_by, tags] [default: id,hostname,primary_ip,backend_ip,datacenter,action]
- l, --limit** <limit>
How many results to get in one api call, default is 100 [default: 100]

4.7.10 hw power-cycle

Power cycle a server.

```
hw power-cycle [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.7.11 hw power-off

Power off an active server.

```
hw power-off [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.7.12 hw power-on

Power on a server.

```
hw power-on [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.7.13 hw reboot

Reboot an active server.

```
hw reboot [OPTIONS] IDENTIFIER
```

Options

--hard, --soft

Perform a hard or soft reboot

Arguments

IDENTIFIER

Required argument

4.7.14 hw reload

Reload operating system on a server.

```
hw reload [OPTIONS] IDENTIFIER
```

Options

- i, --postinstall** <postinstall>
Post-install script to download (Only HTTPS executes, HTTP leaves file in /root)
- k, --key** <key>
SSH keys to add to the root user (multiple occurrence permitted)

Arguments

IDENTIFIER
Required argument

4.7.15 hw rescue

Reboot server into a rescue image.

```
hw rescue [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER
Required argument

4.7.16 hw reflash-firmware

Reflash server firmware.

```
hw reflash-firmware [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER
Required argument

Reflash here means the current version of the firmware running on your server will be re-flashed onto the selected hardware. This does require a reboot. See *slcli hw update-firmware* if you want the newest version.

4.7.17 hw update-firmware

Update server firmware.

```
hw update-firmware [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

This function updates the firmware of a server. If already at the latest version, no software is installed.

4.7.18 hw toggle-ipmi

Toggle the IPMI interface on and off

```
hw toggle-ipmi [OPTIONS] IDENTIFIER
```

Options

--enable, --disable

Whether enable (DEFAULT) or disable the interface.

Arguments

IDENTIFIER

Required argument

4.7.19 hw ready

Check if a server is ready.

```
hw ready [OPTIONS] IDENTIFIER
```

Options

--wait <wait>

Seconds to wait [default: 0]

Arguments

IDENTIFIER

Required argument

(continued from previous page)

```

:           phase 1 key life : 240           :
:           phase 2 authentication : MD5           :
:           phase 2 diffie hellman group : 1           :
:           phase 2 encryption : DES           :
:           phase 2 key life : 240           :
: phase 2 perfect forward secrecy : 1           :
:           created : 2012-03-05T14:07:34-06:00 :
:           modified : 2017-05-17T12:01:33-06:00 :
:.....:
Address Translations:
:.....:
↔.....:
:  id : static IP address : static IP address id : remote IP address : remote IP_
↔address id :      note      :
:.....:
↔.....:
: 15920 : 10.1.249.86 : 9791681 : 158.85.80.22 : 98828_
↔      : windows server :
: 15918 : 10.1.249.84 : 9791679 : 158.85.80.20 : 98824_
↔      : unix server :
:.....:
↔.....:
Internal Subnets:
:.....:
:  id : network identifier : cidr : note :
:.....:
: 180767 : 10.28.67.128 : 26 : :
:.....:
Remote Subnets:
:.....:
:  id : network identifier : cidr : note :
:.....:
: 7852 : 158.85.80.20 : 30 : :
:.....:
Static Subnets:
:.....:
:  id : network identifier : cidr : note :
:.....:
: 231807 : 10.1.249.84 : 30 : :
:.....:
Service Subnets:
:.....:
:  id : network identifier : cidr : note :
:.....:
: 162079 : 10.0.80.0 : 25 : :
:.....:

```

4.8.3 ipsec update

Most values listed in the tunnel context detail printout can be modified using the `ipsec update` command. The following is given when executing with the `-h|--help` option and highlights all properties that may be modified.

```

$ slcli ipsec update -h
Usage: slcli ipsec update [OPTIONS] CONTEXT_ID

```

(continues on next page)

(continued from previous page)

```

Update tunnel context properties.

Updates are made atomically, so either all are accepted or none are.

Key life values must be in the range 120-172800.

Phase 2 perfect forward secrecy must be in the range 0-1.

A separate configuration request should be made to realize changes on
network devices.

Options:
--friendly-name TEXT           Friendly name value
--remote-peer TEXT             Remote peer IP address value
--preshared-key TEXT          Preshared key value
--p1-auth, --phase1-auth [MD5|SHA1|SHA256]
                               Phase 1 authentication value
--p1-crypto, --phase1-crypto [DES|3DES|AES128|AES192|AES256]
                               Phase 1 encryption value
--p1-dh, --phase1-dh [0|1|2|5] Phase 1 diffie hellman group value
--p1-key-ttl, --phase1-key-ttl INTEGER RANGE
                               Phase 1 key life value
--p2-auth, --phase2-auth [MD5|SHA1|SHA256]
                               Phase 2 authentication value
--p2-crypto, --phase2-crypto [DES|3DES|AES128|AES192|AES256]
                               Phase 2 encryption value
--p2-dh, --phase2-dh [0|1|2|5] Phase 2 diffie hellman group value
--p2-forward-secrecy, --phase2-forward-secrecy INTEGER RANGE
                               Phase 2 perfect forward secrecy value
--p2-key-ttl, --phase2-key-ttl INTEGER RANGE
                               Phase 2 key life value
-h, --help                     Show this message and exit.

```

4.8.4 ipsec configure

A request to configure SoftLayer network devices for a given tunnel context can be issued using the `ipsec configure` command.

Note: Once a configuration request is received, the IPSEC tunnel context will be placed into an unmodifiable state, and further changes against the tunnel context will be prevented. Once configuration changes have been made, the tunnel context may again be modified. The unmodifiable state of a tunnel context is indicated by an *advanced configuration flag* value of 1.

4.8.5 ipsec subnet-add

Internal, remote and service subnets can be associated to an IPSEC tunnel context using the `ipsec subnet-add` command. Additionally, remote subnets can be created using this same command, which will then be associated to the targeted tunnel context.

Note: The targeted subnet type must be specified. A subnet id must be provided when associating internal and service subnets. Either a subnet id or a network identifier must be provided when associating remote subnets. If a network

identifier is provided when associating a remote subnet, that subnet will first be created and then associated to the tunnel context.

The following is an example of associating an internal subnet to a tunnel context.

```
$ slcli ipsec subnet-add 445 --subnet-id 180767 --subnet-type internal
Added internal subnet #180767
```

The following is an example of creating and associating a remote subnet to a tunnel context.

```
$ slcli ipsec subnet-add 445 --subnet-type remote --network 50.100.0.0/26
Created subnet 50.100.0.0/26 #21268
Added remote subnet #21268
```

4.8.6 ipsec subnet-remove

Internal, remote and service subnets can be disassociated from an IPSEC tunnel context via the `ipsec subnet-remove` command.

Note: The targeted subnet id and type must be specified. When disassociating remote subnets, that subnet record will also be deleted.

The following is an example of disassociating an internal subnet from a tunnel context.

```
$ slcli ipsec subnet-remove 445 --subnet-id 180767 --subnet-type internal
Removed internal subnet #180767
```

4.8.7 ipsec translation-add

Address translation entries can be added to a tunnel context to provide NAT functionality from a statically routed subnet associated with the tunnel context to a remote subnet. This action is performed with the `ipsec translation-add` command.

Note: Both static and remote IP address values must be specified. An optional note value may also be provided.

The following is an example of adding a new address translation entry.

```
$ slcli ipsec translation-add 445 --static-ip 10.1.249.87 --remote-ip 50.100.0.10 --
↳note 'email server'
Created translation from 10.1.249.87 to 50.100.0.10 #15922
```

4.8.8 ipsec translation-remove

Address translation entries can be removed using the `ipsec translation-remove` command.

The following is an example of removing an address translation entry.

```
$ slcli ipsec translation-remove 445 --translation-id 15922
Removed translation #15922
```

4.8.9 ipsec translation-update

Address translation entries may also be modified using the `ipsec translation-update` command.

The following is an example of updating an existing address translation entry.

```
$ slcli ipsec translation-update 445 --translation-id 15924 --static-ip 10.1.249.86 --  
→remote-ip 50.100.0.8 --note 'new email server'  
Updated translation #15924
```

4.9 LoadBalancers

These commands were added in version 5.8.0

4.9.1 LBaaS Commands

- [LBaaS Product](#)
- [LBaaS Documentation](#)

loadbal detail

Get Load Balancer as a Service details.

```
loadbal detail [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER
Required argument

loadbal list

List active Load Balancer as a Service devices.

```
loadbal list [OPTIONS]
```

loadbal health

Manage LBaaS health checks.

```
loadbal health [OPTIONS] IDENTIFIER
```

Options

- uuid** <uuid>
Health check UUID to modify. [required]
- i, --interval** <interval>
Seconds between checks. [2-60]
- r, --retry** <retry>
Number of times before marking as DOWN. [1-10]
- t, --timeout** <timeout>
Seconds to wait for a connection. [1-59]
- u, --url** <url>
Url path for HTTP/HTTPS checks.

Arguments

- IDENTIFIER**
Required argument

loadbal member-add

Add a new LBaaS members.

```
loadbal member-add [OPTIONS] IDENTIFIER
```

Options

- private, --public**
Private or public IP of the new member. [required]
- m, --member** <member>
Member IP address. [required]
- w, --weight** <weight>
Weight of this member.

Arguments

- IDENTIFIER**
Required argument

loadbal member-remote

Remove a LBaaS member.

Member UUID can be found from *slcli lb detail*.

```
loadbal member-remote [OPTIONS] IDENTIFIER
```

Options

-m, --member <member>
Member UUID [required]

Arguments

IDENTIFIER
Required argument

loadbal pool-add

Adds a listener to the identifier LB

```
loadbal pool-add [OPTIONS] IDENTIFIER
```

Options

-P, --frontProtocol <frontprotocol>
Protocol type to use for incoming connections [default: HTTP]

Options HTTP|HTTPS|TCP

-p, --backProtocol <backprotocol>
Protocol type to use when connecting to backend servers. Defaults to whatever **-frontProtocol** is.

Options HTTP|HTTPS|TCP

-f, --frontPort <frontport>
Internet side port [required]

-b, --backPort <backport>
Private side port [required]

-m, --method <method>
Balancing Method [default: ROUNDROBIN]

Options ROUNDROBIN|LEASTCONNECTION|WEIGHTED_RR

-c, --connections <connections>
Maximum number of connections to allow.

-s, --sticky
Make sessions sticky based on source_ip.

-x, --sslCert <sslcert>
SSL certificate ID. See *slcli ssl list*

Arguments

IDENTIFIER
Required argument

loadbal pool-edit

Updates a listener's configuration.

LISTENER should be a UUID, and can be found from *slcli lb detail <IDENTIFIER>*

```
loadbal pool-edit [OPTIONS] IDENTIFIER LISTENER
```

Options

-P, --frontProtocol <frontprotocol>
Protocol type to use for incoming connections

Options HTTP|HTTPS|TCP

-p, --backProtocol <backprotocol>
Protocol type to use when connecting to backend servers. Defaults to whatever **-frontProtocol** is.

Options HTTP|HTTPS|TCP

-f, --frontPort <frontport>
Internet side port

-b, --backPort <backport>
Private side port

-m, --method <method>
Balancing Method

Options ROUNDROBIN|LEASTCONNECTION|WEIGHTED_RR

-c, --connections <connections>
Maximum number of connections to allow.

-s, --sticky
Make sessions sticky based on source_ip.

-x, --sslCert <sslcert>
SSL certificate ID. See *slcli ssl list*

Arguments

IDENTIFIER
Required argument

LISTENER
Required argument

loadbal pool-delete

Removes the listener from identified LBaaS instance

LISTENER should be a UUID, and can be found from *slcli lb detail <IDENTIFIER>*

```
loadbal pool-delete [OPTIONS] IDENTIFIER LISTENER
```

Arguments

IDENTIFIER

Required argument

LISTENER

Required argument

loadbal l7pool-add

Adds a new l7 pool

-S is in colon delimited format to make grouping IP:port:weight a bit easier.

```
loadbal l7pool-add [OPTIONS] IDENTIFIER
```

Options

-n, --name <name>

Name for this L7 pool. [required]

-m, --method <method>

Balancing Method. [default: ROUNDROBIN]

Options ROUNDROBIN|LEASTCONNECTION|WEIGHTED_RR

-P, --protocol <protocol>

Protocol type to use for incoming connections [default: HTTP]

Options HTTP|HTTPS

-S, --server <server>

Backend servers that are part of this pool. Format is colon delimited. BACKEND_IP:PORT:WEIGHT. eg. 10.0.0.1:80:50 (multiple occurrence permitted) [required]

--healthPath <healthpath>

Health check path. [default: /]

--healthInterval <healthinterval>

Health check interval between checks. [default: 5]

--healthRetry <healthretry>

Health check number of times before marking as DOWN. [default: 2]

--healthTimeout <healthtimeout>

Health check timeout. [default: 2]

-s, --sticky

Make sessions sticky based on source_ip.

Arguments

IDENTIFIER

Required argument

loadbal l7pool-del

Deletes the identified pool

Identifier is L7Pool Id. NOT the UUID

```
loadbal l7pool-del [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

loadbal order

Creates a LB. Protocols supported are TCP, HTTP, and HTTPS.

```
loadbal order [OPTIONS]
```

Options

- n, --name** <name>
Label for this loadbalancer. [required]
- d, --datacenter** <datacenter>
Datacenter shortname (dal13). [required]
- l, --label** <label>
A descriptive label for this loadbalancer.
- f, --frontend** <frontend>
PROTOCOL:PORT string for incoming internet connections. [default: HTTP:80; required]
- b, --backend** <backend>
PROTOCOL:PORT string for connecting to backend servers. [default: HTTP:80; required]
- m, --method** <method>
Balancing Method. [default: ROUNDROBIN]
Options ROUNDROBIN|LEASTCONNECTION|WEIGHTED_RR
- s, --subnet** <subnet>
Private subnet Id to order the LB on. See *slcli lb order-options* [required]
- public**
Use a Public to Public loadbalancer. [default: False]
- verify**
Only verify an order, dont actually create one. [default: False]

loadbal order-options

Prints options for order a LBaaS

```
loadbal order-options [OPTIONS]
```

Options

-d, --datacenter <datacenter>
Show only selected datacenter, use shortname (dal13) format.

loadbal cancel

Cancels a LBaaS instance

```
loadbal cancel [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER
Required argument

4.9.2 NetScaler Commands

loadbal ns-detail

Get Netscaler details.

```
loadbal ns-detail [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER
Required argument

loadbal ns-list

List active Netscaler devices.

```
loadbal ns-list [OPTIONS]
```

4.10 Ordering

The Order *Command-line Interface* commands can be used to build an order for any product in the SoftLayer catalog.

The basic flow for ordering goes something like this...

1. package-list
2. category-list <package key name>
3. item-list <package key name>
4. place <package key name> <item key names> <location>

4.10.1 order package-list

List packages that can be ordered via the placeOrder API.

```
# List out all packages for ordering
slcli order package-list

# List out all packages with "server" in the name
slcli order package-list --keyword server

# Select only specifict package types
slcli order package-list --package_type BARE_METAL_CPU
```

```
order package-list [OPTIONS]
```

Options

--keyword <keyword>

A word (or string) used to filter package names.

--package_type <package_type>

The keyname for the type of package. BARE_METAL_CPU for example

Note:

- CLOUD_SERVER: These are Virtual Servers
- BARE_METAL_INSTANCE: Hourly Bare Metal
- BARE_METAL_SERVER: Other monthly server types
- *#_PROC_#_DRIVES*: Packages in this format will contain only this CPU model and Drive bays
- ADDITIONAL_PRODUCTS: Additional IPs, Vlans, SSL certs and other things are in here
- NETWORK_GATEWAY_APPLIANCE: Vyattas

Bluemix services listed here may still need to be ordered through the Bluemix CLI/Portal

4.10.2 order package-locations

List Datacenters a package can be ordered in.

Use the location Key Name to place orders

```
order package-locations [OPTIONS] PACKAGE_KEYNAME
```

Arguments

PACKAGE_KEYNAME

Required argument

4.10.3 order category-list

List the categories of a package.

```
# List the categories of Bare Metal servers
slcli order category-list BARE_METAL_SERVER

# List the required categories for Bare Metal servers
slcli order category-list BARE_METAL_SERVER --required
```

```
order category-list [OPTIONS] PACKAGE_KEYNAME
```

Options

--required

List only the required categories for the package

Arguments

PACKAGE_KEYNAME

Required argument

Shows all the available categories for a certain package, useful in finding the required categories. Categories that are required will need to have a corresponding item included with any orders

These are all the required categories for BARE_METAL_SERVER

```
$ slcli order category-list BARE_METAL_SERVER
:.....:.....:.....:
:      name      :      categoryCode      : isRequired :
:.....:.....:.....:
:      Server     :      server            :      Y      :
:      Operating System :      os                :      Y      :
:      RAM        :      ram                :      Y      :
:      Disk Controller :      disk_controller    :      Y      :
:      First Hard Drive :      disk0              :      Y      :
:      Public Bandwidth :      bandwidth          :      Y      :
:      Uplink Port Speeds :      port_speed         :      Y      :
:      Remote Management :      remote_management  :      Y      :
:      Primary IP Addresses :      pri_ip_addresses  :      Y      :
:      VPN Management - Private Network :      vpn_management     :      Y      :
:.....:.....:.....:
```

4.10.4 order item-list

List package items used for ordering.

The item keyNames listed can be used with *slcli order place* to specify the items that are being ordered in the package.

Note: Items with a numbered category, like `disk0` or `gpu0`, can be included multiple times in an order to match how many of the item you want to order.

```
# List all items in the VSI package
slcli order item-list CLOUD_SERVER

# List Ubuntu OSes from the os category of the Bare Metal package
slcli order item-list BARE_METAL_SERVER --category os --keyword ubuntu
```

```
order item-list [OPTIONS] PACKAGE_KEYNAME
```

Options

--keyword <keyword>
A word (or string) used to filter item names.

--category <category>
Category code to filter items by

Arguments

PACKAGE_KEYNAME
Required argument

Shows all the prices for a given package. Collect all the items you want included on your server. Don't forget to include the required category items. If forgotten, `order place` will tell you about it.

4.10.5 order preset-list

List package presets.

Note: Presets are set CPU / RAM / Disk allotments. You still need to specify required items. Some packages do not have presets.

```
# List the presets for Bare Metal servers
slcli order preset-list BARE_METAL_SERVER

# List the Bare Metal server presets that include a GPU
slcli order preset-list BARE_METAL_SERVER --keyword gpu
```

```
order preset-list [OPTIONS] PACKAGE_KEYNAME
```

Options

--keyword <keyword>
A word (or string) used to filter preset names.

Arguments

PACKAGE_KEYNAME
Required argument

4.10.6 order place

Place or verify an order.

This CLI command is used for placing/verifying an order of the specified package in the given location (denoted by a datacenter's long name). Orders made via the CLI can then be converted to be made programmatically by calling `SoftLayer.OrderingManager.place_order()` with the same keynames.

Packages for ordering can be retrieved from `slcli order package-list`. Presets for ordering can be retrieved from `slcli order preset-list` (not all packages have presets)

Items can be retrieved from `slcli order item-list`. In order to find required items for the order, use `slcli order category-list`, and then provide the `--category` option for each category code in `slcli order item-list`.

Example:

```
# Order an hourly VSI with 4 CPU, 16 GB RAM, 100 GB SAN disk,
# Ubuntu 16.04, and 1 Gbps public & private uplink in dal13
slcli order place --billing hourly CLOUD_SERVER DALLAS13 \
  GUEST_CORES_4 \
  RAM_16_GB \
  REBOOT_REMOTE_CONSOLE \
  1_GBPS_PUBLIC_PRIVATE_NETWORK_UPLINKS \
  BANDWIDTH_0_GB_2 \
  1_IP_ADDRESS \
  GUEST_DISK_100_GB_SAN \
  OS_UBUNTU_16_04_LTS_XENIAL_XERUS_MINIMAL_64_BIT_FOR_VSI \
  MONITORING_HOST_PING \
  NOTIFICATION_EMAIL_AND_TICKET \
  AUTOMATED_NOTIFICATION \
  UNLIMITED_SSL_VPN_USERS_1_PPTP_VPN_USER_PER_ACCOUNT \
  NESSUS_VULNERABILITY_ASSESSMENT_REPORTING \
  --extras '{"virtualGuests": [{"hostname": "test", "domain": "softlayer.com"}]}' \
  --complex-type SoftLayer_Container_Product_Order_Virtual_Guest
```

```
order place [OPTIONS] PACKAGE_KEYNAME LOCATION [ORDER_ITEMS]...
```

Options

--preset <preset>

The order preset (if required by the package)

--verify

Flag denoting whether or not to only verify the order, not place it

--quantity <quantity>

The quantity of the item being ordered

--billing <billing>

Billing rate [default: hourly]

Options hourly|monthly

--complex-type <complex_type>

The complex type of the order. Starts with 'SoftLayer_Container_Product_Order'.

--extras <extras>

JSON string denoting extra data that needs to be sent with the order

Arguments

PACKAGE_KEYNAME

Required argument

LOCATION

Required argument

ORDER_ITEMS

Optional argument(s)

Now that you have the package you want, the prices needed, and found a location, it is time to place an order.

4.10.7 order place <preset>

```
$ slcli --really order place --preset D2620V4_64GB_2X1TB_SATA_RAID_1 BARE_METAL_
↪SERVER TORONTO \
  OS_UBUNTU_16_04_LTS_XENIAL_XERUS_64_BIT \
  BANDWIDTH_0_GB_2 \
  1_GBPS_PRIVATE_NETWORK_UPLINK \
  REBOOT_KVM_OVER_IP 1_IP_ADDRESS \
  UNLIMITED_SSL_VPN_USERS_1_PPTP_VPN_USER_PER_ACCOUNT \
  --extras '{"hardware": [{"hostname": "testOrder", "domain": "cgallo.com"}]}' \
  --complex-type SoftLayer_Container_Product_Order_Hardware_Server
```

4.10.8 order place <Virtual Server>

```
$ slcli order place --billing hourly CLOUD_SERVER DALLAS13 \
  GUEST_CORES_4 \
  RAM_16_GB \
  REBOOT_REMOTE_CONSOLE \
  1_GBPS_PUBLIC_PRIVATE_NETWORK_UPLINKS \
  BANDWIDTH_0_GB_2 \
  1_IP_ADDRESS \
  GUEST_DISK_100_GB_SAN \
  OS_UBUNTU_16_04_LTS_XENIAL_XERUS_MINIMAL_64_BIT_FOR_VSI \
  MONITORING_HOST_PING \
  NOTIFICATION_EMAIL_AND_TICKET \
  AUTOMATED_NOTIFICATION \
  UNLIMITED_SSL_VPN_USERS_1_PPTP_VPN_USER_PER_ACCOUNT \
  NESSUS_VULNERABILITY_ASSESSMENT_REPORTING \
  --extras '{"virtualGuests": [{"hostname": "test", "domain": "softlayer.com"}]}' \
  --complex-type SoftLayer_Container_Product_Order_Virtual_Guest
```

4.11 Quotes

4.11.1 order quote

View and Order a quote

```
order quote [OPTIONS] QUOTE
```

Options

- verify**
If specified, will only show what the quote will order, will NOT place an order [default: False]
- quantity** <quantity>
The quantity of the item being ordered if different from quoted value
- complex-type** <complex_type>
The complex type of the order. Starts with 'SoftLayer_Container_Product_Order'. [default: SoftLayer_Container_Product_Order_Hardware_Server]
- u, --userdata** <userdata>
User defined metadata string
- F, --userfile** <userfile>
Read userdata from file
- i, --postinstall** <postinstall>
Post-install script to download
- k, --key** <key>
SSH keys to add to the root user (multiple occurrence permitted)
- fqdn** <fqdn>
<hostname>.<domain.name.tld> formatted name to use. Specify one fqdn per server (multiple occurrence permitted) [required]
- image** <image>
Image ID. See: 'slcli image list' for reference

Arguments

- QUOTE**
Required argument

4.11.2 order quote-list

List all active quotes on an account

```
order quote-list [OPTIONS]
```

4.11.3 order quote-detail

View a quote

```
order quote-detail [OPTIONS] QUOTE
```

Arguments

- QUOTE**
Required argument

4.11.4 order place-quote

Place a quote.

This CLI command is used for creating a quote of the specified package in the given location (denoted by a data-center's long name). Orders made via the CLI can then be converted to be made programmatically by calling `SoftLayer.OrderingManager.place_quote()` with the same keynames.

Packages for ordering can be retrieved from `slcli order package-list` Presets for ordering can be retrieved from `slcli order preset-list` (not all packages have presets)

Items can be retrieved from `slcli order item-list`. In order to find required items for the order, use `slcli order category-list`, and then provide the `--category` option for each category code in `slcli order item-list`.

Example:

```
# Place quote a VSI with 4 CPU, 16 GB RAM, 100 GB SAN disk,
# Ubuntu 16.04, and 1 Gbps public & private uplink in dal13
slcli order place-quote --name "foobar" --send-email CLOUD_SERVER DALLAS13 \
    GUEST_CORES_4 \
    RAM_16_GB \
    REBOOT_REMOTE_CONSOLE \
    1_GBPS_PUBLIC_PRIVATE_NETWORK_UPLINKS \
    BANDWIDTH_0_GB_2 \
    1_IP_ADDRESS \
    GUEST_DISK_100_GB_SAN \
    OS_UBUNTU_16_04_LTS_XENIAL_XERUS_MINIMAL_64_BIT_FOR_VSI \
    MONITORING_HOST_PING \
    NOTIFICATION_EMAIL_AND_TICKET \
    AUTOMATED_NOTIFICATION \
    UNLIMITED_SSL_VPN_USERS_1_PPTP_VPN_USER_PER_ACCOUNT \
    NESSUS_VULNERABILITY_ASSESSMENT_REPORTING \
    --extras '{"virtualGuests": [{"hostname": "test", "domain": "softlayer.com"}]}' \
    --complex-type SoftLayer_Container_Product_Order_Virtual_Guest
```

```
order place-quote [OPTIONS] PACKAGE_KEYNAME LOCATION [ORDER_ITEMS]...
```

Options

--preset <preset>

The order preset (if required by the package)

--name <name>

A custom name to be assigned to the quote (optional)

--send-email

The quote will be sent to the email address associated with your user.

--complex-type <complex_type>

The complex type of the order. Starts with 'SoftLayer_Container_Product_Order'.

--extras <extras>

JSON string denoting extra data that needs to be sent with the order

Arguments

PACKAGE_KEYNAME

Required argument

LOCATION

Required argument

ORDER_ITEMS

Optional argument(s)

4.12 Reports

There are a few report type commands in the SLCLI.

4.12.1 summary

Account summary.

```
summary [OPTIONS]
```

Options

--sortby <sortby>

Column to sort by

Options datacenter|hardware|virtual_servers|vlans|subnets|public_ips

A list of datacenters, and how many servers, VSI, vlans, subnets and public_ips are in each.

4.12.2 report bandwidth

Bandwidth report for every pool/server.

This reports on the total data transfered for each virtual sever, hardware server and bandwidth pool.

```
report bandwidth [OPTIONS]
```

Options

--start <start>

datetime in the format 'YYYY-MM-DD' or 'YYYY-MM-DD HH:MM:SS'

--end <end>

datetime in the format 'YYYY-MM-DD' or 'YYYY-MM-DD HH:MM:SS'

--sortby <sortby>

Column to sort by [default: hostname]

4.13 Users

Version 5.6.0 introduces the ability to interact with user accounts from the cli.

4.13.1 user create

This command will create a user on your account.

Options

- e, --email TEXT** Email address for this user. Required for creation. [required]
- p, --password TEXT** Password to set for this user. If no password is provided, user will be sent an email to generate one, which expires in 24 hours. ‘-p generate’ will create a password for you (Requires Python 3.6+). Passwords require 8+ characters, upper and lowercase, a number and a symbol.
- u, --from-user TEXT** Base user to use as a template for creating this user. Will default to the user running this command. Information provided in –template supersedes this template.
- t, --template TEXT** A json string describing https://softlayer.github.io/reference/datatypes/SoftLayer_User_Customer/
- a, --api-key** Create an API key for this user.
- h, --help** Show this message and exit.

```
slcli user create my@email.com -e my@email.com -p generate -a -t '{"firstName": "Test
↵", "lastName": "Testerson"}'
```

4.13.2 user list

This command will list all Active users on the account that your user has access to view. There is the option to also filter by username

4.13.3 user detail <user>

Gives a variety of details about a specific user. <user> can be a user id, or username. Will always print a basic set of information about the user, but there are a few extra flags to pull in more detailed information.

user detail <user> -p, –permissions

Will list the permissions the user has. To see a list of all possible permissions, or to change a user’s permissions, see *user permissions <user>*

user detail <user> -h, –hardware

Will list the Hardware and Dedicated Hosts the user is able to access.

user detail <user> -v, –virtual

Will list the Virtual Guests the user has access to.

user detail <user> -l, --logins

Show login history of this user for the last 30 days. IBMId Users will show logins properly, but may not show failed logins.

user detail <user> -e, --events

Shows things that are logged in the Event_Log service. Logins, reboots, reloads, and other such actions will show up here.

user permissions <user>

Will list off all permission keyNames, along with which are assigned to that specific user.

4.13.4 user edit-permissions

Enable or Disable specific permissions. It is possible to set multiple permissions in one command as well.

```
$ slcli user edit-permissions USERID --enable -p TICKET_EDIT -p TICKET_ADD -p TICKET_
↪SEARCH
```

Will enable TICKET_EDIT, TICKET_ADD, and TICKET_SEARCH permissions for the USERID

4.13.5 user edit-details

Edit a User's details

JSON strings should be enclosed in ' and each item should be enclosed in ""

```
slcli user edit-details testUser -t '{"firstName": "Test", "lastName": "Testerson"}
```

Options

- t, --template TEXT** A json string describing SoftLayer_User_Customer . [required]
- h, --help** Show this message and exit.

4.14 Working with Virtual Servers

Using the SoftLayer portal to order virtual servers is fine, but for a number of reasons it's often more convenient to use the command line. For this, you can use SoftLayer's command-line client to make administrative tasks quicker and easier. This page gives an intro to working with SoftLayer virtual servers using SoftLayer's command-line client.

Note: The following assumes that the client is already *configured with valid SoftLayer credentials*.

First, let's list the current virtual servers with *slcli vs list*.

```

$ slcli vs list
:.....:
↪.....:
: id : datacenter :          host          : cores : memory : primary_ip :
↪backend_ip : active_transaction : owner :
:.....:
↪.....:
:.....:
↪.....:

```

We don't have any virtual servers yet! Let's fix that. Before we can create a virtual server (VS), we need to know what options are available to us: RAM, CPU, operating systems, disk sizes, disk types, datacenters, and so on. Luckily, there's a simple command to show all options: `slcli vs create-options`.

Some values were omitted for brevity

```

$ slcli vs create-options
:.....:
↪.....:
:          name : value
↪          :
:.....:
↪.....:
:          datacenter : ams01
↪          :
:          : ams03
↪          :
:          : wdc07
↪          :
: flavors (balanced) : B1_1X2X25
↪          :
:          : B1_1X2X25
↪          :
:          : B1_1X2X100
↪          :
: cpus (standard) : 1,2,4,8,12,16,32,56
↪          :
: cpus (dedicated) : 1,2,4,8,16,32,56
↪          :
: cpus (dedicated host) : 1,2,4,8,12,16,32,56
↪          :
:          memory : 1024,2048,4096,6144,8192,12288,16384,32768,49152,
↪65536,131072,247808
:          :
:          memory (dedicated host) : 1024,2048,4096,6144,8192,12288,16384,32768,49152,
↪65536,131072,247808
:          :
:          os (CENTOS) : CENTOS_5_64
↪          :
:          : CENTOS_LATEST_64
↪          :
:          os (CLOUDLINUX) : CLOUDLINUX_5_64
↪          :
:          : CLOUDLINUX_6_64
↪          :
:          : CLOUDLINUX_LATEST
↪          :
:          : CLOUDLINUX_LATEST_64
↪          :

```

(continues on next page)

(continued from previous page)

```

:          os (COREOS) : COREOS_CURRENT_64
↳
:          : COREOS_LATEST
↳
:          : COREOS_LATEST_64
↳
:          os (DEBIAN) : DEBIAN_6_64
↳
:          : DEBIAN_LATEST_64
↳
:          os (OTHERUNIXLINUX) : OTHERUNIXLINUX_1_64
↳
:          : OTHERUNIXLINUX_LATEST
↳
:          : OTHERUNIXLINUX_LATEST_64
↳
:          os (REDHAT) : REDHAT_5_64
↳
:          : REDHAT_6_64
↳
:          : REDHAT_7_64
↳
:          : REDHAT_LATEST
↳
:          : REDHAT_LATEST_64
↳
:          san disk(0) : 25,100
↳
:          san disk(2) : 10,20,25,30,40,50,75,100,125,150,175,200,250,300,
↳350,400,500,750,1000,1500,2000 :
:          local disk(0) : 25,100
↳
:          local disk(2) : 25,100,150,200,300
↳
: local (dedicated host) disk(0) : 25,100
↳
:          nic (dedicated host) : 100,1000
↳
:.....:.....
↳.....:

```

Here's the command to create a 2-core virtual server with 1GiB memory, running Ubuntu 14.04 LTS, and that is billed on an hourly basis in the San Jose 1 datacenter using the command `slcli vs create`.

```

$ slcli vs create --hostname=example --domain=softlayer.com -f B1_1X2X25 -o DEBIAN_
↳LATEST_64 --datacenter=ams01 --billing=hourly
This action will incur charges on your account. Continue? [y/N]: y
:.....:.....:
↳.....:
:   ID   :          FQDN           :          guid           :
↳   Order Date   :
:.....:.....:
↳.....:
: 70112999 : testtesttest.test.com : 1abc7afb-9618-4835-89c9-586f3711d8ea : 2019-01-
↳30T17:16:58-06:00 :
:.....:.....:
↳.....:

```

(continues on next page)

(continued from previous page)

```

:.....:
:                               OrderId: 12345678                               :
:.....:
: Cost : Description                                                           :
:.....:
: 0.0 : Debian GNU/Linux 9.x Stretch/Stable - Minimal Install (64 bit)      :
: 0.0 : 25 GB (SAN)                                                            :
: 0.0 : Reboot / Remote Console                                               :
: 0.0 : 100 Mbps Public & Private Network Uplinks                            :
: 0.0 : 0 GB Bandwidth Allotment                                              :
: 0.0 : 1 IP Address                                                           :
: 0.0 : Host Ping and TCP Service Monitoring                                  :
: 0.0 : Email and Ticket                                                       :
: 0.0 : Automated Reboot from Monitoring                                      :
: 0.0 : Unlimited SSL VPN Users & 1 PPTP VPN User per account                :
: 0.0 : Nessus Vulnerability Assessment & Reporting                           :
: 0.0 : 2 GB                                                                    :
: 0.0 : 1 x 2.0 GHz or higher Core                                             :
: 0.000 : Total hourly cost                                                    :
:.....:

```

After the last command, the virtual server is now being built. It should instantly appear in your virtual server list now.

```

$ slcli vs list
:.....:
↪.....:
:   id   : datacenter :          host           : cores : memory :  primary_ip   :
↪backend_ip : active_transaction :
:.....:
↪.....:
: 1234567 :   ams01      : example.softlayer.com :    2   : 1G     : 108.168.200.11 :
↪54.80.200 :      Assign Host      :
:.....:
↪.....:

```

Cool. You may ask, “It’s creating... but how do I know when it’s done?” Well, here’s how:

```

$ slcli vs ready 'example' --wait=600
READY

```

When the previous command returns, you’ll know that the virtual server has finished the provisioning process and is ready to use. This is *very* useful for chaining commands together.

Now that you have your virtual server, let’s get access to it. To do that, use the `slcli vs detail` command. From the example below, you can see that the username is ‘root’ and password is ‘ABCDEFGH’.

Warning: Be careful when using the `-passwords` flag. This will print the virtual server’s password on the screen. Make sure no one is looking over your shoulder. It’s also advisable to change your root password soon after creating your virtual server, or to create a user with sudo access and disable SSH-based login directly to the root account.

```

$ slcli vs detail example --passwords
:.....:
:      Name : Value
:.....:

```

(continues on next page)

(continued from previous page)

```

:.....:.....:
:      id : 1234567      :
:      hostname : example.softlayer.com :
:      status : Active   :
:      state : Running   :
:      datacenter : ams01 :
:      cores : 2         :
:      memory : 1G       :
:      public_ip : 108.168.200.11 :
:      private_ip : 10.54.80.200 :
:      os : Debian      :
: private_only : False   :
: private_cpu : False    :
:      created : 2013-06-13T08:29:44-06:00 :
:      modified : 2013-06-13T08:31:57-06:00 :
:      users : root ABCDEFGH :
:.....:.....:

```

4.14.1 vs bandwidth

Bandwidth data over date range. Bandwidth is listed in GB

Using just a date might get you times off by 1 hour, use T00:01 to get just the specific days data Timezones can also be included with the YYYY-MM-DDTHH:mm:ss.00000-HH:mm format.

Due to some rounding and date alignment details, results here might be slightly different than results in the control portal.

Example:

```
slcli hw bandwidth 1234 -s 2019-05-01T00:01 -e 2019-05-02T00:00:01.00000-12:00
```

```
vs bandwidth [OPTIONS] IDENTIFIER
```

Options

- s, --start_date** <start_date>
Start Date YYYY-MM-DD, YYYY-MM-DDTHH:mm:ss, [required]
- e, --end_date** <end_date>
End Date YYYY-MM-DD, YYYY-MM-DDTHH:mm:ss [required]
- p, --summary_period** <summary_period>
300, 600, 1800, 3600, 43200 or 86400 seconds [default: 3600]
- q, --quite_summary**
Only show the summary table [default: False]

Arguments

IDENTIFIER

Required argument

If no timezone is specified, IMS local time (CST) will be assumed, which might not match your user's selected timezone.

4.14.2 vs cancel

Cancel virtual servers.

```
vs cancel [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.14.3 vs capture

Capture one or all disks from a virtual server to a SoftLayer image.

```
vs capture [OPTIONS] IDENTIFIER
```

Options

- n, --name** <name>
Name of the image [required]
- all** <all>
Capture all disks belonging to the VS
- note** <note>
Add a note to be associated with the image

Arguments

IDENTIFIER

Required argument

4.14.4 vs create

Order/create virtual servers.

```
vs create [OPTIONS]
```

Options

- H, --hostname** <hostname>
Host portion of the FQDN [required]
- D, --domain** <domain>
Domain portion of the FQDN [required]
- c, --cpu** <cpu>
Number of CPU cores (not available with flavors)

-m, --memory <memory>
Memory in mebibytes (not available with flavors)

-f, --flavor <flavor>
Public Virtual Server flavor key name

-d, --datacenter <datacenter>
Datacenter shortname [required]

-o, --os <os>
OS install code. Tip: you can specify <OS>_LATEST

--image <image>
Image ID. See: 'slcli image list' for reference

--boot-mode <boot_mode>
Specify the mode to boot the OS in. Supported modes are HVM and PV.

--billing <billing>
Billing rate [default: hourly]
Options hourly|monthly

--dedicated, --public
Create a Dedicated Virtual Server

--host-id <host_id>
Host Id to provision a Dedicated Host Virtual Server onto

--san
Use SAN storage instead of local disk.

--test
Do not actually create the virtual server

--export <export>
Exports options to a template file

-i, --postinstall <postinstall>
Post-install script to download

-k, --key <key>
SSH keys to add to the root user (multiple occurrence permitted)

--disk <disk>
Disk sizes (multiple occurrence permitted)

--private
Forces the VS to only have access the private network

--like <like>
Use the configuration from an existing VS

-n, --network <network>
Network port speed in Mbps

-g, --tag <tag>
Tags to add to the instance (multiple occurrence permitted)

-t, --template <template>
A template file that defaults the command-line options

-u, --userdata <userdata>
User defined metadata string

- F, --userfile** <userfile>
Read userdata from file
- vlan-public** <vlan_public>
The ID of the public VLAN on which you want the virtual server placed
- vlan-private** <vlan_private>
The ID of the private VLAN on which you want the virtual server placed
- subnet-public** <subnet_public>
The ID of the public SUBNET on which you want the virtual server placed
- subnet-private** <subnet_private>
The ID of the private SUBNET on which you want the virtual server placed
- S, --public-security-group** <public_security_group>
Security group ID to associate with the public interface (multiple occurrence permitted)
- s, --private-security-group** <private_security_group>
Security group ID to associate with the private interface (multiple occurrence permitted)
- wait** <wait>
Wait until VS is finished provisioning for up to X seconds before returning
- placementgroup** <placementgroup>
Placement Group name or Id to order this guest on. See: `slcli vs placementgroup list`
- ipv6**
Adds an IPv6 address to this guest
- transient**
Create a transient virtual server

4.14.5 vs create-options

Virtual server order options.

```
vs create-options [OPTIONS]
```

4.14.6 vs dns-sync

Sync DNS records.

```
vs dns-sync [OPTIONS] IDENTIFIER
```

Options

- a, --a-record**
Sync the A record for the host
- aaaa-record**
Sync the AAAA record for the host
- ptr**
Sync the PTR record for the host
- ttl** <ttl>
Sets the TTL for the A and/or PTR records [default: 7200]

Arguments

IDENTIFIER

Required argument

4.14.7 vs edit

Edit a virtual server's details.

```
vs edit [OPTIONS] IDENTIFIER
```

Options

- D, --domain** <domain>
Domain portion of the FQDN
- H, --hostname** <hostname>
Host portion of the FQDN. example: server
- g, --tag** <tag>
Tags to set or empty string to remove all
- u, --userdata** <userdata>
User defined metadata string
- F, --userfile** <userfile>
Read userdata from file
- public-speed** <public_speed>
Public port speed.
Options 0|10|100|1000|10000
- private-speed** <private_speed>
Private port speed.
Options 0|10|100|1000|10000

Arguments

IDENTIFIER

Required argument

4.14.8 vs list

List virtual servers.

```
vs list [OPTIONS]
```

Options

- c, --cpu** <cpu>
Number of CPU cores

- D, --domain** <domain>
Domain portion of the FQDN
- d, --datacenter** <datacenter>
Datacenter shortname
- H, --hostname** <hostname>
Host portion of the FQDN
- m, --memory** <memory>
Memory in mebibytes
- n, --network** <network>
Network port speed in Mbps
- hourly**
Show only hourly instances
- monthly**
Show only monthly instances
- transient** <transient>
Filter by transient instances
- tag** <tag>
Filter by tags (multiple occurrence permitted)
- sortby** <sortby>
Column to sort by [default: hostname]
- columns** <columns>
Columns to display. [options: guid, primary_ip, backend_ip, datacenter, action, power_state, created_by, tags]
[default: id,hostname,primary_ip,backend_ip,datacenter,action]
- l, --limit** <limit>
How many results to get in one api call, default is 100 [default: 100]

4.14.9 vs pause

Pauses an active virtual server.

```
vs pause [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER
Required argument

4.14.10 vs power-on

Power on a virtual server.

```
vs power-on [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.14.11 vs power-off

Power off an active virtual server.

```
vs power-off [OPTIONS] IDENTIFIER
```

Options

--hard, --soft

Perform a hard shutdown

Arguments

IDENTIFIER

Required argument

4.14.12 vs resume

Resumes a paused virtual server.

```
vs resume [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.14.13 vs rescue

Reboot into a rescue image.

```
vs rescue [OPTIONS] IDENTIFIER
```

Arguments

IDENTIFIER

Required argument

4.14.14 vs reboot

Reboot an active virtual server.

```
vs reboot [OPTIONS] IDENTIFIER
```

Options

--hard, --soft

Perform a hard or soft reboot

Arguments

IDENTIFIER

Required argument

4.14.15 vs ready

Check if a virtual server is ready.

```
vs ready [OPTIONS] IDENTIFIER
```

Options

--wait <wait>

Seconds to wait [default: 0]

Arguments

IDENTIFIER

Required argument

4.14.16 vs upgrade

Upgrade a virtual server.

```
vs upgrade [OPTIONS] IDENTIFIER
```

Options

--cpu <cpu>

Number of CPU cores

--private

CPU core will be on a dedicated host server.

--memory <memory>

Memory in megabytes

- network** <network>
Network port speed in Mbps
- flavor** <flavor>
Flavor keyName Do not use `-memory`, `-cpu` or `-private`, if you are using flavors

Arguments

IDENTIFIER
Required argument

4.14.17 vs usage

Usage information of a virtual server.

```
vs usage [OPTIONS] IDENTIFIER
```

Options

- s, --start_date** <start_date>
Start Date e.g. 2019-3-4 (yyyy-MM-dd) [required]
- e, --end_date** <end_date>
End Date e.g. 2019-4-2 (yyyy-MM-dd) [required]
- t, --valid_type** <valid_type>
Metric_Data_Type keyName e.g. CPU0, CPU1, MEMORY_USAGE, etc. [required]
- p, --summary_period** <summary_period>
300, 600, 1800, 3600, 43200 or 86400 seconds

Arguments

IDENTIFIER
Required argument

4.14.18 Reserved Capacity

Working with Reserved Capacity

There are two main concepts for Reserved Capacity. The [Reserved Capacity Group](#) and the [Reserved Capacity Instance](#). The Reserved Capacity Group, is a set block of capacity set aside for you at the time of the order. It will contain a set number of Instances which are all the same size. Instances can be ordered like normal VSIs, with the exception that you need to include the `reservedCapacityGroupId`, and it must be the same size as the group you are ordering the instance in.

- [About Reserved Capacity](#)
- [Reserved Capacity FAQ](#)

The SLCLI supports some basic Reserved Capacity Features.

vs capacity create

This command will create a Reserved Capacity Group.

Warning: These groups can not be canceled until their contract expires in 1 or 3 years!

```
$ slcli vs capacity create --name test-capacity -d dal13 -b 1411193 -c B1_1X2_1_YEAR_
↳TERM -q 10
```

vs cacpacity create_options

This command will print out the Flavors that can be used to create a Reserved Capacity Group, as well as the backend routers available, as those are needed when creating a new group.

vs capacity create_guest

This command will create a virtual server (Reserved Capacity Instance) inside of your Reserved Capacity Group. This command works very similar to the *slcli vs create* command.

```
$ slcli vs capacity create-guest --capacity-id 1234 --primary-disk 25 -H ABCD -D test.
↳com -o UBUNTU_LATEST_64 --ipv6 -k test-key --test
```

vs capacity detail

This command will print out some basic information about the specified Reserved Capacity Group.

vs capacity list

This command will list out all Reserved Capacity Groups. a # symbol represents a filled instance, and a - symbol represents an empty instance

```
$ slcli vs capacity list
:.....:
↳.....:
:
:                               Reserved Capacity                               ↳
↳
↳      :
:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:
↳.....:
: ID   :      Name      : Capacity :      Flavor      : Location :      ↳
↳      Created      :
:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:
↳.....:
: 1234 :    test-capacity    : ###-#---- : B1.1x2 (1 Year Term) : bcr02a.dal13 : ↳
↳2018-09-24T16:33:09-06:00 :
:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:.....:
↳.....:
```


vs placementgroup detail

This command will provide some detailed information about a specific placement group

```
$ slcli vs placementgroup detail testGroup
:.....:
:  Id      :      Name      : Backend Router : Rule  :      Created      :
:.....:
: 64535   : testGroup     : bcr01a.mex01  : SPREAD : 2019-01-17T14:36:42-06:00 :
:.....:
:.....:
:  Id      :      FQDN      : Primary IP    : Backend IP  : CPU : Memory :
: Provisioned : Transaction :
:.....:
: 69134895 : testGroup62.test.com : 169.57.70.166 : 10.131.11.32 : 1   : 1024 :
: 2019-01-17T17:44:50-06:00 : - :
: 69134901 : testGroup72.test.com : 169.57.70.184 : 10.131.11.59 : 1   : 1024 :
: 2019-01-17T17:44:53-06:00 : - :
: 69134887 : testGroup52.test.com : 169.57.70.187 : 10.131.11.25 : 1   : 1024 :
: 2019-01-17T17:44:43-06:00 : - :
:.....:
:.....:
```

4.15 Configuration Setup

To update the configuration, you can use *slcli setup*.

```
$ slcli setup
Username []: username
API Key or Password []:
Endpoint (public|private|custom): public
:.....:
:      Name : Value      :
:.....:
:      Username : username      :
:      API Key : oyVmeipYQCNrjVS4rF9bHWV7D75S6pa1fghF1384v7mWRcBHTfuJ8qRORIqoVnha :
:      Endpoint URL : https://api.softlayer.com/xmlrpc/v3.1/ :
:.....:
Are you sure you want to write settings to "/home/me/.softlayer"? [y/N]: y
```

To check the configuration, you can use *slcli config show*.

```
$ slcli config show
:.....:
:      Name : Value      :
:.....:
:      Username : username      :
:      API Key : oyVmeipYQCNrjVS4rF9bHWV7D75S6pa1fghF1384v7mWRcBHTfuJ8qRORIqoVnha :
:      Endpoint URL : https://api.softlayer.com/xmlrpc/v3.1/ :
:.....:
```

If you are using an account created from the <https://cloud.ibm.com> portal, your username will be literally *apikey*, and use the key provided. [How to create an IBM apikey](#)

To see more about the config file format, see [Configuration File](#).

4.16 Usage Examples

To discover the available commands, simply type `slcli`.

```
$ slcli
Usage: slcli [OPTIONS] COMMAND [ARGS]...

SoftLayer Command-line Client

Options:
  --format [table|raw|json|jsonraw] Output format [default: raw]
  -C, --config PATH                  Config file location [default: ~\.softlayer]
  -v, --verbose                       Sets the debug noise level, specify multiple
↳times for more verbosity.
  --proxy TEXT                        HTTP[S] proxy to be use to make API calls
  -y, --really / --not-really         Confirm all prompt actions
  --demo / --no-demo                 Use demo data instead of actually making API
↳calls
  --version                           Show the version and exit.
  -h, --help                           Show this message and exit.

Commands:
  block          Block Storage.
  call-api       Call arbitrary API endpoints.
  cdn            Content Delivery Network.
  config        CLI configuration.
  dedicatedhost Dedicated Host.
  dns           Domain Name System.
  event-log     Event Logs.
  file         File Storage.
  firewall     Firewalls.
  globalip    Global IP addresses.
  hardware     Hardware servers.
  image       Compute images.
  ipsec       IPSEC VPN
  loadbal     Load balancers.
  metadata    Find details about this machine.
  nas         Network Attached Storage.
  object-storage Object Storage.
  order       View and order from the catalog.
  report      Reports.
  rwhois     Referral Whois.
  securitygroup Network security groups.
  setup      Edit configuration.
  shell      Enters a shell for slcli.
  sshkey     SSH Keys.
  ssl        SSL Certificates.
  subnet    Network subnets.
  summary   Account summary.
  ticket    Support tickets.
  user      Manage Users.
  virtual   Virtual Servers.
  vlan     Network VLANs.
```

(continues on next page)

(continued from previous page)

Options:

```
--sortby [guid|hostname|primary_ip|backend_ip|datacenter]
    Column to sort by
-c, --cpu INTEGER          Number of CPU cores
-D, --domain TEXT         Domain portion of the FQDN
-d, --datacenter TEXT     Datacenter shortname
-H, --hostname TEXT       Host portion of the FQDN
-m, --memory INTEGER      Memory in mebibytes
-n, --network TEXT        Network port speed in Mbps
--hourly                  Show only hourly instances
--monthly                 Show only monthly instances
--tags TEXT               Show instances that have one of these comma-
                          separated tags
--help                    Show this message and exit.
```


To see exactly what API call is being made by the SLCLI, you can use the verbose option.

A single `-v` will show a simple version of the API call, along with some statistics

```
slcli -v vs detail 74397127
Calling: SoftLayer_Virtual_Guest::getObject(id=74397127, mask='id,globalIdentifier,
↳fullyQualifiedDomainName,hostname,domain', filter='None', args=(), limit=None,
↳offset=None)
Calling: SoftLayer_Virtual_Guest::getReverseDomainRecords(id=77460683, mask='',
↳filter='None', args=(), limit=None, offset=None)
:.....:
:      name      :                      value                      :
:.....:
: execution_time :                2.020334s                          :
:  api_calls    :      SoftLayer_Virtual_Guest::getObject (1.515583s) :
:              :      SoftLayer_Virtual_Guest::getReverseDomainRecords (0.494480s) :
:   version    :                softlayer-python/v5.7.2              :
: python_version :          3.7.3 (default, Mar 27 2019, 09:23:15)      :
:              :          [Clang 10.0.1 (clang-1001.0.46.3)]           :
: library_location : /Users/chris/Code/py3/lib/python3.7/site-packages/SoftLayer :
:.....:
:.....:
```

Using `-vv` will print out some API call details in the summary as well.

```
slcli -vv account summary
Calling: SoftLayer_Account::getObject(id=None, mask='mask[ nextInvoiceTotalAmount,
↳pendingInvoice[invoiceTotalAmount], blockDeviceTemplateGroupCount,
↳dedicatedHostCount, domainCount, hardwareCount, networkStorageCount,
↳openTicketCount, networkVlanCount, subnetCount, userCount, virtualGuestCount ]',
↳filter='None', args=(), limit=None, offset=None)
:.....:
:      name      :                      value                      :
:.....:
: execution_time :                0.921271s                          :
:  api_calls    :      SoftLayer_Account::getObject (0.911208s)       :
:.....:
:.....:
```

(continues on next page)

(continued from previous page)

```

:   version      :                softlayer-python/v5.7.2                :
: python_version :                3.7.3 (default, Mar 27 2019, 09:23:15)   :
:               :                [Clang 10.0.1 (clang-1001.0.46.3)]        :
: library_location : /Users/chris/Code/py3/lib/python3.7/site-packages/SoftLayer :
:.....:.....:
:.....:.....:
:   :                SoftLayer_Account::getObject                :
:.....:.....:
:   id           :                None                                   :
: mask          :                mask[                                  :
:               :                nextInvoiceTotalAmount,              :
:               :                pendingInvoice[invoiceTotalAmount],             :
:               :                blockDeviceTemplateGroupCount,                     :
:               :                dedicatedHostCount,                                 :
:               :                domainCount,                                       :
:               :                hardwareCount,                                     :
:               :                networkStorageCount,                               :
:               :                openTicketCount,                                   :
:               :                networkVlanCount,                                  :
:               :                subnetCount,                                       :
:               :                userCount,                                         :
:               :                virtualGuestCount                                  :
:               :                ]                                                 :
: filter        :                None                                   :
: limit         :                None                                   :
: offset        :                None                                   :
:.....:.....:

```

Using `-vvv` will print out the exact API that can be used without the `softlayer-python` framework, A simple python code snippet for XML-RPC, a curl call for REST API calls. This is dependant on the endpoint you are using in the config file.

```

slcli -vvv account summary
curl -u $SSL_USER:$SSL_APIKEY -X GET -H "Accept: */*" -H "Accept-Encoding: gzip,
↪deflate, compress" 'https://api.softlayer.com/rest/v3.1/SoftLayer_Account/
↪getObject.json?objectMask=mask%5B%0A+++++++nextInvoiceTotalAmount%2C
↪%0A+++++++pendingInvoice%5BinvoiceTotalAmount%5D%2C
↪%0A+++++++blockDeviceTemplateGroupCount%2C%0A+++++++dedicatedHostCount%2C
↪%0A+++++++domainCount%2C%0A+++++++hardwareCount%2C
↪%0A+++++++networkStorageCount%2C%0A+++++++openTicketCount%2C
↪%0A+++++++networkVlanCount%2C%0A+++++++subnetCount%2C
↪%0A+++++++userCount%2C%0A+++++++virtualGuestCount%0A+++++++%5D'

```

6.1 Contribution Guide

This page explains how to get started contributing code to the SoftLayer API Python Bindings project.

6.1.1 Code Organization

- **docs** - Where The source to this documentation lives.
- **SoftLayer** - All the source lives under here.
 - **API** - Primary API client.
 - **CLI** - Code for the command-line interface.
 - **managers** - API Managers. Abstractions to help use the API.

6.1.2 Setting Up A Dev Environment

Before working with the SoftLayer Python API client source, we strongly recommend that you know how to use Python's virtual environment, [virtualenv](#). Virtualenv allows you to create isolated Python environments that are individually tailored to particular development projects. Each environment can have its own set of libraries and even its own Python interpreter. This keeps them fully isolated, reducing the possibility of library conflicts between different projects.

After you have virtualenv, you should set up a virtual environment and activate it whenever you are working on softlayer-python. The commands needed to setup an environment and activate it might look something like this:

```
virtualenv --no-site-packages softlayer_env
source softlayer_env/bin/activate
```

Please refer to the virtualenv documentation for more information about creating, and working with virtual environments.

Once you have an appropriate environment, you will then download the SoftLayer API Python Bindings source code by following the *installation instructions*. Change into `softlayer-python` source directory and run the following to install the pre-requisites that you'll need in order to run the test suites:

```
pip install -r tools/test-requirements.txt
```

6.1.3 Testing

The project has a mix of functional and unit tests. Before submitting changes to be integrated into the project, you should validate your code using `tox`. Simply issue the `tox` command from the root of the source tree:

```
tox
```

In addition to testing different versions of Python, `tox` checks for common mistakes in the code using `Flake8` and `pylint`. You should eliminate the linting errors that are reported before submitting your code. You can run only the linting checks by using this command:

```
tox -eanalysis
```

The project's configuration instructs `tox` to test against many different versions of Python. A `tox` test will use as many of those as it can find on your local computer. Rather than installing all those versions, we recommend that you point the `Travis` continuous integration tool at your GitHub fork. `Travis` will run the test against the full suite of Python versions every time you push new code.

Using `tox` to run tests in multiple environments can be very time consuming. If you wish to quickly run the tests in your own environment, you may do so using `py.test`. The command to do that is:

```
py.test tests
```

Fixtures

Testing of this project relies quite heavily on fixtures to simulate API calls. When running the unit tests, we use the `FixtureTransport` class, which instead of making actual API calls, loads data from `/fixtures/SoftLayer_Service_Name.py` and tries to find a variable that matches the method you are calling.

When adding new Fixtures you should try to sanitize the data of any account identifying results, such as account ids, username, and that sort of thing. It is ok to leave the id in place for things like datacenter ids, price ids.

To Overwrite a fixture, you can use a mock object to do so. Like either of these two methods:

```
# From tests/CLI/modules/vs_capacity_tests.py
from SoftLayer.fixtures import SoftLayer_Product_Package

def test_create_test(self):
    item_mock = self.set_mock('SoftLayer_Product_Package', 'getItems')
    item_mock.return_value = SoftLayer_Product_Package.getItems_RESERVED_CAPACITY

def test_detail_pending(self):
    capacity_mock = self.set_mock('SoftLayer_Virtual_ReservedCapacityGroup',
    ↪ 'getObject')
    get_object = {
        'name': 'test-capacity',
        'instances': []
    }
    capacity_mock.return_value = get_object
```

6.1.4 Documentation

The project is documented in [reStructuredText](#) and built using [Sphinx](#). If you have [fabric](#) installed, you simply need to run the following to build the docs:

```
fab make_html
```

The documentation will be built in `docs/_build/html`. If you don't have [fabric](#), use the following commands.

```
cd docs
make html
sphinx-build -b html ./ ./html
```

The primary docs are built at [Read the Docs](#).

6.1.5 Style

This project tries to follow [PEP 8](#) and most of the style suggestions that [pyflakes](#) recommends. Run [Flake8](#) regularly. [Flake8](#), with project-specific exceptions, can be run by using [tox](#):

```
tox -e analysis
```

[Autopep8](#) can fix a lot of the simple [flake8](#) errors about whitespace and indentation.

```
autopep8 -r -a -v -i --max-line-length 119
```

6.1.6 Contributing

Contributing to the Python API bindings follows the [fork-pull-request model](#) on [GitHub](#). The project uses [GitHub's issue tracker](#) and [pull requests](#) to manage source control, bug fixes and new feature development regarding the API bindings and the CLI. In order to contribute, we require that you sign a contributor agreement:

- Sign our contributor agreement (CLA) You can find the [CLA](#) [here](#).
- If you're contributing on behalf of your employer we'll need a signed copy of our corporate contributor agreement (CCLA) as well. You can find the [CCLA](#) [here](#).

6.1.7 Developer Resources

6.2 Command-Line Interface Developer Guide

The SoftLayer CLI can be used to manage many different SoftLayer services directly from the command line.

The command line parsing is currently based on [click](#), which is a command parsing library along with some additions to dynamically load modules from a routes-like file and from [entry points](#).

6.2.1 First Example

For the first example, we can create `slcli table-example` by creating the following file at `SoftLayer/CLI/table_example.py`:

```

"""A formatting table example."""
from SoftLayer.CLI import environment
from SoftLayer.CLI import formatting

import click

@click.command()
@environment.pass_env
def cli(env):
    """This returns an table that highlights how tables are output"""
    # create a table with two columns: col1, col2
    table = formatting.Table(['col1', 'col2'])

    # align the data facing each other
    # valid values are r, c, l for right, center, left
    # note, these are suggestions based on the format chosen by the user
    table.align['col1'] = 'r'
    table.align['col2'] = 'l'

    # add rows
    table.add_row(['test', 'test'])
    table.add_row(['test2', 'test2'])

    env.fout(table)

```

Then we need to register it so that *slcli table-example* will know to route to this new module. We do that by adding `ALL_ROUTES` in `SoftLayer/CLI/routes.py` to include the following:

```

...
('table-example', 'SoftLayer.CLI.table_example:cli'),
...

```

Which gives us

```

$ slcli table-example
:.....:.....:
:  col1 : col2  :
:.....:.....:
:  test : test  :
: test2 : test2 :
:.....:.....:

$ slcli --format=raw table-example
test  test
test2 test2

```

Formatting of the data represented in the table is actually controlled upstream from the `CLIRunnable`'s making supporting more data formats in the future easier.

6.2.2 Arguments

A command usually isn't very useful without context or arguments of some kind. With click, you have a large array of argument and option types at your disposal. Additionally, with the SoftLayer CLI, we have global options and context which is stored in `SoftLayer.CLI.environment.Environment` and is attainable through a decorator located at `SoftLayer.CLI.environment.pass_env`. An example of options and the environment is shown below. It also shows how

output should be done using *env.out* instead of printing. This is used for testing and to have a consistent way to print things onto the screen.

```

from SoftLayer.CLI import environment

import click

@click.command()
@click.option("--number",
              required=True,
              type=click.INT,
              help="print different output")
@click.option("--choice",
              type=click.Choice(['this', 'that']),
              help="print different output")
@click.option("--test", help="print different output")
@environment.pass_env
def cli(env, number, choice, test):
    """Argument parsing example"""

    if test:
        env.out("Just testing, move along...")
    else:
        env.out("This is fo'realz!")

    if choice == 'this':
        env.out("Selected this")
    elif choice == 'that':
        env.out("Selected that")

    env.out("This is a number: %d" % number)

```

Refer to the click library documentation for more options.

6.2.3 Accessing the API

A *SoftLayer* client is stood up for every command and is available through *SoftLayer.CLI.environment.Environment.client*. The example below shows how to make a simple API call to the *SoftLayer_Account::getObject*.

```

from SoftLayer.CLI import environment

import click

@click.command()
@environment.pass_env
def cli(env):
    """Using the SoftLayer API client"""

    account = env.client['Account'].getObject()
    return account['companyName']

```

6.2.4 Aborting execution

When a confirmation fails, you probably want to stop execution and give a non-zero exit code. To do that, raise a *SoftLayer.CLI.exceptions.CLIAbort* exception with the message for the user as the first parameter. This will prevent any further execution and properly return the right error code.

```
raise CLIAbort("Aborting. Failed confirmation")
```


CHAPTER 7

External Links

- [SoftLayer API Documentation](#)
- [Source on GitHub](#)
- [Issues](#)
- [Pull Requests](#)
- [PyPI](#)

S

SoftLayer, [70](#)
SoftLayer.managers.account, [8](#)
SoftLayer.managers.autoscale, [9](#)
SoftLayer.managers.block, [10](#)
SoftLayer.managers.cdn, [15](#)
SoftLayer.managers.dedicated_host, [17](#)
SoftLayer.managers.dns, [19](#)
SoftLayer.managers.event_log, [22](#)
SoftLayer.managers.file, [23](#)
SoftLayer.managers.firewall, [28](#)
SoftLayer.managers.hardware, [29](#)
SoftLayer.managers.image, [34](#)
SoftLayer.managers.ipsec, [36](#)
SoftLayer.managers.load_balancer, [39](#)
SoftLayer.managers.metadata, [42](#)
SoftLayer.managers.network, [43](#)
SoftLayer.managers.ordering, [47](#)
SoftLayer.managers.sshkey, [52](#)
SoftLayer.managers.ssl, [53](#)
SoftLayer.managers.ticket, [55](#)
SoftLayer.managers.vs, [57](#)
SoftLayer.managers.vs_capacity, [65](#)
SoftLayer.managers.vs_placement, [66](#)

Symbols

- aaaa-record
 - vs-dns-sync command line option, 117
- ack
 - account-event-detail command line option, 74
- ack-all
 - account-events command line option, 73
- all
 - account-invoices command line option, 74
- all <all>
 - vs-capture command line option, 115
- amount <amount>
 - autoscale-scale command line option, 75
- billing <billing>
 - hw-create command line option, 84
 - order-place command line option, 104
 - vs-create command line option, 116
- boot-mode <boot_mode>
 - vs-create command line option, 116
- by, -to
 - autoscale-scale command line option, 75
- category <category>
 - order-item-list command line option, 103
- closed
 - account-invoices command line option, 74
- columns <columns>
 - hw-list command line option, 86
 - vs-list command line option, 119
- comment <comment>
 - hw-cancel command line option, 83
- complex-type <complex_type>
 - order-place command line option, 104
- order-place-quote command line option, 107
- order-quote command line option, 106
- cpu <cpu>
 - autoscale-edit command line option, 77
 - vs-upgrade command line option, 121
- dedicated, -public
 - vs-create command line option, 116
- details
 - account-invoice-detail command line option, 74
- disk <disk>
 - vs-create command line option, 116
- enable, -disable
 - hw-toggle-ipmi command line option, 89
- end <end>
 - report-bandwidth command line option, 108
- export <export>
 - hw-create command line option, 84
 - vs-create command line option, 116
- extras <extras>
 - order-place command line option, 104
 - order-place-quote command line option, 107
- flavor <flavor>
 - vs-upgrade command line option, 122
- fqdn <fqdn>
 - order-quote command line option, 106
- hard, -soft
 - hw-reboot command line option, 87
 - vs-power-off command line option, 120
 - vs-reboot command line option, 121
- healthInterval <healthinterval>
 - loadbal-l7pool-add command line option, 98
- healthPath <healthpath>

- loadbal-l7pool-add command line option, 98
- healthRetry <healthretry>
 - loadbal-l7pool-add command line option, 98
- healthTimeout <healthtimeout>
 - loadbal-l7pool-add command line option, 98
- history <history>
 - cdn-detail command line option, 78
- host-id <host_id>
 - vs-create command line option, 116
- hourly
 - vs-list command line option, 119
- id <_id>
 - call-api command line option, 77
- image <image>
 - order-quote command line option, 106
 - vs-create command line option, 116
- immediate
 - hw-cancel command line option, 83
- ipv6
 - vs-create command line option, 117
- keyword <keyword>
 - order-item-list command line option, 103
 - order-package-list command line option, 101
 - order-preset-list command line option, 103
- like <like>
 - vs-create command line option, 116
- limit <limit>
 - account-invoices command line option, 74
 - call-api command line option, 77
- mask <mask>
 - call-api command line option, 77
- max <maximum>
 - autoscale-edit command line option, 76
- memory <memory>
 - autoscale-edit command line option, 77
 - vs-upgrade command line option, 121
- metadata, -no-metadata
 - event-log-get command line option, 81
- min <minimum>
 - autoscale-edit command line option, 76
- monthly
 - vs-list command line option, 119
- name <name>
 - autoscale-edit command line option, 76
 - order-place-quote command line option, 107
- network <network>
 - vs-upgrade command line option, 121
- no-public
 - hw-create command line option, 84
- note <note>
 - vs-capture command line option, 115
- offset <offset>
 - call-api command line option, 78
- output-python, -no-output-python
 - call-api command line option, 78
- package_type <package_type>
 - order-package-list command line option, 101
- passwords
 - hw-detail command line option, 85
- placementgroup <placementgroup>
 - vs-create command line option, 117
- port-speed <port_speed>
 - hw-create command line option, 84
- preset <preset>
 - order-place command line option, 104
 - order-place-quote command line option, 107
- price
 - hw-detail command line option, 85
- private
 - vs-create command line option, 116
 - vs-upgrade command line option, 121
- private, -public
 - loadbal-member-add command line option, 95
- private-speed <private_speed>
 - hw-edit command line option, 85
 - vs-edit command line option, 118
- ptr
 - vs-dns-sync command line option, 117
- public
 - loadbal-order command line option, 99
- public-speed <public_speed>
 - hw-edit command line option, 85
 - vs-edit command line option, 118
- quantity <quantity>
 - order-place command line option, 104
 - order-quote command line option, 106
- reason <reason>
 - hw-cancel command line option, 83
- required
 - order-category-list command line option, 102

-san
 vs-create command line option, 116
 -send-email
 order-place-quote command line option, 107
 -sortby <sortby>
 cdn-list command line option, 78
 hw-list command line option, 86
 report-bandwidth command line option, 108
 summary command line option, 108
 vs-list command line option, 119
 -start <start>
 report-bandwidth command line option, 108
 -subnet-private <subnet_private>
 vs-create command line option, 117
 -subnet-public <subnet_public>
 vs-create command line option, 117
 -tag <tag>
 hw-list command line option, 86
 vs-list command line option, 119
 -test
 hw-create command line option, 84
 vs-create command line option, 116
 -transient
 vs-create command line option, 117
 -transient <transient>
 vs-list command line option, 119
 -ttl <ttl>
 vs-dns-sync command line option, 117
 -up, -down
 autoscale-scale command line option, 75
 -userdata <userdata>
 autoscale-edit command line option, 77
 -uuid <uuid>
 loadbal-health command line option, 95
 -verify
 loadbal-order command line option, 99
 order-place command line option, 104
 order-quote command line option, 106
 -vlan-private <vlan_private>
 vs-create command line option, 117
 -vlan-public <vlan_public>
 vs-create command line option, 117
 -wait <wait>
 hw-create command line option, 84
 hw-ready command line option, 89
 vs-create command line option, 117
 vs-ready command line option, 121
 -D, -date-max <date_max>
 event-log-get command line option, 81
 -D, -domain <domain>
 hw-create command line option, 84
 hw-edit command line option, 85
 hw-list command line option, 86
 vs-create command line option, 115
 vs-edit command line option, 118
 vs-list command line option, 118
 -F, -userfile <userfile>
 autoscale-edit command line option, 77
 hw-edit command line option, 85
 order-quote command line option, 106
 vs-create command line option, 116
 vs-edit command line option, 118
 -H, -header <header>
 cdn-origin-add command line option, 79
 -H, -hostname <hostname>
 hw-create command line option, 84
 hw-edit command line option, 85
 hw-list command line option, 86
 vs-create command line option, 115
 vs-edit command line option, 118
 vs-list command line option, 119
 -P, -frontProtocol <frontprotocol>
 loadbal-pool-add command line option, 96
 loadbal-pool-edit command line option, 97
 -P, -protocol <protocol>
 cdn-origin-add command line option, 79
 loadbal-l7pool-add command line option, 98
 -S, -public-security-group <public_security_group>
 vs-create command line option, 117
 -S, -server <server>
 loadbal-l7pool-add command line option, 98
 -a, -a-record
 vs-dns-sync command line option, 117
 -b, -backPort <backport>
 loadbal-pool-add command line option, 96
 loadbal-pool-edit command line option, 97
 -b, -backend <backend>
 loadbal-order command line option, 99
 -b, -bucket-name <bucket_name>

cdn-origin-add command line option, 79

-c, -cache-query <cache_query>
cdn-origin-add command line option, 79

-c, -connections <connections>
loadbal-pool-add command line option, 96
loadbal-pool-edit command line option, 97

-c, -cpu <cpu>
hw-list command line option, 86
vs-create command line option, 115
vs-list command line option, 118

-d, -datacenter <datacenter>
hw-create command line option, 84
hw-list command line option, 86
loadbal-order command line option, 99
loadbal-order-options command line option, 100
vs-create command line option, 116
vs-list command line option, 119

-d, -date-min <date_min>
autoscale-logs command line option, 76
event-log-get command line option, 81

-e, -end_date <end_date>
hw-bandwidth command line option, 82
vs-bandwidth command line option, 114
vs-usage command line option, 122

-e, -extensions <extensions>
cdn-origin-add command line option, 79

-e, -extra <extra>
hw-create command line option, 84

-e, -obj-event <obj_event>
event-log-get command line option, 81

-f, -filter <_filters>
call-api command line option, 77

-f, -flavor <flavor>
vs-create command line option, 116

-f, -frontPort <frontport>
loadbal-pool-add command line option, 96
loadbal-pool-edit command line option, 97

-f, -frontend <frontend>
loadbal-order command line option, 99

-g, -tag <tag>
hw-edit command line option, 85
vs-create command line option, 116
vs-edit command line option, 118

-g, -tags <tags>
autoscale-tag command line option, 76

-i, -interval <interval>
loadbal-health command line option, 95

-i, -obj-id <obj_id>
event-log-get command line option, 81

-i, -postinstall <postinstall>
hw-create command line option, 84
hw-reload command line option, 88
order-quote command line option, 106
vs-create command line option, 116

-k, -key <key>
hw-create command line option, 84
hw-reload command line option, 88
order-quote command line option, 106
vs-create command line option, 116

-l, -label <label>
loadbal-order command line option, 99

-l, -limit <limit>
event-log-get command line option, 81
hw-list command line option, 86
vs-list command line option, 119

-m, -member <member>
loadbal-member-add command line option, 95
loadbal-member-remote command line option, 96

-m, -memory <memory>
hw-list command line option, 86
vs-create command line option, 115
vs-list command line option, 119

-m, -method <method>
loadbal-l7pool-add command line option, 98
loadbal-order command line option, 99
loadbal-pool-add command line option, 96
loadbal-pool-edit command line option, 97

-n, -name <name>
loadbal-l7pool-add command line option, 98
loadbal-order command line option, 99
vs-capture command line option, 115

- n, -network <network>
 - hw-list command line option, 86
 - vs-create command line option, 116
 - vs-list command line option, 119
 - o, -optimize-for <optimize_for>
 - cdn-origin-add command line option, 79
 - o, -os <os>
 - hw-create command line option, 84
 - vs-create command line option, 116
 - p, -backProtocol <backprotocol>
 - loadbal-pool-add command line option, 96
 - loadbal-pool-edit command line option, 97
 - p, -port <port>
 - cdn-origin-add command line option, 79
 - p, -summary_period <summary_period>
 - hw-bandwidth command line option, 82
 - vs-bandwidth command line option, 114
 - vs-usage command line option, 122
 - q, -quite_summary
 - hw-bandwidth command line option, 82
 - vs-bandwidth command line option, 114
 - r, -retry <retry>
 - loadbal-health command line option, 95
 - s, -private-security-group <private_security_group>
 - vs-create command line option, 117
 - s, -size <size>
 - hw-create command line option, 84
 - s, -start_date <start_date>
 - hw-bandwidth command line option, 82
 - vs-bandwidth command line option, 114
 - vs-usage command line option, 122
 - s, -sticky
 - loadbal-l7pool-add command line option, 98
 - loadbal-pool-add command line option, 96
 - loadbal-pool-edit command line option, 97
 - s, -subnet <subnet>
 - loadbal-order command line option, 99
 - t, -obj-type <obj_type>
 - event-log-get command line option, 81
 - t, -origin-type <origin_type>
 - cdn-origin-add command line option, 79
 - t, -template <template>
 - hw-create command line option, 84
 - vs-create command line option, 116
 - t, -timeout <timeout>
 - loadbal-health command line option, 95
 - t, -valid_type <valid_type>
 - vs-usage command line option, 122
 - u, -url <url>
 - loadbal-health command line option, 95
 - u, -userdata <userdata>
 - hw-edit command line option, 85
 - order-quote command line option, 106
 - vs-create command line option, 116
 - vs-edit command line option, 118
 - w, -weight <weight>
 - loadbal-member-add command line option, 95
 - x, -sslCert <sslcert>
 - loadbal-pool-add command line option, 96
 - loadbal-pool-edit command line option, 97
 - z, -utc-offset <utc_offset>
 - event-log-get command line option, 81
- ## A
- account-event-detail command line option
 - ack, 74
 - IDENTIFIER, 74
 - account-events command line option
 - ack-all, 73
 - account-invoice-detail command line option
 - details, 74
 - IDENTIFIER, 74
 - account-invoices command line option
 - all, 74
 - closed, 74
 - limit <limit>, 74
 - AccountManager (class in SoftLayer.managers.account), 8
 - ack_event() (SoftLayer.managers.account.AccountManager method), 8
 - add_certificate() (SoftLayer.managers.ssl.SSLManager method), 54
 - add_global_ip() (SoftLayer.managers.network.NetworkManager

- method), 43
- add_internal_subnet() (SoftLayer.managers.ipsec.IPSECManager method), 36
- add_key() (SoftLayer.managers.sshkey.SshKeyManager method), 53
- add_lb_l7_pool() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 39
- add_lb_listener() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 40
- add_lb_member() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 40
- add_origin() (SoftLayer.managers.cdn.CDNManager method), 15
- add_remote_subnet() (SoftLayer.managers.ipsec.IPSECManager method), 36
- add_securitygroup_rule() (SoftLayer.managers.network.NetworkManager method), 43
- add_securitygroup_rules() (SoftLayer.managers.network.NetworkManager method), 43
- add_service_subnet() (SoftLayer.managers.ipsec.IPSECManager method), 36
- add_standard_firewall() (SoftLayer.managers.firewall.FirewallManager method), 28
- add_subnet() (SoftLayer.managers.network.NetworkManager method), 43
- add_vlan_firewall() (SoftLayer.managers.firewall.FirewallManager method), 28
- apply_configuration() (SoftLayer.managers.ipsec.IPSECManager method), 37
- assign_global_ip() (SoftLayer.managers.network.NetworkManager method), 44
- attach_hardware() (SoftLayer.managers.ticket.TicketManager method), 55
- attach_securitygroup_component() (SoftLayer.managers.network.NetworkManager method), 44
- attach_securitygroup_components() (SoftLayer.managers.network.NetworkManager method), 44
- attach_virtual_server() (SoftLayer.managers.ticket.TicketManager method), 55
- authenticate_with_password() (SoftLayer.BaseClient method), 70
- authorize_host_to_volume() (SoftLayer.managers.block.BlockStorageManager method), 10
- authorize_host_to_volume() (SoftLayer.managers.file.FileStorageManager method), 23
- autoscale-detail command line option IDENTIFIER, 75
- autoscale-edit command line option
- cpu <cpu>, 77
 - max <maximum>, 76
 - memory <memory>, 77
 - min <minimum>, 76
 - name <name>, 76
 - userdata <userdata>, 77
 - F, -userfile <userfile>, 77
- IDENTIFIER, 77
- autoscale-logs command line option
- d, -date-min <date_min>, 76
- IDENTIFIER, 76
- autoscale-scale command line option
- amount <amount>, 75
 - by, -to, 75
 - up, -down, 75
- IDENTIFIER, 75
- autoscale-tag command line option
- g, -tags <tags>, 76
- IDENTIFIER, 76
- AutoScaleManager (class in SoftLayer.managers.autoscale), 9
- ## B
- BaseClient (class in SoftLayer), 70
- BasicAuthentication (class in SoftLayer), 72
- BlockStorageManager (class in SoftLayer.managers.block), 10
- build_filter() (SoftLayer.managers.event_log.EventLogManager static method), 22
- ## C
- call() (SoftLayer.BaseClient method), 70
- call-api command line option
- id <id>, 77
 - limit <limit>, 77
 - mask <mask>, 77
 - offset <offset>, 78
 - output-python, -no-output-python, 78

-f, --filter <_filters>, 77
 METHOD, 78
 PARAMETERS, 78
 SERVICE, 78
 cancel_block_volume() (SoftLayer.managers.block.BlockStorageManager method), 10
 cancel_file_volume() (SoftLayer.managers.file.FileStorageManager method), 23
 cancel_firewall() (SoftLayer.managers.firewall.FirewallManager method), 28
 cancel_global_ip() (SoftLayer.managers.network.NetworkManager method), 44
 cancel_guests() (SoftLayer.managers.dedicated_host.DedicatedHostManager method), 17
 cancel_hardware() (SoftLayer.managers.hardware.HardwareManager method), 30
 cancel_host() (SoftLayer.managers.dedicated_host.DedicatedHostManager method), 18
 cancel_instance() (SoftLayer.managers.vs.VSManager method), 57
 cancel_lbaas() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 40
 cancel_snapshot_space() (SoftLayer.managers.block.BlockStorageManager method), 11
 cancel_snapshot_space() (SoftLayer.managers.file.FileStorageManager method), 23
 cancel_subnet() (SoftLayer.managers.network.NetworkManager method), 44
 CapacityManager (class in SoftLayer.managers.vs_capacity), 65
 capture() (SoftLayer.managers.vs.VSManager method), 57
 cdn-detail command line option
 -history <history>, 78
 UNIQUE_ID, 78
 cdn-list command line option
 -sortby <sortby>, 78
 cdn-origin-add command line option
 -H, --header <header>, 79
 -P, --protocol <protocol>, 79
 -b, --bucket-name <bucket_name>, 79
 -c, --cache-query <cache_query>, 79
 -e, --extensions <extensions>, 79
 -o, --optimize-for <optimize_for>, 79
 -p, --port <port>, 79
 -t, --origin-type <origin_type>, 79
 ORIGIN, 79
 PATH, 79
 UNIQUE_ID, 79
 cdn-origin-list command line option
 UNIQUE_ID, 80
 cdn-origin-remove command line option
 ORIGIN_PATH, 80
 UNIQUE_ID, 80
 cdn-purge command line option
 PATH, 80
 UNIQUE_ID, 80
 CDNManager (class in SoftLayer.managers.cdn), 15
 change_port_speed() (SoftLayer.managers.hardware.HardwareManager method), 30
 change_port_speed() (SoftLayer.managers.vs.VSManager method), 58
 Client() (in module SoftLayer), 72
 create() (SoftLayer.managers.vs_capacity.CapacityManager method), 66
 create() (SoftLayer.managers.vs_placement.PlacementManager method), 67
 create_client_from_env() (in module SoftLayer), 71
 create_guest() (SoftLayer.managers.vs_capacity.CapacityManager method), 66
 create_instance() (SoftLayer.managers.vs.VSManager method), 58
 create_instances() (SoftLayer.managers.vs.VSManager method), 59
 create_or_update_lun_id() (SoftLayer.managers.block.BlockStorageManager method), 11
 create_record() (SoftLayer.managers.dns.DNSManager method), 20
 create_record_mx() (SoftLayer.managers.dns.DNSManager method), 20
 create_record_ptr() (SoftLayer.managers.dns.DNSManager method), 20
 create_record_srv() (SoftLayer.managers.dns.DNSManager method), 20
 create_remote_subnet() (Soft-

<i>Layer.managers.ipsec.IPSECManager</i> method), 37		<i>Layer.managers.block.BlockStorageManager</i> method), 11	
create_securitygroup ()	(Soft- <i>Layer.managers.network.NetworkManager</i> method), 44	delete_snapshot ()	(Soft- <i>Layer.managers.file.FileStorageManager</i> method), 24
create_snapshot ()	(Soft- <i>Layer.managers.block.BlockStorageManager</i> method), 11	delete_zone ()	(Soft- <i>Layer.managers.dns.DNSManager</i> method), 21
create_snapshot ()	(Soft- <i>Layer.managers.file.FileStorageManager</i> method), 24	detach_hardware ()	(Soft- <i>Layer.managers.ticket.TicketManager</i> method), 56
create_ticket ()	(Soft- <i>Layer.managers.ticket.TicketManager</i> method), 55	detach_securitygroup_component ()	(Soft- <i>Layer.managers.network.NetworkManager</i> method), 44
create_translation ()	(Soft- <i>Layer.managers.ipsec.IPSECManager</i> method), 37	detach_securitygroup_components ()	(Soft- <i>Layer.managers.network.NetworkManager</i> method), 44
create_zone ()	(Soft- <i>Layer.managers.dns.DNSManager</i> method), 21	detach_virtual_server ()	(Soft- <i>Layer.managers.ticket.TicketManager</i> method), 56
D		details ()	(Soft) <i>Layer.managers.autoscale.AutoScaleManager</i> method), 9
deauthorize_host_to_volume ()	(Soft- <i>Layer.managers.block.BlockStorageManager</i> method), 11	disable_snapshots ()	(Soft- <i>Layer.managers.block.BlockStorageManager</i> method), 11
deauthorize_host_to_volume ()	(Soft- <i>Layer.managers.file.FileStorageManager</i> method), 24	disable_snapshots ()	(Soft- <i>Layer.managers.file.FileStorageManager</i> method), 24
DedicatedHostManager	(class in Soft- <i>Layer.managers.dedicated_host</i>), 17	DNSManager	(class in Soft) <i>Layer.managers.dns</i>), 20
del_lb_l7_pool ()	(Soft- <i>Layer.managers.load_balancer.LoadBalancerManager</i> method), 40	dump_zone ()	(Soft) <i>Layer.managers.dns.DNSManager</i> method), 21
delete ()	(Soft) <i>Layer.managers.vs_placement.PlacementManager</i> method), 67	E	
delete_image ()	(Soft- <i>Layer.managers.image.ImageManager</i> method), 34	edit ()	(Soft) <i>Layer.managers.autoscale.AutoScaleManager</i> method), 9
delete_key ()	(Soft- <i>Layer.managers.sshkey.SshKeyManager</i> method), 53	edit ()	(Soft) <i>Layer.managers.hardware.HardwareManager</i> method), 31
delete_lb_member ()	(Soft- <i>Layer.managers.load_balancer.LoadBalancerManager</i> method), 40	edit ()	(Soft) <i>Layer.managers.image.ImageManager</i> method), 34
delete_record ()	(Soft- <i>Layer.managers.dns.DNSManager</i> method), 21	edit ()	(Soft) <i>Layer.managers.vs.VSManager</i> method), 60
delete_remote_subnet ()	(Soft- <i>Layer.managers.ipsec.IPSECManager</i> method), 37	edit_certificate ()	(Soft- <i>Layer.managers.ssl.SSLManager</i> method), 54
delete_securitygroup ()	(Soft- <i>Layer.managers.network.NetworkManager</i> method), 44	edit_dedicated_fwl_rules ()	(Soft- <i>Layer.managers.firewall.FirewallManager</i> method), 28
delete_snapshot ()	(Soft- <i>Layer.managers.block.BlockStorageManager</i> method), 11	edit_key ()	(Soft) <i>Layer.managers.sshkey.SshKeyManager</i> method), 53
		edit_record ()	(Soft- <i>Layer.managers.dns.DNSManager</i> method), 21
		edit_rwhois ()	(Soft- <i>Layer.managers.network.NetworkManager</i> method), 44

method), 45
 edit_securitygroup() (*SoftLayer.managers.network.NetworkManager method*), 45
 edit_securitygroup_rule() (*SoftLayer.managers.network.NetworkManager method*), 45
 edit_standard_fw_rules() (*SoftLayer.managers.firewall.FirewallManager method*), 28
 edit_zone() (*SoftLayer.managers.dns.DNSManager method*), 21
 enable_snapshots() (*SoftLayer.managers.block.BlockStorageManager method*), 12
 enable_snapshots() (*SoftLayer.managers.file.FileStorageManager method*), 24
 event-log-get command line option
 -i, -no-metadata, 81
 -D, -date-max <date_max>, 81
 -d, -date-min <date_min>, 81
 -e, -obj-event <obj_event>, 81
 -i, -obj-id <obj_id>, 81
 -l, -limit <limit>, 81
 -t, -obj-type <obj_type>, 81
 -z, -utc-offset <utc_offset>, 81
 EventLogManager (class in *SoftLayer.managers.event_log*), 22
 export_image_to_uri() (*SoftLayer.managers.image.ImageManager method*), 34

F

failback_from_replicant() (*SoftLayer.managers.block.BlockStorageManager method*), 12
 failback_from_replicant() (*SoftLayer.managers.file.FileStorageManager method*), 25
 failover_to_replicant() (*SoftLayer.managers.block.BlockStorageManager method*), 12
 failover_to_replicant() (*SoftLayer.managers.file.FileStorageManager method*), 25
 FileStorageManager (class in *SoftLayer.managers.file*), 23
 filter_outlet_packages() (*SoftLayer.managers.ordering.OrderingManager static method*), 48
 FirewallManager (class in *SoftLayer.managers.firewall*), 28

G

generate_order() (*SoftLayer.managers.ordering.OrderingManager method*), 48
 generate_order_template() (*SoftLayer.managers.ordering.OrderingManager method*), 48
 get() (*SoftLayer.managers.metadata.MetadataManager method*), 42
 get_adc() (*SoftLayer.managers.load_balancer.LoadBalancerManager method*), 40
 get_adcs() (*SoftLayer.managers.load_balancer.LoadBalancerManager method*), 40
 get_all_rules() (*SoftLayer.managers.vs_placement.PlacementManager method*), 67
 get_available_routers() (*SoftLayer.managers.vs_capacity.CapacityManager method*), 66
 get_backend_router_id_from_hostname() (*SoftLayer.managers.vs_placement.PlacementManager method*), 67
 get_bandwidth_allocation() (*SoftLayer.managers.hardware.HardwareManager method*), 31
 get_bandwidth_allocation() (*SoftLayer.managers.vs.VSManager method*), 60
 get_bandwidth_data() (*SoftLayer.managers.hardware.HardwareManager method*), 31
 get_bandwidth_data() (*SoftLayer.managers.vs.VSManager method*), 60
 get_billing_items() (*SoftLayer.managers.account.AccountManager method*), 8
 get_block_volume_access_list() (*SoftLayer.managers.block.BlockStorageManager method*), 12
 get_block_volume_details() (*SoftLayer.managers.block.BlockStorageManager method*), 12
 get_block_volume_snapshot_list() (*SoftLayer.managers.block.BlockStorageManager method*), 13
 get_cancellation_reasons() (*SoftLayer.managers.hardware.HardwareManager method*), 31
 get_cdn() (*SoftLayer.managers.cdn.CDNManager method*), 16
 get_certificate() (*SoftLayer.managers.ssl.SSLManager method*), 54

<code>get_create_options()</code>	(SoftLayer.managers.dedicated_host.DedicatedHostManager method), 18	<code>Layer.managers.ordering.OrderingManager static method), 48</code>
<code>get_create_options()</code>	(SoftLayer.managers.hardware.HardwareManager method), 31	<code>Layer.managers.ordering.OrderingManager method), 48</code>
<code>get_create_options()</code>	(SoftLayer.managers.vs.VSManager method), 61	<code>(SoftLayer.managers.sshkey.SshKeyManager method), 53</code>
<code>get_create_options()</code>	(SoftLayer.managers.vs_capacity.CapacityManager method), 66	<code>get_lb() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41</code>
<code>get_dedicated_fw_rules()</code>	(SoftLayer.managers.firewall.FirewallManager method), 29	<code>get_lbaas() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41</code>
<code>get_dedicated_package()</code>	(SoftLayer.managers.firewall.FirewallManager method), 29	<code>get_lbaas_uuid_id() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41</code>
<code>get_event()</code>	(SoftLayer.managers.account.AccountManager method), 8	<code>get_location_id() (SoftLayer.managers.ordering.OrderingManager method), 48</code>
<code>get_event_log_types()</code>	(SoftLayer.managers.event_log.EventLogManager method), 22	<code>get_logs() (SoftLayer.managers.autoscale.AutoScaleManager method), 9</code>
<code>get_event_logs()</code>	(SoftLayer.managers.event_log.EventLogManager method), 22	<code>get_nas_credentials() (SoftLayer.managers.network.NetworkManager method), 45</code>
<code>get_event_logs_by_request_id()</code>	(SoftLayer.managers.network.NetworkManager method), 45	<code>get_object() (SoftLayer.managers.vs_capacity.CapacityManager method), 66</code>
<code>get_file_volume_access_list()</code>	(SoftLayer.managers.file.FileStorageManager method), 25	<code>get_object() (SoftLayer.managers.vs_placement.PlacementManager method), 67</code>
<code>get_file_volume_details()</code>	(SoftLayer.managers.file.FileStorageManager method), 25	<code>get_only_active_packages() (SoftLayer.managers.ordering.OrderingManager static method), 49</code>
<code>get_file_volume_snapshot_list()</code>	(SoftLayer.managers.file.FileStorageManager method), 25	<code>get_order_container() (SoftLayer.managers.ordering.OrderingManager method), 49</code>
<code>get_firewalls()</code>	(SoftLayer.managers.firewall.FirewallManager method), 29	<code>get_origins() (SoftLayer.managers.cdn.CDNManager method), 16</code>
<code>get_hardware()</code>	(SoftLayer.managers.hardware.HardwareManager method), 31	<code>get_package_by_key() (SoftLayer.managers.ordering.OrderingManager method), 49</code>
<code>get_host()</code>	(SoftLayer.managers.dedicated_host.DedicatedHostManager method), 18	<code>get_package_by_type() (SoftLayer.managers.ordering.OrderingManager method), 49</code>
<code>get_image()</code>	(SoftLayer.managers.image.ImageManager method), 35	<code>get_package_id_by_type() (SoftLayer.managers.ordering.OrderingManager method), 49</code>
<code>get_instance()</code>	(SoftLayer.managers.vs.VSManager method), 61	<code>get_packages_of_type() (SoftLayer.managers.ordering.OrderingManager method), 49</code>
<code>get_invoices()</code>	(SoftLayer.managers.account.AccountManager method), 8	<code>get_policy() (SoftLayer.managers.autoscale.AutoScaleManager method), 9</code>
<code>get_item_price_id()</code>	(SoftLayer.managers.ordering.OrderingManager method), 48	<code>get_preset_by_key() (SoftLayer.managers.ordering.OrderingManager method), 49</code>

- method*), 49
- get_preset_prices() (SoftLayer.managers.ordering.OrderingManager *method*), 49
- get_price_id_list() (SoftLayer.managers.ordering.OrderingManager *method*), 50
- get_quote_details() (SoftLayer.managers.ordering.OrderingManager *method*), 50
- get_quotes() (SoftLayer.managers.ordering.OrderingManager *method*), 50
- get_record() (SoftLayer.managers.dns.DNSManager *method*), 21
- get_records() (SoftLayer.managers.dns.DNSManager *method*), 21
- get_replication_locations() (SoftLayer.managers.block.BlockStorageManager *method*), 13
- get_replication_locations() (SoftLayer.managers.file.FileStorageManager *method*), 25
- get_replication_partners() (SoftLayer.managers.block.BlockStorageManager *method*), 13
- get_replication_partners() (SoftLayer.managers.file.FileStorageManager *method*), 25
- get_request() (SoftLayer.BasicAuthentication *method*), 72
- get_router_options() (SoftLayer.managers.dedicated_host.DedicatedHostManager *method*), 18
- get_routers() (SoftLayer.managers.vs_placement.PlacementManager *method*), 67
- get_rule_id_from_name() (SoftLayer.managers.vs_placement.PlacementManager *method*), 67
- get_rwhois() (SoftLayer.managers.network.NetworkManager *method*), 45
- get_securitygroup() (SoftLayer.managers.network.NetworkManager *method*), 45
- get_standard_fw_rules() (SoftLayer.managers.firewall.FirewallManager *method*), 29
- get_standard_package() (SoftLayer.managers.firewall.FirewallManager *method*), 29
- get_subnet() (SoftLayer.managers.network.NetworkManager *method*), 46
- get_summary() (SoftLayer.managers.account.AccountManager *method*), 9
- get_summary_data_usage() (SoftLayer.managers.vs.VSManager *method*), 61
- get_ticket() (SoftLayer.managers.ticket.TicketManager *method*), 56
- get_tracking_id() (SoftLayer.managers.hardware.HardwareManager *method*), 32
- get_tracking_id() (SoftLayer.managers.vs.VSManager *method*), 61
- get_translation() (SoftLayer.managers.ipsec.IPSECManager *method*), 37
- get_translations() (SoftLayer.managers.ipsec.IPSECManager *method*), 37
- get_tunnel_context() (SoftLayer.managers.ipsec.IPSECManager *method*), 37
- get_tunnel_contexts() (SoftLayer.managers.ipsec.IPSECManager *method*), 38
- get_upcoming_events() (SoftLayer.managers.account.AccountManager *method*), 9
- get_usage_metrics() (SoftLayer.managers.cdn.CDNManager *method*), 16
- get_virtual_guests() (SoftLayer.managers.autoscale.AutoScaleManager *method*), 10
- get_vlan() (SoftLayer.managers.network.NetworkManager *method*), 46
- get_zone() (SoftLayer.managers.dns.DNSManager *method*), 21
- ## H
- HardwareManager (class in SoftLayer.managers.hardware), 29
- has_firewall() (in module SoftLayer.managers.firewall), 29
- hw-bandwidth command line option
- e, -end_date <end_date>, 82
 - p, -summary_period <summary_period>, 82
 - q, -quite_summary, 82

-s, -start_date <start_date>, 82
IDENTIFIER, 83

hw-cancel command line option
-comment <comment>, 83
-immediate, 83
-reason <reason>, 83
IDENTIFIER, 83

hw-create command line option
-billing <billing>, 84
-export <export>, 84
-no-public, 84
-port-speed <port_speed>, 84
-test, 84
-wait <wait>, 84
-D, -domain <domain>, 84
-H, -hostname <hostname>, 84
-d, -datacenter <datacenter>, 84
-e, -extra <extra>, 84
-i, -postinstall <postinstall>, 84
-k, -key <key>, 84
-o, -os <os>, 84
-s, -size <size>, 84
-t, -template <template>, 84

hw-credentials command line option
IDENTIFIER, 85

hw-detail command line option
-passwords, 85
-price, 85
IDENTIFIER, 85

hw-edit command line option
-private-speed <private_speed>, 85
-public-speed <public_speed>, 85
-D, -domain <domain>, 85
-F, -userfile <userfile>, 85
-H, -hostname <hostname>, 85
-g, -tag <tag>, 85
-u, -userdata <userdata>, 85
IDENTIFIER, 86

hw-list command line option
-columns <columns>, 86
-sortby <sortby>, 86
-tag <tag>, 86
-D, -domain <domain>, 86
-H, -hostname <hostname>, 86
-c, -cpu <cpu>, 86
-d, -datacenter <datacenter>, 86
-l, -limit <limit>, 86
-m, -memory <memory>, 86
-n, -network <network>, 86

hw-power-cycle command line option
IDENTIFIER, 87

hw-power-off command line option
IDENTIFIER, 87

hw-power-on command line option
IDENTIFIER, 87

hw-ready command line option
-wait <wait>, 89
IDENTIFIER, 89

hw-reboot command line option
-hard, -soft, 87
IDENTIFIER, 87

hw-reflash-firmware command line
option
IDENTIFIER, 88

hw-reload command line option
-i, -postinstall <postinstall>, 88
-k, -key <key>, 88
IDENTIFIER, 88

hw-rescue command line option
IDENTIFIER, 88

hw-toggle-ipmi command line option
-enable, -disable, 89
IDENTIFIER, 89

hw-update-firmware command line option
IDENTIFIER, 89

I

IDENTIFIER

account-event-detail command line
option, 74

account-invoice-detail command
line option, 74

autoscale-detail command line
option, 75

autoscale-edit command line option,
77

autoscale-logs command line option,
76

autoscale-scale command line
option, 75

autoscale-tag command line option,
76

hw-bandwidth command line option, 83

hw-cancel command line option, 83

hw-credentials command line option,
85

hw-detail command line option, 85

hw-edit command line option, 86

hw-power-cycle command line option,
87

hw-power-off command line option, 87

hw-power-on command line option, 87

hw-ready command line option, 89

hw-reboot command line option, 87

hw-reflash-firmware command line
option, 88

hw-reload command line option, 88

hw-rescue command line option, 88

- hw-toggle-ipmi command line option, 89
- hw-update-firmware command line option, 89
- loadbal-cancel command line option, 100
- loadbal-detail command line option, 94
- loadbal-health command line option, 95
- loadbal-l7pool-add command line option, 98
- loadbal-l7pool-del command line option, 99
- loadbal-member-add command line option, 95
- loadbal-member-remote command line option, 96
- loadbal-ns-detail command line option, 100
- loadbal-pool-add command line option, 96
- loadbal-pool-delete command line option, 98
- loadbal-pool-edit command line option, 97
- vs-bandwidth command line option, 114
- vs-cancel command line option, 115
- vs-capture command line option, 115
- vs-dns-sync command line option, 118
- vs-edit command line option, 118
- vs-pause command line option, 119
- vs-power-off command line option, 120
- vs-power-on command line option, 120
- vs-ready command line option, 121
- vs-reboot command line option, 121
- vs-rescue command line option, 120
- vs-resume command line option, 120
- vs-upgrade command line option, 122
- vs-usage command line option, 122
- ImageManager (class in *SoftLayer.managers.image*), 34
- import_image_from_uri() (SoftLayer.managers.image.ImageManager method), 35
- ip_lookup() (SoftLayer.managers.network.NetworkManager method), 46
- IPSECManger (class in *SoftLayer.managers.ipsec*), 36
- iter_call() (SoftLayer.BaseClient method), 71
- L**
- lbaas_order_options() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41
- list() (SoftLayer.managers.autoscale.AutoScaleManager method), 10
- list() (SoftLayer.managers.vs_capacity.CapacityManager method), 66
- list() (SoftLayer.managers.vs_placement.PlacementManager method), 68
- list_block_volumes() (SoftLayer.managers.block.BlockStorageManager method), 13
- list_categories() (SoftLayer.managers.ordering.OrderingManager method), 50
- list_cdn() (SoftLayer.managers.cdn.CDNManager method), 16
- list_certs() (SoftLayer.managers.ssl.SSLManager method), 54
- list_file_volumes() (SoftLayer.managers.file.FileStorageManager method), 26
- list_global_ips() (SoftLayer.managers.network.NetworkManager method), 46
- list_guests() (SoftLayer.managers.dedicated_host.DedicatedHostManager method), 18
- list_hardware() (SoftLayer.managers.hardware.HardwareManager method), 32
- list_instances() (SoftLayer.managers.dedicated_host.DedicatedHostManager method), 19
- list_instances() (SoftLayer.managers.vs.VSManager method), 62
- list_items() (SoftLayer.managers.ordering.OrderingManager method), 50
- list_keys() (SoftLayer.managers.sshkey.SshKeyManager method), 53
- list_packages() (SoftLayer.managers.ordering.OrderingManager method), 50
- list_presets() (SoftLayer.managers.ordering.OrderingManager method), 50
- list_private_images() (SoftLayer.managers.image.ImageManager method), 35
- list_public_images() (SoftLayer.managers.image.ImageManager method), 35
- list_securitygroup_rules() (SoftLayer.managers.ordering.OrderingManager method), 50

- Layer.managers.network.NetworkManager method*), 46
- list_securitygroups() (Soft-
Layer.managers.network.NetworkManager method), 46
- list_subjects() (Soft-
Layer.managers.ticket.TicketManager method), 56
- list_subnets() (Soft-
Layer.managers.network.NetworkManager method), 46
- list_tickets() (Soft-
Layer.managers.ticket.TicketManager method), 56
- list_vlans() (Soft-
Layer.managers.network.NetworkManager method), 46
- list_volume_schedules() (Soft-
Layer.managers.block.BlockStorageManager method), 13
- list_volume_schedules() (Soft-
Layer.managers.file.FileStorageManager method), 26
- list_zones() (Soft-
Layer.managers.dns.DNSManager method), 22
- LISTENER
- loadbal-pool-delete command line option, 98
 - loadbal-pool-edit command line option, 97
- loadbal-cancel command line option IDENTIFIER, 100
- loadbal-detail command line option IDENTIFIER, 94
- loadbal-health command line option
- uuid <uuid>, 95
 - i, -interval <interval>, 95
 - r, -retry <retry>, 95
 - t, -timeout <timeout>, 95
 - u, -url <url>, 95
- IDENTIFIER, 95
- loadbal-l7pool-add command line option
- healthInterval <healthinterval>, 98
 - healthPath <healthpath>, 98
 - healthRetry <healthretry>, 98
 - healthTimeout <healthtimeout>, 98
 - P, -protocol <protocol>, 98
 - S, -server <server>, 98
 - m, -method <method>, 98
 - n, -name <name>, 98
 - s, -sticky, 98
- IDENTIFIER, 98
- loadbal-l7pool-del command line option IDENTIFIER, 99
- loadbal-member-add command line option
- private, -public, 95
 - m, -member <member>, 95
 - w, -weight <weight>, 95
- IDENTIFIER, 95
- loadbal-member-remote command line option
- m, -member <member>, 96
- IDENTIFIER, 96
- loadbal-ns-detail command line option IDENTIFIER, 100
- loadbal-order command line option
- public, 99
 - verify, 99
 - b, -backend <backend>, 99
 - d, -datacenter <datacenter>, 99
 - f, -frontend <frontend>, 99
 - l, -label <label>, 99
 - m, -method <method>, 99
 - n, -name <name>, 99
 - s, -subnet <subnet>, 99
- loadbal-order-options command line option
- d, -datacenter <datacenter>, 100
- loadbal-pool-add command line option
- P, -frontProtocol <frontprotocol>, 96
 - b, -backPort <backport>, 96
 - c, -connections <connections>, 96
 - f, -frontPort <frontport>, 96
 - m, -method <method>, 96
 - p, -backProtocol <backprotocol>, 96
 - s, -sticky, 96
 - x, -sslCert <sslcert>, 96
- IDENTIFIER, 96
- loadbal-pool-delete command line option
- IDENTIFIER, 98
 - LISTENER, 98
- loadbal-pool-edit command line option
- P, -frontProtocol <frontprotocol>, 97
 - b, -backPort <backport>, 97
 - c, -connections <connections>, 97
 - f, -frontPort <frontport>, 97
 - m, -method <method>, 97
 - p, -backProtocol <backprotocol>, 97
 - s, -sticky, 97
 - x, -sslCert <sslcert>, 97
- IDENTIFIER, 97
- LISTENER, 97
- LoadBalancerManager (class in *SoftLayer.managers.load_balancer*), 39

- LOCATION
 order-place command line option, 105
 order-place-quote command line option, 108
- M**
- METADATA_ATTRIBUTES (SoftLayer.managers.metadata attribute), 43
- MetadataManager (class in SoftLayer.managers.metadata), 42
- METHOD
 call-api command line option, 78
- N**
- NetworkManager (class in SoftLayer.managers.network), 43
- O**
- order-category-list command line option
 -required, 102
 PACKAGE_KEYNAME, 102
- order-item-list command line option
 -category <category>, 103
 -keyword <keyword>, 103
 PACKAGE_KEYNAME, 103
- order-package-list command line option
 -keyword <keyword>, 101
 -package_type <package_type>, 101
- order-package-locations command line option
 PACKAGE_KEYNAME, 101
- order-place command line option
 -billing <billing>, 104
 -complex-type <complex_type>, 104
 -extras <extras>, 104
 -preset <preset>, 104
 -quantity <quantity>, 104
 -verify, 104
 LOCATION, 105
 ORDER_ITEMS, 105
 PACKAGE_KEYNAME, 105
- order-place-quote command line option
 -complex-type <complex_type>, 107
 -extras <extras>, 107
 -name <name>, 107
 -preset <preset>, 107
 -send-email, 107
 LOCATION, 108
 ORDER_ITEMS, 108
 PACKAGE_KEYNAME, 107
- order-preset-list command line option
 -keyword <keyword>, 103
 PACKAGE_KEYNAME, 103
- order-quote command line option
 -complex-type <complex_type>, 106
 -fqdn <fqdn>, 106
 -image <image>, 106
 -quantity <quantity>, 106
 -verify, 106
 -F, -userfile <userfile>, 106
 -i, -postinstall <postinstall>, 106
 -k, -key <key>, 106
 -u, -userdata <userdata>, 106
 QUOTE, 106
- order-quote-detail command line option
 QUOTE, 106
- order_block_volume() (SoftLayer.managers.block.BlockStorageManager method), 13
- order_duplicate_volume() (SoftLayer.managers.block.BlockStorageManager method), 14
- order_duplicate_volume() (SoftLayer.managers.file.FileStorageManager method), 26
- order_file_volume() (SoftLayer.managers.file.FileStorageManager method), 26
- order_guest() (SoftLayer.managers.vs.VSManager method), 62
- ORDER_ITEMS
 order-place command line option, 105
 order-place-quote command line option, 108
- order_lbaas() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41
- order_modified_volume() (SoftLayer.managers.block.BlockStorageManager method), 14
- order_modified_volume() (SoftLayer.managers.file.FileStorageManager method), 27
- order_quote() (SoftLayer.managers.ordering.OrderingManager method), 50
- order_replicant_volume() (SoftLayer.managers.block.BlockStorageManager method), 14
- order_replicant_volume() (SoftLayer.managers.file.FileStorageManager method), 27
- order_snapshot_space() (SoftLayer.managers.block.BlockStorageManager method), 14
- order_snapshot_space() (SoftLayer.managers.file.FileStorageManager method), 14

- method*), 27
- OrderingManager (class in SoftLayer.managers.ordering), 48
- ORIGIN
cdn-origin-add command line option, 79
- ORIGIN_PATH
cdn-origin-remove command line option, 80
- ## P
- PACKAGE_KEYNAME
order-category-list command line option, 102
order-item-list command line option, 103
order-package-locations command line option, 101
order-place command line option, 105
order-place-quote command line option, 107
order-preset-list command line option, 103
- package_locations() (SoftLayer.managers.ordering.OrderingManager method), 51
- PARAMETERS
call-api command line option, 78
- PATH
cdn-origin-add command line option, 79
cdn-purge command line option, 80
- place_order() (SoftLayer.managers.dedicated_host.DedicatedHostManager method), 19
place_order() (SoftLayer.managers.hardware.HardwareManager method), 32
place_order() (SoftLayer.managers.ordering.OrderingManager method), 51
place_quote() (SoftLayer.managers.ordering.OrderingManager method), 51
- PlacementManager (class in SoftLayer.managers.vs_placement), 67
- private_network() (SoftLayer.managers.metadata.MetadataManager method), 42
- public_network() (SoftLayer.managers.metadata.MetadataManager method), 42
- purge_content() (SoftLayer.managers.cdn.CDNManager method), 17
- Python Enhancement Proposals PEP 8, 135
- ## Q
- QUOTE
order-quote command line option, 106
order-quote-detail command line option, 106
- ## R
- reflash_firmware() (SoftLayer.managers.hardware.HardwareManager method), 33
- reload() (SoftLayer.managers.hardware.HardwareManager method), 33
- reload_instance() (SoftLayer.managers.vs.VSManager method), 63
- remove_certificate() (SoftLayer.managers.ssl.SSLManager method), 55
- remove_internal_subnet() (SoftLayer.managers.ipsec.IPSECManager method), 38
- remove_lb_listener() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41
- remove_origin() (SoftLayer.managers.cdn.CDNManager method), 17
- remove_remote_subnet() (SoftLayer.managers.ipsec.IPSECManager method), 38
- remove_securitygroup_rule() (SoftLayer.managers.network.NetworkManager method), 47
- remove_securitygroup_rules() (SoftLayer.managers.network.NetworkManager method), 47
- remove_service_subnet() (SoftLayer.managers.ipsec.IPSECManager method), 38
- remove_translation() (SoftLayer.managers.ipsec.IPSECManager method), 38
- report-bandwidth command line option
-end <end>, 108
-sortby <sortby>, 108
-start <start>, 108
- rescue() (SoftLayer.managers.hardware.HardwareManager method), 33
- rescue() (SoftLayer.managers.vs.VSManager method), 63

- [resolve_global_ip_ids\(\)](#) (*SoftLayer.managers.network.NetworkManager method*), 47
[resolve_ids\(\)](#) (*SoftLayer.managers.account.AccountManager method*), 9
[resolve_ids\(\)](#) (*SoftLayer.managers.block.BlockStorageManager method*), 15
[resolve_ids\(\)](#) (*SoftLayer.managers.cdn.CDNManager method*), 17
[resolve_ids\(\)](#) (*SoftLayer.managers.dedicated_host.DedicatedHostManager method*), 19
[resolve_ids\(\)](#) (*SoftLayer.managers.dns.DNSManager method*), 22
[resolve_ids\(\)](#) (*SoftLayer.managers.file.FileStorageManager method*), 27
[resolve_ids\(\)](#) (*SoftLayer.managers.firewall.FirewallManager method*), 29
[resolve_ids\(\)](#) (*SoftLayer.managers.hardware.HardwareManager method*), 33
[resolve_ids\(\)](#) (*SoftLayer.managers.image.ImageManager method*), 36
[resolve_ids\(\)](#) (*SoftLayer.managers.ipsec.IPSECManager method*), 38
[resolve_ids\(\)](#) (*SoftLayer.managers.load_balancer.LoadBalancerManager method*), 41
[resolve_ids\(\)](#) (*SoftLayer.managers.sshkey.SshKeyManager method*), 53
[resolve_ids\(\)](#) (*SoftLayer.managers.ticket.TicketManager method*), 56
[resolve_ids\(\)](#) (*SoftLayer.managers.vs.VSManager method*), 63
[resolve_ids\(\)](#) (*SoftLayer.managers.vs_capacity.CapacityManager method*), 66
[resolve_ids\(\)](#) (*SoftLayer.managers.vs_placement.PlacementManager method*), 68
[resolve_subnet_ids\(\)](#) (*SoftLayer.managers.network.NetworkManager method*), 47
[resolve_vlan_ids\(\)](#) (*SoftLayer.managers.network.NetworkManager method*), 47
[restore_from_snapshot\(\)](#) (*SoftLayer.managers.block.BlockStorageManager method*), 15
[restore_from_snapshot\(\)](#) (*SoftLayer.managers.file.FileStorageManager method*), 27
- ## S
- [scale\(\)](#) (*SoftLayer.managers.autoscale.AutoScaleManager method*), 10
[scale_to\(\)](#) (*SoftLayer.managers.autoscale.AutoScaleManager method*), 10
 SERVICE
 call-api command line option, 78
[set_credential_password\(\)](#) (*SoftLayer.managers.block.BlockStorageManager method*), 15
[set_tags\(\)](#) (*SoftLayer.managers.vs.VSManager method*), 64
[SoftLayer](#) (*module*), 70
[SoftLayer.managers.account](#) (*module*), 8
[SoftLayer.managers.autoscale](#) (*module*), 9
[SoftLayer.managers.block](#) (*module*), 10
[SoftLayer.managers.cdn](#) (*module*), 15
[SoftLayer.managers.dedicated_host](#) (*module*), 17
[SoftLayer.managers.dns](#) (*module*), 19
[SoftLayer.managers.event_log](#) (*module*), 22
[SoftLayer.managers.file](#) (*module*), 23
[SoftLayer.managers.firewall](#) (*module*), 28
[SoftLayer.managers.hardware](#) (*module*), 29
[SoftLayer.managers.image](#) (*module*), 34
[SoftLayer.managers.ipsec](#) (*module*), 36
[SoftLayer.managers.load_balancer](#) (*module*), 39
[SoftLayer.managers.metadata](#) (*module*), 42
[SoftLayer.managers.network](#) (*module*), 43
[SoftLayer.managers.ordering](#) (*module*), 47
[SoftLayer.managers.sshkey](#) (*module*), 52
[SoftLayer.managers.ssl](#) (*module*), 53
[SoftLayer.managers.ticket](#) (*module*), 55
[SoftLayer.managers.vs](#) (*module*), 57
[SoftLayer.managers.vs_capacity](#) (*module*), 65
[SoftLayer.managers.vs_placement](#) (*module*), 66
[SoftLayerAPIError](#), 72
[SoftLayerError](#), 72
[SoftLayerListResult](#) (*class in SoftLayer*), 72
[SshKeyManager](#) (*class in SoftLayer.managers.sshkey*), 53
[SSLManager](#) (*class in SoftLayer.managers.ssl*), 54

summary command line option

-sortby <sortby>, 108

summary_by_datacenter() (SoftLayer.managers.network.NetworkManager method), 47

T

TicketManager (class in SoftLayer.managers.ticket), 55

total_count (SoftLayer.SoftLayerListResult attribute), 72

U

unassign_global_ip() (SoftLayer.managers.network.NetworkManager method), 47

UNIQUE_ID

cdn-detail command line option, 78

cdn-origin-add command line option, 79

cdn-origin-list command line option, 80

cdn-origin-remove command line option, 80

cdn-purge command line option, 80

update_firmware() (SoftLayer.managers.hardware.HardwareManager method), 33

update_lb_health_monitors() (SoftLayer.managers.load_balancer.LoadBalancerManager method), 41

update_ticket() (SoftLayer.managers.ticket.TicketManager method), 56

update_translation() (SoftLayer.managers.ipsec.IPSECManger method), 38

update_tunnel_context() (SoftLayer.managers.ipsec.IPSECManger method), 39

upgrade() (SoftLayer.managers.vs.VSManager method), 64

upload_attachment() (SoftLayer.managers.ticket.TicketManager method), 56

V

verify_create_instance() (SoftLayer.managers.vs.VSManager method), 64

verify_order() (SoftLayer.managers.dedicated_host.DedicatedHostManager method), 19

verify_order() (SoftLayer.managers.hardware.HardwareManager method), 34

verify_order() (SoftLayer.managers.ordering.OrderingManager method), 52

verify_quote() (SoftLayer.managers.ordering.OrderingManager method), 52

vs-bandwidth command line option

-e, -end_date <end_date>, 114

-p, -summary_period <summary_period>, 114

-q, -quite_summary, 114

-s, -start_date <start_date>, 114 IDENTIFIER, 114

vs-cancel command line option IDENTIFIER, 115

vs-capture command line option

-all <all>, 115

-note <note>, 115

-n, -name <name>, 115

IDENTIFIER, 115

vs-create command line option

-billing <billing>, 116

-boot-mode <boot_mode>, 116

-dedicated, -public, 116

-disk <disk>, 116

-export <export>, 116

-host-id <host_id>, 116

-image <image>, 116

-ipv6, 117

-like <like>, 116

-placementgroup <placementgroup>, 117

-private, 116

-san, 116

-subnet-private <subnet_private>, 117

-subnet-public <subnet_public>, 117

-test, 116

-transient, 117

-vlan-private <vlan_private>, 117

-vlan-public <vlan_public>, 117

-wait <wait>, 117

-D, -domain <domain>, 115

-F, -userfile <userfile>, 116

-H, -hostname <hostname>, 115

-S, -public-security-group <public_security_group>, 117

-c, -cpu <cpu>, 115

-d, -datacenter <datacenter>, 116

-f, -flavor <flavor>, 116

-g, -tag <tag>, 116

-i, --postinstall <postinstall>, 116
 -k, --key <key>, 116
 -m, --memory <memory>, 115
 -n, --network <network>, 116
 -o, --os <os>, 116
 -s, --private-security-group <private_security_group>, 117
 -t, --template <template>, 116
 -u, --userdata <userdata>, 116
 vs-dns-sync command line option
 -aaaa-record, 117
 -ptr, 117
 -ttl <ttl>, 117
 -a, --a-record, 117
 IDENTIFIER, 118
 vs-edit command line option
 -private-speed <private_speed>, 118
 -public-speed <public_speed>, 118
 -D, --domain <domain>, 118
 -F, --userfile <userfile>, 118
 -H, --hostname <hostname>, 118
 -g, --tag <tag>, 118
 -u, --userdata <userdata>, 118
 IDENTIFIER, 118
 vs-list command line option
 -columns <columns>, 119
 -hourly, 119
 -monthly, 119
 -sortby <sortby>, 119
 -tag <tag>, 119
 -transient <transient>, 119
 -D, --domain <domain>, 118
 -H, --hostname <hostname>, 119
 -c, --cpu <cpu>, 118
 -d, --datacenter <datacenter>, 119
 -l, --limit <limit>, 119
 -m, --memory <memory>, 119
 -n, --network <network>, 119
 vs-pause command line option
 IDENTIFIER, 119
 vs-power-off command line option
 -hard, --soft, 120
 IDENTIFIER, 120
 vs-power-on command line option
 IDENTIFIER, 120
 vs-ready command line option
 -wait <wait>, 121
 IDENTIFIER, 121
 vs-reboot command line option
 -hard, --soft, 121
 IDENTIFIER, 121
 vs-rescue command line option
 IDENTIFIER, 120
 vs-resume command line option
 IDENTIFIER, 120
 vs-upgrade command line option
 -cpu <cpu>, 121
 -flavor <flavor>, 122
 -memory <memory>, 121
 -network <network>, 121
 -private, 121
 IDENTIFIER, 122
 vs-usage command line option
 -e, --end_date <end_date>, 122
 -p, --summary_period <summary_period>, 122
 -s, --start_date <start_date>, 122
 -t, --valid_type <valid_type>, 122
 IDENTIFIER, 122
 VSManager (*class in SoftLayer.managers.vs*), 57

W

wait_for_ready() (*SoftLayer.managers.hardware.HardwareManager method*), 34
 wait_for_ready() (*SoftLayer.managers.vs.VSManager method*), 65
 wait_for_transaction() (*SoftLayer.managers.vs.VSManager method*), 65