

---

# **vishap Documentation**

***Release 0.1.4***

**Artur Barseghyan <artur.barseghyan@gmail.com>**

January 15, 2015



<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Usage and examples</b>	<b>5</b>
2.1	Simple usage . . . . .	5
<b>3</b>	<b>Django integration</b>	<b>7</b>
3.1	Installation . . . . .	7
3.2	Usage . . . . .	7
<b>4</b>	<b>Missing a plugin?</b>	<b>9</b>
<b>5</b>	<b>License</b>	<b>11</b>
<b>6</b>	<b>Support</b>	<b>13</b>
<b>7</b>	<b>Author</b>	<b>15</b>
<b>8</b>	<b>Documentation</b>	<b>17</b>
<b>9</b>	<b>Indices and tables</b>	<b>19</b>



Generate embed (HTML) code of services like Youtube or Vimeo from URLs given. Rules are specified in the plugins. Comes with plugins for the following services (listed in alphabetical order):

- Vimeo
- Youtube



---

## Installation

---

Install with latest stable version from PyPI:

```
$ pip install vishap
```

or install the latest stable version from bitbucket:

```
$ pip install -e hg+https://bitbucket.org/barseghyanartur/vishap@stable#egg=vishap
```

or install the latest stable version from github:

```
$ pip install -e git+http://github.org/barseghyanartur/vishap@stable#egg=vishap
```

That's all. See the *Usage and examples* section for more.





---

## Usage and examples

---

### 2.1 Simple usage

Required imports

```
from vishap import render_video
```

#### 2.1.1 Rendering Vimeo code

The following code:

```
print render_video('http://vimeo.com/45655450', 500, 281)
```

Would result the following output:

```
<iframe src="//player.vimeo.com/video/45655450" width="500" height="281"
frameborder="0" webkitallowfullscreen mozallowfullscreen allowfullscreen>
</iframe>
```

#### 2.1.2 Rendering Youtube code

The following code:

```
print render_video('http://www.youtube.com/watch?v=LIP17PtGXNI', 560, 315)
```

Would result the following output:

```
<iframe width="560" height="315" src="//www.youtube.com/embed/LIP17PtGXNI"
frameborder="0" allowfullscreen></iframe>
```

#### 2.1.3 Filling available area

If you want your embed code to fill the available area, render it without `width` and `height` attributes and place it in a container to which it shall stretch.

Example:

```
s = """<div class="video-wrapper">
{embed_code}
</div>""".format(
    embed_code = render_video('http://www.youtube.com/watch?v=LIP17PtGXNI')
)
```

It would then result the following output:

```
<iframe src="//www.youtube.com/embed/LIP17PtGXNI"
frameborder="0" allowfullscreen></iframe>
```

Your CSS file should then look similar to the following

```
.video-wrapper {
    width: 600px;
    height: 500px;
    padding: 0;
}

.video-wrapper iframe {
    position: absolute;
    width: 100%;
    height: 100%;
}
```

### 2.1.4 Register a custom plugin

```
class ExamplePlugin(BaseVideoPlugin):
    uid = "example"
    name = "Example"
    url_pattern = "(?P<prefix>(http:\\\\www\\.youtube\\.com\\/watch\\?v=) | (http:\\\\www\\.youtube\\.com\\
id_pattern = "(?P<value>[A-Za-z0-9\\-=_]{11})"
    thumbnail_pattern = "//img.youtube.com/vi/{0}/{1}.jpg"
    embed_code = """
<iframe src="//www.youtube.com/embed/{video_id}" {options} frameborder="0" allowfullscreen></ifra
"""

plugin_registry.register(ExamplePlugin)
```

### 2.1.5 Replacing existing plugin

If you want to replace/update existing plugin, you can force register it in the registry.

```
class UpdatedYoutubePlugin(BaseVideoPlugin):
    uid = "youtube"
    name = "Youtube"
    url_pattern = "(?P<prefix>(http:\\\\www\\.youtube\\.com\\/watch\\?v=) | (http:\\\\www\\.youtube\\.com\\
id_pattern = "(?P<value>[A-Za-z0-9\\-=_]{11})"
    thumbnail_pattern = "//img.youtube.com/vi/{0}/{1}.jpg"
    embed_code = """
<iframe src="//www.youtube.com/embed/{video_id}" {options} frameborder="0" allowfullscreen></ifra
"""

plugin_registry.register(UpdatedYoutubePlugin, force=True)
```

---

## Django integration

---

### 3.1 Installation

Add `vishap.contrib.apps.django.vishap` to `INSTALLED_APPS`

```
INSTALLED_APPS = (  
    # ...  
    'vishap.contrib.apps.django.vishap',  
    # ...  
)
```

### 3.2 Usage

In your template:

Example #1:

```
{% load vishap_tags %}  
{% render_video 'http://www.youtube.com/watch?v=LIP17PtGXNI' 560 315 as rendered_video_example_1 %}  
{{ rendered_video_example_1|safe }}
```

Example #2:

```
{% load vishap_tags %}  
{% with video_url='http://vimeo.com/41055612' video_width='500' video_height='281' %}  
{% render_video video_url video_width video_height as rendered_video_example_2 %}  
{{ rendered_video_example_2|safe }}  
{% endwith %}
```



---

## Missing a plugin?

---

Missing a plugin for your favourite service? Contribute to the project by making one and it will appear in a new version (which will be released very quickly) or request a feature.



---

**License**

---

GPL 2.0/LGPL 2.1





---

**Support**

---

For any issues contact me at the e-mail given in the *Author* section.



---

**Author**

---

Artur Barseghyan <[artur.barseghyan@gmail.com](mailto:artur.barseghyan@gmail.com)>



---

**Documentation**

---

Contents:



---

## Indices and tables

---

- *genindex*
- *modindex*
- *search*